

Hello this is a test PDF

My name is Anshika

The screenshot shows a VS Code interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** minapplications-main
- Explorer:** Shows the project structure under MINAPPLICATIONS-MAIN:
 - minapplications-main
 - backend
 - __pycache__
 - .venv
 - venv_old
 - .gitignore
 - app.db
 - create_db.py
 - models.py
 - requirements.txt
 - schemas.py
 - seed.py
 - test_voting.py
 - frontend
 - node_modules
 - public
 - icons
 - vite.svg
- Editor:** The main editor window displays `main.py` with the following code:

```
from fastapi import FastAPI, Depends, HTTPException
from sqlalchemy.orm import Session
from typing import List
from fastapi.middleware.cors import CORSMiddleware
import models, schemas, database

models.Base.metadata.create_all(bind=database.engine)

app = FastAPI()

# CORS Configuration
origins = [
    "http://localhost:5173",
    "http://localhost:3000",
    "https://minapplications-frontend.onrender.com", # Predicted Render URL
    "*",
] # Allow all for simplicity during initial deployment
```
- Terminal:** VITE v7.2.4 ready in 472 ms
→ Local: http://localhost:5173/
- Bottom Bar:** PROBLEMS (12), OUTPUT, DEBUG CONSOLE, TERMINAL, PORTS

The screenshot shows a VS Code interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** minapplications-main
- Explorer:** Shows the project structure under MINAPPLICATIONS-MAIN:
 - minapplications-main
 - backend
 - __pycache__
 - .venv
 - venv_old
 - .gitignore
 - app.db
 - create_db.py
 - models.py
 - requirements.txt
 - schemas.py
 - seed.py
 - test_voting.py
 - frontend
 - node_modules
 - public
 - icons
 - vite.svg
- Editor:** The main editor window displays `main.py` with the following code:

```
from fastapi import FastAPI, Depends, HTTPException
from sqlalchemy.orm import Session
from typing import List
from fastapi.middleware.cors import CORSMiddleware
import models, schemas, database

models.Base.metadata.create_all(bind=database.engine)

app = FastAPI()

# CORS Configuration
origins = [
    "http://localhost:5173",
    "http://localhost:3000",
    "https://minapplications-frontend.onrender.com", # Predicted Render URL
    "*",
] # Allow all for simplicity during initial deployment
```
- Terminal:** VITE v7.2.4 ready in 472 ms
→ Local: http://localhost:5173/
- Bottom Bar:** PROBLEMS (12), OUTPUT, DEBUG CONSOLE, TERMINAL, PORTS

Hello this is a test PDF

My name is Anshika