

Government of Rajasthan

Department of Medical, Health and Family Welfare

Name of LAB : Government Medical College, Kota

SRF ID: 0810900924434

CR No.:

Bill No.:

Name: Anshit Arya

Age: 20

Gender: Male

Lab No:

Mobile No: 9414771828

Sample Collected: 26/12/2021

Test Name: SARS-CoV-2 Qualitative PCR (Real Time PCR)

Result: Negative

Interpretation

REPORT	REMARKS
Positive	RNA specific to SARS-CoV-2 Detected
Negative	RNA specific to SARS-CoV-2 Not Detected
Inconclusive	This could be due to low viral load in the sample/ Corona virus other than SARS-CoV-2. A repeat sample is recommended for confirmation after 48 hrs.
SNR (Sample Not Received)	Repeat Sample is advised
QNS (Quantity Not Sufficient)	

Note :-

1. Test conducted on Nasopharyngeal &/ Or pharyngeal Swabs (Submitted sample).
2. Negative result does not rule out the possibility of SARS-CoV-2 infection. Quality of sample received, presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings.
3. Report delivery may be delayed due to unforeseen circumstances.

This is system generated report and does not need signature. This can be verified from the website <http://health.rajasthan.gov.in/RTPCR>