

Contract Agreement (CA)

SECI/C&P/OP/11/014/2024-25/CA/II

Dated 20.11.2024

Placed on


M/s Prozeal Green Energy Limited

for

**10 (Ten) years comprehensive operation and maintenance
of 25 MW (AC) Solar PV Power Plant (50 MWp DC)
with 20 MW / 50 MWh Battery Energy Storage System**

at

Taru, Leh, UT of Ladakh, India





सत्यमेव जयते

INDIA NON JUDICIAL

Government of National Capital Territory of Delhi

₹100

e-Stamp

₹100 ₹100 ₹100 ₹100

Certificate No.

: IN-DL88225253271289W

Certificate Issued Date

: 18-Nov-2024 05:08 PM

Account Reference

: SELFPRINT (PU)/ dl-self/ NEHRU/ DL-DLH

Unique Doc. Reference

: SUBIN-DLL-SELF24618756575727W

Purchased by

: HIMANSHU SHARMA

Description of Document

: Article 5 General Agreement

Property Description

: CONTRACT AGREEMENT FOR DESIGN, SUPPLY, CONSTRUCTION, ERECTION, TESTING AND COMMISSIONING OF 25MWAC SOLAR PV PLANT WITH 20MW/50MWH BESS AT TARU LEH

Consideration Price (Rs.)

: 100
(One Hundred only)

First Party

: PROZEAL GREEN ENERGY LIMITED

Second Party

: SOLAR ENERGY CORPORATION OF INDIA LIMITED


Stamp Duty Paid By

: PROZEAL GREEN ENERGY LIMITED

Stamp Duty Amount(Rs.)

: 100
(One Hundred only)

₹100



SELF PRINTED CERTIFICATE TO BE
VERIFIED BY THE RECIPIENT AT
WWW.SHCILESTAMP.COM

IN-DL88225253271289W

Please write or type below this line


10 YEARS OF COMPREHENSIVE PLANT OPERATION & MAINTENANCE
(O&M) CONTRACT AGREEMENT BETWEEN Solar Energy Corporation of India
Limited and Prozeal Green Energy Limited.

This Contract Agreement No. SECI/C&P/OP/11/014/2024-25/CA/II is made on the
20th day of November 2024. (This is the date of transmittal of CA. The zero date for the
start of O&M contract will commence from the date of Operational Acceptance)



Statutory Alert:

- The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
- The onus of checking the legitimacy is on the users of the certificate.
- In case of any discrepancy please inform the Competent Authority.



BETWEEN

1. **SOLAR ENERGY CORPORATION OF INDIA LIMITED**, a Company (CIN U40106DL2011GOI225263) incorporated under the Companies Act 1956 and having its registered office at 6th Floor, Plate-B, NBCC Office Block Tower-2, East Kidwai Nagar, New Delhi-110023, India (hereinafter referred to as "SECI" & also referred as the Owner/Employer)

And

2. **PROZEAL GREEN ENERGY LIMITED**, having its registered office at WEST WING, 1209-1210, 12th Floor, Stratum@venus grounds, Nr. Jhansi ki Rani statue, Nehru Nagar, Ahmedabad-380015 (hereinafter called "the Contractor")


WHEREAS the Owner, SECI, desires to engage the Contractor for providing the **10 (Ten) years comprehensive operation and maintenance** of 25 MW (AC) Solar PV Power Plant (50 MWp DC) with 20 MW / 50 MWh Battery Energy Storage System at Taru, Leh, UT of Ladakh, India as detailed in the Contract Document, and the Contractor has agreed to such engagement upon and subject to the terms and conditions hereinafter appearing.

The scope of work inter-alia includes the following:

"10 (Ten) years comprehensive Operation and Maintenance (O&M) of 25 MW (AC) Solar PV Power Plant (50 MWp DC) with 20 MW / 50 MWh Battery Energy Storage System at Taru, Leh, UT of Ladakh, India as per Technical specifications & scope of work of the tender document"

There are 02 (two) separate contracts pertaining to the total project of "**25 MW (AC) Solar PV Power Plant (50 MWp DC) with 20 MW / 50 MWh Battery Energy Storage System at Taru, Leh, UT of Ladakh, India**", which is categorized into:

(a) First Contract (Supply & Service Part): For providing the Ex Works Supply, materials including mandatory spares and any other supplies specified in the Tender Documents under the scope of Supply comprising of all services i.e., including Transportation and Insurance of all Equipment's till site, Unloading, Storage, Handling at Site, Civil Works, Design, engineering, Erection, Installation, Testing and Commissioning including Performance Testing in respect of all the Equipment's



supplied under the scope of Supply and any other services specified in the Contract Documents.

(b) Second Contract (O&M Part): For providing Comprehensive operation & maintenance of the Solar PV plant for 10 (Ten) years from the date of Operational Acceptance, as detailed in technical specification including supply and storage of all spare parts, consumables, repairs/ replacement of any defective equipment etc.

NOW IT IS HEREBY AGREED as follows:

Article 1. Contract Documents

1.1 Contract Documents

The following documents shall constitute the Contract between the Owner and the Contractor, and each shall be read and construed as an integral part of the Contract:

PART - A


- (a) This Contract Agreement No SECI/C&P/OP/11/014/2024-25/CA/II dated 20.11.2024 and the Appendices thereto.

PART - B

- (b) Notification of Award (NOA) No. SECI/C&P/OP/11/014/2024-25/NoA/R1 dated 13.11.2024 and the Appendices thereto.

PART - C

- (c) Bidding documents for the subject package issued vide our Tender Ref. No. SECI/C&P/OP/11 /014/2024-25 dated 22.04.2024 read in conjunction with Amendment No 01 and Pre-Bid clarifications published on 19.06.2024 respectively to the Bidding Documents having following sections
 - i Special Conditions of Contract: Section V of Tender
 - ii General Conditions of Contract: Section IV of Tender
 - iii ITB, BDS & Annexure to BDS: Section II & III of Tender



- iv Special Technical Conditions on Technical Specifications: Section VII of Tender
- v Technical Specifications and Drawings: Section VII of Tender
- vi Price Schedules submitted by the Contractor: Section VIII & SoR of Tender
- vii Other completed Bidding forms submitted with the Bid: Section VI of Tender
- viii Any other documents forming part of the Employer's Requirements of Tender

PART - D

- (d) Bid submitted by M/s Prozeal Green Energy Private Limited with Ref No PGEPL/24-25/SECI-BESS/T-29 dated 26.06.2024 for the subject Tender

(Only relevant extracts are attached herewith for easy reference. Should the circumstances warrant, the original Bid along with the enclosures thereof, shall be referred to.)

1.2 Order of Precedence

In the event of any ambiguity or conflict between the Contract Documents listed above, the order of precedence shall be the order in which the Contract Documents are listed in Article 1.1 (Contract Documents) above.


1.3 Definitions (Reference GCC Clause 1 under Definition of Terms)

1.4 Capitalized words and phrases used herein shall have the same meanings as are ascribed to them in the General Conditions of Contract/Special Conditions of Contract.


Article 2. Contract Price and Terms of Payment

2.1 Contract Price

Under this Second Contract, the Owner hereby agrees to pay to the Contractor the Contract Price in consideration of the performance by the Contractor of its obligations hereunder. The Contract Price shall be the aggregate of **INR 28,05,12,160.60 (Indian**



Lavai



Rupees Twenty-Eight Crores Five Lakhs Twelve Thousand One Hundred and Sixty and Sixty Paisa Only) or such other sums as may be determined in accordance with the terms and conditions of the Contract. The detailed break-up of Contract Price is given under **Appendix 3 “Schedule of Detailed Price Break-up.**

2.2 Notwithstanding the break-up of the Contract Price, the Contract shall, at all times, be construed as a single source responsibility Contract and any breach in any part of any one of the two Contracts shall be treated as a breach of both the Contracts in entirety.

2.3 Terms of Payment

The terms and procedures of payment according to which the Owner will reimburse the Contractor are given in **Appendix 1 (Major Terms & Conditions and Procedures of Payment)** hereto.

Article 3. Effective Date of contract

3.1 Effective Date



The time period of 10 (Ten) years Operation & Maintenance (O&M) contract will start from the date of Operational Acceptance of the Plant. The zero date for the start of O&M contract services will commence from the date of Operational Acceptance.

Article 4. Communications

4.1 The address of the Employer for communication purposes is:

**Solar Energy Corporation of India Limited
(A Government of India Enterprise)**
6th Floor, Plate-B, NBCC Office Block Tower-2,
East Kidwai Nagar, New Delhi-110023, India
Tel: 011 – 24666200
email: umesh.patidar@seci.co.in ; sandeepprana@seci.co.in

4.2 The address of the Contractor for communication purposes is:



Prozeal Green Energy Limited

West Wing, 1209-1210, 12th Floor, Stratum@venus grounds,
Nr. Jhansi ki Rani statue, Nehru Nagar, Ahmedabad-380015
Mob: 99784 00444
email: shobit@prozealgreen.com

Article 5. Appendices

The Appendices listed in the List of Appendices, as mentioned below, shall be deemed to form an integral part of this Contract Agreement.

Reference in the Contract to any Appendix shall mean the Appendices attached hereto, and the Contract shall be read and construed accordingly.

List of Appendices

Appendix 1 Major Terms & Conditions and Procedures of Payment

Appendix 2 Time Schedule



Appendix 3 Schedule of Detailed Price Break-up

Article 6. Independent External Monitors

In respect of this project, the Independent External Monitor (IEM) would be monitoring the execution of contract to oversee implementation and effectiveness of the Integrity Pact (IP) & IP would be executed with you at the earliest. The names of Independent External Monitor(s) (IEMs) who have been appointed by Employer, in terms of Integrity Pact (IP) which will form a part of the Employer Contracts are:

- a) Shri Rakesh Mohan, IA&AS (Retd.), email ID: rmohan1987@gmail.com
- b) Shri Kesheo Prasad Dubey, IFoS (Retd.), email ID: kesheodubey@gmail.com

The above-mentioned IEMs are authorized to examine/consider all references made to it under this tender/Contract. The contractor, in case of any dispute(s)/complaint(s) pertaining to this project may raise the issue either with the



designed Nodal Officer in SECI or directly with the IEM at SECI office at following Address:

Solar Energy Corporation of India Limited,
6th Floor, Plate-B, NBCC Office Block Tower-2,
East Kidwai Nagar, New Delhi-110023, India

Kind Attn.: DGM (C& P)
Telephone Nos.: - 011 – 24666 - 200
E-mail: - umesh.patidar@seci.co.in ; sandeprana@seci.co.in

The Independent External Monitor (IEM) has the right to access without restriction to all Project documentations of the Employer including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his Project Documentations. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Sub-Contractors / JV Partners / Consortium member with confidentiality.

The Nodal officer for necessary coordination in this regard shall be as under:

- (i) HOD of Contracts & Procurement (C&P): For issues pertaining to C&P department.
- (ii) Head of concerned Department: For issues pertaining to other departments.


Article 7.

The Contract Agreement of Contract for performance of all other activities, as set forth in the Bidding Documents, viz *Supply & services inter-alia including “Design, Engineering, Supply, Construction, Erection, Testing and Commissioning of 25 MW (AC) Solar PV Power Plant (50 MWp DC) with 20 MW / 50 MWh Battery Energy Storage System at Taru, Leh, UT of Ladakh, India”* has been issued on you vide our CA no. **SECI/C&P/OP/11/014/2024-25/CA/I** dated 20.11.2024 (hereinafter called the “First Contract”).

Notwithstanding the award of Contract Agreement under two separate contracts in the aforesaid manner, the Contractor shall be overall responsible to ensure the



Kiran



execution of both the contracts to achieve successful completion and taking over of the facilities by the Owner as per the requirements stipulated in the Contract. Notwithstanding the break-up of the Contract Price, the Contract shall, at all times, be construed as a single source responsibility Contract and any breach in any part of any one of the two Contracts shall be treated as a breach of both the Contracts in entirety. It is expressly understood and agreed by the Contractor that any default or breach of the contract will be giving the Owner a right to terminate the Contract either in full or in part, and/or recover damages there under that Contract and shall give the Owner an absolute right to terminate this Contract at the Contractor's risk, cost and responsibility and /or recover damages accordingly. However, such breach or default or occurrence shall not automatically relieve the Contractor of any of its responsibility/ obligations under this Contract. It is also expressly understood and agreed by the Contractor that the equipment /materials supplied by the Contractor under the 'First Contract' when installed and commissioned by the Contractor shall give satisfactory performance in accordance with the provisions of the Contract.

IN WITNESS WHEREOF the Owner and the Contractor have caused this Agreement to be duly executed by their duly authorized representatives the day and year first above written.



Signed by for and
on behalf of the Owner

**SOLAR ENERGY CORPORATION OF
INDIA LIMITED**

Signature: **अतुल्या कुमार नायक / ATULYA KUMAR NAIK**
कार्यपाली निवेदक /Executive Director
अनुबंध पर्याप्त विभाग /Contract & Procurement Department
सौर ऊर्जा डोपोरेशन आण्ड इंडिया लि. / Solar Energy Corp. of India Ltd.
(गांव सरकार का उद्यम) / (A Govt. of India Enterprise)
वी. गोवा, घोटाला, सौरीयी अर्थव्यवस्था भौत व्यवस्था, एवं विकास नगर, चंद्र विहारी
6th Floor, Plate-B, NBCC Office Block Tower-2, East Kidwai Nagar, New Delhi-23

in the presence of

20.11.2024

उप महाप्रबोधक (अ. रु. ८०)
संका.



Signed by for and
on behalf of the Contractor

**M/S PROZEAL GREEN ENERGY
LIMITED**

Signature.....

Title: **Senior Manager - Tender**

in the presence of

Vikas
(VIKAS KUMAR)

APPENDIX – 1

1. MAJOR TERMS & CONDITIONS AND PROCEDURES FOR PAYMENT

Operation and Maintenance of the entire Project payment will be released on quarterly basis at the end of every quarter for each year till 10 (Ten) years.



- (i) Year 1 : OM -1
- (ii) Year 2 : OM -2
- (iii) Year 3 : OM -3
- (iv) Year 4 : OM -4
- (v) Year 5 : OM -5
- (vi) Year 6 : OM -6
- (vii) Year 7 : OM -7
- (viii) Year 8 : OM -8
- (ix) Year 9 : OM -9
- (x) Year 10 : OM -10

In case of any default, Non-Performance or breach of contractual conditions of the O&M contract during the O&M period, the penalties/deductions, if applicable will be liable to be deducted from the Quarterly O&M payments first & then from the Contract Performance Security.

The required ESI/PF Challans/any other mandatory compliance will also be provided by the Contractor during any of the Service (Services + O&M) related payments.

All the payment shall be released from Owner's Head Office upon submission of Original Documents like MDCC, delivery challan, warranty certificate, LR, WCC, MRN, commissioning certificate, handing over certificate, Insurance, PF, ESI, etc as required and mentioned against each Milestone payment, duly certified by the authorized representative of the Owner.

A payment to be taken through "TReDS" or directly from SECI is a sole discretion of the supplier. SECI shall not intervene in the supplier's decision to



place their invoices on “TReDS” Platform or directly taking payments from SECI.

“TReDS” option shall only be given to the MSME supplier and any other supplier “NOT” registered as MSME with SECI, cannot avail this facility.


2. CONTRACT PERFORMANCE SECURITY

Against EPC/ LSTK & O&M Contract of the project, within 30 (Thirty) days from the issuance of the Notification of Award/ Letter of Intent/Letter of Award, the successful bidder shall furnish unconditional and irrevocable individual Bank Guarantees issued by any Nationalized Banks in the manner as mentioned below.

The Contract Performance Security may be in the form of Bank Guarantee and shall be in the currency of the Contract and will be issued in the name of the Owner as **“Solar Energy Corporation of India Ltd”**.

The Contract Performance Security against this Contract need to be furnished as mentioned below:

- a) First Stage (Supply and Services): The value of the Contract Performance Security shall be **INR 14,25,39,312.00 (Indian Rupees Fourteen Crores Twenty-Five Lakhs Thirty-Nine Thousand Three Hundred and Twelve Only)**. This Performance security will be valid for a total period of 159 Months (36 Months Project commissioning period) + prescribed O & M Period, i.e., 120 Months + 03 Months additional) from the date of its issuance. The successful bidder can submit Contract Performance Security with initial validity of 36 months and the same may be extended after every 36 months till completion of the total 159 months period.
- b) The Contract Performance Security shall be towards faithful performance of the contractual obligations and performance of equipment.
- c) In case of any default or failure of the Contractor to comply with the requirements of any of the Obligations covered under this Tender Document and/ or Contract Agreement shall constitute sufficient grounds for forfeiture of the entire Contract




Performance Security, in such cases, the liability on account of GST will be borne by the contractor.

- d) Further, any delay beyond 30 (Thirty) days shall attract delay charges @ 1.25% per month on the total Contract Performance Security amount, calculated on pro-rata basis accordingly. However, total project completion period shall remain same. Part Security shall not be accepted. Further, Owner at its sole discretion may cancel the Contract Agreement/ NOA & forfeit 100% of EMD inclusive of GST, in case Contract Performance Security is not submitted within 45 (Forty-Five) days from issuance of NOA/LOA/LOI.

Contract Performance Security submitted shall be released to the Contractor without any interest not later than 75 (Seventy- Five) days after the successful completion of the complete O&M period (10 Years) subject to the approval and acceptance of the O&M period deliverables.

3. Operation and Maintenance

The detailed technical specification regarding the O&M Period is attached as Annexure 1 to the Second Contract (O&M Agreement).




APPENDIX – 2

1. TIME SCHEDULE

The time period of 10 (Ten) years Operation & Maintenance (O&M) contract will start from the date of Operational Acceptance of the Plant. The zero date for the start of O&M contract services will commence from the date of Operational Acceptance

Activities	Duration in months
Contractor is to provide Operation & Maintenance Contract of Solar Photo Voltaic Plant with BESS.	10 (Ten) years from the date of Operational Acceptance



APPENDIX – 3

1. SCHEDULE OF DETAILED PRICE BREAK-UP


(a) Under this Second Contract, the Owner hereby agrees to pay to the Contractor the Contract Price in consideration of the performance by the Contractor of its obligations hereunder. The Contract Price shall be the aggregate of **INR 28,05,12,160.60 (Indian Rupees Twenty-Eight Crores Five Lakhs Twelve Thousand One Hundred and Sixty and Sixty Paise Only)** or such other sums as may be determined in accordance with the terms and conditions of the Contract.

The detailed break-up of Contract Price is given as under:


Schedule No. 3. Operation & Maintenance							
Sl. No.	Description of Item	Year	PRICES (INR)				
			Yearly O&M Price (Excluding GST)	Total value of Applicable GST (in figures)	Yearly O&M Price including GST	Present Value Factor (PVF)	NPV of O&M Price
1	2	3	4	5	6=4+5	8.30%	7 = 6* PVF
OPERATION & MAINTENANCE							
1	Operation and Maintenance of the Solar PV Project for FIRST YEAR	1	INR 1,89,00,000.00	INR 34,02,000.00	INR 2,23,02,000.00	0.923	INR 2,05,92,797.78
2	Operation and Maintenance of the Solar PV Project for SECOND YEAR	2	INR 1,98,45,000.00	INR 35,72,100.00	INR 2,34,17,100.00	0.853	INR 1,99,65,316.41
3	Operation and Maintenance of the Solar PV Project for THIRD YEAR	3	INR 2,08,37,250.00	INR 37,50,705.00	INR 2,45,87,955.00	0.787	INR 1,93,56,954.97
4	Operation and Maintenance of the Solar PV Project for FOURTH YEAR	4	INR 2,18,79,113.00	INR 39,38,240.34	INR 2,58,17,353.34	0.727	INR 1,87,67,131.29
5	Operation and Maintenance of the Solar PV Project for FIFTH YEAR	5	INR 2,29,73,068.00	INR 41,35,152.24	INR 2,71,08,220.24	0.671	INR 1,81,95,279.12
6	Operation and Maintenance of the Solar PV Project for SIXTH YEAR	6	INR 2,41,21,722.00	INR 43,41,909.96	INR 2,84,63,631.96	0.620	INR 1,76,40,852.78



krain




7	Operation and Maintenance of the Solar PV Project for SEVENTH YEAR	7	INR 2,53,27,808.00	INR 45,59,005.44	INR 2,98,86,813.44	0.572	INR 1,71,03,319.80
8	Operation and Maintenance of the Solar PV Project for EIGHTH YEAR	8	INR 2,65,94,198.00	INR 47,86,955.64	INR 3,13,81,153.64	0.528	INR 1,65,82,165.76
9	Operation and Maintenance of the Solar PV Project for NINTH YEAR	9	INR 2,79,23,908.00	INR 50,26,303.44	INR 3,29,50,211.44	0.488	INR 1,60,76,892.07
10	Operation and Maintenance of the Solar PV Project for TENTH YEAR	10	INR 2,93,20,103.00	INR 52,77,618.54	INR 3,45,97,721.54	0.451	INR 1,55,87,014.26
	NPV OF O&M FOR 10 YEARS (1+2+3+4+5+6+7+8+9+10)		INR 23,77,22,170.00		INR 28,05,12,160.60		INR 17,98,67,724.24



ANNEXURE I

To

OPERATION & MAINTENANCE AGREEMENT



1 CONTRACT PERIOD

The term of employment under this Agreement shall begin on the date of signing of this O&M Agreement, by and between the Employer and the Contractor (the "Effective Date" or "Commencement Date") and unless terminated earlier as set forth herein, shall continue through and including the tenth (10th) anniversary of the Effective Date.

Unless otherwise agreed, the Effective date shall be the date of Issue of Completion Certificate by the Employer.



Note: Operational Acceptance of the Plant Facilities by the Employer shall be a necessary condition for signing of the O&M Agreement.

2 CONTRACTOR'S OBLIGATIONS

1.1. Services

During the Term of the Contract, the Contractor shall perform the services in accordance with the Operation and Maintenance Scope of work as described in Annexure-1 (Scope of Work for Operation and Maintenance) (hereafter the "Services"), and also in accordance with the other conditions as prescribed related to the operational performance under Section - VII of the Bid Document.


- 1.2. The Contractor shall be deemed to have allowed correct and sufficient O&M Price to cover all its obligations under the Contract and to have allowed the necessary resources to enable it to perform the Services to the standards and in the manner required. The Contractor's failure to acquaint itself with or assess any applicable condition shall neither relieve it from the responsibility for performing its obligations under the Contract nor entitle the Contractor to any additional costs or any other relief.
- 1.3. To the extent the Contractor reasonably believes that it is necessary to enhance the overall performance or safety of the Plant, the Contractor may propose changes and improvements to the Plant [(including the software included with respect thereto)]. The Contractor shall ensure that no modification of any equipment, change of software settings or any other alteration of equipment shall:
 - (i) cause a negative impact on the performance of the safety and reliability of the Plant;
 - (ii) adversely impact the Warranties;
 - (iii) adversely affect the warranties provided by the Contractors under the Contract.




- (iv) conflict with the requirements under the contract; or
 - (v) bypass any protective equipment.
 - (vi) Violates any National/International Trade & IPR laws.
- 1.4. Any proposed modifications/changes shall not be carried out without the approval of the original equipment manufacturer and the Employer and in accordance with Performance Standards, and Technical Specifications. The Employer shall be notified of the proposed modifications along with reasons and technical note for such modifications, changes, alterations, etc., and after the modifications are carried out in accordance with the contract, an alterations activity report is to be shared with the Employer.
- 1.5. The Contractor shall, while rendering the Services, observe and comply with all the Applicable Laws, Good Solar Industry Practices, Ministry of New & Renewable Energy (MNRE), Ministry of Power (MoP), CEA, CERC, GRID India, SLDC/RLDC, Local DISCOM & TRANSCO, CTU guidelines and Performance Standards pursuant to the contract. The Employer shall have the right to, to the extent applicable to Services rendered by the Contractor, conduct monthly audit on Applicable Laws, health, safety and environment and all other relevant compliances. The Contractor shall provide all necessary access and supporting documents during audit which are applicable to the same. However, such audits will be planned well in advance in coordination with the Contractor, without affecting the site operation plan.
- 1.6. The Contractor shall provide and make available as necessary, all such skilled, experienced and qualified labour and other competent personnel as are required to perform the Services the Contractor shall ensure that its Personnel hold and continue to maintain all qualifications and licenses as required under Applicable Law to allow its Personnel to lawfully undertake performance of the Services and carry out the Contractor's other obligations under the contract. For works/services being performed on a continuous basis, the O&M Price shall be deemed to include and the Contractor shall obtain all required Government Approvals and bear any costs related thereto (including any shift or permitted overtime working, allowances, wage orders, night shift differentials, etc.).



Kiran



- 1.7 The Contractor shall ensure that all its Personnel deployed for providing the Services have undergone adequate safety training and are appropriately skilled, qualified and experienced in performing the Services for solar farms of a similar size, scope and complexity as the Plant. The Contractor shall be responsible for all matters relating to labor relations, working conditions, training, employee benefits, safety programs and related matters pertaining to its Personnel. The Contractor shall at all times have full supervision and control over its Personnel and shall at all times maintain appropriate order and discipline among its Personnel.
- 1.8 Contractor shall be solely liable for and, at its sole cost and expense, arrange for the response, reporting, removal, transportation, disposal, investigation, cleanup or other remedial action (in all cases by licensed, insured, competent and professional contractors in a safe manner and in accordance with Applicable Laws) for any hazardous substances/waste existing at, in, on or under the Project.
- 1.9 The Contractor shall ensure availability of such Consumable Parts, Spare Parts, and Contractor's Equipment as may be necessary for the performance of the Services. The Contractor shall ensure that such Contractor's Equipment does not interfere with the operational or structural integrity of the Plant
- 1.10 The Contractor shall make available to the Employer the Reference Documents set forth in the Reference Documents and shall also provide the Employer with updates and revisions to the Reference Documents to the extent such updates and revisions are necessary and applicable to the performance of the Services. The Contractor shall provide the Employer with a latest version of update available of all the Reference Documents at the time of termination of the contract.
- 1.11 The Contractor acknowledges and agrees that other contractors of the Employer may be present at the Plant and it shall cooperate with such other contractors to allow the performance of its and their respective obligations to occur concurrently.
- 1.12 The Contractor shall through relevant agencies, if applicable, promptly investigate all accidents, damage or destruction, diagnosis, assessment of any potential consequential effects, estimating cost of repair, arranging for any remedial action required, making of any claims under the insurance policies and co-operating with and making reports required by the Employer or insurers.
- 1.13 The Contractor shall ensure that any Warranties provided under the Project Contracts are not invalidated or adversely affected by any act or omission of the Contractor during the period of such warranties.



- 1.14 The Energy Management System (EMS)/ Power Plant Controller (PPC) and SCADA system shall be connected with the Plant and the Contractor shall make arrangements to provide monthly reports from the SCADA system. The Contractor shall arrange to connect the Plant to the SCADA system operating at the Site enabling the remote operation of the Plant by the Contractor and to provide access to information pertaining to the Plant to the Employer's Representative at Site and SLDC/RLDC. The Employer may collect the data generated by the SCADA system in respect of the Plant from the Contractor.
- 1.15 The Contractor shall further provide support for the operation and maintenance of any Employer installed scope including any third-party support as may be required by any relevant Government Authority.
- 1.16 The Contractor shall notify and communicate to the Employer about any condition which may cause any malfunction or failure in the Project.

2. FUNCTIONAL GUARANTEES/WARRANTIES

2.1. Technical and Functional Performance Guarantee

2.1.1 The Contractor shall be responsible for meeting the performance guarantee of the Plant Facility as described in the contract. (**Annexure 2:** Functional guarantees to this O&M Agreement)

2.1.2 In case of failure to meet the functional guarantees as described in section 2.1.1 above, the Contractor shall be liable to pay applicable Liquidated damages as described in the Bid Document and represented in Annexure-2 of this document.


2.3. Guarantee of compliance in relation to Curtailment Plans (curtailment plans)

The Employer may communicate to the Contractor any curtailment plans either linked to load management, or Applicable Law, the ("**Curtailment Plans**").


The Contractor shall ensure compliance with all Curtailment Plans provided by the Employer in accordance with Performance Standards and Technical Specifications. If either the Contractor or the Employer detects a variation with respect to the Curtailment Plans, the Contractor will, at its own expense, characterise the problem, isolate the source of the problem and propose solutions to solve the problem to Employer (at the Employer' expenses in all cases other than cases where it's ascertained that the deviation was caused by a non-respect of the obligations under the contract).



Kiran



2.4. Grid Connection and balance of electricity commitments



The Contractor acknowledges that to allow the Employer to inject the energy generated by the Plant Facility to the Grid and be eligible for the full tariff under the PPA, the Plant and the Contractor must comply with the requirements prescribed by Applicable Law, Good Solar Industry Practices, Performance Standards and the Grid documents and that failure to comply with such requirements may cause the Employer to either: (i) not be able to collect the tariff energy injected; and/or (ii) be subject to penalties payable to the Grid operator and/or the DISCOM and/or the power purchaser and/or any Government body. The Contractor therefore undertakes to diligently comply the requirements referred to Grid Connection and balance of electricity commitments, as prescribed under the Grid documents as provided by or on behalf of the Employer from time to time (or of which the Contractor otherwise becomes aware), and/or with the reasonable requests of the Employer associated with the compliance therewith.

3. PERFORMANCE STANDARDS

3.1 Contractor shall perform its obligations under the contract in compliance with the contract and otherwise, as applicable, in accordance with the following order of precedence (collectively, the "Performance Standards") as from time to time in force:

3.1.1 the Applicable Laws, and the requirements from the Grid Operator/SLDC/RLDC;

3.1.2 the Permits and all the related documents;

3.1.3 the terms of the contract;

3.1.4 the functional Guarantee;

3.1.5 the Reference Documents including the manufacturers recommendations;


3.1.6 Employer's health and safety manuals and procedures and ESMP;

3.1.7 the Site Regulations;

3.1.8 the Equator Principles and the Equator Principles Requirements;

3.1.9 Good Solar Industry Practice;

3.1.10 Any relevant and reasonable instructions issued by the Employer, relevant to the scope of the contract, to the Contractor at least 15 days before the implementation of such instructions without any cost to the Contractor.



krain





- 3.1.11 The terms of insurances directly relating to the Project and
- 3.1.12 Comply with all operation and maintenance obligations as set out under the PPA or do anything which results in a breach of the Employer's obligations under the PPA.
- 3.2 If there is any inconsistency between the Performance Standards, [it shall be interpreted in the order of precedence listed above provided that(i) the application of a Performance Standard does not derogate, breach, contradict, obstacle or circumvent the application of a Performance Standards appearing above such standard in the above order of precedence, and, in addition, (ii) provided that this such application does not cause a breach of Performance Standards or the Parties shall discuss and agree upon the manner in which such conflict shall be resolved.
- 3.3 Notwithstanding any other provision in the contract, the Contractor shall have no responsibility or obligation, save and to the extent that the Contractor is required to do so pursuant to the provisions of Additional Services, to ensure that the Plant complies with the requirements of Applicable Law, Permits, if and to the extent that the same are introduced or amended following the Commencement Date;
- 3.4 The Contractor shall not do or omit to do anything in the performance or discharge of its obligations or the exercise of its rights under the contract or in breach of the contract, which would cause any breach of any of the terms of the Supply Contract, Works Contract, the Applicable Law, the Permits or the terms of any Permits or the Direct Contract, and should the Contractor be in breach of the Performance Standards, it shall, on demand of the Employer, indemnify the Employer against any direct Losses arising from a breach of this Clause by the Contractor, always subject to the aggregate liability cap of the Contractor (except as otherwise agreed herein).
- 3.5 If the Contractor is aware of a conflict between any of the above requirements, it shall inform the Employer accordingly and the Parties shall discuss and agree upon the manner in which such conflict shall be resolved.

4. EXCLUSIONS

4.1. General

- (a) Force Majeure events as per GCC



4.2. The rights of the Contractor under Exclusions shall only apply to the extent that the Excluded Risk Event has caused actual delays or substantial interference to the performance of the Contractor's obligations under his Contract, which could not have been mitigated by the Contractor's best efforts, and to such portions of Contractor's obligations directly affected by such delays or interference.

4.3. Notification of Excluded Risk Event

To the extent Contractor has actual knowledge of any loss or damage to the Plant caused by or arising from an Excluded Risk Event, it shall give Employer immediate notice of the same and provide a written report to Employer within five (5) Business Days; and the employer and Contractor shall be mutually agreed upon within (30) business day. However, that any failure of Contractor to provide such notice shall not waive, prejudice or otherwise affect the other provisions in Exclusions, except to the extent that the failure to timely notify Employer results in any additional damage or loss to the Plant. Notwithstanding the foregoing, in case of delay to provide the aforementioned notice, the Contractor shall be liable towards the Employer for any additional damage or loss caused by the delay to notify the Employer.



Kiran




5. ADDITIONAL SERVICES

- 5.1. Employer may, with respect to the Plant, request that Contractor perform work, provide services, or supply other equipment or parts, not included within Services for the successful operation of the plant for the duration of this O&M Agreement. Any such requested service or supply that the Parties mutually agree to in writing shall, subject to any specific terms and conditions agreed with respect to such service or supply, be an "**Additional Service**".

6. SERVICE PERSONNEL

- 6.1. Contractor shall provide the Services and any Additional Services to be performed on Site using a sufficient number of suitably skilled, qualified and experienced (including any licensing, certifications or training required by Applicable Laws or the local transmission system operator) and adequately equipped and properly trained Personnel and/or Subcontractors, all appropriately skilled and experienced in their respective trades or occupations as may be reasonably necessary to fulfil its obligations hereunder in relation to the Services and Additional Services
- 6.2. The Employer may request the Contractor to remove (or cause to be removed) any Person or Subcontractor employed on the operation of the Plant, including the Contractor's Representative if applicable, who:
- (i) engages in material or persistent misconduct or lack of reasonable care;
 - (ii) carries out duties incompetently or negligently;
 - (iii) fails materially to conform with any provisions of the Contract;
 - (iv) engages in conduct which is prejudicial to safety, health or the protection of the environment or in violation of any related Performance Standards or Applicable Laws;
 - (v) engages in conduct which might reasonably result in a breach of any provision of the contract and threaten public health, safety or security.

- 6.3. The Employer shall give notice to the Contractor of the same giving reasons and request the Contractor to replace such Personnel with a suitable candidate. The Contractor shall then as soon as reasonably possible but no later than seven (7) days upon receiving such notice from the Employer, Contractor will look in to the facts and claims of the case in all sincerity and deploy the required actions with the notice to the Employer.




- 6.4. Contractor shall have full supervision and control over its Personnel at the Site and shall maintain appropriate order and discipline among such personnel and shall cause any Subcontractor to maintain similar standards with respect to such Subcontractor's personnel at the Site.
- 6.5. The Contractor shall be responsible for all matters relating to labour relations, working conditions, training, employee benefits, employee drug testing in accordance with the Contractor's standard drug testing policy, safety programs and related matters pertaining to its employees and other Personnel engaged by the Contractor. The Contractor shall at all times have full supervision and control over its employees and other personnel engaged by it and shall at all times maintain appropriate order and discipline among its Personnel and shall cause any Subcontractor (or any subcontractor appointed by such Subcontractor) to maintain similar standards with respect to such Subcontractor's or any subcontractor appointed by such Subcontractor) employees and Personnel.
- 6.6. The Employer shall have the right, acting reasonably and following prior notification, to require the Contractor to remove from the Site any employee or Personnel of the Contractor or any of its Subcontractors (or any subcontractor appointed by such Subcontractor) engaged in activity which presents a risk of injury to persons or property at the Site.

7. SAFETY PRECAUTION

- 7.1 During performance of the Services, Contractor shall:
 - 7.1.1 comply with the safety standards and any safety procedures established by Contractor and same shall be approved by employer after the Commencement Date;
 - 7.1.2 take all precautions required by Applicable Laws or Site Regulations, or otherwise according to the Performance Standards, for the health and safety of Contractor, its Affiliates and Subcontractors in the performance of the Services and any other Persons with temporary or perpetual access to the Site; [provided that the foregoing shall not limit Employer's responsibility for the safety of the Site as provided in Safety Precautions.

8. CONSUMABLES, SPARE PARTS, TOOLS AND EQUIPMENT



8.1 During the Term, Contractor shall provide equipment Spare Parts and Consumables and Tools, all as part of the Services and without Additional Cost to the Employer in accordance with the contract. Unless otherwise specified in the contract, the Contractor shall provide the Employer with an initial Spare Parts inventory. At the end of the Term or upon termination of the contract, the Supplier will replenish the equal quantity of the Spare Parts and Consumables and Tools as provided during the start of Contract.


8.2 Consumables and Tools

Contractor shall supply Consumables and Tools to the extent required for performance of the Services. All Consumables provided by Contractor in the performance of its Services, shall be compatible with the applicable requirements of the Reference Documents and Applicable Laws.

8.3 Equipment and Spare Parts

Contractor shall supply Equipment and Spare Parts to the extent required for its performance of the Services and to maintain its obligations thereunder. The Contractor has the right to use renovated Equipment and Spare Parts. If the Contractor intends to use any refurbished Major Components, it will seek prior written approval from the Employer. Contractor's right to procure and use renovated / refurbished Spare Parts is subject to: (i) standards of good workmanship and Good Industry Practice; (ii) compliance with the applicable requirements of the Reference Documents; (iii) the Spare Part(s) are of the type being replaced or of another type insofar as same does not invalidate any applicable Type Certification of the Equipment (iv) the same warranty as equivalent new parts in terms of scope, nature and duration, (v) being renovated in conformity with the original equipment manufacturer's standards, and (v) being listed in the monthly maintenance report when used (track record of the Part). All such renovated/refurbished parts will be allowed by Employer only for any long lead items and also considering uninterrupted generation from the Project. However, the contractor shall immediately reinstate and order new items in order to replace the refurbished items provided for emergency purposes.

2.4 Inspection of Replaced Parts



Contractor shall give to the Employer seven (7) days' notice of the time when the Replaced Part is being transported to the Site. Contractor shall permit Employer to inspect, at Employer's sole cost and expense, any Part which is removed and replaced by a Spare Part pursuant to Consumables, Spare Parts, Tools and Equipment (such Part, a "Replaced Part"); provided however, any such inspection:

- (i) must not include physical alteration or disassembly of such Replaced Part; and
- (ii) must not result in any material increased costs to Contractor or delay Contractor in the performance of its obligations under the contract or any Contract with, or warranty from, its Subcontractors, unless Employer agrees to cover such material increased cost.



Knows



8.5 Tools and Equipment

Contractor shall furnish its service personnel with such tools, instruments, or materials tools and equipment and equipment as are necessary to perform the Services (the "Contractor's Equipment").

8.6 Prices of Consumables, Spare Parts and Contractor's Equipment

Subject to GST, Taxation & Import Duties, the O&M Price payable to Contractor under the contract shall include (in addition to other components included in such Price) the Costs of any and all Equipment, Consumables, Spare Parts and Contractor's Equipment required in connection with the performance of the Services.

Note: The List of Mandatory Spare Parts to be maintained under the Contract shall be as provided in the Appendix to this document.

8.7 Risk of Loss or Damage to Consumables, Spare Parts and Contractor's Equipment

Contractor shall:


- (i) be responsible at its own cost for the safe transportation and delivery to Site and adequate storage; of all Consumables, Spare Parts, and Contractor's Equipment, in each case, required for the carrying out of the Services;
- (ii) bear the risk of loss and damage to all such Consumables and Spare Parts during transportation to the Site and, thereafter up to the date of their incorporation by Contractor into the Plant; and
- (iii) at all material times bear all risk in any and all Contractor's Equipment on or off the Site and whether remaining separate or temporarily attached to the Plant.

9. COMMUNICATION AND REPORTING

During the Term, Contractor shall exchange information and reports on daily, weekly, monthly, quarterly and annual basis:

9.1 Monthly Reports

Contractor shall provide Employer with the Monthly Performance Report by no later than the fifth (5th) day from the end of each month.



sunain



9.2 Emergency Notices

Upon obtaining actual knowledge thereof, Contractor shall promptly notify Employer verbally (with written notice to follow within three (3) Days) of any emergency or other hazardous condition or occurrence that Contractor reasonable believes could cause an immediate threat to the safe operation of the Plant and/or the safety of Persons.

If, by reason of an emergency arising in the course of, as a result of or otherwise in connection with and during the performance of the Services, any protective or remedial work is necessary as a matter of urgency to prevent damage to the Plant, the Contractor must immediately perform that work, provided that, Contractor shall have no obligation to perform such portions of the protective or remedial work which would be in violation with the Performance Standards, be a material breach of the contract or would cause a threat to the safety of Persons or property or would otherwise not be reasonably practicable or possible; and provided further, that Contractor shall have no obligation to retrofit or upgrade the Plant except if otherwise agreed.


Without prejudicing the liability attributable to the Contractor for failure to comply with the provisions of the paragraph above, it is clarified that if the Contractor does not perform the protective or remedial works referred to above immediately, the Employer may appoint a Replacement Contractor to perform such works. If the work (or parts thereof) which were performed or caused to be performed by the Employer is work which the Contractor was liable to do at its own expense under the contract, the costs incurred by the Employer as a result of appointing a Replacement Contractor shall be [substantiated to the Contractor on an open book basis and be] considered due and payable to the Employer and Invoices and Payment and Set Off shall apply. It is further clarified that the impact of Replacement Contractor's actions shall not be considered as an Excluded Risk Event.

9.3 Meetings

A representative of each of Contractor and Employer (the "**Representatives**") shall meet (either at the Site or alternatively at such other location as may be agreed between the Parties) at quarterly intervals or such other period as is agreed especially for the purposes set forth below:



Kwain



- (i) to discuss projected dates for performance of the Services and the Additional Services in the following quarter;
- (ii) to discuss, the calculated Measured Average Availability of the Plant Facility for the past quarter under Annexure 2 [Functional Guarantees]; and
- (iii) to review the Services and Additional Services performed in the past quarter.

9.4 Visitors Log Book

Contractor shall provide Employer with a log book for the Plant to record the identity and activity of all visitors to site. Such log book will be kept at the entry Gate location of Plant. The Contractor shall cause that all personnel and representatives of each Party or any third parties visiting the [site] shall be required to record their identity, the date, time and purpose of any visit to site, the nature of any work performed thereon and such other details for which log books may reasonably be used. It is clarified that the Contractor shall not permit unauthorised third party access to the Site unless such third parties have been authorised by the Employer, are required to inspect or access the Site in accordance with Applicable Law or for performance of Services. Copies of these logs shall be provided to the Employer within ten (10) Business Days following its written request. Contractor shall create a digital back up of such logs at least every month. The log book shall be in English only.

9.5 Annual Calendaring of Maintenance Services.

At the latest two (2) months after the beginning of commencement date, each year during the Term thereafter, the Contractor shall send to the Employer the projected dates and times for the immediately following period during which the Contractor shall perform the Maintenance/Preventive Services on the Plant, with the parties using reasonable efforts to minimize any Plant downtime during Operational Sunny periods (the "**Maintenance Services Calendar**". Such Maintenance Services Calendar may be postponed by the Employer for 5 business days); provided, that the Maintenance Services Calendar shall be developed in accordance with the Operating Manual and the terms of the contract. The dates and times in the Maintenance Services Calendar may be amended thereafter by mutual Contract of the Parties. For clarity, the Maintenance Service Calendar shall include a maintenance plan established in accordance with the Maintenance Manual.

9.6 Status Reviews



Minai



As reasonably required, or requested by the Employer, the Representatives shall meet to discuss and review (i) the information contained in the Monthly Performance Reports, (ii) the availability of the Plant, (iii) any technical issues which may have arisen with respect to the performance, availability or maintenance and servicing of the Plant Equipment, (iv) Maintenance Services and Repair Services performed during the preceding calendar month, (v) any and all failures by a Plant equipment, and (vi) Maintenance Services to occur during the next following a calendar month.

10. **Contractor's Permits**



Prior to the time in which such Permits are required in order to perform when the relevant Services and/or Additional Services, as applicable, are to be performed, Contractor shall obtain and maintain, as applicable, throughout the Term of the Contract all Permits (the "Contractor Permits") required by the Applicable Law, Good Solar Industry Practices, Performance Standards and Technical Specifications which should be issued in the name of Contractor or are otherwise attributable or necessary to the provision of the Services and/or Additional Services, other than such Permits as are required to be obtained by Employer pursuant to *Employer Permits*.

11. **Contractor's Manager**

On or prior to the commencement of the Term, Contractor shall designate a duly qualified and experienced person to manage and administer the Contractor's activities and shall provide notice thereof to the Employer, to act as its manager and coordinator of the contract on Contractor's behalf (the "**Contractor's Manager**"). The Contractor's Manager shall not have authority to amend or modify the contract or accept any commitment which would have an effect on the contract. In case the manager is on leave with prior intimation to employer, the deputy manager with equivalent qualification shall be provided at site by the Contractor

12. **Cooperation with other Subcontractors**

Contractor acknowledges and agrees that the Employer or Other Subcontractors of Employer may be present at the Site and agrees, at no cost or expense to the Employer, to reasonably cooperate with such Other Subcontractors to allow the performance of its and their respective obligations to occur concurrently. Employer shall inform the Other Subcontractors of the clear demarcation of Contractor's scope of work so as to ensure non-interference in such work and operations by Employer's Other Subcontractors.



13. Reserved Rights

13.1 Plant

To the extent Contractor believes, in its reasonable discretion, that it is necessary to enhance the overall performance or safety of the Plant, Contractor may propose to Employer changes and improvements to the Plant (including the software included with respect thereto) and implement such changes or improvements proposed after obtaining the prior written consent of the Employer; provided that such changes and/or improvements shall not (i) be in conflict with the Performance Standards; (ii) adversely impact the technical performance of the Plant or the safety of the Plant; (iii) adversely impact the Availability Warranty in Annexure 2 [Functional Guarantees] (iv) increase the cost of operating the Plant; (v) place the Employer in breach of the technical requirements of the Power Purchase Contract; (vi) impair or vitiate any obligations of the Contractor under the contract; (vii) adversely affect the Supply Contract Warranties and the Works Contract Warranties; or (viii) result in non-compliance with the Type Certificate.

- 13.2 The Contractor shall only have the right to implement such changes or improvements if it has received the prior written consent of the Employer and such changes and improvements are carried out at no cost to the Employer and in accordance with Reserved Rights.

14. CERTAIN NOTIFICATIONS BY CONTRACTOR

- 14.1 Contractor shall, upon obtaining actual knowledge thereof, promptly give the Employer notice of:

- (i) any events or facts or observations that the Contractor believes could be reasonably likely:
 - (a) to have a material adverse effect on the operation of any of the Plant or the performance of the Employer's obligations under the contract; or
 - (b) to cause an immediate threat to the safe operation of the Plant (or any Plant therein) and/or the safety of Persons; provided that, in the case of this Clause, the Contractor shall provide immediate verbal notice of such event, fact or observation to the Employer with notice to follow within three (3) Business Days);





- (ii) any actual or proposed event that the Contractor believes would be reasonably likely to have a material adverse effect on the operation of any of the Plant or the performance of either Party's obligations under the contract;
 - (iii) any (a) violation of Applicable Laws, or Permit, by the Contractor's agents, officers, directors, employees, representatives and Subcontractors, Employer or any Other Subcontractor; or (b) any notices of Liens (or claims of Liens) or investigations by Governmental Authorities related to the Plant;
 - (iv) any actual or contemplated change in Law that Contractor believes would be reasonably likely to have a material adverse effect on the operation of any of the Plant or the performance of either Party's obligations under the contract.
- 14.2 If the Contractor does not comply with its obligations under Certain Notifications by Employer, the Contractor shall, subject to Limitations of Remedies and Liability, indemnify the Employer for any loss the Employer may suffer as a consequence, including, without limitation, compensation pursuant to Employer's Obligations.
- 15. ASSIGNMENT AND SUBCONTRACTING**
- 15.1 In any event, the Contractor shall not subcontract all, or materially all of the Operation and Maintenance Services or the ultimate supervision of the performance of services under this Agreement.
- 15.2 The Contractor agrees and acknowledges that any review, by approval of, or failure to approve, or rejection by the Employer as to any Subcontractor shall not relieve the Contractor of any of its obligations under the contract, and the Contractor shall be liable hereunder to the same extent as if any such Subcontract had not been entered into. The Contractor shall at all times ensure and cause the Subcontractors not to commit any act or omission which could release, void, impair or waive any guarantee or warranty on the Plant or any part thereof.



15.3 The Contractor shall supervise and direct the work of all Subcontractors and be fully responsible for the performance of the Subcontractors and to the methods, techniques, sequences and procedures of, and for coordinating the work of the Subcontractors and to the acts and omissions of all Subcontractors and their employees, directors, officers, advisors, agents and representatives, and those of their subcontractors ("Subcontractors' Parties). With regard to any Subcontract and Subcontractor's Parties, in particular, Contractor shall ensure that all wages, labor, health and safety and social related obligations are duly performed and timely discharged in accordance with Applicable Laws. It is agreed that if the responsibility of any such payments is transferred to the Employer pursuant to Applicable Law, the Employer shall have the right to adjust all such payments against the dues to the Contractor under the contract or otherwise recover the same from the Contractor under any other Contract. It shall be at Contractor's sole responsibility to ensure the payment and discharge of all its obligations with regard to the Subcontracts and shall indemnify the Employer and any Employer Indemnified Parties for any losses incurred by such parties in relation to the Subcontracts or to Subcontractor's Parties.

16. **Inspection and Testing**

- 16.1 The Contractor must provide the Employer, independent engineer, Grid Operator, Grid Administrator, and any other Contractor or Contractors employed by the Employer and their respective nominees, or other inspectors where required under the Applicable Law, the Permits, the Finance Documents and/or the Grid documents (collectively hereinafter referred to as the "**Project Parties**"), with access at any time to any place where the Services are being performed in order to inspect the progress and the manner of the Services, provided that the Employer (or its designated representatives) gives the Contractor twenty four (24) hours prior written notice.
- 16.2 The Project Parties and their respective nominees will have the right to examine and have access to documents relating to the Services.
- 16.3 The Contractor must carry out all tests and/or inspections of the Plant or Spare Parts in a lawful, professional, timely, safe and environmentally responsible manner as may be necessary to ensure the safe, reliable, efficient, and optimal operation of the Plant and in accordance with the Performance Standards, Applicable Laws and Good Solar Industry Practice. All these tests and inspections are to be carried out at the Contractor's expense, as part of Services.



- 16.4 The Project Parties and their respective nominees are entitled to attend any test and/or inspection.
- 16.5 Whenever the Contractor is ready to carry out any test and/or inspection, the Contractor must give at least ten (10) days' advance notice to Employer of such test and/or inspection and of the place and time. The Contractor shall make its best efforts to obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Project Parties to attend the test and/or inspection.
- 16.6 The Contractor must provide the Employer with a report of the results of such test and/or inspection within five (5) days or any other time period, as agreed, after the completion of that test or inspection in question.
- 16.7 If the Employer and/or any of the Project Parties fail to attend the test and/or inspection, or if it is agreed between the Parties that the Employer and/or any of the Project Parties will not attend, then the Contractor may proceed with the test and/or inspection in the absence of the Employer's and/or any of the Project Parties' inspector and provide the Employer with a report in the approved form of the results.
- 16.8 If any Spare Parts or the Plant fails to pass any test and/or inspection, the Contractor must either rectify or replace those Spare Parts or repair the Plant and promptly repeat the test and/or inspection upon giving notice.
- 16.9 The Contractor agrees that neither the performance of a test and/or inspection of Spare Parts or the Plant, nor the attendance by the Employer's and/or any of the Parties' inspector nor the issue of any test report will release the Contractor from any of its obligations under the contract.
- 16.10 Inspection during the Term and at the End of the Term:

During the Term, the Plant may be submitted to a general inspection performed by a Contractor selected by Employer:

16.10.1. Inspection during the Term



From time to time during the Term, but not more than once every year (being specified that any additional tests and inspections instructed by the Employer under this Clause will be for the Employer's account unless the tests or inspections were necessary as a result of the failure of the Contractor to fulfil its obligations under the contract);

- 16.10.2. End of Contract inspection: six (6) to twelve (12) months before the end of the Term, at the convenience of the Employer.

Subject to the Employer's reasonable advance notice as to the date of such inspection, Contractor is required to attend and assist the Employer and the designated inspector in performing such tests, without additional cost.

- 16.10.3. The final report shall be sent to the Contractor by the Employer and if any defect or damage found, same shall be rectified/replaced.


- 16.10.4. Without relieving Contractor from its obligations and without limiting Employer's ability to reasonably pursue the reliefs available to it, if applicable:

a) Contractor shall, promptly following receipt of the report, submit to the Employer (a) a recovery plan to remedy all breaches, defects and malfunctions detected in the report for which the Contractor is liable and shall perform such remedial actions without delay, and (b) provide detailed measures to be put in place to prevent such defaults from recurring;

(b) if the Contractor fails to timely complete all remedial actions before the end of the Term, the Employer shall be entitled, at Contractor's cost and risk, to employ a Replacement Contractor to perform the works.

16.11 Employer Site Visit

- 16.11.1. If Employer decides to visit the Plant, Contractor shall provide personnel on the Site for mutual inspection with no additional cost to Employer. If the Contractor is reasonably unable to attend such visit for unexpected reasons and/or safety reasons, Contractor shall immediately inform the Employer. As the case may be, the Contractor shall reschedule a new visit within the next seven (7) days. Rescheduling of the visits thereof shall not occur more than once per year the Employer shall adhere to the HSE practices of the Contractor.



- 16.11.2. If, upon request of the Employer made in accordance with Employer Site Visit, the Contractor does not provide dedicated personnel for such visits, subject to the aforementioned rescheduling allowance, any downtime of Plant Equipment(s) to perform the inspections thereof shall be considered as unavailable for the purpose of availability calculation described in Annexure 2 [Functional Guarantees] [(however never exceeding eight (8) hours per given visit)]. Notwithstanding the foregoing, Employer may request that Contractor provide personnel on the Site for additional inspections as an Additional Service.
- 16.11.3. If, upon request of the Employer made in accordance with Inspection and Testing, for inspection of the Plant, the Contractor provides access to have services in the Plant Equipment examined available for inspection and Employer does not carry out such inspection, then any downtime of Plant Equipment(s) to perform the inspections thereof shall be considered as available for the purpose of availability calculation described in Annexure 2 [Functional Guarantees]

17. HAZARDOUS SUBSTANCES AND HAZARDOUS SITE CONDITIONS

17.1 Contractor shall not, nor shall it permit any other Person to bring any Hazardous Substances on the Site, other than Hazardous Substances to be used by Contractor or any Subcontractor in a manner that:

- (i) does not violate any Applicable Laws, or Permits; and
- (ii) is consistent in quantity and with Good Solar Industry Practices for operating and maintaining solar energy conversion plants, such as motor fuels, solvents and lubricants (collectively, "**Permissible Materials**").

17.2 Contractor shall bear all responsibility and liability for:

- (i) any Hazardous Substances that are not Permissible Materials belonging to the Contractor or present on site; or
- (ii) the handling of, or failure to handle, Permissible Materials in violation of Applicable Laws or otherwise in any manner that constitutes negligence or willful misconduct by Contractor or any Subcontractor.

17.3 Contractor shall use Hazardous Substances in performance of the Services in accordance with the Performance Standards, Applicable Laws and Good Solar Industry Practices and shall not:




- (i) utilize, or permit or cause any Subcontractor to utilize, on the Site such Hazardous Substances as are prohibited under Applicable Law from being used in India; or
- (ii) import or use at the Site such Hazardous Substances as are prohibited under Applicable Law.

17.4 Contractor shall maintain a regularly updated log of all material safety data sheets for all hazardous substances used in connection with performance of the Services at or near the Site, which shall be available for Employer to review upon reasonable request. Contractor shall maintain an accurate record and current inventory of all hazardous substances used in performance of the Services at or near the Site, which record shall identify quantities, location of storage, use and final disposition of such hazardous substances.

17.5 Contractor shall arrange and agree for the disposal, transportation, reporting and certification (including provision of waste disposal vouchers and other certificates as required by Applicable Law or Permits) of Hazardous Substances, including waste disposal vouchers, brought onto and released at the Site by Contractor or its Sub Contractors, which are expected to include but not be limited to used oil, grease and ethylene glycol, to the extent required by Laws, in each case, by licensed, insured, competent and professional Contractors in a safe manner and in accordance with Laws. As between the Parties, Contractor shall be solely liable for any response, removal, investigation, clean-up or other remedial action required by any Laws related to any Contractor,

17.6 In the event Contractor encounters any Hazardous Substance or other hazardous conditions at the Site that are inconsistent with the Performance Standard or would reasonably be expected to impact the performance of Contractor's obligations hereunder, Contractor shall promptly report the condition to Employer. In such event, Contractor shall stop work and remove, or take other actions necessary to remedy the hazards associated with, any Contractor Hazardous Substances such that Contractor can resume work.

17.7 The Contractor shall ensure compliance with the Battery Waste Management Rules, as notified by the Government of India, from time to time.



17.8 The Contractor shall indemnify and hold harmless the Employer against any fine, penalty or third-party Claim incurred as a result of non-compliance by the Contractor with the terms of the contract, Applicable Laws, Good Solar Industry Practice and more specifically, with its obligations under Hazardous Substances and Hazardous Site Conditions.

18. EMPLOYER'S OBLIGATIONS

During the Term, Employer shall perform the following obligations:

18.1 Access

18.1.1. On and from the Commencement Date, Employer shall provide the Contractor (and its Subcontractors) full, free and safe Access to the Plant for the purpose of enabling Contractor to fulfil its obligations under the contract.


Notwithstanding the foregoing, the Contractor shall be required to perform any works (including obtaining permits for such works) related to the Access to the Site required for the delivery of any Spare Parts, if so requested by the Employer in writing, on the Time to time Basis.

18.1.2. The Employer shall give to the Contractor and the Contractor's personnel unrestricted Access to the Site to enable Contractor and the Contractor's personnel to carry out all elements of the Services at any time from the Commencement Date until the end of the Term. Such Access shall include the provision by the Employer of:

- (i) such keys or access codes as may be required by the Contractor to gain unhindered access to the Site (as the case may be);
- (ii) Access to the access roads to and on the Site If there is any deviation, and such deviations are accepted by the transport contractor, then such deviations shall be accepted by the Contractor.

Notwithstanding anything else contained in the contract all Access to the Site and Plant is subject to the applicable site safety, security and environmental requirements and Applicable Law (and the Contractor should comply with the same). The Employer will have the right to limit Access or expel any Person off the Site in case of them not fulfilling the Emergency plan of the Site, the Emergency plan of the Plant Facility.

18.2 Employer's Permits



Contractor, on behalf of the Employer, shall obtain and maintain all Permits and any Permits required by Applicable Law to be obtained in the name of the Employer in order to (i) perform Employer's obligations under the contract and (ii) enable Contractor to lawfully access the Site at the point of entry to the Site and the Plant].

19. SITE REGULATIONS

Employer shall (directly or through a Subcontractor, advisor or agent) provide the Site Regulations and revisions thereof from time to time, and shall require the Other Subcontractors and their respective agents and employees to, (i) comply with the Site Regulations; and (ii) take all necessary precautions (as required by Applicable Law or otherwise) for the health and safety of all Persons (including Contractor's personnel) at the Site.

20. CERTAIN NOTIFICATIONS BY EMPLOYER

20.1 Employer shall, upon obtaining actual knowledge thereof, promptly give the Contractor, as soon as practicable, notice of:



20.1.1. any events or facts or observations that the Employer believes has determined that would:

- (i) have a material adverse effect on the operation of any of the Plant or the performance of the Contractor's obligations under the contract; or
- (ii) to cause an immediate threat to the safe operation of the Project (or any Plant therein) and/or the safety of Persons; provided that, in the case of this current Sub-Clause, the Employer shall provide as soon as possible verbal notice of such event, fact or observation to the other;

20.1.2. any (a) violation of Applicable Laws, including environmental Laws or the terms of any Permit, by Contractor or any Other Subcontractor or (ii) any notices of Liens (or claims of Liens) or investigations by Governmental Authorities related to the Project.

20.2 Failure to furnish notice pursuant to Certain Notifications by Employer shall not affect the Contractor's obligations to perform its obligations. Contractor.

21. EMPLOYER 'S OWNERSHIP OF ENERGY, EQUIPMENT, SPARES AND PROJECT BENEFITS



- 21.1 The Contractor acknowledges that ownership of the Energy or any benefits arising out of the operation of the Plant remains at all times, and in all circumstances with the Employer at all times and the Contractor has no legal or equitable title to or interest in the Energy or other benefit.
- 21.2 The ownership of all item supplied by the Contractor, including under Additional Services shall be transferred to the Employer at the end of the term of the contract:
- (i) such items becoming a permanent part of the Plant against the mutually agreed payment by both the parties
- 21.3 The ownership of any item (not including Energy or benefits arising out of the operation of the Plant) supplied by the Contractor as part of the Services shall be transferred to the Employer upon such items becoming a permanent part of the Plant.
- 21.4 The Contractor agrees that any benefits, including any carbon credits, renewable energy certificates or similar royalty or credit that may arise as a result of having the Project undertaken belong to the Employer and the Contractor shall provide all reasonable assistance requested by the Employer in order to obtain such rights and benefits.

22. PRICE AND PAYMENT


22.1 Total Annual O&M Cost

Commencing on the Commencement Date and for the remainder of the Term, Employer shall, in consideration of the Contractor providing the Services and its prior receipt of an invoice with respect thereto, pay in accordance with Invoices and Payment to Contractor an annual O&M cost in INR in equal quarterly instalments at the end of every quarter for each year till Contract Period in the amounts set forth in and payable in accordance with Price Schedule No 5/SOR-5 [Schedule of Rates] of the bidding documents for the plant facilities. The yearly breakup of the Total O&M price shall be in line with the Price Schedule No 5/SOR-5.

Against the successful Operation and Maintenance of the entire Plant Facility payment will be released on quarterly basis at the end of every quarter for each year during the currency of the Contract Period.



Swain



The Contractor acknowledges that the Total Annual O&M cost forms the sole and exclusive consideration and reimbursement due to the Contractor for the performance of the services included under the Services and Spare Parts and that the Contractor shall not be entitled to any additional amount for their performance, for whatever reason, including, amount others due to increased costs, changes in applicable GST, customs or duties (including, without limitation those set forth in GST, Taxation and Import Duties below), and except as may be specifically provided in the contract.

22.2 Payment of amounts due to the Contractor:


Amount shall not be considered as due and payable and the period for the payment of any Price stipulated under the contract shall not commence until the Contractor has duly fulfilled and delivered all obligations and deliverables required from the Contractor until the date of submission of the invoice for the payment to the Employer with relation to such invoice and/or within the period for which the Price included in the invoice are due.

23. **INVOICES AND PAYMENT**

- 23.1 Contractor shall submit Goods & Service Tax (GST) compliant invoices to Employer for the amounts due under Total Annual O&M cost above and for any other amounts that may be due under the contract.
- 23.2 The Total Annual O&M Cost shall be invoiced by the Contractor quarterly against the completion of concerned quarter and each invoice may be submitted by Contractor no later than the day after the completion of the quarterly period in question and, subject to the terms of the contract, shall be paid by the Employer no later thirty (30) days from the date of submission of the invoice along with all other requisite documents (If so required). The Employer shall make payments by wire transfer to the bank account designated from time to time and owned by Contractor. The payment of any invoice shall be subject to the Contractor submitting to the Employer the Monthly Performance Reports.
- 23.3 Additional Services may, for purposes of this Invoices and Payment, be invoiced upon full and proper completion of each individual task and shall, subject to the terms of the contract be paid by the Employer within thirty (30) days from the date of submission of the invoice along with all other requisite documents (If so required).



23.4
VOID.



23.5 To the extent permitted by Applicable Laws, if the amount of an invoice is disputed by the Employer, the Employer shall be entitled to withhold payment of the disputed amount for the next invoice (or part thereof), until the dispute is resolved between the Parties under Law Dispute Resolution or otherwise. The Employer shall pay at the applicable time the undisputed amount of such invoice including any undisputed portion of the invoice item in dispute. Further, the Employer shall be entitled to withhold payment of any amount due to the Contractor, if, at the time, the Contractor is in breach of one or more of its material obligations in terms of the contract.

23.5.1. Subject to the provisions on the contract, the Contractor warrants that it has, and will be deemed to have, done everything that would be expected of a prudent, competent and experienced Contractor and in accordance with Good Solar Industry Practices in:



- (i) assessing all risks which it is assuming under the Contract; and
- (ii) ensuring that the **O&M Price** contain allowances to protect it against any of these risks eventuating,

and that it will not make a claim for an increase in the **O&M Price** if any of those risks eventuate.

23.5.2. Except for Liens arising out of a failure of the Employer to make any payment when due hereunder to Contractor or any other Person providing labour or services to the Project under Contract to the Employer, the Contractor acknowledges and agrees that it shall not file, claim or register any Liens and shall use its best efforts to prevent any Liens from being filed, claimed or registered by any Subcontractor or by any employee, or agent of the Contractor or Subcontractor, against the Services, Additional Services, the Plant as a whole or any part thereof, or any real or other property of the Employer, for any works done or any Services and/or Additional Services rendered under the Contract or any subcontract let by the Contractor and shall procure that all subcontracts contain undertakings to the like effect.

23.5.3. The Contractor shall indemnify the Employer against any loss, damage, cost or expense (including legal fees) of the Employer arising out of or in connection with any Lien being filed, claimed or registered as referred to Invoices and Payment.

23.5.4. The delay or failure of a party to pay any amounts due hereunder, or the withholding of any amounts which are claimed by a party to be due, shall not release the other Party from any of its obligations or liabilities under the contract.



24. INSURANCE


24.1 Contractor's insurance

The Contractor, at his own cost and expense, shall take out and maintain in full force and effect and shall cause its Subcontractors to take out and maintain in full force and effect, throughout the Term of the Contract and any extensions thereof, the following insurance policies from reputable insurers and shall provide the Employer with copies of the corresponding insurance certificates:

- a) Workers compensation insurance, as required by the Applicable Law and Contracts made with employees.
- b) Group Medical Claim, Group Term Policy & Group Personal Accident Insurances covering the financial consequences caused by damage and loss arising from sickness, disease, injury or death of any person employed by the Contractor in respect of the services performed Automobile Public Liability insurance, as required by the Applicable Laws, for all vehicles and automotive equipment owned hired, rented, leased and non-owned by the Contractor and used in the performance of the Services.
- c) Comprehensive General third-party liability insurance including product and contractual liability covering the financial consequences of the liability arising out loss or damage caused to third parties or to the employer as consequence of the performance of the services.
- d) The Contractor shall also arrange suitable insurance to cover following during the O&M Period:
 - (i) **Machinery Breakdown:** Electrical & or machinery breakdown of any machinery or other equipment resulting in costly repairs or even replacement of the solar panel.
 - (ii) **Business Interruption:** Cover for period of operational downtime i.e., covering the cash flow of the solar business as a result of an insured peril, for example fire or storm damage, machinery breakdown or equipment failure.
 - (iii) **Property Damage:** The insurance should cover material damage due to external causes such as fire, theft, vandalism, sabotage, hail damage, snow load, lightning strike, overload, operational mistakes, clumsiness, negligence & theft.



main




(iv) **Employers Liability:** Provides cover against the risk of accident from usual workplace risks such as working at height & manual handling during construction & O&M period.

(v) **Environmental Risk Insurance:** Environmental damage coverage indemnifies solar system owners of the risk of either environmental damage done by their development or pre-existing damage on the development site.

The Contractor shall ensure that under the aforementioned insurance policies, each of the insured has the ability to claim thereunder for a minimum period of three (3) months from the date of expiry of the insurance policies for any claims that arose prior to the expiry date.



Khuraini



The Employer shall be named as co-insured under all insurance policies taken out by the Contractor, except for the Third-Party Liability and Workers' Compensation Insurances, and the Contractor's Subcontractors shall be named as co-insureds under all insurance policies taken out by the Contractor, except for the Cargo, Workers' Compensation. All insurer's rights of subrogation against such co-insureds for losses or claims arising out of the performance of the Contract shall be waived under such policies.

Annual Status Report of Insurance Claims: The Contractor shall include the status of Insurance Claims made or required to be made during the year as part of the Annual Reporting Requirements.

25.2 Contractor's Insurance for the Plant Facility

The Contractor shall take out and maintain an insurance policy, seamlessly with CAR policy taken earlier during construction phase, preferably from same insurance company for the plant facility during the entire term of the contract

In the event of any incident or damage or loss that would be reasonably expected to result in an insurance claim, the Contractor shall:


- a) Notify without delay to the Employer
- b) Prepare and conduct all and any claims made under the policies effected by it, and all monies payable by any insurers shall be paid to the Contractor take all reasonable measures to mitigate the loss, its effects and to protect salvage.
- c) Collaborate with Employer and the insurer and provide them with all information and documents they may request.
- d) Arrange immediate reinstatement of the damage to the employer's satisfaction, without waiting for the settlement for the corresponding insurance claim.
- e) Claim in pursuant to the contract to the insurance agencies, if the claim is accepted or rejected or not accepted or partly accepted by the insurance agency then it will not limit the contractor obligation in any case and also if any losses on account of this shall be in the scope of contractor.

25.3 General Insurance Requirements

25.3.1 The Contractor shall, provide copies of the corresponding insurance policy document mentioned above.




Invit



- 25.3.2 If the Contractor fails to effect or maintain any insurance policy required hereunder, or fails to produce copy of the corresponding policy documents, the Employer may (but as no obligation), without prejudice to any other right or remedy available to it under the contract, procure the insurance for the relevant coverage and/or pay the premiums due. Such payments shall be recoverable and deducted from the payments to be made to the Contractor by the Employer under the Contract. In the event if Contractor does not pay the premium, then the Employer may pay the premium however in such case the obligations of Contractor to undertake the coverage shall continue as envisaged, irrespective of premium being paid by Employer. The Premium if paid by the Employer shall be recovered from the Annual O&M Fees payable by the Employer to the Contractor.
- 25.3.3 The Contractor shall comply with the conditions stipulated in each of the insurance policies to be affected under the Contract and shall not make any alteration to the terms of any policy subscribed by it so it deviates from the requirements herein.
- 25.3.4 The Contractor must promptly notify to the Employer any notification received from an insurance company regarding any actual alteration to one of their policies.
- 25.3.5 On occurrence of any loss covered by an insurance policy contemplated under Insurance, the Contractor shall, as soon as reasonably possible, notify to insurance companies for the policy subscribed by it. The Contractor shall also take any appropriate measure to mitigate the effects to the loss to the maximum extent possible. The Contractor shall assist any assessment mandated by the insurance companies.
- 25.3.6 The required coverages referred to and set forth in this Article shall in no way affect or limit the Contractor's liability with respect to its obligations under the Contract.

26 Completion of the Contract Period

Prior to the completion of the term of this agreement (including extension thereof), either through expiry of the Contract Period or through Termination, the Contractor shall, jointly with the Employer and/or its assignee, identify any pendency of deliverables



under this Contract, including but not limited to, breakdown of any part of the Plant Facilities, if any, payments to sub-Contractors etc.




Mwain




ANNEXURE-1

Scope of Work for Operation and Maintenance

- i) The Contractor shall prepare the initial Annual Operating Plan for the Plant Facility and shall also indicate the proposed resources (manpower, material & machinery) that would be deployed for O&M.
- ii) The Contractor shall be responsible for the smooth day-to-day operation of the Plant Facility.
- iii) The Contractor shall provide necessary routine and preventive maintenance schedules of the plant for the Employer's approval and shall carry out all routine and preventive maintenance accordingly.
- iv) The Contractor shall perform periodic overhauls and preventive maintenance required for the Plant in accordance with the recommendations of equipment manufacturers and as per the O&M manuals.
- v) Contractor shall perform all break down maintenance and other maintenance in the Plant Facility. The Contractor shall be responsible for achieving the performance guarantee of the plant as indicated in the contract.
- vi) The Contractor shall operate and maintain fire protection system and safety equipment for the plant.
- vii) The Contractor shall do maintenance of electricity system including overhead lines in the Plant Facility area up to the Point of Interconnection. Necessary co-ordination shall be made by the Contractor with STU/CTU, SLDC/RLDC and other agencies as may be required during the Operation and Maintenance term for smooth operation of the plant.
- viii) Contractor shall work in coordination with the Employer or any Employer's designated party to optimize the Plant production.
- ix) The Contractor shall provide required spare plant Equipment, Spare Parts, tools and tackles, consumables required for comprehensive operation and maintenance of the plant facility as per prudent/ standard utility practices, OEM recommendations and warranty clauses for the entire O&M period. The Contractor shall make arrangement to procure required spare parts, or equipment/s as required, overhauling of parts, tools and equipment, required to operate and maintain the Plant in accordance with the recommendations of individual original equipment manufacturer at his own cost. Cost of




Kenai



Equipment & spare parts, if any, shall be included in the O&M quoted cost. The List of Consumables, Spare Parts, tools and equipment shall be finalised in consultation with the Employer or Employer's representative. List of recommended spare parts shall be submitted by the Contractor at the beginning of services; however, the complete recommended spares will be in the scope of contractor only. In case any equipment or spares is not listed in the mandatory spares list but is required vitally for the operation of the plant, then the same shall be procured and provided by the contractor without any additional cost.

- x) It is the responsibility of the Service Provider to store the materials in appropriate stock yard or container at the site so as to ensure timely availability of the materials.
- xi) The Contractor shall upkeep all administrative offices, roads, tool room, stores room, equipment in clean, green and workable conditions.
- xii) The Contractor shall co-ordinate with PDD/CTU/statutory organizations as per the requirement on behalf of Employer for Joint Metering Report (JMR), furnishing generations schedules as per requirement, revising schedules as necessary and complying with grid requirements.
- xiii) The Contractor shall employ only such personnel who are adequately qualified and experienced for operating and maintaining such power generating sets. The Contractor shall ensure that such personnel are on duty at the plant at all times, 24 (twenty-four) hours a day and 7 (seven) days a week commencing from the Date of Operational acceptance.
- xiv) Contractor shall carry out all day-to-day operation and maintenance for the Plant Facility as set forth herein. Contractor shall perform the Work and supply all required spare parts in a prudent and efficient manner and in accordance with manufacturers and systems designers' specifications, the Annual Operating Plan for the Plant and all operation and maintenance manuals, all Indian applicable laws including environmental protection, pollution, sanitary, labour act, factory act, employment and safety laws, ("Government Rules") and Prudent Utility Practice. The contractor shall adhere to all labour laws which are applicable and as specified in the EPC contract document.
- xv) Contractor shall arrange necessary security staff for watch and ward of the Plant Facility round the clock at his own cost, the details of which shall be furnished along with the bid.

- xvi) Contractor shall be responsible for:



- Maximizing plant capacity utilization,
- Reducing plant downtime,
- Optimizing the useful life of the equipment of the power plant.



xvii) The Contractor shall maintain all accounting records regarding the facility in accordance with the generally acceptable accounting principles under the Laws of India.

xviii) The Contractor shall maintain accurate and up-to-date operating logs, records and monthly reports regarding operation and maintenance of the Plant facility (Such records shall be distinctly recorded for Plant Facilities, in order to have clear data for assessment of any individual component of the Plant Facility) which shall include details of power output, other operating data, repairs performed and status of equipment. All such records to be maintained for a minimum of 60 (sixty) months after the creation of such record or data and for any additional length of time required by regulatory agencies with jurisdiction over the Parties. Upon expiry of term, the Contractor shall hand over all such records to Employer . However, Employer shall have access to all such records at any time. Generation and O&M reports should be made available to Employer on daily and monthly basis in required formats as well as the Quarterly and Annual Performance Reports shall be provided. Contractor shall provide communications as well as daily, weekly, monthly, quarterly and annual reports to the employer in the desired format as per the Contract with the Employer or Employer's Engineer.

xix) The Contractor shall develop and implement plans and procedures including those for firefighting, maintenance planning, procuring and inventory control of stores and spares, plan to meet emergencies, plant safety and security; and such other facilities and systems as may be necessary to commence Contractor's ongoing responsibilities.

xx) The Contractor shall provide copies of all necessary documents including the following:

- Operation and maintenance manuals shall be prepared and approval shall be accorded from Employer within three months from the date of Operational acceptance.
- Failure Analysis/history/trouble shooting details of all the Equipment
- Identification of Equipment needing preventive maintenance
- List of Vendors indicating name and addresses during operation and maintenance with credentials
- root cause analysis report for any major failure.



- Record of consumables / spare parts

xxi) The Contractor shall be responsible for conveying following details to the Employer on daily basis as well as on monthly basis (by the end of 5th day of each month) by fax/ e-mail giving the detail of plant performance during previous month.

- Power generated at all Solar PV Plant
- Power fed to the grid
- Internal power loss and internal consumption
- Power consumption for captive use (if any)
- Reactive power consumption
- Downtime of Plant Facilities including Solar PV Plant and other infrastructure of the Plant facility.

xxii) The Contractor shall be responsible for liaisoning with statutory authorities-and local authorities in order to ensure smooth operation of the Power Plant.

xxiii) Contractor shall provide constant remote surveillance to the Plant Facility

xxiv) Contractor shall provide updates and revisions to Reference Documents, as and when applicable.


xxv) Shall implement software updates to control and monitoring systems including BMS/EMS/SCADA in order to meet the plant facility operating requirement in consonance with the grid operations and in compliance with the grid codes as applicable during the operation.

xxvi) Duly and timely provide the Employer (or parties designated by the Employer) with all notifications required under the Contract including in particular such notifications set forth in Certain Notifications by Contractor;

xxvii) Contractor shall provide access to the Employer to all data for the Plant Facility from the EMS including the SCADA system.

xxviii) Provide training to the Employer's personnel in relation to the operation of the complete plant facility. Training shall be provided to the employer within 190 days before end of the contract period.

xxix) Contractor shall provide the insurances prescribed in insurance. The Contractor shall, with [prior intimation of 5 Business Days] at regular business hours, allow persons duly



authorized by the Employer including but not limited to the officials of the insurance company of the Employer, to inspect the Project and provide to such personnel, access to all information which is necessary for their inspection, and is reasonably requested by the Employer. All representatives of the Employer shall strictly adhere to the Applicable Laws and the Health, Safety and Environmental (HSE) practices of the Contractor as provided in the Reference Documents;

xxx) Contractor shall provide for the watch and ward of the Plant at all times during the Term. The watch and ward deployment plan shall take care of comprehensive Project level security and the Contractor shall take necessary steps to prevent sabotage, theft, vandalism and malicious damage of the assets comprising the Plant, and shall also coordinate and liaison with law enforcement authorities. The Contractor shall take all possible measures to keep the plant operational and secure.

xxxi) Contractor shall Coordinate with SLDC/RLDC and other related entities/departments/local Panchayats as required for proper operation of the Plant Facilities. The Contractor shall Also coordinate with relevant agencies for monthly Joint Meter Readings, meter testing, and any other requirements such as any audit or inspection by the government agencies or authorities, financiers, any designated third-party agency etc. for the Project operations.


xxxii) Contractor shall be responsible for appointing a Qualified Coordinating Agency (QCA) at the Pooling Substation Level and shall be responsible for carrying out the forecasting and scheduling of the energy generation from the plant facility (In accordance with the Deviation Settlement Mechanism Regulations, as applicable). Scheduling given by the Contractor is such that no penalty is levied on the Employer due to any deviation of actual generation from scheduling beyond the allowed limit. If any penalty is imposed on the Employer due to such deviations beyond allowed limit the same shall be passed on to the Contractor and the recovery of the same will be done from the O&M Price payable to the Contractor.

xxxiii) Water requirement for module cleaning arrangement, if required, and the cost for the same shall be borne by Contractor. The Contractor shall arrange for water on its own, by ensuring ESIA norms.

xxxiv) Contractor shall be responsible to comply with all applicable National and International Standards as well as local statutory provisions related to Environmental Protection Regulations, Health and Safety requirement.



Kwain




xxxv) Contractor will be responsible for coordinating with the OEMs for securing warrantee conditions and services from OEMs as per the warrantee of each equipment, as well also for the Project insurance claims.

xxxvi) Contractor shall carry out the performance monitoring for the Plant Facility on continuous basis and in case of any deviation, the Contractor shall perform the due diligence appropriately to find out the actual root cause of such deviation. Any test or inspection required such as thermal imaging, IV characteristics test etc. to analyse such deviation will be the responsibility of the Contractor. Thereafter the corrective action required to mitigate such deviation shall be undertaken by the Contractor without any additional cost.

xxxvii) Contractor shall be responsible for maintenance of all each and every civil infrastructure parts like Building, cable trench, fencing, drain, plumbing system fire-fighting system, CCTV system, security arrangement, road, earthing, any foundations, anti-weeding, clearing bushes in the solar field etc., as per the direction of Employer.

xxxviii) In the last quarter of the O&M Contract Period, the Contractor shall handover the Plant Facilities to the Employer along with inventory of spare parts, tools, equipment, consumables and supplies for the facility's operation along-with required details of recommended spares list with all associated information regarding replacement records, supplier details, tentative cost, storage details, specifications for the basis of replacement frequency and mean time between failures and mean time to restore.



ANNEXURE-2

Functional Guarantees

1. Annual CUF Guarantee

- A. In consideration for the payment of the O&M Price , from the Commencement/Effective Date until the end of the Term, the Contractor grants to the Owner the CUF Guarantee on the terms and conditions set forth in the contract.
- B. The Contractor guarantees the annual CUF committed herein over the O&M Period (“Annual CUF Guarantee”).
- C. **Limitation of Contractor’s Liability under this Guarantee:** In the event the CUF is less than the Guaranteed CUF, the Contractor shall immediately, upon demand, indemnify the Owner, as liquidated damages and not as penalty, amounts equivalent to remuneration of the equivalent shortfall Energy, subject to a maximum of hundred (100%) percent of the Total Annual O&M Price.
- D. Capacity Utilization Factor (CUF) for Solar Plant shall be calculated as per the following formula.

$$CUF = \frac{E_{ac} + E_{outage}}{8760 \times P_{ac} \times [1 - DF \times (N - 1)] \times RCF}$$

where,

E_{ac} , is the Net Energy Exported from the Plant, kWh

$E_{ac} = (\text{Energy export recorded in the ABT meter}^*) - (\text{Energy import recorded in the ABT meter}^*)$, kWh

E_{outage} is the energy adjusted for grid outage hours, kWh

$E_{outage} = 2 \times (E_b + E_a) \times Q_{outage}$

E_b is the energy export recorded in the ABT meter* during complete 15-min period preceding the start of grid outage, kWh

E_a is the energy export recorded in the ABT meter* during complete 15-min period succeeding the end of grid outage, kWh

Q_{outage} is the number of grid outage hours

(The Contractor shall submit grid outage certification from competent authority of



STU/DISCOM).

8760 refers to the number of hours in non-leap year. It shall be replaced by 8784 hours during leap year

P_{ac} is the plant AC capacity, kW

DF is module degradation factor, 0.5% per year

N is the number of years of operation after operational acceptance of the plant

*ABT Meter at the Metering Point specified in Section VII-A: Scope of Works.

RCF is the Radiation Correction Factor:


$$RCF = \frac{\text{Measured Irradiation}}{\text{Reference Irradiation}}$$

Reference Irradiation for the site = 1827 kWh/m²/year

The Measured Irradiation (GHI_{mes}) shall be recorded from the Pyranometer installed in horizontal plane at the site location (average in case of multiple pyranometers). The radiation data of the Pyranometer shall be compared with the Reference Irradiation mentioned above. The radiation data from the Plant Pyranometer shall be used for computation of CUF, except in case of any discrepancy (i.e. more than ± 10% variation from the Reference Radiation, GHI_{ref}), in which case the radiation data from SolarGIS database for the said period will be used for computation of CUF. Missing data (GHI_{mes}) from the Plant Pyranometer shall be substituted by average of GHI measured for the same period in the past three (3) days. The plant Pyranometer has to be under CCTV coverage.

Note:

1. CUF shall be calculated on annual basis, from the Effective Date to the currency of the O&M Contract.
2. Module degradation factor will not be considered for first year CUF calculation. It is the Contactor's responsibility to envisage and install extra DC capacity to accommodate any degradation during first year.



E. Liquidated Damages for Shortfall in Annual CUF for Solar PV Plant

If the Contractor fails to achieve guaranteed annual CUF at the end of First Year, the Contractor shall be liable for payment of Liquidated damages to the Owner (amount to be deducted from the Final Payment at the end of 1 year), an amount equal to the NPV of the estimated shortfall in cash flow resulting over the period of 25 years due to reduced Plant CUF, calculated at a tariff of Rs. 2.22 per unit (kWh) and discount rate of 8.9%.

The Contractor may take corrective action during the ensuing year to demonstrate the guaranteed CUF at the end of the 2nd year. In such case, the part of the Final Payment withheld by the Owner on account of Liquidated Damages shall be released and the CUF shall remain unchanged from the tender specifications.

If the Contractor fails to demonstrate the guaranteed CUF at the end of 2nd Year as well, the CUF achieved at the end of First Year shall be fixed as the new Guaranteed CUF for the remaining period of this Contract.

Illustration:

Guaranteed Annual Energy (MWhs) after 1 Year (assuming RCF =1):

$$P_{ac} * 8760 * CUF_e * (1 - DF \times (N - 1))$$


$$= 25 * 8760 * 0.361 * (1 - 0.0055 * (1 - 1)) = 79059 \text{ MWh}$$

If Actual Generation during First Year = 76650 MWh i.e. CUF = 35.00%

Estimated Shortfall in Cash Flows over 25 years:




Kwain



Year	Expected Energy as per Guaranteed CUF (MUs), A	Estimated Energy Based on First Year Performance (MUs), B	Estimated Shortfall in Revenue in Rs. Crores (A-B)*2.22/10, C
1	79.06	76.65	0.5348
2	78.66	76.27	0.5321
3	78.27	75.88	0.5295
4	77.87	75.50	0.5268
5	77.48	75.12	0.5241
6	77.08	74.73	0.5214
7	76.69	74.35	0.5188
8	76.29	73.97	0.5161
9	75.90	73.58	0.5134
10	75.50	73.20	0.5107
11	75.11	72.82	0.5081
12	74.71	72.43	0.5054
13	74.32	72.05	0.5027
14	73.92	71.67	0.5000
15	73.52	71.28	0.4974
16	73.13	70.90	0.4947
17	72.73	70.52	0.4920
18	72.34	70.13	0.4893
19	71.94	69.75	0.4867
20	71.55	69.37	0.4840
21	71.15	68.99	0.4813
22	70.76	68.60	0.4786
23	70.36	68.22	0.4760
24	69.97	67.84	0.4733
25	69.57	67.45	0.4706

LD applicable = NPV of Column C calculated at the Discount Rate specified above



= ₹ 5,08,75,472.92 (to be deducted from the final payment)

- (i) In case the EPC Contractor takes corrective action and demonstrates guaranteed CUF at the end of 2nd Year:

LD Applicable = Shortfall in Generation in the First Year*Rs.2.22

$$= (79.06 - 76.65) * 2.22 / 10 = \text{Rs. } 0.534798 \text{ Cr.}$$

The Balance Final Payment Amount shall be released to the EPC Contractor.

- (ii) In case the EPC Contractor fails to demonstrate the guaranteed CUF at the end of 2nd Year, Annual CUF guarantee for the remaining period of the Contract shall be fixed as the CUF demonstrated at the end of First Year, as revised CUF. Liquidated Damages applicable in subsequent years, on account of shortfall in generation, shall be determined with reference to this revised CUF.
- (iii) Liquidated Damages applicable in subsequent years, on account of shortfall in generation, shall be determined with reference to this revised CUF as below:

LD Applicable = Shortfall in Generation in the Year *Rs.2.22


Where Shortfall in Generation = (Expected generation considering guaranteed CUF) - (Generation as per CUF achieved in the corresponding year).

F. Incentives for excess Generation

- (i) Any excess generation over and above the minimum Expected energy in a year, calculated as per the formula below, shall be entitled to an incentive of 50% of PPA tariff per unit of energy:

Minimum Expected Energy (MWhs) in Nth Year:

$$P_{ac} * 8760 * \text{CUF}_e * (1 - DF \times (N - 1))$$



Pac, Plant AC capacity (MW)	25
DF, Module degradation factor (%/year)	As per OEM Datasheet
N, Number of years of operation after operational acceptance of the plant	N= 1,2,3,.....15
CUFe, Guaranteed Annual CUF at the end of First Year (%)	36.1%

- (ii) The incentive under this Clause is subject to the upper limit of 110% of the Minimum Expected Energy in the Nth year (Refer (i) above).

Illustration:

The Minimum Expected Energy in 5th Year as per (i) = $25*8760*0.361*(1-0.005*(4))$
 $= 77,477.82 \text{ MWh}$

Tariff for Calculation of LD= Rs. 2.22/kWh

50% of PPA Tariff = 50% of Rs. 2.22/kWh = Rs. 1.11/kWh

Case I: Actual Energy generated in 5th Year = 80,000 MWh

110% of the Minimum Expected Energy in the 5th year = $110\% * 77,477.82 = 85,225.602 \text{ MWh}$

Since $80,000 < 85,225.602$

Generation Incentive = Rs. $(80,000 - 77,477.82)*1000*1.11 = \text{Rs. } 27,99,619.8/-$

Case II: Actual Energy generated in 5th Year = 85,800 MWh

Since $85,800 > 85,225.602$,

Generation Incentive = Rs. $(85,225.602 - 77,477.82)*1000*1.11 = 86,00,038.02/-$

Case III: Actual Energy generated in 5th Year = 76,500 MWh

Since $76,500 < 77,477.82$

LD applicable as per Clause D

In case the Project fails to generate any power continuously for 1 month any time during the O&M period, apart from the force majeure and grid outages as certified by competent authority from DISCOM/Electricity Department/STU/ CTU, it shall be considered as “an event of default”. In the case of default the entire Contract Performance Security will be forfeited.




G. Penalty during O&M period against breakdown of other Infrastructure of Plant Facilities that don't affect the generation of power directly, such as but not limited to, civil infrastructure, water supply system/network, other Infrastructure developed by the Contractor as a Scope of Work for the Project (Section-VII: Scope of Works & Technical Specifications) shall be penalised @ Rs.1000/day, for non-compliance with PM Schedule (Initiation/Completion of Scheduled maintenance Activity as agreed under this Contract) beyond 48 hours. Cumulative value of such penalty shall be limited to 5% of yearly O&M cost.

For the purpose of this Clause, the PM shall be inclusive of, but not limited to the following PM activities:


Item	Scope of Maintenance Activity	Periodicity
PV Arrays	Cleaning of PV Modules	A least 2 cycles per month
PV Arrays, Battery Modules/Racks/PCUs, Transformers	Thermal Imaging	Half Yearly
Transformers	As per OEM Recommendation	As per OEM Recommendation
Environmental/Corrosive Protective Coatings	White-washing/Application/Re-application of Distemper, Epoxy coatings	Once in every 2 years under the O&M Contract period, in consultation with the Owner
Roads and Access paths	Repair and maintenance of all roads – Access, Internal and Periphery roads, walkways as well as fences, gates, cable-trenches and outdoor equipment platforms.	Once every year post Monsoon season, in Consultation with the Owner



Shivani




Periphery Lighting	Repair and maintenance of Peripheral Lighting including replacement of non-functional lighting fixtures, Junction Boxes, Conduits etc.	Once every Six Months
Rodent Entry Points	Application/re-application of Anti-rat protection measures like PUF filling, sealant etc. at Checker/Gland Plates, Cable Entry Points (in PCU/SMU, Switchgear Panels, Buildings, Enclosures)	Once every Six Months
All bolted/tightened structures	Tightening/fastening of bolts that are exposed to winds/vibrations like MMS members/foundation bolts	Once every Year before onset of Windy season, in consultation with the Owner.
Enclosures of Equipment requiring Temperature and Dust Controlled environment for Normal Operation	Application/re-application of insulation/Dust-Filters/Temperature-control equipment at Enclosures/Buildings housing PCU, Switchgear, BESS	Once every Year, consultation with the Owner.
Weather Monitoring System	Calibration of Sensors/Measuring Instruments	As per the requirement to maintain valid calibration certificate



Pyranometers in the WMS	Cleaning	Daily
ABT Meter	Callibration	Yearly
Entire Plant Facility	Oversight management of the hazardous/toxic materials including its handling and disposal as per Government of India Rules and environmental and safety assessments by a qualified Specialist	Once every Year, in consultation with the Owner.
Earthing System	Measurement of earth resistance of Plant as well as individual earth pit	Every Month

Note : The Contractor shall ensure intimation and submission of requisite Reports to the owner at least 15 days prior to initiation of maintenance action for the activity.

The Contractor shall submit the detailed PM Schedule for the approval of the Employer. The Preventive Maintenance Schedules will be drawn such that jobs other than breakdown, which may require comparatively long stoppage of the Power Plant, shall be carried out preferably during the non-sunny days or evenings. Prior information shall be provided to the Employer for such preventive maintenance prior to start.



2. BESS Availability Guarantee

- A. In consideration for the payment of the O&M Price, from the Commencement/Effective Date until the end of the Term, the Contractor grants to the Owner the BESS Availability Guarantee on the terms and conditions set forth in the contract.
- B. The Contractor guarantees the annual BESS Availability as committed herein over the O&M Period (“**Annual BESS Availability Guarantee**”).
- C. **Limitation of Contractor’s Liability under this Guarantee:** In the event the BESS Availability is less than the Guaranteed Availability, the Contractor shall immediately, upon demand, indemnify the Owner, as liquidated damages and not as penalty, amounts as specified in Clause D below, subject to a maximum of hundred (100%) percent of the Total Annual O&M Price.
- D. The Contractor shall maintain all BESS equipment to ensure Annual Equipment Availability as mentioned in SS-A (Scope of Works). Equipment Availability includes the availability of Batteries, Battery Management System (BMS), Power Conversion System (PCS), Energy Management System (EMS) as well as the power evacuation system for BESS up to interface with the solar PV arrays.
- E. BESS Equipment Availability shall be calculated as defined in Clause 4.5 (SS-B: TS-Electrical (Part B: Battery Energy Storage Systems)).
- F. Liquidated Damages for Shortfall in Availability
If the annual equipment availability for BESS is less than as mentioned in SS-A (Scope of Works) during any year, then Contractor shall compensate the Employer an amount calculated as per the following formula:

$$COM = \left(\frac{GEA - EA}{GEA} \right) * C * E$$

where,


COM is Compensation payable to the Employer in rupees

GEA is guaranteed annual BESS Equipment Availability (as mentioned in SS-(Scope of Works)

EA is Annual BESS Equipment Availability

C is ₹2.22/kWh


E is the maximum energy output from BESS in kWh during the respective year in guaranteed availability condition after considering any degradation i.e. BESS Energy



Rating (dispatchable Capacity for the corresponding Year) x 365 * Guaranteed BESS Availability.

Note:


BESS Availability shall be calculated on annual basis, from the Effective Date to the currency of the O&M Contract.

3. The Penalty specified on account of delays, and Liquidated Damages and on account of deviations in Functional Guarantees as above shall be assessed independent of each other.
4. Limitation of Contractor's overall Liability under the O&M Contract: Except for the contractors indemnity obligations under this contract & except for the actions or claims arising of gross negligence or intentional or wilful misconduct, contractors total liability to employer for a given year shall not exceed the corresponding year price of O&M Contract.

5. Scheduling and Forecasting:

4.1 The Contractor shall be responsible for appointing a Qualified Coordinating Agency if required by concerned authorities at the Pooling Substation Level for scheduling and forecasting activity. Also, the contractor shall be responsible for carrying out the forecasting and scheduling of the energy generation from the plant facility (In accordance with the Deviation Settlement Mechanism Regulations, as applicable). Scheduling given by the Contractors is such that no penalty is levied on the Employer due to any deviation of actual generation from scheduling beyond the allowed limit. If any penalty arises due to DSM after adjusting the payable and receivable imposed on the Employer due to such deviations beyond allowed limit, the same has to be paid by the contractor separately. If the contractor fails to pay such penalty, then it shall be recovered from the contractor's payment to be done by Employer.

4.2 The deviation charges, as per applicable regulations, for the difference in units between scheduled and actual generation shall be recovered from the contractor on following basis.



- i) In case of any deviation due to forecasting and scheduling error, Contractor shall bear the cost/Penalty.
- ii) In case of localized thunderstorm/sand storm, the Employer shall bear the deviation charges till the time period before which the revision of scheduling is not allowed, as per applicable regulation.
- iii) In case if there is a component/Machine/Inverter failure, the Employer shall bear the deviation charges on account of such failure till the time period block before which the revision of scheduling is not allowed, affected as per applicable regulation. The contractor shall bear the deviation charges due to such failure beyond such time period.



Know



Appendices

1. O&M Manual
2. Annual Preventive Maintenance Schedule
2. Mandatory Spares (Annexure: GA-E: Mandatory Spares of the RfS),
Consumables, Spare Parts
3. Price Schedule No 5/SOR-5

