5.1.2

Problem Statement

Write a program to calculate the total marks, aggregate percentage, and grade of a student based on marks in four subjects. The grade is determined as follows:

Aggregate > 75 : Distinction
Aggregate ≥ 60 and < 75 : First Division
Aggregate ≥ 50 and < 60 : Second Division
Aggregate ≥ 40 and < 50 : Third Division
Aggregate < 40 : Fail

Algorithm

1. Start.
2. Read four marks: `m1`, `m2`, `m3`, `m4`.
3. Calculate total marks:
   `total = m1 + m2 + m3 + m4`
4. Calculate aggregate percentage:
   `percentage = total / 4`
5. If `percentage > 75`, print **"Distinction."**
6. Else if `percentage ≥ 60` and `< 75`, print **"First Division."**
7. Else if `percentage ≥ 50` and `< 60`, print **"Second Division."**
8. Else if `percentage ≥ 40` and `< 50`, print **"Third Division."**
9. Else, print **"Fail."**
10. Print total marks.
11. Print aggregate percentage.
12. Stop.

Flowchart:


START
Input a,b,c,d
Total = a+b+c+d
Percent = (total/400)*100
Print total and percentage
If percent > 75
True
False
Print Distinction
elif percentage>=60 and percentage<75
True
False
Print first division
elif percentage >=50 and per<60
True
False
Print second division
elif percentage >=40 and per <50
True
False
Print third division
Print Fail
STOP

CODE:

CODETANTRA Home

anshul.naphade.batch2025@sitnagpur.siu.edu.in Support Logout

5.1.2. Student Grade Based on Aggregate 07:50

Write a program to calculate the total marks, aggregate percentage, and grade of a student based on marks in four subjects. The grade is determined as follows:

- Aggregate > 75%: Distinction
- Aggregate >= 60% and < 75%: First Division
- Aggregate >= 50% and < 60%: Second Division
- Aggregate >= 40% and < 50%: Third Division
- Aggregate < 40%: Fail

Input Format:

- Four space-separated integers representing the marks in four subjects.

Output Format:

- The first line should print the total marks.
- The second line should print the aggregate percentage with two decimal places.
- The third line should print the grade.

Constraints:

- 0<=marks in each subject<=100

Sample Test Cases +

studentG... Submit

```
m1, m2, m3, m4 = map(int, input().split())


if not (0 <= m1 <= 100 and 0 <= m2 <= 100 and 0 <= m3 <= 100 and 0 <= m4 <= 100):
    print("Invalid input")
else:

    total = m1 + m2 + m3 + m4
```

Average time 0.004 s 3.80 ms

Maximum time 0.007 s 7.00 ms

5 out of 5 shown test case(s) passed

5 out of 5 hidden test case(s) passed

Test case 1 7 ms Debug

Expected output	Actual output
85 90 78 88	85 90 78 88
341	341
85.25	85.25
Distinction	Distinction

Test case 2 4 ms

Terminal Test cases

< Prev Reset Submit Next >