1

Assignment-2

Anshul Sangrame CS21BTECH11004

Abstract—This document contains solution for ICSE 2019 class 12 maths Q.16(b)

Problem 16(b): If $\overrightarrow{\mathbf{a}}$ and $\overrightarrow{\mathbf{b}}$ are non-collinear vectors, find the value of x such that vectors $\overrightarrow{\alpha} = (x-2)\overrightarrow{\mathbf{a}} + \overrightarrow{\mathbf{b}}$ and $\overrightarrow{\beta} = (3+2x)\overrightarrow{\mathbf{a}} - 2\overrightarrow{\mathbf{b}}$ are collinear.

Solution: α and β can be written as,

$$\alpha = \begin{pmatrix} \mathbf{a} & \mathbf{b} \end{pmatrix} \begin{pmatrix} x - 2 \\ 1 \end{pmatrix}, \beta = \begin{pmatrix} \mathbf{a} & \mathbf{b} \end{pmatrix} \begin{pmatrix} 3 + 2x \\ -2 \end{pmatrix}$$
 (1)

Since α and β are collinear,

$$\alpha = \lambda \beta$$

$$\implies (\mathbf{a} \quad \mathbf{b}) \left(\begin{pmatrix} x-2\\1 \end{pmatrix} - \lambda \begin{pmatrix} 3+2x\\-2 \end{pmatrix} \right) = 0 \quad (3)$$

$$\implies (\mathbf{a} \quad \mathbf{b}) \begin{pmatrix} (1-2\lambda)x - (2+3\lambda)\\1+2\lambda \end{pmatrix} = 0 \quad (4)$$

$$\implies \begin{pmatrix} (1-2\lambda)x - (2+3\lambda)\\1+2\lambda \end{pmatrix} = \begin{pmatrix} 0\\0 \end{pmatrix} \quad (5)$$

Comparing every element of matrix in equation (5), we get,

$$1 + 2\lambda = 0 \tag{6}$$

$$\implies \lambda = \frac{-1}{2} \tag{7}$$

$$(1 - 2\lambda) x - (2 + 3\lambda) = 0 (8)$$

Using equation (7) in (8),

$$2x - \frac{1}{2} = 0 \tag{9}$$

$$\implies x = \frac{1}{4} \tag{10}$$




Fig. .