


 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com

Chapter 2
Digital Image Fundamentals

## DIGITAL IMAGE FUNDAMENTALS



Gonzalez & Woods

www. Image Processing Place.com

Chapter 2 Source: Chapter 02 of DIP, 3E: Digital Image Fundamentals

- Elements of Visual Perception
  - Structure of Human Eye
  - Image Formation in the Eye
  - Brightness Adaptation and Discrimination
- Light and the Electromagnetic Spectrum

- Image Sensing and Acquisition
  - Image Acquisition Using a Single Sensor
  - Image Acquisition Using Sensor Strips
  - Image Acquisition Using Arrays
  - A Simple ImageFormation Model

Not covered topics shown as this



Gonzalez & Woods


www. Image Processing Place.com

Chapter 2 Source: Chapter 02 of DIP, 3E: Digital Image Fundamentals

- Some Basic Relationships between Pixels
  - Neighbors of a Pixel
  - Adjacency, Connectivity,
     Regions, and Boundaries
  - Distance Measures
- Image Sampling & Quantization
  - Basic concepts
  - Representation
  - Spatial and Intensity resolution
  - Image interpolation
     Not covered topics

- Mathematical Tools used in DIP
  - Array versus MatrixOperations
  - Linear versus Non-Linear Operations
  - Arithmetic Operations
  - Set and Logical Operations
  - Vector and Matrix Operations
  - Image Transforms
  - Probabilistic Methods


shown as this





Gonzalez & Woods

www.ImageProcessingPlace.com

FIGURE 2.1
Simplified
diagram of a cross
section of the
human eye.








Gonzalez & Woods
www.ImageProcessingPlace.com

- Diameter of Eye: 20mm
- Cornea
  - Tough, Transparent Tissue





 $\begin{tabular}{ll} Gonzalez & Woods \\ & & www.ImageProcessingPlace.com \\ \end{tabular}$ 


Chapter 2 Digital Image Fundamenta


#### • Iris

- Controls Aperture (Pupil)
- Opening: 2mm to 8mm

#### • Lens

- Concentric Layers of Fibroid Cells
- 60% 70% water, 6% fat, protein
- Absorbs 8% light







 $\begin{tabular}{ll} Gonzalez \& Woods \\ & {\tt www.ImageProcessingPlace.com} \end{tabular}$ 

Chapter 2 Digital Image Fundamentals

#### • Retina

- Innermost membrane
- Fovea
  - Circular Indentation of 1.5mm diameter
  - Modeled as 1.5mm X 1.5mm (CCD: 5mm X 5mm)
- Cone & Rod Receptors
- Blind Spot






Gonzalez & Woods


www. Image Processing Place.com

Chapter 2
Digital Image Fundamentals



## Cone Receptors (Color)

- Connected to single nerve, localized around Fovea
  - 1,50,000 elements / mm<sup>2</sup>
- 6 to 7 million
- Photopic or Bright-light Vision
- Rod Receptors (Black-and-White)
  - Connected to multiple nerves, distributed
  - 75 to 150 million
  - Scotopic or Dim-light Vision





Gonzalez & Woods

www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals


Vitreous humo





Gonzalez & Woods
www.ImageProcessingPlace.com


- Image Formation in Camera & Eye
  - What is the fundamental difference?
- Camera
  - Fixed Focal Length of Lens
  - Variable Distance between Lens and Film
- Eye
  - Variable Focal Length of Lens (14mm ~ 17mm)
  - Fixed Distance between Lens and Film (17mm)



Gonzalez & Woods


www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals




#### FIGURE 2.3

Graphical representation of the eye looking at a palm tree. Point *C* is the optical center of the lens.



Gonzalez & Woods
www.ImageProcessingPlace.com


- Brightness Adaptation & Discrimination
  - How do we perceive the intensity in an image?
- Range of Light Intensity Levels
  - 10<sup>10</sup>: Scotopic Threshold to Glare Limit
  - 10<sup>6</sup>: Photopic Vision
- Subjective Brightness
  - Brightness perceived by Vision
  - Log function of Light Intensity



Gonzalez & Woods

www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals




#### FIGURE 2.4

Range of subjective brightness sensations showing a particular adaptation level.



Gonzalez & Woods
www.ImageProcessingPlace.com


- What is Brightness Adaptation?
  - Wide Range is supported
  - Support is not simultaneous
  - Changes overall sensitivity
- Brightness Adaptation Level
  - Sensitivity at a given condition (B<sub>a</sub>)
  - Range gets restricted to a low end (B<sub>b</sub>)
  - High end changes the level itself




Gonzalez & Woods
www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

- What is Brightness Discrimination?
  - Ability to discriminate between changes in light intensity at a specific adaptation level
- Experiment for Weber Ratio




# FIGURE 2.5 Basic experimental setup used to characterize brightness discrimination.



Gonzalez & Woods
www.ImageProcessingPlace.com


- Experiment for Weber Ratio
  - Uniform Back Illumination I
  - Incremental Flash Illumination: ΔI
  - Subject Response: No / Yes
  - $-\Delta I_c$  discriminable in 50% cases
  - Weber Ratio =  $\Delta I_c / I$



Gonzalez & Woods


www. Image Processing Place.com

# Chapter 2 Digital Image Fundamentals



#### FIGURE 2.6

Typical Weber ratio as a function of intensity.



 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com


## Chapter 2 Digital Image Fundamentals

#### Weber Ratio

- Small → Good Brightness Discrimination
- Large → Poor Brightness Discrimination
- Discontinuous functions for rod and cone behavior


## Continuity Behavior

- Constant I
- Uniformly varying  $\Delta I$
- One / two dozens of intensities perceived at a time
- Perceived Brightness vs Intensity Phenomena



Gonzalez & Woods
www.ImageProcessingPlace.com


- Mach Bands (after Ernst Mach)
  - Undershoot / Overshoot around boundary of different intensity regions



Gonzalez & Woods

www. Image Processing Place.com


#### Chapter 2 Digital Image Fundamentals



b

#### FIGURE 2.7


Illustration of the Mach band effect. Perceived intensity is not a simple function of actual intensity.



Gonzalez & Woods
www.ImageProcessingPlace.com


## Chapter 2 Digital Image Fundamentals

- Simultaneous Contrast
  - Perceived Brightness is not a simple function of intensity



a b c

**FIGURE 2.8** Examples of simultaneous contrast. All the inner squares have the same intensity, but they appear progressively darker as the background becomes lighter.



Gonzalez & Woods
www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

## Optical Illusions


- Not yet fully understood
- Eye fills up nonexistig information
- Wrongly perceives the geometrical properties of objects




Gonzalez & Woods

www.ImageProcessingPlace.com







Gonzalez & Woods

www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals


## Light and EM Spectrum

$$-\lambda = c/\nu$$

- $\lambda$  = Wavelength of light (m)
- c = Speed of light
- v = Frequency of light (Hz)


$$-E = h\nu$$

- E = Energy
- h = Planck's Constant




Gonzalez & Woods

www.ImageProcessingPlace.com



**FIGURE 2.10** The electromagnetic spectrum. The visible spectrum is shown zoomed to facilitate explanation, but note that the visible spectrum is a rather narrow portion of the EM spectrum.




 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

• Visible Band: Violet (430nm) ~ Red (790nm)

#### FIGURE 2.11


Graphical representation of one wavelength.






Gonzalez & Woods
www.ImageProcessingPlace.com

- Monochromatic / Achromatic Light Source
  - Intensity
- Chromatic Light Source
  - Radiance
    - Energy flowing from a light source (Watts)
  - Luminance
    - Energy Perceived by an observer (Lumens)
  - Brightness
    - Subjective descriptor of light perception



 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com


- Image Acquisition
  - Single Sensor
  - Sensor Strip
  - Sensor Array



Gonzalez & Woods

www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals





a b

c

#### FIGURE 2.12

- (a) Single imaging sensor.
- (b) Line sensor.
- (c) Array sensor.






Gonzalez & Woods


www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals



#### **FIGURE 2.13**


Combining a single sensor with motion to generate a 2-D image.



Gonzalez & Woods


www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals



a b


FIGURE 2.14 (a) Image acquisition using a linear sensor strip. (b) Image acquisition using a circular sensor strip.



Gonzalez & Woods


www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals




a b c d e

**FIGURE 2.15** An example of the digital image acquisition process. (a) Energy ("illumination") source. (b) An element of a scene. (c) Imaging system. (d) Projection of the scene onto the image plane. (e) Digitized image.



 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com

- Sensor Array Technology
- CCD: Charge-Coupled Device
  - Analog
  - Charge moves between capacitative bins
- CMOS APS: CMOS Active Pixel Sensor
  - Photo-detector + Amplifier @ Pixel
  - Used in Cell-Phone Camera / Webcam




Gonzalez & Woods
www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

## Image Formation

- f(x,y) is an image function where
  - $0 < f(x,y) < \infty$
- f(x,y) = i(x,y) \* r(x,y) where
  - $0 < i(x,y) < \infty$ : Illumination
  - 0 < r(x,y) < 1: Reflectance / Transmittance




 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals


## Typical Illumination

- − Sun, Clear Sky: 90,000 lm/m<sup>2</sup>.
- Sun, Cloudy Sky: 10,000 lm/m<sup>2</sup>.
- Full Moon, Clear Sky: 0.1 lm/m<sup>2</sup>.
- Commercial Office: 1,000 lm/m<sup>2</sup>.



Gonzalez & Woods
www.ImageProcessingPlace.com

- Typical Reflectance
  - Black Velvet: 0.01
  - Stainless Steel: 0.65
  - Flat White Wall Paint: 0.80
  - Silver-Plated Metal: 0.90
  - Snow: 0.93



Gonzalez & Woods

www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals

### • Intensity of a Monochrome Image at (u,v)

- $-L_{\min} \leq f(u,v) \leq L_{\max}$
- $-L_{\min} > 0$  and  $L_{\max}$  is Finite
- $-L_{\min} = i_{\min} * r_{\min}$  and  $L_{\max} = i_{\max} * r_{\max}$
- Typical:  $L_{min} \sim 10$  and  $L_{max} \sim 1000$
- [L<sub>min</sub>, L<sub>max</sub>]: Grey / Intensity Scale
- Translate to [0, L-1]



Gonzalez & Woods
www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

### Sampling for Image Formation


- Single Sensor
  - Guided by mechanical motion can be very accurate
  - Limited by optical system
- Sensor Strip
  - No. of Sensor decide sampling in one dimension
  - Mechanical motions decides the other
- Sensor Array
  - No. of Sensor decide sampling in both dimensions



Gonzalez & Woods

www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals




a b c d

#### FIGURE 2.16

Generating a digital image.
(a) Continuous image. (b) A scan line from A to B in the continuous image, used to illustrate the concepts of sampling and quantization.
(c) Sampling and quantization.
(d) Digital


scan line.



Gonzalez & Woods


www. Image Processing Place.com

#### Chapter 2 Digital Image Fundamentals



a b

**FIGURE 2.17** (a) Continuous image projected onto a sensor array. (b) Result of image sampling and quantization.



 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

### Image Representation


- 3-D Function Plot (surface with intensity fluctuations)
  - Too detailed
  - Difficult for inference
- 2-D Visual Intensity Array
  - Good for visualization
  - Less amenable to computation
- 2-D Numerical Array
  - Easy for computation
  - Large in data volume



Gonzalez & Woods

www.ImageProcessingPlace.com


# Chapter 2 Digital Image Fundamentals



a b c

#### FIGURE 2.18

- (a) Image plotted as a surface.
- (b) Image displayed as a visual intensity array.
- (c) Image shown as a 2-D numerical array (0, .5, and 1 represent black, gray, and white, respectively).




Gonzalez & Woods
www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

### Image Representation

$$A = \begin{bmatrix} 1 & 2 & 3 & 4 \\ 5 & 6 & 7 & 8 \\ 9 & 10 & 11 & 12 \\ 13 & 14 & 15 & 16 \end{bmatrix} = \begin{bmatrix} a00 & a01 & a02 & a03 \\ a10 & a11 & a12 & a13 \\ a20 & a21 & a22 & a23 \\ a30 & a31 & a32 & a33 \end{bmatrix} = \begin{bmatrix} R0 \\ R1 \\ R2 \\ R3 \end{bmatrix}$$

$$=$$
 [{1, 2, 3, 4}, {5, 6, 7, 8}, {9, 10, 11, 12}, {13, 14, 15, 16}]




Gonzalez & Woods
www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

### Image Quantization

- Mapping Intensity values to a (small) range of integers  $[0, L-1], L=2^k$ .
- Image Size =  $N^2k$ .



Gonzalez & Woods
www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

### Image Quantization

- Dynamic Range of Grey Values
  - Ratio of *Maximum measureable intensity* to *Minimum detectable intensity*
  - Upper Limit: Decided by Saturation
  - Lower Limit: Decided by Noise
- Contrast
  - Maximum Intensity Minimum Intensity



Gonzalez & Woods

www. Image Processing Place.com

## Chapter 2 Digital Image Fundamentals





FIGURE 2.19 An image exhibiting saturation and noise. Saturation is the highest value beyond which all intensity levels are clipped (note how the entire saturated area has a high, constant intensity level). Noise in this case appears as a grainy texture pattern. Noise, especially in the darker regions of an image (e.g., the stem of the rose) masks the lowest detectable true intensity level.



Gonzalez & Woods
www.ImageProcessingPlace.com

**TABLE 2.1** Number of storage bits for various values of N and k.

N/k	1(L = 2)	2(L=4)	3(L = 8)	4(L = 16)	5(L=32)	6(L = 64)	7(L = 128)	8(L=256)
32	1,024	2,048	3,072	4,096	5,120	6,144	7,168	8,192
64	4,096	8,192	12,288	16,384	20,480	24,576	28,672	32,768
128	16,384	32,768	49,152	65,536	81,920	98,304	114,688	131,072
256	65,536	131,072	196,608	262,144	327,680	393,216	458,752	524,288
512	262,144	524,288	786,432	1,048,576	1,310,720	1,572,864	1,835,008	2,097,152
1024	1,048,576	2,097,152	3,145,728	4,194,304	5,242,880	6,291,456	7,340,032	8,388,608
2048	4,194,304	8,388,608	12,582,912	16,777,216	20,971,520	25,165,824	29,369,128	33,554,432
4096	16,777,216	33,554,432	50,331,648	67,108,864	83,886,080	100,663,296	117,440,512	134,217,728
8192	67,108,864	134,217,728	201,326,592	268,435,456	335,544,320	402,653,184	469,762,048	536,870,912




Gonzalez & Woods
www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

### Spatial Resolution

- Line pairs per unit distance
  - Chart with alternating black and white lines
  - Largest number of discernible line pairs in unit distance
- dpi: dots / inch
  - Used in printing / publishing
  - Newspaper: 75 dpi
  - Magazine: 133 dpi
  - Glossy Brochure: 175 dpi
  - High Quality Book: 2400 dpi



Gonzalez & Woods

www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals

@1250 dpi: 3692 X 2812

@72 dpi: 213 X 162





**FIGURE 2.20** Typical effects of reducing spatial resolution. Images shown at: (a) 1250 dpi, (b) 300 dpi, (c) 150 dpi, and (d) 72 dpi. The thin black borders were added for clarity. They are not part of the data.















 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com


- Intensity Resolution
  - Smallest discernible change in intensity level
  - Fixed by hardware
    - Typically 8 bits / 16 bits
  - False Contouring: Low # of intensity levels



Gonzalez & Woods

www. Image Processing Place.com


#### Chapter 2 Digital Image Fundamentals



a b c d

#### FIGURE 2.21

(a) 452 × 374, 256-level image. (b)–(d) Image displayed in 128, 64, and 32 gray levels, while keeping the spatial resolution constant.



Gonzalez & Woods


www.ImageProcessingPlace.com


#### Chapter 2 Digital Image Fundamentals

e f g h

#### FIGURE 2.21


(Continued)
(e)–(h) Image
displayed in 16, 8,
4, and 2 gray
levels. (Original
courtesy of
Dr. David
R. Pickens,
Department of
Radiology &
Radiological
Sciences,
Vanderbilt
University
Medical Center.)





 $\begin{tabular}{ll} Gonzalez \& Woods \\ & {\tt www.ImageProcessingPlace.com} \end{tabular}$ 

- Spatial & Intensity Resolutions: Together
  - Vary N (Spatial Resolution N x N) and k
     (Grayscale Resolution 2<sup>k</sup>)
  - Subjects rank images at different <N, k> by their subjective quality
  - Experiments:
    - Nature depends on details in the image



Gonzalez & Woods

www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals








abc

**FIGURE 2.22** (a) Image with a low level of detail. (b) Image with a medium level of detail. (c) Image with a relatively large amount of detail. (Image (b) courtesy of the Massachusetts Institute of Technology.)



Gonzalez & Woods
www.ImageProcessingPlace.com


- Isopreference Curves on N-k Plane
  - Points having same subjective quality
  - I-p Curves shifts right & upward
  - Becomes more vertical to left with details in image



Gonzalez & Woods

www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals




### FIGURE 2.23

Typical isopreference curves for the three types of images in Fig. 2.22.




 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com

- Interpolation: Using known data to estimate values at unknown locations.
- Image Interpolation (Tool)
  - Zooming
  - Shrinking
  - Rotating
  - Geometric Correction
- Zooming & Shrinking
  - Re-sampling



Gonzalez & Woods
www.ImageProcessingPlace.com

- Enlargement by 1.5 times
  - Image is 500 X 500
  - Imaginary Array: 750 X 750 (same pixel spacing)
  - Shrink to fit the original image (reduced pixel spacing)
  - Set value from the closest pixel in original image
  - Expand it to the original expanded size
  - This is Nearest Neighbor Interpolation
    - Produces artifacts (distortion of straight edge)





Gonzalez & Woods

www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

### Nearest Neighbor Interpolation







Gonzalez & Woods
www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals


### Bilinear Interpolation

- Use 4 nearest neighbor
- Solve for 4 coefficients
- -V(x,y) = ax+by+cxy+d

$$f(R_1) \approx \frac{x_2 - x}{x_2 - x_1} f(Q_{11}) + \frac{x - x_1}{x_2 - x_1} f(Q_{21})$$

$$f(R_2) \approx \frac{x_2 - x}{x_2 - x_1} f(Q_{12}) + \frac{x - x_1}{x_2 - x_1} f(Q_{22})$$

$$f(P) \approx \frac{y_2 - y}{y_2 - y_1} f(R_1) + \frac{y - y_1}{y_2 - y_1} f(R_2).$$



$$f(x,y) \approx \frac{f(Q_{11})}{(x_2 - x_1)(y_2 - y_1)}(x_2 - x)(y_2 - y)$$

$$+ \frac{f(Q_{21})}{(x_2 - x_1)(y_2 - y_1)}(x - x_1)(y_2 - y)$$

$$+ \frac{f(Q_{12})}{(x_2 - x_1)(y_2 - y_1)}(x_2 - x)(y - y_1)$$

$$+ \frac{f(Q_{22})}{(x_2 - x_1)(y_2 - y_1)}(x - x_1)(y - y_1).$$



Gonzalez & Woods


www.ImageProcessingPlace.com


# Chapter 2 Digital Image Fundamentals


### Bilinear Interpolation

$$f(x,y) \approx f(0,0) (1-x)(1-y) + f(1,0) x(1-y) + f(0,1) (1-x)y + f(1,1)xy.$$

$$f(x,y) \approx \begin{bmatrix} 1-x & x \end{bmatrix} \begin{bmatrix} f(0,0) & f(0,1) \\ f(1,0) & f(1,1) \end{bmatrix} \begin{bmatrix} 1-y \\ y \end{bmatrix}.$$









Gonzalez & Woods

www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals

### Bilinear Interpolation






Gonzalez & Woods
www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

### • Bicubic Interpolation (Discrete)

- Use 16 nearest neighbor
- Solve for 16 coefficients
- Used in Adobe Photoshop / Corel Photopaint

$$p(x,y) = \sum_{i=0}^{3} \sum_{j=0}^{3} a_{ij} x^{i} y^{j}.$$





Gonzalez & Woods

www. Image Processing Place.com

#### Chapter 2 Digital Image Fundamentals


### Interpolation Comparative






Gonzalez & Woods

www.ImageProcessingPlace.com





Gonzalez & Woods


www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals



a b c d e f

**FIGURE 2.24** (a) Image reduced to 72 dpi and zoomed back to its original size (3692 × 2812 pixels) using nearest neighbor interpolation. This figure is the same as Fig. 2.20(d). (b) Image shrunk and zoomed using bilinear interpolation. (c) Same as (b) but using bicubic interpolation. (d)–(f) Same sequence, but shrinking down to 150 dpi instead of 72 dpi [Fig. 2.24(d) is the same as Fig. 2.20(c)]. Compare Figs. 2.24(e) and (f), especially the latter, with the original image in Fig. 2.20(a).




Gonzalez & Woods
www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

### Basic Relationships between Pixels

- Neighbors of a Pixel:
  - 4-neighbors  $N_4(p)$ : {(x+1,y), (x-1,y), (x,y+1), (x,y-1)}
  - Diagonal neighbors  $N_D(p)$ : {(x+1,y+1), (x-1,y+1), (x-1,y+1), (x-1,y+1)}
  - 8-neighbors:  $N_8(p) = N_4(p) \cup N_D(p)$
- Adjacency:
  - 4-adjacency  $(p,q) \in V$ ;  $q \in N_4(p)$ ; V = set of intensity values
  - 8-adjacency  $(p,q) \in V$ ;  $q \in N_4(p)$
  - M-adjacency  $(p,q) \in V$ ;  $q \in N_4(p)$  OR  $q \rightarrow N_D(p)$  and  $N_4(p) \cap N_4(q) \notin V$




Gonzalez & Woods
www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

### Basic Relationships between Pixels

- Path
- Connected component
- Connected set (Region)
  - Adjacent
  - Disjoint
- Foreground & Background
- Boundary/border/contour
- Edge




Gonzalez & Woods

www.ImageProcessingPlace.com

#### Chapter 2 Digital Image Fundamentals

a b c d e f

**FIGURE 2.25** (a) An arrangement of pixels. (b) Pixels that are 8-adjacent (adjacency is shown by dashed lines; note the ambiguity). (c) *m*-adjacency. (d) Two regions that are adjacent if 8-adjacency is used. (e) The circled point is part of the boundary of the 1-valued pixels only if 8-adjacency between the region and background is used. (f) The inner boundary of the 1-valued region does not form a closed path, but its outer boundary does.



Gonzalez & Woods
www.ImageProcessingPlace.com

# Chapter 2 Digital Image Fundamentals

### Distance Measures

Let p(x,y), q(s,t) and z(v,w) are 3 pixels. D is a distance function If

a) 
$$D(p,q) \ge 0$$
  $(D(p,q) = 0$ , if  $p = q$ )


b) 
$$D(p,q) = D(q,p)$$

c) 
$$D(p,z) \le D(p,z) + D(z,q)$$

• Ecludean Distance: 
$$D_e(p, q) = [(x - s)^2 + (y - t)^2]^{1/2}$$

• City block distance: 
$$D_4(p,q) = |x-s| + |y-t|$$

• Chessboard distance: 
$$D_8(p,q) = \max(|x-s|,|y-t|)$$



 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

### Mathematical Tools used in DIP

Array versus Matrix operations

Linear vs Non-linear operations

Arithmetic operations


Set and Logical operations

Spatial operations

Vector and Matrix operations

Image transforms

Probabilistic methods



Gonzalez & Woods
www.ImageProcessingPlace.com


## Chapter 2 Digital Image Fundamentals

## Array vs Matrix Operations

$$\begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix} \qquad \begin{bmatrix} b_{11} & b_{12} \\ b_{21} & b_{22} \end{bmatrix}$$

## Array product

$$\begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix} \begin{bmatrix} b_{11} & b_{12} \\ b_{21} & b_{22} \end{bmatrix} = \begin{bmatrix} a_{11}b_{11} & a_{12}b_{12} \\ a_{21}b_{21} & a_{22}b_{22} \end{bmatrix}$$



Gonzalez & Woods

www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

Linear vs Non-linear operations:

Liner operation: Sum operation over images

Non-linear operation: Max operation over images

$$H[f(x,y)] = g(x,y)$$

H is said to be linear operator if

$$H[a_i f_i(x, y) + a_j f_j(x, y)] = a_i H[f_i(x, y)] + a_j H[f_j(x, y)]$$
  
=  $a_i g_i(x, y) + a_j g_j(x, y)$ 



Gonzalez & Woods

www. Image Processing Place.com

## Chapter 2 Digital Image Fundamentals

## Sum Operation:

$$f1 = \begin{bmatrix} 0 & 2 \\ 2 & 3 \end{bmatrix}$$
 and  $f2 = \begin{bmatrix} 6 & 5 \\ 4 & 7 \end{bmatrix}$ 


$$sum \left\{ (1) \begin{bmatrix} 0 & 2 \\ 2 & 3 \end{bmatrix} + (-1) \begin{bmatrix} 6 & 5 \\ 4 & 7 \end{bmatrix} \right\} = sum \left\{ \begin{bmatrix} -6 & -3 \\ -2 & -4 \end{bmatrix} \right\} = -15$$

$$= (1) sum \left\{ \begin{bmatrix} 0 & 2 \\ 2 & 3 \end{bmatrix} \right\} + (-1) sum \left\{ \begin{bmatrix} 6 & 5 \\ 4 & 7 \end{bmatrix} \right\} = -15$$

### Max Operation:

$$\max \left\{ (1) \begin{bmatrix} 0 & 2 \\ 2 & 3 \end{bmatrix} + (-1) \begin{bmatrix} 6 & 5 \\ 4 & 7 \end{bmatrix} \right\} = \max \left\{ \begin{bmatrix} -6 & -3 \\ -2 & -4 \end{bmatrix} \right\} = -2$$

$$(1) \max \left\{ \begin{bmatrix} 0 & 2 \\ 2 & 3 \end{bmatrix} \right\} + (-1) \max \left\{ \begin{bmatrix} 6 & 5 \\ 4 & 7 \end{bmatrix} \right\} = 3 - 7 = -4$$



Gonzalez & Woods

www. Image Processing Place.com

## Chapter 2 Digital Image Fundamentals


## **Arithmetic Operations:**

$$s(x,y) = f(x,y) + g(x,y)$$

$$d(x,y) = f(x,y) - d(x,y)$$

$$p(x,y) = f(x,y) \times g(x,y)$$

$$v(x,y) = f(x,y) \div d(x,y)$$




Gonzalez & Woods

www.ImageProcessingPlace.com


## Chapter 2 Digital Image Fundamentals

### Addition operation over Images



a b c d e f

**FIGURE 2.26** (a) Image of Galaxy Pair NGC 3314 corrupted by additive Gaussian noise. (b)–(f) Results of averaging 5, 10, 20, 50, and 100 noisy images, respectively. (Original image courtesy of NASA.)




Gonzalez & Woods

www. Image Processing Place.com


## Chapter 2 Digital Image Fundamentals

### Difference operation over Images



a b c

**FIGURE 2.27** (a) Infrared image of the Washington, D.C. area. (b) Image obtained by setting to zero the least significant bit of every pixel in (a). (c) Difference of the two images, scaled to the range [0, 255] for clarity.




Gonzalez & Woods

www. Image Processing Place.com


## Chapter 2 Digital Image Fundamentals

### Difference operation over Images



a b c d

FIGURE 2.28 Digital subtraction angiography. (a) Mask image. (b) A live image. (c) Difference between (a) and (b). (d) Enhanced difference image. (Figures (a) and (b) courtesy of The Image Sciences Institute, University Medical Center, Utrecht, The Netherlands.)



Gonzalez & Woods

www. Image Processing Place.com


## Chapter 2 Digital Image Fundamentals

## Division operation over Images (Shading correction)



a b c

**FIGURE 2.29** Shading correction. (a) Shaded SEM image of a tungsten filament and support, magnified approximately 130 times. (b) The shading pattern. (c) Product of (a) by the reciprocal of (b). (Original image courtesy of Mr. Michael Shaffer, Department of Geological Sciences, University of Oregon, Eugene.)



Gonzalez & Woods

www.ImageProcessingPlace.com


## Chapter 2 Digital Image Fundamentals

## Multiplication operation over Images (Masking/Region of Interest (ROI))



a b c

**FIGURE 2.30** (a) Digital dental X-ray image. (b) ROI mask for isolating teeth with fillings (white corresponds to 1 and black corresponds to 0). (c) Product of (a) and (b).



 $Gonzalez \ \& \ Woods$  www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

## Intensity Corrections after Arithmetic operations:

Addition: 0 to 510

Subtraction: -255 to 255

$$f_m = f - \min(f)$$

$$f_s = K\left[\frac{f_m}{\max(f_m)}\right]$$

Division: Small number to be added to the pixels of divisor image to avoid division by zero




Gonzalez & Woods

www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

### Set operations over binary images



### a b c d e

#### FIGURE 2.31


(a) Two sets of coordinates, A and B, in 2-D space. (b) The union of A and B. (c) The intersection of A and B. (d) The complement of A. (e) The difference between A and B. In (b)–(e) the shaded areas represent the member of the set operation indicated.



Gonzalez & Woods
www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

### Set operations over Gray scale Images



a b c FIGURE 2.32 Set operations involving grayscale images. (a) Original image. (b) Image negative obtained using set complementation. (c) The union of (a) and a constant image. (Original image courtesy of G.E. Medical Systems.)




Gonzalez & Woods

www.ImageProcessingPlace.com


## Chapter 2 Digital Image Fundamentals

### Logical operations over Binary Images



#### FIGURE 2.33

Illustration of logical operations involving foreground (white) pixels. Black represents binary 0s and white binary 1s. The dashed lines are shown for reference only. They are not part of the result.




Gonzalez & Woods


www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

## Spatial operation over Images (Single pixel operations)



**FIGURE 2.34** Intensity transformation function used to obtain the negative of an 8-bit image. The dashed arrows show transformation of an arbitrary input intensity value  $z_0$  into its corresponding output value  $s_0$ .




Gonzalez & Woods

www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals


### Spatial operation over Images: Neighbourhood operations



a b c d

#### **FIGURE 2.35**

Local averaging using neighborhood processing. The procedure is illustrated in (a) and (b) for a rectangular neighborhood. (c) The aortic angiogram discussed in Section 1.3.2. (d) The result of using Eq. (2.6-21) with m = n = 41. The images are of size  $790 \times 686$ pixels.



Gonzalez & Woods

www. Image Processing Place.com

## Chapter 2 Digital Image Fundamentals

# Geometrical Spatial Transformation


$$(x, y) = T\{(v, w)\}$$

$$[x, y, 1] = [v, w, 1] T$$

$$= [v, w, 1] \begin{bmatrix} t11 & t12 & 0 \\ t21 & t22 & 0 \\ t31, & t32 & 1 \end{bmatrix}$$

**TABLE 2.2** Affine transformations based on Eq. (2.6.–23).

Transformation Name	Affine Matrix, T	Coordinate Equations	Example
Identity	$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$	x = v $y = w$	y x
Scaling	$\begin{bmatrix} c_x & 0 & 0 \\ 0 & c_y & 0 \\ 0 & 0 & 1 \end{bmatrix}$	$x = c_x v$ $y = c_y w$	
Rotation	$\begin{bmatrix} \cos \theta & \sin \theta & 0 \\ -\sin \theta & \cos \theta & 0 \\ 0 & 0 & 1 \end{bmatrix}$	$x = v \cos \theta - w \sin \theta$ $y = v \cos \theta + w \sin \theta$	
Translation	$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ t_x & t_y & 1 \end{bmatrix}$	$x = v + t_x$ $y = w + t_y$	
Shear (vertical)	$\begin{bmatrix} 1 & 0 & 0 \\ s_v & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$	$x = v + s_v w$ $y = w$	
Shear (horizontal)	$\begin{bmatrix} 1 & s_h & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$	$x = v$ $y = s_h v + w$	




Gonzalez & Woods

www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

## Image Rotation



a b c d

**FIGURE 2.36** (a) A 300 dpi image of the letter T. (b) Image rotated 21° clockwise using nearest neighbor interpolation to assign intensity values to the spatially transformed pixels. (c) Image rotated 21° using bilinear interpolation. (d) Image rotated 21° using bicubic interpolation. The enlarged sections show edge detail for the three interpolation approaches.




Gonzalez & Woods
www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

## Image Registration:

- Aligning the images taken from different sensors
- Aligning images taken from same sensor at different times
- Images taken from same sensor with different resolutions
- Tie-points (control points)
  - $x = c_1 v + c_2 w + c_3 v w + c_4$
  - $y = c_5 v + c_6 w + c_7 v w + c_8$
- Multiple quadrilateral regions
- Polynomials fitted by least squares algorithms





Gonzalez & Woods


www.ImageProcessingPlace.com

### Chapter 2 Digital Image Fundamentals

## Image Registration










a b c d

#### FIGURE 2.37

Image registration. (a) Reference image. (b) Input (geometrically distorted image). Corresponding tie points are shown as small white squares near the corners. (c) Registered image (note the errors in the borders). (d) Difference between (a) and (c), showing more registration

errors.




Gonzalez & Woods

www.ImageProcessingPlace.com


## Chapter 2 Digital Image Fundamentals

## Matrix & Vector Operations



#### FIGURE 2.38


Formation of a vector from corresponding pixel values in three RGB component images.



Gonzalez & Woods

www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals



$$f(x,y) = \sum_{x=0}^{M-1} \sum_{v=0}^{N-1} T(u,v)s(x,y,u,v)$$

f(x, y) = I/P image,

r(x, y, u, v) = Forward transformation kernel

s(x, y, u, v) = Reverse transformation kernel

© 15/1490V). = Farward transformation of f(x, y)




Gonzalez & Woods

www.ImageProcessingPlace.com


## Chapter 2 Digital Image Fundamentals

## Image enhancement through Fourier Transformation



a b c d

FIGURE 2.40 (a) Image corrupted by sinusoidal interference. (b) Magnitude of the Fourier transform showing the bursts of energy responsible for the interference. (c) Mask used to eliminate the energy bursts. (d) Result of computing the inverse of the modified Fourier transform. (Original image courtesy of NAŠA.)



Gonzalez & Woods

www.ImageProcessingPlace.com

## Chapter 2 Digital Image Fundamentals

## **Probabilistic Models:**

Let 
$$z_i = 0, 1, 2, \dots L-1$$
 (L = Number of intensity levels)

$$p(z_k) = \frac{n_k}{MN}$$
;  $n_k$  = number of times  $z_k$  occurs in the image of size MxN

Sum of the probabilities of intensities = 
$$\sum_{k=0}^{L-1} p(z_k) = 1$$

Mean intensity of an image  $m = \sum_{k=0}^{L-1} z_k p(z_k)$ 

Variance = 
$$\sigma^2 = \sum_{k=0}^{L-1} (z_k - m)^2 p(z_k)$$

Nth moment of RV z (intensity) = 
$$\mu_n(z) = \sum_{k=0}^{L-1} (z_k - m)^m p(z_k)$$




Gonzalez & Woods
www.ImageProcessingPlace.com


## Chapter 2 Digital Image Fundamentals


## Probabilistic models:

Image Processing: Probability of a single RV over a single 2D image Stochastic Image Processing: Sequence of images & probability of intensity values

Random fields: Entire image to be a spatial random event Standard Deviation ( $\sigma$ ) = 14.3, 31.6, 49.2







a b c

FIGURE 2.41

Images exhibiting
(a) low contrast,
(b) medium
contrast, and
(c) high contrast.