

Pipeline Commands

1. Server Health Check

GET

http://localhost:5000/api/health

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

Query Params

	Key
	Key

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

"success": true,

"message": "Server is running",

"environment": "development",

"timestamp": "2026-06-15T13:25:14.683Z"

2. Admin Login (Session Initiation)

HTTP

http://localhost:5000/api/bookings

POST

http://localhost:5000/api/admin/login

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

JSON

1

2

3

"password": "admin1234"

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

"success": true,

"message": "Login successful",

"token": "df25d587e2a459cc879bb52393404e5dd83dbd56c8bb63ada7c8673aeaa970b5",

"expiresIn": "8h"

3. Create Department

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:5000/api/bookings`
- Method:** `POST`
- Target URL:** `http://localhost:5000/api/departments`
- Body Type:** `JSON`
- Request Body:**

```
{
  "name": "Food & Beverage",
  "description": "Handles restaurant orders, room service, and food preparation."
}
```
- Response Body:**

```
{
  "success": true,
  "message": "Department created successfully",
  "data": {
    "name": "Food & Beverage",
    "description": "Handles restaurant orders, room service, and food preparation.",
    "_id": "6a2ffdfdf15fd3bdd6df",
    "createdAt": "2026-06-15T13:28:29.911Z",
    "updatedAt": "2026-06-15T13:28:29.911Z"
  }
}
```
- Status:** 201 Created

4. Create Customer (With Zod Validation)

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:5000/api/bookings`
- Method:** `POST`
- Target URL:** `http://localhost:5000/api/customers`
- Body Type:** `JSON`
- Request Body:**

```
{
  "name": "Rahul",
  "email": "john@gmail.com",
  "phone": "9876543310",
  "address": "123 luxury avenue, Metropolis",
  "idProof": "Aadhar Card - 1234 5678 9012"
}
```
- Response Body:**

```
{
  "success": true,
  "message": "Customer created successfully",
  "data": {
    "name": "Rahul",
    "email": "john@gmail.com",
    "phone": "9876543310",
    "address": "123 luxury avenue, Metropolis",
    "idProof": "Aadhar Card - 1234 5678 9012",
    "_id": "6a2ffe83fe15fd3bdd6e0",
    "createdAt": "2026-06-15T13:30:43.143Z",
    "updatedAt": "2026-06-15T13:30:43.143Z"
  }
}
```
- Status:** 201 Created

5. Create Room

The screenshot shows a Postman interface for a POST request to `http://localhost:5000/api/rooms`. The request body is a JSON object with the following fields:

```
{  "roomNumber": "203",  "roomType": "Deluxe",  "pricePerNight": 250,  "capacity": 2}
```

The response is a 200 OK status with a JSON body:

```
{  "success": true,  "message": "Room created successfully",  "data": {    "roomNumber": "203",    "roomType": "Deluxe",    "pricePerNight": 250,    "capacity": 2,    "status": "Available",    "_id": "6a2ffeaafe15fd3bdd6e1",    "createdAt": "2026-06-15T13:31:22.981Z",    "updatedAt": "2026-06-15T13:31:22.981Z"  }}
```

6. Live Room Availability Query

The screenshot shows a Postman interface for a GET request to `http://localhost:5000/api/bookings/room-availability?checkIn=2026-06-18&checkOut=2026-06-20`. The request body is a JSON object with the following fields:

```
{  "roomNumber": "203",  "roomType": "Deluxe",  "pricePerNight": 250,  "capacity": 2}
```

The response is a 200 OK status with a JSON body:

```
{  "success": true,  "message": "Room availability retrieved",  "data": [    {      "_id": "6a2be3e4d0b9ce2a0da1a0ad",      "roomNumber": "101",      "roomType": "Single",      "pricePerNight": 1200,      "capacity": 1,      "status": "Available",      "updatedAt": "2026-06-13T07:50:29.097Z",      "isAvailable": true    },    {}  ]}
```

7. Create Booking (With Conflict Check)

HTTP <http://localhost:5000/api/bookings>

POST <http://localhost:5000/api/bookings>

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary **JSON** ▾

```
1 {
2   "customer": "6a2ffe83fe15fd3bdd6e0",
3   "room": "6a2ffeaafe15fd3bdd6e1",
4   "checkInDate": "2026-06-18",
5   "checkOutDate": "2026-06-20"
6 }
```

Body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize **JSON** ▾

```
1 {
2   "success": true,
3   "message": "Booking created successfully",
4   "data": {
5     "_id": "6a2fff69fe15fd3bdd6e2",
6     "customer": {
7       "_id": "6a2ffe83fe15fd3bdd6e0",
8       "name": "Rahul",
9       "email": "john@gmail.com",
10      "phone": "9876543310"
11    },
12    "room": {
13      "_id": "6a2ffeaafe15fd3bdd6e1",
14      "roomNumber": "203",
15      "roomType": "Deluxe",

```

8. Check In Guest (With Physical Occupancy Guard)

HTTP <http://localhost:5000/api/bookings>

PATCH <http://localhost:5000/api/bookings/6a2fff69fe15fd3bdd6e2/checkin>

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary **JSON** ▾

```
1 {
2   "success": true,
3   "message": "Guest checked in successfully",
4   "data": {
5     "_id": "6a2fff69fe15fd3bdd6e2",
6     "customer": {
7       "_id": "6a2ffe83fe15fd3bdd6e0",
8       "name": "Rahul",
9       "email": "john@gmail.com",
10      "phone": "9876543310"
11    },
12    "room": {
13      "_id": "6a2ffeaafe15fd3bdd6e1",
14      "roomNumber": "203",
15      "roomType": "Deluxe",
16      "pricePerNight": 250,
17      "status": "Occupied",
18    },
19    "checkInDate": "2026-06-18T00:00:00.000Z",
20    "checkOutDate": "2026-06-20T00:00:00.000Z",
21    "totalAmount": 5000
22  }
23 }
```

Body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize **JSON** ▾

9. Check Out Guest

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:5000/api/bookings`
- Method:** PATCH
- Path:** `http://localhost:5000/api/bookings/6a2fff69fe15fd3bdd6e2/checkout`
- Body Type:** JSON
- Body Content:**

```
1 {}
2
3 "success": true,
4 "message": "Guest checked out successfully. Room is now available.",
5 "data": {
6   "_id": "6a2fff69fe15fd3bdd6e2",
7   "customer": {
8     "_id": "6a2ffe83fe15fd3bdd6e0",
9     "name": "Rahul",
10    "email": "john@gmail.com",
11    "phone": "9876543310"
12  },
13  "room": {
14    "_id": "6a2ffeaafe15fd3bdd6e1",
15    "roomNumber": "203",
16    "roomType": "Deluxe",
17    "pricePerNight": 250,
18    "status": "Available"
19  },
20  "checkInDate": "2026-06-18T00:00:00.000Z",
21  "checkOutDate": "2026-06-20T00:00:00.000Z",
22  "createdAt": "2026-06-18T00:00:00.000Z",
23  "updatedAt": "2026-06-18T00:00:00.000Z"
24 }
```

10. Dashboard Aggregated Reports

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:5000/api/bookings`
- Method:** GET
- Path:** `http://localhost:5000/api/reports/dashboard`
- Body Type:** JSON
- Body Content:**

```
1 {}
2
3 "success": true,
4 "message": "Dashboard summary retrieved successfully",
5 "data": {
6   "totalCustomers": 4,
7   "totalStaff": 6,
8   "totalBookings": 9,
9   "totalRooms": 9,
10  "availableRooms": 9,
11  "occupiedRooms": 0,
12  "maintenanceRooms": 0
13 }
```