

## Module 4 Quiz

1  
point

1.

Which of the following is an example of clustering?

- ☒ Separate the data into distinct groups by similarity
  - ☐ Creating a new representation of the data with fewer features
  - ☐ Compress elongated clouds of data into more spherical representations
  - ☐ Accumulate data into groups based on labels
- 

1  
point

2.

Which of the following are advantages to using decision trees over other models? (Select all that apply)

- ☐ Decision trees can learn complex statistical models using a variety of kernel functions
  - ☐ Trees are naturally resistant to overfitting
  - ☒ Trees often require less preprocessing of data
  - ☒ Trees are easy to interpret and visualize
- 

1  
point

---

## Module 4 Quiz

What is the main reason that each tree of a random forest only looks at a random subset of the features when building each node?

- ☐ To increase interpretability of the model
  - ☒ To improve generalization by reducing correlation among the trees and making the model more robust to bias.
  - ☐ To reduce the computational complexity associated with training each of the trees needed for the random forest.
  - ☐ To learn which features are not strong predictors
- 

1  
point

4.

Which of the following supervised machine learning methods are greatly affected by feature scaling? (Select all that apply)

- ☒ Neural Networks
  - ☒ KNN
  - ☐ Decision Trees
  - ☒ Support Vector Machines
  - ☐ Naive Bayes
- 

1  
point

5.

Select which of the following statements are true.

- ☒ For a model that won't overfit a training set, **Naive**

## Module 4 Quiz

**Bayes** would be a better choice than a **decision tree**.

☐

For having an audience interpret the fitted model, a **support vector machine** would be a better choice than a **decision tree**.

☐

For a fitted model that doesn't take up a lot of memory, **KNN** would be a better choice than **logistic regression**.


☒

For predicting future sales of a clothing line, **Linear regression** would be a better choice than a **decision tree regressor**.

1  
point

6.

Match each of the prediction probabilities decision boundaries visualized below with the model that created them.

☐

1. KNN (k=1)
2. Decision Tree
3. Neural Network

☐

1. KNN (k=1)
2. Neural Network
3. Decision Tree

☐

1. Neural Network
2. Decision Tree
3. KNN (k=1)


## Module 4 Quiz

1. Neural Network
2. KNN (k=1)
3. Decision Tree

1  
point

7.

A decision tree of depth 2 is visualized below. Using the `value` attribute of each leaf, find the accuracy score for the tree of depth 2 and the accuracy score for a tree of depth 1.



What is the improvement in accuracy between the model of depth 1 and the model of depth 2?

0.06745

1  
point

8.

For the autograded assignment in this module, you will create a classifier to predict whether a given blight ticket will be paid on time (See the module 4 assignment notebook for a more detailed description). Which of the following features should be removed from the training of the model to prevent data leakage? (Select all that apply)

☐

grafitti\_status - Flag for graffiti violations

## Module 4 Quiz

- ☒ collection\_status - Flag for payments in collections
  - ☒ compliance\_detail - More information on why each ticket was marked compliant or non-compliant
  - ☐ ticket\_issued\_date - Date and time the ticket was issued
  - ☐ agency\_name - Agency that issued the ticket
- 

1  
point

9.

Which of the following might be good ways to help prevent a data leakage situation?

- ☒ If time is a factor, remove any data related to the event of interest that doesn't take place prior to the event.
  - ☐ Ensure that data is preprocessed outside of any cross validation folds.
  - ☒ Remove variables that a model in production wouldn't have access to
  - ☒ Sanity check the model with an unseen validation set
- 


1  
point

10.

## Module 4 Quiz

Given the neural network below, find the correct outputs for the given values of  $x_1$  and  $x_2$ .

The neurons that are shaded have an activation threshold, e.g. the neuron with  $>1?$  will be activated and output 1 if the input is greater than 1 and will output 0 otherwise.


☐

$x_1$	$x_2$	output
0	0	0
0	1	0
1	0	0
1	1	1

☐

$x_1$	$x_2$	output
0	0	1
0	1	0
1	0	0
1	1	1

☐

$x_1$	$x_2$	output
-------	-------	--------

## Module 4 Quiz

0	0	0
0	1	1
1	0	1
1	1	1



x1	x2	output
0	0	0
0	1	1
1	0	1
1	1	0

---

Happy Learning Vaibhav

