



UNBOX JUVAS
TO LIT THE WORLD



IS 16102 (Part1)

BULB

PRODUCT CODE	WATTAGE	MRP
JVSRL(0.5W) R/G/B/Y/W	0.5W	43
JVSRL(3W)	3W	115
JVSRL(5W)	5W	125
JVSRL(7W)	7W	132
JVSRL(9W)	9W	136
JVSRL(12W)	12W	215
JVSRL(15W)	15W	285
JVSRL(20W)	20W	465
JVSRL(30W)	30W	750
JVSRL(40W)	40W	1050
JVSRL(50W)	50W	1345
JVSRL(65W)	65W	4950
JVSRL(100W)	100W	8420

Magix (3 Step Dimmer)

15W 3 Step Dim	15-8-4 W	315
20W 3 Step Dim	20-10-5 W	420
32W 3 Step Dim	32-16-8 W	870
40W 3 Step Dim	40-20-10 W	1240
50W 3 Step Dim	50-25-12 W	1500

MR16

JVSRL Mr16	7W	1015
Candle Light	3W	550



TUBELIGHT WITH BATTEN

PRODUCT CODE	WATTAGE	HEIGHT (ft)	MRP
JVSRL-T5	06 Watt	1(ft)	280
JVSRL-T5	10 Watt	2(ft)	320
JVSRL-T5	20 Watt	4(ft)	410
JVSRL-T5	25 Watt	4(ft)	510
JVSRL-T8	20 Watt	4(ft)	655
JVSRL-T8	36 Watt	4(ft)	760
JVSRL 4F (Industrial)	40 Watt	4(ft)	1905

TUBELIGHT RETROFIT TYPE

JVSRL-T8 (Retrofit)	10 Watt	2(ft)	365
JVSRL-T8 (Retrofit)	20 Watt	4(ft)	435
JVSRL-T8 (Retrofit)	40 Watt	4(ft)	1105



COMMERCIAL LIGHT

PRODUCT CODE	WATTAGE	CUTOUT(mm)	MRP
Back Lit			
JVSCL 36W (2'X2')	36 Watt	595X595	3300
JVSCL 42W (2'X2')	42 Watt	600X600	3400

Edge Lit

JVSCL 24W (1'X1')	24 Watt	300X300	1880
JVSCL 40W (2'X2')	40 Watt	595X595	3785
JVSCL 48W (2'X2')	48 Watt	595X595	4220



LED DOWNLIGHTER PANELS

PRODUCT CODE	WATTAGE	DIA (mm)	MRP
JVSDL 03	3W	62	200
JVSDL 06	6W	75	260
JVSDL 09	9W	75	280
JVSDL 12	12W	100	370

* Especially for circular box

**SLIM PANELS**

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVSDLPL 3 RD	03 Watt	70	23	315
JVSDLPL 6 RD	06 Watt	105	23	390
JVSDLPL 12 RD	12 Watt	155	23	660
JVSDLPL 18 RD	18 Watt	205	23	890
JVSDLPL 24 RD	24 Watt	280	23	1880

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVSDLPL 3 SQ	03 Watt	70	23	320
JVSDLPL 6 SQ	06 Watt	105	23	405
JVSDLPL 12 SQ	12 Watt	155	23	685
JVSDLPL 18 SQ	18 Watt	205	23	910
JVSDLPL 24 SQ	24 Watt	280	23	1880

**SURFACE MOUNTED PANELS**

PRODUCT CODE	WATTAGE	Dimension	HEIGHT (mm)	MRP
JVSDLPL 3 RSM (COB)	03 Watt	64	26	430
JVSDLPL 6 RSM	06 Watt	110	35	545
JVSDLPL 12 RSM	12 Watt	170	35	860
JVSDLPL 18 RSM	18 Watt	225	35	1105

PRODUCT CODE	WATTAGE	Dimension	HEIGHT (mm)	MRP
JVSDLPL 3 SQSM (COB)	03 Watt	58	26	420
JVSDLPL 6 SQSM	06 Watt	115	35	545
JVSDLPL 12 SQSM	12 Watt	170	35	855
JVSDLPL 18 SQSM	18 Watt	225	35	1105

**ULTRA SLIM PANELS**

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
		Sq Rd		
JVSDLUS 09 SQ / 09 RD	09 Watt	70 70	13	680
JVSDLUS 18 SQ / 18 RD	18 Watt	120 120	13	1135
JVSDLUS 24 SQ / 24 RD	24 Watt	145 145	13	1515
JVSDLUS 30 SQ / 30 RD	30 Watt	195 195	13	2040

ULTRA SLIM SURFACE MOUNTED

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVSDLUS 9 SQSM / 9RDSM	9 Watt	70 70	30	890
JVSDLUS 18SQSM / 18RDSM	18 Watt	145 145	30	1285
JVSDLUS 24SQSM / 24RDSM	24 Watt	170 170	30	1660
JVSDLUS 30SQSM / 30RDSM	30 Watt	220 220	30	2190


**Shine
SERIES**
ULTIMA

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVSULTIMA 3RD SLV	3 Watt	75 RD	50	230
JVSULTIMA 5RD SLV	5 Watt	80 RD	65	295

* Especially for circular box

UNIVA

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVS UNIV 6RD SLV	6W	75 RD	45	310
JVS UNIV 9RD	9W	95 RD	90	440


* Especially for fan box


**Shine
SERIES**
Shine BACK LIT PANELS

PRODUCT CODE	WATTAGE	CUTOUT (mm)		HEIGHT (mm)	MRP
		Sq	Rd		
JVSDL 1RD (PEARL)	01W	-	50	25	240
JVSDL1RD (NANO) JUNCTION BOX	01W	-	45	25	230
JVSDLPL 6 SQ/ JVSDLPL 6RD	06W	95	95	30	320
JVSDLBL 12 SQ/ JVSDLPL 12RD	12W	130	130	30	555

Shine SURFACE MOUNTED PANELS


PRODUCT CODE	WATTAGE	CUTOUT (mm)		HEIGHT (mm)	MRP
		Sq	Rd		
JVSSMPC 6RD / JVSSMPC 6SQ	6W	115	10	30	400
JVSSMPC12RD / JVSSMPC 12SQ 12RD	12W	170	170	30	685


**Shine
SERIES**
COLOUR PANEL (RGB)

Shine COLOURED DOWN LIGHTERS

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVSDLCL 03 RD RGB	3W	35	55	260
JVSDLCL 06 RD RGB	6W	80	65	350

Shine COLOURED SURFACE MOUNTED

PRODUCT CODE	WATTAGE	DIMENSIONS	HEIGHT (mm)	MRP
JVSSMCL 03 RD RGB	3W	120	38	385
JVSSMCL 06 RD RGB	6W	120	38	450


STRIP LIGHTS

PRODUCT CODE	MRP
JVSST-3528(60) Non Water Proof 5 Meter set including driver	1105
JVSST-3528(60) Water Proof 5 Meter set including driver (IP-65)	1325
JVSST-5050(60) Non Water Proof 5 Meter set including driver	2535
JVSST-5050(60) Water Proof 5 Meter set including driver (IP-65)	2825
JVSST-5050(60) Non Water Proof -RGB 5 Meter set including driver	3245
JVSST-5050(60) Water Proof -RGB 5 Meter set including driver (IP-65)	3540

*IR Remote Included in RGB Strip

STRIP LIGHTS POWER SUPPLY

JVSPS-1 AMPS	500
JVSPS-2 AMPS	545
JVSPS-3 AMPS	875
JVSPS-5 AMPS	1120
JVSPS-8 AMPS	1800
JVSPS-10 AMPS	2070
JVSPS-12 AMPS	2465

**COB DOWNLIGHTER SERIES**

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVSLD 2 R (COB) DL / 2 SQ(COB)	2 Watt	25	20	275
JVSLD 3(COB) DL	3 Watt	50	40	435
JVSLD 6(COB) DL	6 Watt	75	60	655
JVSLD 10(COB) DL	10 Watt	75	75	960
JVSLD 18COB) DL	18 Watt	95	85	1600
JVSLD 24(COB) DL	24 Watt	115	100	2185
JVSLD 30 (COB) DL	30 Watt	140	110	2765
JVSLD 40(COB) DL	40 Watt	140	120	3200
JVSLD 50(COB) DL	50 Watt	140	130	3495
JVSLDZ 25(COB) ZOOM	25 Watt	115	100	3350
JVSLDZ 30(COB) ZOOM	30 Watt	160	100	4660
JVSLDZ 40(COB) ZOOM	40 Watt	185	100	4950

COB SURFACE MOUNTED

JVSLD 3 RSM(COB)/3 SQSM(COB)	3 Watt	64Rd/58	26	440
JVSLD 10RSM(COB)	10 Watt	100	120	1815
JVSLD 18RSM(COB)	18Watt	100	150	3175
JVSLD 30RSM(COB)	30Watt	112	170	4535

**COB FOCUS LIGHTING**

	PRODUCT CODE	WATTAGE	DIA	HEIGHT (mm)	MRP
TRACK LIGHT	JVSTR 10 W COB (TL)	10	60	105	1455
	JVSTR 18 W COB (TL)	18	78	150	2475
	JVSTR 30 W COB (TL)	30	98	175	3785
	JVSTR 50 W COB (TL)	50	120	200	5240
SPOT LIGHT	JVSTR 10 W COB (SL)	10	60	105	1455
	JVSTR 18 W COB (SL)	15	78	150	2475
	JVSTR 30 W COB (SL)	30	98	175	3785
	JVSTR 50 W COB (SL)	50	120	200	5240
JVSTR Track Patti (Track per Meter)					580
COB STYLUS					
JVSTR 25 RD Recess Light					25
					145
					160
					4230

*Available in Black & White Body.

**COB ZOOMER**

PRODUCT CODE	WATTAGE	CUTOUT (mm)	MRP
JVSLDZ 12 (COB)	12 Watt	75	3025
JVSLDZ 25 (COB)	25 Watt	115	4235
JVSLDZ 30 (COB)	30 Watt	160	5290
JVSLDZ 12x2(COB)	24 Watt	90x195	4990
JVSLDZ 25x2 (COB)	50 Watt	115x245	7260
JVSLDZ 30x2 (COB)	60 Watt	145x325	8620
JVSLDZ 12x3 (COB)	36 Watt	90x290	7260
JVSLDZ 25x3 (COB)	75 Watt	115x375	9375
JVSLDZ 30x3 (COB)	90 Watt	145x490	10585


**COB BOXER**

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVSLDBLW 12(COB)	12 Watt	120X120	115	2870
JVSLDBLW 2X12(COB)	24 Watt	120X220	115	5140
JVSLDBLW 3X12(COB)	36 Watt	120X360	115	7260



FOOT LIGHT & WALL LIGHT (IP-65)

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HIGHT	MRP
JVSOLUDL 6 (R) (2 x 3)	06 Watt	-	-	2720
JVSOLUDL 18 (R) (2 x 9)	18 Watt	-	-	6925
JVSOLFL 3	03Watt	90X70	60	1020
JVSOLFL 6	06Watt	140X75	65	1600
JVSOLFL 7	07Watt	130X130	100	2590



DESIGNER WALL LIGHT (IP-65)

PRODUCT CODE	WATTAGE	MRP
a JVSOLUDL 2x6 TRIM (R)	12 Watt	2185
b JVSOLUDL 8 DL Pyramid (1 x 8)	8 Watt	1895
c JVSOLUDL 3S(SQ) konik (4 x 3)	12 Watt	3205
c JVSOLUDL 2S(SQ) Castro (2 x 3)	6 Watt	2840
c JVSOLUDL 1S(SQ) Imperial (1 x 3)	3 Watt	2475
d JVSOLUDL 2x3(SQ) Stark (2 x 3)	6 Watt	2180
e JVSOLUDL 3 (SQ) Volga (1x 3)	3 Watt	1455
e JVSOLUDL 2x4 (Res) Vincent	8 Watt	3205



LINER WALL WASHER (IP-65)

PRODUCT CODE	WATTAGE	MRP
JVSOLWW 9(L)	9 Watt	6550
JVSOLWW 18(L)	18 Watt	8530
JVSOLWW 36(L)	36 Watt	11945
JVSOLWW 36(L) RGB	36 Watt	14365



SPIKE LIGHT (IP-65)

PRODUCT CODE	WATTAGE	MRP
JVSOLSL 3	3 Watt	950
JVSOLSL 5	5 Watt	1500
JVSOLSL 9	9 Watt	2690
JVSOLSL 12	12 Watt	3325



Pride Series



PRIDE STREET LIGHT (IP-65)

NEW

STREET LIGHT (IP-65) ★

PRODUCT CODE	WATTAGE	WITHOUT LENS	WITH LENS
JVSLSL-1212	12 Watt	1270	-
JVSLSL-1616	16 Watt	1305	-
JVSLSL-1820	20 Watt	1775	-
JVSLSL-1825	25 Watt	1820	-
JVSLSL-1830	30 Watt	2679	-
JVSLSL-3040	40 Watt	2765	-
JVSLSL-3648	48 Watt	4300	-
JVSLSL-4860	60 Watt	4425	4825
JVSLSL-5670	70 Watt	5100	5560
JVSLSL-5680	80 Watt	6480	7065
JVSLSL-8090	90 Watt	6850	7465
JVSLSL-81100	100 Watt	7570	8250
JVSLSL-108120	120Watt	10485	11430
JVSLSL-135135	135Watt	11020	12010
JVSLSL-135150	150Watt	11140	12140
JVSLSL-135180	180Watt	12595	13730
JVSLSL-150200	200Watt	18025	19650

* TWO YEARS WARRANTY



* ONE YEAR WARRANTY

STREET LIGHT (IP-65) (FOR DEPARTMENT PURPOSE) ★

PRODUCT CODE	WATTAGE	WITHOUT LENS	WITH LENS
JVGCLSL-1212	12 Watt	1910	-
JVGCLSL-1616	16 Watt	1955	-
JVGCLSL-1820	20 Watt	2665	-
JVGCLSL-1825	25 Watt	2730	-
JVGCLSL-1830	30 Watt	4020	-
JVGCLSL-3040	40 Watt	4147	-
JVGCLSL-3648	48 Watt	6450	-
JVGCLSL-4860	60 Watt	6640	7235
JVGCLSL-5670	70 Watt	7650	8340
JVGCLSL-5680	80 Watt	9720	10595
JVGCLSL-8090	90 Watt	10275	11200
JVGCLSL-81100	100 Watt	11355	12375
JVGCLSL-108120	120Watt	15730	19105
JVGCLSL-135135	135Watt	16530	18015
JVGCLSL-135150	150Watt	16710	18215
JVGCLSL-150180	180Watt	18890	20590
JVGCLSL-150200	200Watt	27040	29475

*FIVE YEARS WARRANTY



HI BAY LIGHT WITH LENS

PRODUCT CODE	WATTAGE	MRP
JVSHIB 50 COB	50 Watt	7280
JVSHIB 100 COB	100 Watt	10190
JVSHIB 150 COB	150 Watt	15140
JVSHIB 200 COB	200 Watt	19220

HI BAY (BULB)

PRODUCT CODE	WATTAGE	MRP
JVSHIL 65	65W	5825
JVSHIL 100	100W	9170

HI BAY Light (IP-65)

PRODUCT CODE	WATTAGE	MRP
JVSHIP 100	100W	11355
JVSHIP 150	150W	15140
JVSHIP 200	200W	21840

Canopy Light (IP-65) (Petrol Pump)

PRODUCT CODE	WATTAGE	MRP
JVSHPL 100	100W	12000

**FLOOD LIGHT WITHOUT LENS (IP-65)**

PRODUCT CODE	WATTAGE	MRP
JVSIH 0609 WL	9 Watt	1075
JVSIH 1825 WL	25 Watt	1820
JVSIH 3040 WL	40 Watt	2475
JVSIH 5050 WL	50 Watt	2910
JVSIH 4860 WL	60 Watt	4295
JVSIH 5680 WL	80 Watt	8700
JVSIH 81100 WL	100 Watt	9030
JVSIH 108120 WL	120 Watt	9320
JVSIH 135150 WL	150 Watt	11355
JVSIH 60200 WL	200 Watt	18055
JVSIH 80250 WL	250 Watt	20965
JVSIH 96300 WL	300 Watt	23295
JVSIH 80450 WL	450 Watt	45135

* TWO YEARS WARRANTY

**FLOOD LIGHT WITH LENS (IP-65)**

PRODUCT CODE	WATTAGE	MRP
JVSIH 0609 WL	9 Watt	1165
JVSIH 1825 WL	25 Watt	2070
JVSIH 3040 WL	40 Watt	2910
JVSIH 5050 WL	50 Watt	3930
JVSIH 4860 WL	60 Watt	4950
JVSIH 5680 WL	80 Watt	9900
JVSIH 81100 WL	100 Watt	10190
JVSIH 108120 WL	120 Watt	11010
JVSIH 135150 WL	150 Watt	13685
JVSIH 60200 WL	200 Watt	18930
JVSIH 80250 WL	250 Watt	21840
JVSIH 96300 WL	300 Watt	24025
JVSIH 80450 WL	450 Watt	48050

* TWO YEARS WARRANTY

**Pride Series****FLOODLIGHT (Pride) (IP65)**

PRODUCT CODE	WATTAGE	MRP
JVSPFL 2830	30W	1950
JVSPFL 4850	50W	2400
JVSPFL 50 (BC)	50W	2720
JVSPFL 84100 (BC)	100W	4840
JVSPFL108150 (BC)	150W	7860
JVSPFL 144200 (BC)	200W	9680

* ONE YEAR WARRANTY

**Pride Series****COLOUR FLOODLIGHT (Pride)(RGB) (IP65)**

PRODUCT CODE	WATTAGE	MRP
JVSPFLC 30	30	2480
JVSPFLC 40	40	3265
JVSPFLC 50	50	3990
JVSPFLC 60	60	4825
JVSPFLC 100	100	7180

* ONE YEAR WARRANTY



**FLOOD LIGHT WITHOUT LENS (IP-65)
(FOR DEPARTMENT PURPOSE)**



PRODUCT CODE	WATTAGE	MRP
JVSGCIH 0609 WL	9 Watt	1615
JVSGCIH 1825 WL	25 Watt	2730
JVSGCIH 3040 WL	40 Watt	3710
JVSGCIH 5050 WL	50 Watt	4370
JVSGCIH 4860 WL	60 Watt	6440
JVSGCIH 5680 WL	80 Watt	13050
JVSGCIH 81100 WL	100 Watt	13540
JVSGCIH 108120 WL	120 Watt	13980
JVSGCIH 135150 WL	150 Watt	17035
JVSGCIH 60200 WL	200 Watt	27080
JVSGCIH 80250 WL	250 Watt	31450
JVSGCIH 96300 WL	300 Watt	34945
JVSGCIH 80450 WL	450 Watt	67705

* FIVE YEARS WARRANTY



**FLOOD LIGHT WITH LENS (IP-65)
(FOR DEPARTMENT PURPOSE)**



PRODUCT CODE	WATTAGE	MRP
JVSGCIH 0609 WL	9 Watt	1750
JVSGCIH 1825 WL	25 Watt	3100
JVSGCIH 3040 WL	40 Watt	4370
JVSGCIH 5050 WL	50 Watt	5895
JVSGCIH 4860 WL	60 Watt	7425
JVSGCIH 5680 WL	80 Watt	14850
JVSGCIH 81100 WL	100 Watt	15290
JVSGCIH 108120 WL	120 Watt	16510
JVSGCIH 135150 WL	150 Watt	20530
JVSGCIH 60200 WL	200 Watt	28390
JVSGCIH 80250 WL	250 Watt	32760
JVSGCIH 96300 WL	300 Watt	36035
JVSGCIH 80450 WL	450 Watt	72070

* FIVE YEARS WARRANTY



SOLAR STREET LIGHT (Complete Set) IP-65

PRODUCT CODE	Solar Panel	Battery	MRP
JVSSSL 10 (DC)	12V / 10W	8.4V / 6.6 Ah	17470
JVSSSL 15 (DC)	12V / 15W	8.4V / 8.8 Ah	19800
JVSSSL 20 (DC)	12V / 20W	8.4V / 13.2 Ah	33490
JVSSSL 25 (DC)	12V / 25W	8.4V / 15.4 Ah	37275
JVSSSL 30 (DC)	12V / 30W	8.4V / 17.0 Ah	43680
JVSSSL 50 (DC)	18V / 50W	12.6V / 26.4 Ah	67000
JVSSSL 60 (DC)	18V / 60W	12.6V / 42.0 Ah	94640
JVSSSL 100 (DC)	18V / 100W	12.6V / 60.0 Ah	103400

*Note : - Inbuilt Solar Panel + Lithium-ion Battery + Charge Controller. Light Reduces in Case of No Movement Back up for 7 days.

* TWO YEARS WARRANTY



**SOLAR STREET LIGHT (Complete Set) (IP-65)
(FOR DEPARTMENT PURPOSE)**

PRODUCT CODE	Solar Panel	Battery	MRP
JVSGCISL 10	12V / 10W	8.4V / 6.6 Ah	26210
JVSGCISL 15	12V / 15W	8.4V / 8.8 Ah	29700
JVSGCISL 20	12V / 20W	8.4V / 13.2 Ah	50230
JVSGCISL 25	12V / 25W	8.4V / 15.4 Ah	55910
JVSGCISL 30	12V / 30W	8.4V / 17.0 Ah	65520
JVSGCISL 50	18V / 50W	12.6V / 26.4 Ah	100465
JVSGCISL 60	18V / 60W	12.6V / 42.0 Ah	141960
JVSGCISL 100	18V / 100W	12.6V / 60.0 Ah	155065

*Note : - Inbuilt Solar Panel + Lithium-ion Battery + Charge Controller. Light Reduces in Case of No Movement Back up for 7 days.

* FIVE YEARS WARRANTY

**SWIMMING POOL LIGHT (IP-65)**

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVSOLUW -9PL	9 Watt	217	40	9525

FOUNTAIN LIGHT (IP-65)

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT (mm)	MRP
JVSOLUW -9FL	9 Watt	180	80	9525

**WALKOVER LIGHT (IP-65)**

PRODUCT CODE	WATTAGE	CUTOUT (mm)	HEIGHT	MRP
JVSOLWO 1	01 Watt	32	70	1510
JVSOLWO 3	03 Watt	85	85	2100
JVSOLWO 6	06 Watt	125	90	4080
JVSOLWO 12	12 Watt	160	95	7135
JVSOLWO 24	24 Watt	205	90	12700

**SPARE DRIVERS STREET LIGHT & FLOOD LIGHT**

PRODUCT CODE	WATTAGE	MRP
JVSLD 12W	12 Watt	300
JVSLD 16W	16 Watt	300
JVSLD 20W	20 Watt	550
JVSLD 25W	25 Watt	595
JVSLD 30W	30 Watt	910
JVSLD 36W	36 Watt	910
JVSLD 40W	40 Watt	1005
JVSLD 45W	45Watt	1225
JVSLD 50W	50 Watt	1225
JVSLD 60W	60 Watt	1335
JVSLD 70W	70 Watt	1335
JVSLD 80W	80 Watt	2495
JVSLD 90W	90 Watt	2495
JVSLD 100W	100 Watt	2495
JVSLD 120W	120 Watt	2870
JVSLD 150W	150Watt	3475
JVSFLD 200W	200 Watt	4990

**DRIVERS FOR PANELS**

PRODUCT CODE	WATTAGE	MRP
JVSDRI 3300	3 Watt	155
JVSDRI 6300	6 Watt	190
JVSDRI 12300	12 Watt	280
JVSDRI 18300	18 Watt	345
JVSDRI 24	24 Watt	630
JVSDRI 36	36 Watt	1225
JVSDRI 48	48 Watt	1225

DRIVER COB DOWN LIGHT

PRODUCT CODE	WATTAGE	MRP
JVSDRI-03(COB)	03 Watt	155
JVSDRI-05(COB)	05 Watt	190
JVSDRI-10(COB)	10 Watt	280
JVSDRI-15(COB)	15 Watt	345
JVSDRI-24(COB)	24 Watt	630
JVSDRI-30(COB)	30 Watt	1020
JVSDRI-40(COB)	40 Watt	1065
JVSDRI-50(COB)	50 Watt	1160

**POST TOP LIGHT (IP-65)**

PRODUCT CODE	WATTAGE	MRP
(a) JVSPTL (Roman Lara)	30W	9800
(b) JVSPTL (Roman Metro)	30W	8990
(c) JVSPTL (Roman Light)	30W	9790
(d) JVSPTL (Roman Pyramid)	20W	13820
(e) JVSPTL (Roman Paramount)	36W	16950
(f) JVSPTL (Roman Arch)	30W	14490
(g) JVSPTL (Roman Crown)	72W	25990

**DESIGNER POLE (IP-65)**

Specifications	(a)	(b)	(c)	(d)	(e)	(f)	(g)
Models	JVSSLP 2020B (L)	JVSSLP 30220G (PT)	JVSSLP 4820B (HM)	JVSSLP 2020 (B)	JVSSLP 3020B (SQ)	JVSSLP 4020 (C)	JVSSLP 5020 (B)
Watt (Streetlight)	20W	30W	48W	20W	30W	40	72
Lumens	2000	3000	4800	2000	3000	4000	7200
Height	3-3.5 mtr	3-3.5 mtr	3-3.3 mtr	3 mtr	3 mtr	3-3.5 mtr	3-3.5 mtr
Unit Price (Rs.)	46100	47670	64600	34495	53310	84000	170000

**BOLLARD (IP-65)**

PRODUCT CODE	WATTAGE	DIMENSION(mm)	HEIGHT(mm)	MRP
(a) JVSOLB 9 (G)	9W	110	800	6500
(b) JVSOLB 9 (B) 2.5	9W	90	600	6500
(c) JVSOLB 7 (PD)	7W	90	800	8770
(d) JVSOLB 6 (RECT)	6W	230 x 80	800	10585
(e) JVSOLB 8 (M)	8W	90	750	5745
(f) JVSOLB 12 (BE)	12W	140	800	9375
(g) JVSOLB 12 (DE)	12W	140	950	9980
(h) JVSOLB 8 (TRI)	8W	125 x 125	850	9375



SINCE-1973



Web : www.utcmarketing.com



Customer Care : 033 - 2235 8800



Find us



MADE IN INDIA