


Work-Package 3: “Modelling”

openETCS System Architecture and Design Specification

First Iteration: ETCS Kernel Functions

Bernd Hekele, Uwe Steinke and Christian Stahl

September 2014



Funded by:



Federal Ministry
of Education
and Research

Région de
Bruxelles-
Capitale
GOBIERNO
DE ESPAÑA

TRIA, ENERGÍA

This work is licensed under the "openETCS Open License Terms" (oOLT) dual Licensing:



This page is intentionally left blank

Work-Package 3: “Modelling”

OETCS/WP3/D3.5 – 01.01
September 2014

openETCS System Architecture and Design Specification

First Iteration: ETCS Kernel Functions

Document approbation

Lead author:	Technical assessor:	Quality assessor:	Project lead:
location / date	location / date	location / date	location / date
signature	signature	signature	signature
Bernd Hekele (DB-Netz)	[assessor name] ([affiliation])	Izaskun de la Torre (SQS)	Klaus-Rüdiger Hase (DB Netz)

Bernd Hekele

DB-Netz AG, Peter Mahlmann, Peyman Farhangi
 Völckerstrasse 5
 D-80959 München Freimann, Germany

Uwe Steinke

Siemens AG

Christian Stahl

TWT-GmbH

Description of work

Prepared for openETCS@ITEA2 Project

Abstract: This document gives an introduction to the architecture of the first openETCS iteration, the openETCS kernel functions. It has to be read as an add-on to the models in SysML, Scade and to additional reading referenced from the document.

Disclaimer: This work is licensed under the "openETCS Open License Terms" (oOLT) dual Licensing: European Union Public Licence (EUPL v.1.1+) AND Creative Commons Attribution-ShareAlike 3.0 – (cc by-sa 3.0)

THE WORK IS PROVIDED UNDER openETCS OPEN LICENSE TERMS (oOLT) WHICH IS A DUAL LICENSE AGREEMENT INCLUDING THE TERMS OF THE EUROPEAN UNION PUBLIC LICENSE (VERSION 1.1 OR ANY LATER VERSION) AND THE TERMS OF THE CREATIVE COMMONS PUBLIC LICENSE ("CCPL"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS OLT LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

<http://creativecommons.org/licenses/by-sa/3.0/>
<http://joinup.ec.europa.eu/software/page/eupl/licence-eupl>

Modification History

Version	Section	Modification / Description	Author
0.1	Document	Initial document providing the structure	Bernd Hekele

Table of Contents

Modification History.....	3
1 Introduction.....	6
1.1 Motivation	6
1.2 Objectives	6
1.3 History	6
1.4 Scope	7
1.5 Glossary and Abbreviations	7
1.6 References.....	7
2 The openETCS Architecture of the initial kernel functions	7
2.1 The Tools-Chain and its impacts on the actual model.....	7
3 Functions of the openETCS Model.....	7
3.1 openETCS Data Dictionary	7
3.2 openETCS Generic API	7
3.3 openETCS Balise Group	7
3.4 openETCS Train Position.....	7
References	7

Figures and Tables

Figures

Tables

1 Introduction

1.1 Motivation

The openETCS work package WP3 aims to provide the architecture and design of the openETCS OBU software as mainly specified in UNISIG Subset_026 version_3.3.0.

The appropriate functionality has been divided into a list of subfunctions of different complexity (see https://github.com/openETCS/SRS-Analysis/blob/master/SystemAnalysis/List_Functions.xlsx).

All these functions are object of the openETCS project and have to be analyzed from their requirements and subsequently modelled and implemented. With limited manpower, a reasonable selection and order of these functions is required for the practical work that allows the distribution of the workload, more openETCS participants to join and leads to an executable– limited – kernel function as soon as possible.

While the first version of this document focuses on the first version of the limited kernel function, it is intended to grow in parallel to the growing openETCS software.

1.2 Objectives

The first objective of WP3 software shall be

- “Make the train run as soon as possible, with a very minimum functionality, and in the form of a rapid prototype.”

This does not contradict the openETCS goal to provide conformance to EN50128.

- After a phase of prototyping, the openETCS software shall be implemented compliant to EN50128 for SIL4 systems.

Additional goals for this document are

- Identification of the functions required for a minimum OBU kernel
- Architecture overview regarding the minimum OBU kernel
- Technical approach: Description of the proceeding and methods to be used
- Road map of the minimum OBU kernel functions
- Road map thereafter

Note: This document will be extended according to the progress of WP3.

1.3 History

1.4 Scope

1.5 Glossary and Abbreviations

1.6 References

2 The openETCS Architecture of the initial kernel functions

2.1 The Tools-Chain and its impacts on the actual model

3 Functions of the openETCS Model

3.1 openETCS Data Dictionary

3.2 openETCS Generic API

3.3 openETCS Balise Group

3.3.1 Perform Eurobalise Decoding

3.3.2 Perform Balise Decoding

3.4 openETCS Train Position

/subsubsectionCalculate Train Poition

References

- [1] Leslie Lamport, *TEX: A Document Preparation System*. Addison Wesley, Massachusetts, 2nd Edition, 1994.