openSource

Modes and Levels Management Function

Scade model description

Summary:
Generated documentation from the Scade model of Modes and Levels Management Header Function.

Company: Systerel
Authors: Marielle Petit-Doche
Date: 16/10/2015

Table Of Contents

List Of Figures

List Of Tables

1. General Project Description

empty section

2. Software Architecture

2.1. Project Architecture

This section displays the package hierarchy of projects.

Project ModesAndLevels
    InputManagement
    OutputManagement

2.2. Call Graph

This Call Graph displays the dependency tree of model operators.

1. ManageLevelAndMode
    1.1. CheckLevelAndMode
    1.2. Input
        1.2.1. InputManagement::InputDMI
        1.2.2. InputManagement::InputLocalisation
        1.2.3. InputManagement::InputSpeedAndSupervision
        1.2.4. InputManagement::InputTrackManagement
            1.2.4.1. InputManagement::Input_Level_Transition
                1.2.4.1.1. InputManagement::ConditionnalTransition
                    1.2.4.1.1.1. InputManagement::LevelTR2Level
                1.2.4.1.2. InputManagement::NormalTransition
                    1.2.4.1.2.1. InputManagement::LevelTR2Level
                    1.2.4.1.2.2.
InputManagement::scaledDistance_2_distance [2]
            1.2.4.2. InputManagement::Input_MA_SSP_Gradient
            1.2.4.3. InputManagement::Input_Messages
            1.2.4.4. InputManagement::Input_Modes
                1.2.4.4.1. InputManagement::Input_ModeProfiles
                1.2.4.4.2. InputManagement::Input_Reversing_Mode
                1.2.4.4.3. InputManagement::Input_Staff_Responsible
    1.3. ManageLevels
    1.4. ManageModes
    1.5. Output
        1.5.1. OutputManagement::Output_Mode_Level_To_Use
        1.5.2. OutputManagement::Output_To_BG_Management
        1.5.3. OutputManagement::Output_To_DMI

3.　ModesAndLevels Project

3.1. Root Elements

3.1.1.　　　CheckLevelAndMode Operator

Declared as **public function**

3.1.1.1.　　　Interface

Table 1: Inputs of CheckLevelAndMode

Name	Type	Comments and Information
Level	M_LEVEL	
Mode	Level_And_Mode_Types_Pkg::T_Mode	

Table 2: Outputs of CheckLevelAndMode

Name	Type	Comments and Information
Level_Mode_Compatible	bool	

3.1.1.2.　　　Operator Hierarchy

diagram : diagram_CheckLevelAndMode_1

3.1.1.3. Graphical and Textual Diagrams

3.1.1.3.1. View of diagram_CheckLevelAndMode_1 (CheckLevelAndMode)

Level_Mode_Compatible

bool

Level_And_Mode_Types_Pkg::T_Mode

Mode

bool   bool   **bool**   bool

true

Level = M_LEVEL_Level_0

Level = M_LEVEL_Level_NTC_specified_by_NID_NTC

Level = M_LEVEL_Level_1 or Level = M_LEVEL_Level_2 or Level = M_L

Figure 1: View of diagram_CheckLevelAndMode_1 (CheckLevelAndMode)

Modes and Levels Management Function

3.1.2. Input Operator

Declared as **public function**

3.1.2.1. Interface

Table 3: Inputs of Input

Name	Type	Comments and Information
Data_From_DMI	DMI_Types_Pkg::DMI_To_Modes_T	
Data_From_TIU	TIU_Types_Pkg::Message_Train_Interface_to_EVC_T	
Data_From_Track_Messages	Level_And_Mode_Types_Pkg::T_Data_From_Track_Mess	
Data_From_Track_Packets	Level_And_Mode_Types_Pkg::T_Data_From_Track_Packet	
Data_From_STM	Level_And_Mode_Types_Pkg::T_Data_From_STM	
Data_From_Localisation	Level_And_Mode_Types_Pkg::T_Data_From_Localisation	
Data_From_Speed_and_Supervision	Level_And_Mode_Types_Pkg::T_Data_From_Speed_Supervision	
Data_From_F2_Functions	Level_And_Mode_Types_Pkg::T_Data_From_F2_functions	
Cab_In	TIU_Types_Pkg::cab_ID_T	
driver_level_transition_In	Level_And_Mode_Types_Pkg::T_LevelTransition	
ERTMS_capabilities_In	Level_And_Mode_Types_Pkg::T_ERTMS_capabilities	
Data_From_Track_MASSPGradient	Level_And_Mode_Types_Pkg::T_Data_From_Track_MASSPGradient_Available	
MemorizedLevelIn	M_LEVEL	

Table 4: Outputs of Input

Name	Type	Comments and Information
train_standstill	bool	
driver_level_transition	Level_And_Mode_Types_Pkg::T_LevelTransition	
levelAck	bool	
trainPosition	TrainPosition_Types_Pck::trainPosition_T	

Name	Type	Comments and Information
ERTMS_capabilities	Level_And_Mode_Types_Pkg::T_ERTMS_capabilities	
Data_From_Track_to_Level	Level_And_Mode_Types_Pkg::T_Data_From_Track_To_Level	
MemorizedLevel	M_LEVEL	
Cab	TIU_Types_Pkg::cab_ID_T	
Data_From_DMI_To_Mode	Level_And_Mode_Types_Pkg::T_Data_From_DMI	
Data_From_F2_Functions_to_Mode	Level_And_Mode_Types_Pkg::T_Data_From_F2_functions	
Data_From_Localisation_To_Mode	Level_And_Mode_Types_Pkg::T_Data_From_Localisation	
Data_From_Speed_and_Supervision_To_Mode	Level_And_Mode_Types_Pkg::T_Data_From_Speed_Supervision	
Data_From_STM_to_Mode	Level_And_Mode_Types_Pkg::T_Data_From_STM	
Data_From_TIU_To_Mode	TIU_Types_Pkg::Message_Train_Interface_to_EVC_T	
Data_From_Track_To_Mode	Level_And_Mode_Types_Pkg::T_Data_From_Track_To_Mode	

3.1.2.2.   Operator Hierarchy

<u>diagram</u> : diagram_Input_1

3.1.2.3.   Graphical and Textual Diagrams

3.1.2.3.1.   View of diagram_Input_1 (Input)

Figure 2: View of diagram_Input_1 (Input)

Modes and Levels Management Function

3.1.3. ManageLevelAndMode Operator

Declared as **public node**

3.1.3.1. Interface

Table 5: Inputs of ManageLevelAndMode

Name	Type	Comments and Information
Data_From_DMI	DMI_Types_Pkg::DMI_To_Modes_T	
Data_From_Localisation	Level_And_Mode_Types_Pkg::T_Data_From_Localisation	
Data_From_TIU	TIU_Types_Pkg::Message_Train_Interface_to_EVC_T	
Data_From_Track_Messages	Level_And_Mode_Types_Pkg::T_Data_From_Track_Mess	
Data_From_Track_Packets	Level_And_Mode_Types_Pkg::T_Data_From_Track_Packet	
Data_From_Speed_and_Supervision	Level_And_Mode_Types_Pkg::T_Data_From_Speed_Supervision	
Cab_In	TIU_Types_Pkg::cab_ID_T	
driver_level_transition_In	Level_And_Mode_Types_Pkg::T_LevelTransition	
ERTMS_capabilities_In	Level_And_Mode_Types_Pkg::T_ERTMS_capabilities	
Data_from_Track_MASSPGradient	Level_And_Mode_Types_Pkg::T_Data_From_Track_MASSPGradient_Available	
Data_From_F2_Functions	Level_And_Mode_Types_Pkg::T_Data_From_F2_functions	
Data_From_STM	Level_And_Mode_Types_Pkg::T_Data_From_STM	
MemorizedLevelIn	M_LEVEL	

Table 6: Outputs of ManageLevelAndMode

Name	Type	Comments and Information
Compatible_Mode_And_Level	Level_And_Mode_Types_Pkg::T_Mode_Level	
Data_To_BG_Management	Level_And_Mode_Types_Pkg::T_Data_To_BG_Management	
Service_Brake_Command	bool	
EB_Requested	bool	

Name	Type	Comments and Information
announcedLevel	Level_And_Mode_Types_Pkg::T_AnnouncedLevel	
Data_To_DMI_Ack	Level_And_Mode_Types_Pkg::T_AcknoledgementRequest	

3.1.3.2.　　　Locals

Table 7: Locals of ManageLevelAndMode

Name	Type	Comments and Information
Loc_Level_To_Apply	M_LEVEL	
Loc_Mode_To_Apply	Level_And_Mode_Types_Pkg::T_Mode	
Loc_TripFromLevel	bool	

3.1.3.3.　　　Operator Hierarchy

<u>diagram</u> : diagram_ManageLevelAndMode_1

3.1.3.4.　　Graphical and Textual Diagrams

3.1.3.4.1.　　View of diagram_ManageLevelAndMode_1 (ManageLevelAndMode)

Figure 3: View of diagram_ManageLevelAndMode_1 (ManageLevelAndMode)

3.1.4.　　　Output Operator

Declared as **`public node`**

3.1.4.1.　　Interface

Table 8: Inputs of Output

Name	Type	Comments and Information
next_level	M_LEVEL	
needsAckFromDriver	bool	
announcedLevelTransition	Level_And_Mode_Types_Pkg::T_LevelTransition	
service_brake_from_level	bool	
Connection_to_RBC_Requested	bool	
PositionReportNeeded	bool	
isNewLevel	bool	**Comments:** The requested transition was not successfull, e.g., because of missing confirmation by the driver.
isAvailableForUse	bool	
currentMode	Level_And_Mode_Types_Pkg::T_Mode	
EB_Requested_From_Mode	bool	
Service_Brake_Command_From_Mode	bool	
Data_To_DMI_From_Mode	Level_And_Mode_Types_Pkg::T_Data_To_DMI	
Data_To_BG_Management_From_Mode	Level_And_Mode_Types_Pkg::T_Data_To_BG_Management	
Level_Mode_Compatible	bool	

Table 9: Outputs of Output

Name	Type	Comments and Information
Compatible_Mode_And_Level	Level_And_Mode_Types_Pkg::T_Mode_Level	
Data_To_BG_Management	Level_And_Mode_Types_Pkg::T_Data_To_BG_Management	
Service_Brake_Command	bool	
EB_Requested	bool	
announcedLevel	Level_And_Mode_Types_Pkg::T_AnnouncedLevel	
Data_To_DMI_Ack	Level_And_Mode_Types_Pkg::T_AcknoledgementRequest	

Modes and Levels Management Function

3.1.4.2.   Operator Hierarchy

<u>diagram</u> : diagram_Output_1

3.1.4.3. Graphical and Textual Diagrams

3.1.4.3.1. View of diagram_Output_1 (Output)

Figure 4: View of diagram_Output_1 (Output)

3.2. InputManagement Package

3.2.1.　　　Constants

Table 10: Public Constants of InputManagement

Name	Type	Value	Comments and Information
cImmediateAck_Distance	D_LEVELTR	32767	

3.2.2.　　　ConditionnalTransition Operator

Declared as **public function**

3.2.2.1.　　　Interface

Table 11: Inputs of ConditionnalTransition

Name	Type	Comments and Information
LRBG	NID_LRBG	
referenceLocation	Obu_BasicTypes_Pkg:: L_internal_Type	
Packet_46_One_Iter	Packet_Types_Pkg::P46_ConditionalLevelTransitionOrder_T	

Table 12: Outputs of ConditionnalTransition

Name	Type	Comments and Information
One_Transition	Level_And_Mode_Types_Pkg::T_LevelTransition	

3.2.2.2.　　　Locals

Table 13: Locals of ConditionnalTransition

Name	Type	Comments and Information
Loc_Level_Transition	M_LEVELTR	
Loc_Req_Level	M_LEVEL	

3.2.2.3.　　　Operator Hierarchy

diagram : diagram_ConditionnalTransition_1

3.2.2.4.   Graphical and Textual Diagrams

3.2.2.4.1.   View of diagram_ConditionnalTransition_1 (ConditionnalTransition)

Figure 5: View of diagram_ConditionnalTransition_1 (ConditionnalTransition)

Modes and Levels Management Function

3.2.3.   Input_Level_Transition Operator

Declared as **`public function`**

3.2.3.1.   Interface

Table 14: Inputs of Input_Level_Transition

Name	Type	Comments and Information
Data_From_Track_Packets	Level_And_Mode_Types_Pkg::T_Data_From_Track_Packet	

Table 15: Outputs of Input_Level_Transition

Name	Type	Comments and Information
conditional_transition	Level_And_Mode_Types_Pkg::T_LevelTransition_PriorityTable	
level_transition_priority_table	Level_And_Mode_Types_Pkg::T_LevelTransition_PriorityTable	

3.2.3.2.   Operator Hierarchy

<u>diagram</u> : diagram_Input_Level_Transition_1

Modes and Levels Management Function

3.2.3.3.　　　Graphical and Textual Diagrams

3.2.3.3.1.　　　View of diagram_Input_Level_Transition_1 (Input_Level_Transition)

Figure 6: View of diagram_Input_Level_Transition_1 (Input_Level_Transition)

Modes and Levels Management Function

3.2.4. Input_MA_SSP_Gradient Operator

Declared as **public function**

3.2.4.1. Interface

Table 16: Inputs of Input_MA_SSP_Gradient

Name	Type	Comments and Information
Data_From_Track_MASSPGradient	Level_And_Mode_Types_Pkg::T_Data_From_Track_MASSPGradient_Available	

Table 17: Outputs of Input_MA_SSP_Gradient

Name	Type	Comments and Information
received_L2_L3_MA	bool	
received_L1_MA	bool	
MA_SSP_Gradient_Available	bool	

3.2.4.2. Operator Hierarchy

diagram : diagram_Input_MA_SSP_Gradient_1

3.2.4.3.   Graphical and Textual Diagrams

3.2.4.3.1.   View of diagram_Input_MA_SSP_Gradient_1 (Input_MA_SSP_Gradient)

Figure 7: View of diagram_Input_MA_SSP_Gradient_1 (Input_MA_SSP_Gradient)

Modes and Levels Management Function

3.2.5. Input_Messages Operator

Declared as **public function**

3.2.5.1. Interface

Table 18: Inputs of Input_Messages

Name	Type	Comments and Information
Data_From_Track_Messages	Level_And_Mode_Types_Pkg::T_Data_From_Track_Mess	

Table 19: Outputs of Input_Messages

Name	Type	Comments and Information
Emergency_Stop_Message_Received	bool	
Shunting_Granted_By_RBC	bool	
RCB_Ack_And_EB_Revocked	bool	
RBC_Authorized_SR	bool	

3.2.5.2. Locals

Table 20: Locals of Input_Messages

Name	Type	Comments and Information
Loc_Mess_15	bool	
Loc_Mess_16	bool	
Loc_Mess_2	bool	
Loc_Mess_27	bool	
Loc_Mess_28	bool	
Loc_Mess_6	bool	

3.2.5.3. Operator Hierarchy

diagram : diagram_Input_Messages_1

Modes and Levels Management Function

3.2.5.4.   Graphical and Textual Diagrams

3.2.5.4.1.   View of diagram_Input_Messages_1 (Input_Messages)

Figure 8: View of diagram_Input_Messages_1 (Input_Messages)

3.2.6.   Input_ModeProfiles Operator

Declared as **`public function`**

3.2.6.1.   Comments and Information

Input_ModeProfiles Comments:
Distances are given in regards of a balise in P_80   and in regards of the start of mission in Mode_Profile_On_Board.

3.2.6.2.　　Interface

Table 21: Inputs of Input_ModeProfiles

Name	Type	Comments and Information
P_80_One_Iter	Packet_Types_Pkg::P8 0_ModeProfile_T	
referenceLocation	Obu_BasicTypes_Pkg:: L_internal_Type	

Table 22: Outputs of Input_ModeProfiles

Name	Type	Comments and Information
Mode_Profile_On_Bora d	Level_And_Mode_Type s_Pkg::T_Mode_Profile	

3.2.6.3.　　Locals

Table 23: Locals of Input_ModeProfiles

Name	Type	Comments and Information
Loc_MAMode	M_MAMODE	
Loc_MO_Profile_Availa ble	bool	
Loc_Mode_Profile	Level_And_Mode_Type s_Pkg::T_MA	

3.2.6.4.　　Operator Hierarchy

<u>diagram</u> : diagram_Input_ModeProfiles_1
　　　　activate if : IfBlock1
　　　　　　branch : then
　　　　　　branch : else

Modes and Levels Management Function

3.2.6.5.　　Graphical and Textual Diagrams

3.2.6.5.1.　　View of diagram_Input_ModeProfiles_1 (Input_ModeProfiles)

Figure 9: View of diagram_Input_ModeProfiles_1 (Input_ModeProfiles)

Modes and Levels Management Function

Table 24: Conditional Blocks of diagram_Input_ModeProfiles_1

Conditional Block	Comments and Information
IfBlock1	

Table 25: Actions of diagram_Input_ModeProfiles_1

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else	

3.2.7.   Input_Modes Operator

Declared as **public function**

3.2.7.1.   Interface

Table 26: Inputs of Input_Modes

Name	Type	Comments and Information
Data_From_Track_Packets	Level_And_Mode_Types_Pkg::T_Data_From_Track_Packet	

Table 27: Outputs of Input_Modes

Name	Type	Comments and Information
Stop_If_In_SH	bool	
Stop_if_In_SR	bool	
Reversing_Data	Level_And_Mode_Types_Pkg::T_Reversing_Data	
Mode_Profile_On_Borad	Level_And_Mode_Types_Pkg::T_Mode_Profile_Table	
List_BG_Related_SR_Empty	bool	
Trip_Order_givrn_By_Balise	bool	

3.2.7.2.   Locals

Table 28: Locals of Input_Modes

Name	Type	Comments and Information
Loc_Packet_12	Packet_Types_Pkg::P12_Level1MovementAuthorities_T	
Loc_Packet_135	Packet_Types_Pkg::P135_StopShuntingOnDeskOpening_T	
Loc_Packet_137	Packet_Types_Pkg::P137_StopIfInStaffResponsible_T	

Name	Type	Comments and Information
Loc_Packet_138	Packet_Types_Pkg::P138_ReversingAreaInformation_T	
Loc_Packet_139	Packet_Types_Pkg::P139_ReversingSupervisionInformation_T	
Loc_Packet_63	Packet_Types_Pkg::P63_ListofBalisesinSRAuthority_T	
Loc_Packet_80	Packet_Types_Pkg::P80_ModeProfiles_T	
Loc_referenceLocation	Obu_BasicTypes_Pkg::Location_T	

3.2.7.3. Operator Hierarchy

<u>diagram</u> : diagram_Input_Modes_1

3.2.7.4. Graphical and Textual Diagrams

3.2.7.4.1. View of diagram_Input_Modes_1 (Input_Modes)

Figure 10: View of diagram_Input_Modes_1 (Input_Modes)

Modes and Levels Management Function

3.2.8.   Input_Reversing_Mode Operator

Declared as **public function**

3.2.8.1.   Comments and Information

Input_Reversing_Mode Comments:
Distances are given in regards of a balise in P_138 and P_139   and in regards of the start of mission in Reversing_Data.

3.2.8.2.   Interface

Table 29: Inputs of Input_Reversing_Mode

Name	Type	Comments and Information
P_138	Packet_Types_Pkg::P138_ReversingAreaInformation_T	
P_139	Packet_Types_Pkg::P139_ReversingSupervisionInformation_T	
referenceLocation	Obu_BasicTypes_Pkg::L_internal_Type	

Table 30: Outputs of Input_Reversing_Mode

Name	Type	Comments and Information
Reversing_Data	Level_And_Mode_Types_Pkg::T_Reversing_Data	

3.2.8.3.   Operator Hierarchy

diagram : diagram_Input_Reversing_Mode_1

3.2.8.4.   Graphical and Textual Diagrams

3.2.8.4.1.   View of diagram_Input_Reversing_Mode_1 (Input_Reversing_Mode)

Figure 11: View of diagram_Input_Reversing_Mode_1 (Input_Reversing_Mode)

Modes and Levels Management Function

3.2.9.　　　Input_Staff_Responsible Operator

Declared as **public function**

3.2.9.1.　　　Interface

Table 31: Inputs of Input_Staff_Responsible

Name	Type	Comments and Information
P_63	Packet_Types_Pkg::P63_ListofBalisesinSRAuthority_T	
P_137	Packet_Types_Pkg::P137_StopIfInStaffResponsible_T	

Table 32: Outputs of Input_Staff_Responsible

Name	Type	Comments and Information
List_BG_Related_SR_Empty	bool	
Stop_if_In_SR	bool	

3.2.9.2.　　　Operator Hierarchy

diagram : diagram_Input_Staff_Responsible_1

3.2.9.3.   Graphical and Textual Diagrams

3.2.9.3.1.   View of diagram_Input_Staff_Responsible_1 (Input_Staff_Responsible)

Figure 12: View of diagram_Input_Staff_Responsible_1 (Input_Staff_Responsible)

3.2.10.   InputDMI Operator

Declared as **public function**

3.2.10.1.   Interface

Table 33: Inputs of InputDMI

Name	Type	Comments and Information
Data_From_DMI	DMI_Types_Pkg::DMI_To_Modes_T	
driver_level_transition1	Level_And_Mode_Types_Pkg::T_LevelTransition	

Table 34: Outputs of InputDMI

Name	Type	Comments and Information
driver_level_transition	Level_And_Mode_Types_Pkg::T_LevelTransition	
Level_Ack	bool	
Data_From_DMI_To_Mode	Level_And_Mode_Types_Pkg::T_Data_From_DMI	

3.2.10.2.   Locals

Table 35: Locals of InputDMI

| Name	Type	Comments and Information
Loc_Ack_Mode_Valid	bool	
Loc_Acked_Mode	M_MODE	
Loc_DMI_Msg_Valid	bool	
Loc_DMI_Req_Valid	bool	
Loc_Driver_Ack_LS	bool	
Loc_Driver_Ack_OS	bool	
Loc_Driver_Ack_RV	bool	
Loc_Driver_Ack_SH	bool	
Loc_Driver_Ack_SN	bool	
Loc_Driver_Ack_SR	bool	
Loc_Driver_Ack_TR	bool	
Loc_Driver_Ack_UN	bool	
Loc_Driver_Req_Exit_SH	bool	
Loc_Driver_Req_NL	bool	
Loc_Driver_Req_Override	bool	
Loc_Driver_Req_SH	bool	
Loc_Driver_Req_Start	bool	
Loc_ETCS_Isolated	bool	

3.2.10.3.   Operator Hierarchy

<u>diagram</u> : diagram_Operator5_1

3.2.10.4.   Graphical and Textual Diagrams

3.2.10.4.1.   View of diagram_Operator5_1 (InputDMI)

Figure 13: View of diagram_Operator5_1 (InputDMI)

3.2.11.   InputLocalisation Operator

Declared as **public function**

3.2.11.1.   Interface

Table 36: Inputs of InputLocalisation

Name	Type	Comments and Information
Data_From_Localisation	Level_And_Mode_Types_Pkg::T_Data_From_Localisation	

Table 37: Outputs of InputLocalisation

Name	Type	Comments and Information
train_standstill	bool	
trainPosition	TrainPosition_Types_Pck::trainPosition_T	
Data_From_Localisation_To_Mode	Level_And_Mode_Types_Pkg::T_Data_From_Localisation	

3.2.11.2.   Locals

Table 38: Locals of InputLocalisation

Name	Type	Comments and Information
Loc_BG_In_Expected_List_In_SH	bool	
Loc_BG_In_Expected_List_In_SR	bool	
Loc_PositionErrors	TrainPosition_Types_Pck::positionErrors_T	
Loc_Train_Position	TrainPosition_Types_Pck::trainPosition_T	
Loc_Train_Speed	Obu_BasicTypes_Pkg::Speed_T	
Loc_Train_Standstill	bool	

3.2.11.3.   Operator Hierarchy

<u>diagram</u> : diagram_InputSpeedAndSupervision1_1

3.2.11.4.   Graphical and Textual Diagrams

3.2.11.4.1.   View of diagram_InputSpeedAndSupervision1_1 (InputLocalisation)

Figure 14: View of diagram_InputSpeedAndSupervision1_1 (InputLocalisation)

Modes and Levels Management Function

3.2.12.   InputSpeedAndSupervision Operator

Declared as **public function**

3.2.12.1.   Interface

Table 39: Inputs of InputSpeedAndSupervision

Name	Type	Comments and Information
Data_From_Speed_and_Supervision	Level_And_Mode_Types_Pkg::T_Data_From_Speed_Supervision	

Table 40: Outputs of InputSpeedAndSupervision

Name	Type	Comments and Information
Data_From_Speed_and_Supervision_To_Mode	Level_And_Mode_Types_Pkg::T_Data_From_Speed_Supervision	

3.2.12.2.   Locals

Table 41: Locals of InputSpeedAndSupervision

Name	Type	Comments and Information
Loc_Estimated_Front_End_Overpass_SR_Distance	bool	
Loc_Estimated_Front_End_Rear_Location_SSP_Or_Gradientl	bool	
Loc_Override_Function_Active	bool	
Loc_Train_Overpass_EOA_Antenna	bool	
Loc_Train_Overpass_EOA_Front_End	bool	
Loc_Train_Speed_Under_Override_Limit	bool	

3.2.12.3.   Operator Hierarchy

<u>diagram</u> : diagram_InputSpeedAndSupervision_1

3.2.12.4. Graphical and Textual Diagrams

3.2.12.4.1. View of diagram_InputSpeedAndSupervision_1 (InputSpeedAndSupervision)

Figure 15: View of diagram_InputSpeedAndSupervision_1 (InputSpeedAndSupervision)

Modes and Levels Management Function

3.2.13.   InputTrackManagement Operator

Declared as **public function**

3.2.13.1.   Interface

Table 42: Inputs of InputTrackManagement

Name	Type	Comments and Information
Data_From_Track_Packets	Level_And_Mode_Types_Pkg::T_Data_From_Track_Packet	
Data_From_Track_Messages	Level_And_Mode_Types_Pkg::T_Data_From_Track_Mess	
Data_From_Track_MASSPGradient	Level_And_Mode_Types_Pkg::T_Data_From_Track_MASSPGradient_Available	

Table 43: Outputs of InputTrackManagement

Name	Type	Comments and Information
Data_From_Track_To_Mode	Level_And_Mode_Types_Pkg::T_Data_From_Track_To_Mode	
Data_From_Track_to_Level	Level_And_Mode_Types_Pkg::T_Data_From_Track_To_Level	

3.2.13.2.   Locals

Table 44: Locals of InputTrackManagement

Name	Type	Comments and Information
Loc_conditionalTransitions	Level_And_Mode_Types_Pkg::T_LevelTransition_PriorityTable	
Loc_Emergency_Stop_Message_Received	bool	
Loc_levelTransitions	Level_And_Mode_Types_Pkg::T_LevelTransition_PriorityTable	
Loc_List_BG_Related_To_SR_Empty	bool	
Loc_MA_SSP_Gradient_Available	bool	
Loc_Mode_Profile_On_Board	Level_And_Mode_Types_Pkg::T_Mode_Profile_Table	
Loc_RBC_Authorized_SR	bool	
Loc_RCB_Ack_And_EB_Revocked	bool	
Loc_received_L1MA	bool	
Loc_received_L2L3MA	bool	

Name	Type	Comments and Information
Loc_Reversing_Data	Level_And_Mode_Types_Pkg::T_Reversing_Data	
Loc_Shunting_Granted_By_RBC	bool	
Loc_Stop_If_In_Shunting	bool	
Loc_Stop_If_In_SR	bool	
Loc_Trip_Order_Given_By_Balise	bool	

3.2.13.3.　Operator Hierarchy

<u>diagram</u> : diagram_InputTrackManagement_1

3.2.13.4.　　Graphical and Textual Diagrams

3.2.13.4.1.　View of diagram_InputTrackManagement_1 (InputTrackManagement)

Figure 16: View of diagram_InputTrackManagement_1 (InputTrackManagement)

Modes and Levels Management Function

3.2.14.   LevelTR2Level Operator

Declared as **public function**

3.2.14.1.   Interface

Table 45: Inputs of LevelTR2Level

Name	Type	Comments and Information
InLevelTR	M_LEVELTR	

Table 46: Outputs of LevelTR2Level

Name	Type	Comments and Information
OutLevel	M_LEVEL	

3.2.14.2.   Operator Hierarchy

diagram : diagram_LevelTR2Level_1

3.2.14.3. Graphical and Textual Diagrams

3.2.14.3.1. View of diagram_LevelTR2Level_1 (LevelTR2Level)

Figure 17: View of diagram_LevelTR2Level_1 (LevelTR2Level)

Modes and Levels Management Function

3.2.15.　　NormalTransition Operator

Declared as **public function**

3.2.15.1.　　Comments and Information

NormalTransition Comments:
Distances are given in regards of a balise in P_41   and in regards of the start of mission in One_Iter.

3.2.15.2.　　Interface

Table 47: Inputs of NormalTransition

Name	Type	Comments and Information
LRBG	NID_LRBG	
referenceLocation	Obu_BasicTypes_Pkg:: L_internal_Type	
P41_OneIter	Packet_Types_Pkg::P41_LevelTransitionOrder_T	

Table 48: Outputs of NormalTransition

Name	Type	Comments and Information
One_Iter	Level_And_Mode_Types_Pkg::T_LevelTransition	

3.2.15.3.　　Locals

Table 49: Locals of NormalTransition

Name	Type	Comments and Information
Loc_Ack_Length	Obu_BasicTypes_Pkg:: L_internal_Type	
Loc_ImmediateAck	bool	
Loc_Level_Transition	M_LEVELTR	
Loc_Req_Level	M_LEVEL	

3.2.15.4.　　Operator Hierarchy

<u>diagram</u> : diagram_NormalTransition_1

3.2.15.5.   Graphical and Textual Diagrams

3.2.15.5.1.   View of diagram_NormalTransition_1 (NormalTransition)

Figure 18: View of diagram_NormalTransition_1 (NormalTransition)

3.2.16.   scaledDistance_2_distance Operator

Declared as **`public function`**

3.2.16.1.   Comments and Information

scaledDistance_2_distance Comments:
Convertsa distance variables into scaled distance

3.2.16.2.   Interface

Table 50: Inputs of scaledDistance_2_distance

Name	Type	Comments and Information
q_scale	Q_SCALE	
d_in	int	**Comments:** Distance taken from a package with q_scale attribute.

Table 51: Outputs of scaledDistance_2_distance

Name	Type	Comments and Information
distance	Obu_BasicTypes_Pkg:: L_internal_Type	

3.2.16.3.   Operator Hierarchy

<u>diagram</u> : diagram_scaledDistance_2_distance_1

3.2.16.4.   Graphical and Textual Diagrams

3.2.16.4.1.   View of diagram_scaledDistance_2_distance_1
(scaledDistance_2_distance)

Figure 19: View of diagram_scaledDistance_2_distance_1 (scaledDistance_2_distance)

Modes and Levels Management Function

3.3. OutputManagement Package

3.3.1.   Output_Mode_Level_To_Use Operator

Declared as **`public node`**

3.3.1.1.   Interface

Table 52: Inputs of Output_Mode_Level_To_Use

Name	Type	Properties		Comments and Information
next_level	M_LEVEL			
currentMode	Level_And_Mode_Types_Pkg::T_Mode	last	Level_And_Mode_Types_Pkg::SB	
Level_Mode_Compatible	bool			
isNewLevel	bool			**Comments:** The requested transition was not successfull, e.g., because of missing confirmation by the driver.

Table 53: Outputs of Output_Mode_Level_To_Use

Name	Type	Comments and Information
Compatible_Mode_And_Level	Level_And_Mode_Types_Pkg::T_Mode_Level	

3.3.1.2.   Operator Hierarchy

<u>diagram</u> : diagram_Output_Mode_Level_To_Use_1

3.3.1.3.   Graphical and Textual Diagrams

### 3.3.1.3.1.   View of diagram_Output_Mode_Level_To_Use_1 (Output_Mode_Level_To_Use)

Figure 20: View of diagram_Output_Mode_Level_To_Use_1 (Output_Mode_Level_To_Use)

Modes and Levels Management Function

3.3.2. Output_To_BG_Management Operator

Declared as **public function**

3.3.2.1. Interface

Table 54: Inputs of Output_To_BG_Management

Name	Type	Comments and Information
Data_To_BG_Management_From_Mode	Level_And_Mode_Types_Pkg::T_Data_To_BG_Management	
Connection_to_RBC_Requested	bool	
PositionReportNeeded	bool	

Table 55: Outputs of Output_To_BG_Management

Name	Type	Comments and Information
Data_To_BG_Management	Level_And_Mode_Types_Pkg::T_Data_To_BG_Management	

3.3.2.2. Operator Hierarchy

diagram : diagram_Output_To_BG_Management_1

3.3.2.3. Graphical and Textual Diagrams

3.3.2.3.1. View of diagram_Output_To_BG_Management_1 (Output_To_BG_Management)

Figure 21: View of diagram_Output_To_BG_Management_1 (Output_To_BG_Management)

3.3.3. Output_To_DMI Operator

Declared as **public node**

Modes and Levels Management Function

3.3.3.1.   Interface

Table 56: Inputs of Output_To_DMI

Name	Type	Properties		Comments and Information
Level_Mode_Compatible	bool			
needsAckFromDriver	bool	last	false	
Data_To_DMI_From_Mode	Level_And_Mode_Types_Pkg::T_Data_To_DMI			
announcedLevelTransition	Level_And_Mode_Types_Pkg::T_LevelTransition			
isAvailableForUse	bool			

Table 57: Outputs of Output_To_DMI

Name	Type	Comments and Information
announcedLevel	Level_And_Mode_Types_Pkg::T_AnnouncedLevel	
Data_To_DMI_Ack	Level_And_Mode_Types_Pkg::T_AcknoledgementRequest	

3.3.3.2.   Locals

Table 58: Locals of Output_To_DMI

Name	Type	Comments and Information
Loc_Ack_LS_Req_To_Driver	bool	
Loc_Ack_OS_Req_To_Driver	bool	
Loc_Ack_RV_Req_To_Driver	bool	
Loc_Ack_SH_Req_To_Driver	bool	
Loc_Ack_SN_Req_To_Driver	bool	
Loc_Ack_SR_Req_To_Driver	bool	
Loc_Ack_TR_Req_To_Driver	bool	
Loc_Ack_UN_Req_To_Driver	bool	
Loc_Selected_Mode_For_Ack	M_MODE	
Loc_SH_Refused_By_RBC_To_DMI	bool	
Loc_Valid	bool	

3.3.3.3.   Operator Hierarchy

<u>diagram</u> : diagram_Output_To_DMI_1
     activate if : IfBlock1
         branch : then
         branch : else
             branch : then
             branch : else
                 branch : then
                 branch : else
                     branch : then
                     branch : else
                         branch : then
                         branch : else
                             branch : then
                             branch : else
                                 branch : then
                                 branch : else

3.3.3.4.   Graphical and Textual Diagrams

3.3.3.4.1.   View of diagram_Output_To_DMI_1 (Output_To_DMI)

Figure 22: View of diagram_Output_To_DMI_1 (Output_To_DMI)

Table 59: Conditional Blocks of diagram_Output_To_DMI_1

Conditional Block	Comments and Information
IfBlock1	

Table 60: Actions of diagram_Output_To_DMI_1

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else:else	

End of document.