

<document classification>

Mode Management Function

Scade model description

Summary:

Generated documentation from the Scade model of Mode Management Function.

Company: Systerel

Authors: Marielle Petit-Doche

Reference: openETCS - WP3

Index: <index>

Date: 20/02/2015

Distribution List: <distribution list>

Table Of Contents

1.	General Project Description	15
2.	Software Architecture	16
2.1.	Project Architecture	16
2.2.	Call Graph	16
3.	Modes Project.....	18
3.1.	Root Elements	18
3.1.1.	<i>Open Packages</i>	<i>18</i>
3.1.2.	<i>ComputeModesConditions Operator</i>	<i>18</i>
3.1.2.1.	Interface.....	18
3.1.2.2.	Locals.....	21
3.1.2.3.	Operator Hierarchy	23
3.1.2.4.	Graphical and Textual Diagrams	23
3.1.3.	<i>ManageModes Operator.....</i>	<i>24</i>
3.1.3.1.	Comments and Information.....	24
3.1.3.2.	Interface.....	24
3.1.3.3.	Operator Hierarchy	25
3.1.3.4.	Graphical and Textual Diagrams	25
3.1.4.	<i>Merge_Conditions Operator</i>	<i>25</i>
3.1.4.1.	Interface.....	26
3.1.4.2.	Operator Hierarchy	27
3.1.4.3.	Graphical and Textual Diagrams	28
3.1.5.	<i>SwitchModes Operator</i>	<i>28</i>
3.1.5.1.	Interface.....	28
3.1.5.2.	Locals.....	29
3.1.5.3.	Operator Hierarchy	30
3.1.5.4.	Graphical and Textual Diagrams	31
3.2.	Conditions Package.....	31
3.2.1.	<i>ToFullSupervision Operator.....</i>	<i>31</i>
3.2.1.1.	Comments and Information.....	31
3.2.1.2.	Interface.....	31
3.2.1.3.	Locals.....	32
3.2.1.4.	Operator Hierarchy	32
3.2.1.5.	Graphical and Textual Diagrams	33
3.2.2.	<i>ToIsolate Operator</i>	<i>33</i>
3.2.2.1.	Comments and Information.....	33
3.2.2.2.	Interface.....	34
3.2.2.3.	Operator Hierarchy	34
3.2.2.4.	Graphical and Textual Diagrams	34
3.2.3.	<i>ToNonLeading Operator.....</i>	<i>34</i>
3.2.3.1.	Comments and Information.....	34
3.2.3.2.	Interface.....	34
3.2.3.3.	Operator Hierarchy	34
3.2.3.4.	Graphical and Textual Diagrams	35

3.2.4.	<i>ToNoPower Operator</i>	35
3.2.4.1.	Comments and Information.....	35
3.2.4.2.	Interface.....	35
3.2.4.3.	Operator Hierarchy	35
3.2.4.4.	Graphical and Textual Diagrams	35
3.2.5.	<i>ToPassiveShunting Operator</i>	35
3.2.5.1.	Comments and Information.....	35
3.2.5.2.	Interface.....	36
3.2.5.3.	Operator Hierarchy	36
3.2.5.4.	Graphical and Textual Diagrams	36
3.2.6.	<i>ToShunting Operator</i>	36
3.2.6.1.	Interface.....	36
3.2.6.2.	Operator Hierarchy	37
3.2.6.3.	Graphical and Textual Diagrams	38
3.2.7.	<i>ToSleeping Operator</i>	38
3.2.7.1.	Comments and Information.....	38
3.2.7.2.	Interface.....	39
3.2.7.3.	Operator Hierarchy	39
3.2.7.4.	Graphical and Textual Diagrams	39
3.2.8.	<i>ToStaffResponsible Operator</i>	39
3.2.8.1.	Interface.....	39
3.2.8.2.	Locals.....	40
3.2.8.3.	Operator Hierarchy	40
3.2.8.4.	Graphical and Textual Diagrams	40
3.2.9.	<i>ToStandBy Operator</i>	40
3.2.9.1.	Comments and Information.....	41
3.2.9.2.	Interface.....	41
3.2.9.3.	Operator Hierarchy	42
3.2.9.4.	Graphical and Textual Diagrams	42
3.2.10.	<i>ToSystemFailure Operator</i>	42
3.2.10.1.	Comments and Information	42
3.2.10.2.	Interface.....	43
3.2.10.3.	Operator Hierarchy.....	43
3.2.10.4.	Graphical and Textual Diagrams.....	43
3.2.11.	<i>ToSystemNational Operator</i>	43
3.2.11.1.	Comments and Information	43
3.2.11.2.	Interface	43
3.2.11.3.	Operator Hierarchy	43
3.2.11.4.	Graphical and Textual Diagrams.....	44
3.2.12.	<i>ToTrip Operator</i>	44
3.2.12.1.	Interface.....	44
3.2.12.2.	Locals.....	45
3.2.12.3.	Operator Hierarchy.....	46
3.2.12.4.	Graphical and Textual Diagrams.....	46
3.2.13.	<i>ToUnfitted Operator</i>	47
3.2.13.1.	Comments and Information	47
3.2.13.2.	Interface	47
3.2.13.3.	Operator Hierarchy	47
3.2.13.4.	Graphical and Textual Diagrams.....	47
3.3.	Interfaces Package	47
3.3.1.	<i>InputDMI Operator</i>	47
3.3.1.1.	Interface.....	47
3.3.1.2.	Operator Hierarchy	48
3.3.1.3.	Graphical and Textual Diagrams	48

3.3.2.	<i>InputF2Functions Operator</i>	49
3.3.2.1.	Interface.....	49
3.3.2.2.	Operator Hierarchy	49
3.3.2.3.	Graphical and Textual Diagrams	49
3.3.3.	<i>InputLocalisation Operator</i>	50
3.3.3.1.	Interface.....	50
3.3.3.2.	Operator Hierarchy	50
3.3.3.3.	Graphical and Textual Diagrams	50
3.3.4.	<i>InputSpeedAndSupervision Operator</i>	50
3.3.4.1.	Interface.....	51
3.3.4.2.	Operator Hierarchy	51
3.3.4.3.	Graphical and Textual Diagrams	51
3.3.5.	<i>InputSTM Operator</i>	52
3.3.5.1.	Interface.....	52
3.3.5.2.	Operator Hierarchy	52
3.3.5.3.	Graphical and Textual Diagrams	52
3.3.6.	<i>InputTIUManagement Operator</i>	52
3.3.6.1.	Comments and Information.....	52
3.3.6.2.	Interface.....	52
3.3.6.3.	Locals.....	53
3.3.6.4.	Operator Hierarchy	53
3.3.6.5.	Graphical and Textual Diagrams	54
3.3.7.	<i>InputTrackManagement Operator</i>	54
3.3.7.1.	Interface.....	55
3.3.7.2.	Operator Hierarchy	55
3.3.7.3.	Graphical and Textual Diagrams	56
3.3.8.	<i>Output_To_BG_Management Operator</i>	56
3.3.8.1.	Interface.....	56
3.3.8.2.	Operator Hierarchy	56
3.3.8.3.	Graphical and Textual Diagrams	57
3.3.9.	<i>Output_To_DMI Operator</i>	57
3.3.9.1.	Interface.....	57
3.3.9.2.	Operator Hierarchy	57
3.3.9.3.	Graphical and Textual Diagrams	58
3.3.10.	<i>OutputManagement Operator</i>	58
3.3.10.1.	Interface.....	58
3.3.10.2.	Operator Hierarchy.....	59
3.3.10.3.	Graphical and Textual Diagrams.....	59
3.4.	Librairies Package	60
3.4.1.	<i>Mode_Profile_Calculations Operator</i>	60
3.4.1.1.	Interface.....	60
3.4.1.2.	Locals.....	60
3.4.1.3.	Operator Hierarchy	61
3.4.1.4.	Graphical and Textual Diagrams	61
3.4.2.	<i>Position_In_Ack_Area Operator</i>	61
3.4.2.1.	Interface.....	62
3.4.2.2.	Operator Hierarchy	62
3.4.2.3.	Graphical and Textual Diagrams	62
3.4.3.	<i>Position_In_Area Operator</i>	62
3.4.3.1.	Interface.....	62
3.4.3.2.	Operator Hierarchy	63
3.4.3.3.	Graphical and Textual Diagrams	63
3.4.4.	<i>Reversing_Calculations Operator</i>	63

3.4.4.1.	Interface.....	63
3.4.4.2.	Locals.....	63
3.4.4.3.	Operator Hierarchy	64
3.4.4.4.	Graphical and Textual Diagrams	64
3.5.	PriorityManagement Package	64
3.5.1.	<i>From_FS Operator</i>	64
3.5.1.1.	Interface.....	64
3.5.1.2.	Locals.....	65
3.5.1.3.	Operator Hierarchy	65
3.5.1.4.	Graphical and Textual Diagrams	66
3.5.2.	<i>From_LS Operator</i>	67
3.5.2.1.	Interface.....	67
3.5.2.2.	Locals.....	68
3.5.2.3.	Operator Hierarchy	68
3.5.2.4.	Graphical and Textual Diagrams	69
3.5.3.	<i>From_NL Operator</i>	70
3.5.3.1.	Interface.....	70
3.5.3.2.	Operator Hierarchy	70
3.5.3.3.	Graphical and Textual Diagrams	71
3.5.4.	<i>From_NP Operator</i>	71
3.5.4.1.	Interface.....	71
3.5.4.2.	Operator Hierarchy	72
3.5.4.3.	Graphical and Textual Diagrams	72
3.5.5.	<i>From_OS Operator</i>	72
3.5.5.1.	Interface.....	72
3.5.5.2.	Locals.....	73
3.5.5.3.	Operator Hierarchy	73
3.5.5.4.	Graphical and Textual Diagrams	75
3.5.6.	<i>From_PS Operator</i>	76
3.5.6.1.	Interface.....	76
3.5.6.2.	Operator Hierarchy	76
3.5.6.3.	Graphical and Textual Diagrams	77
3.5.7.	<i>From_PT Operator</i>	78
3.5.7.1.	Interface.....	78
3.5.7.2.	Locals.....	78
3.5.7.3.	Operator Hierarchy	78
3.5.7.4.	Graphical and Textual Diagrams	79
3.5.8.	<i>From_RV Operator</i>	80
3.5.8.1.	Interface.....	80
3.5.8.2.	Operator Hierarchy	80
3.5.8.3.	Graphical and Textual Diagrams	81
3.5.9.	<i>From_SB Operator</i>	81
3.5.9.1.	Interface.....	81
3.5.9.2.	Locals.....	82
3.5.9.3.	Operator Hierarchy	82
3.5.9.4.	Graphical and Textual Diagrams	84
3.5.10.	<i>From_SF Operator</i>	85
3.5.10.1.	Interface.....	85
3.5.10.2.	Operator Hierarchy.....	85
3.5.10.3.	Graphical and Textual Diagrams.....	86
3.5.11.	<i>From_SH Operator</i>	86
3.5.11.1.	Interface.....	86
3.5.11.2.	Locals.....	87
3.5.11.3.	Operator Hierarchy.....	87

3.5.11.4.	Graphical and Textual Diagrams.....	88
3.5.12.	<i>From_SL Operator</i>	<i>88</i>
3.5.12.1.	Interface.....	89
3.5.12.2.	Operator Hierarchy.....	89
3.5.12.3.	Graphical and Textual Diagrams.....	89
3.5.13.	<i>From_SN Operator.....</i>	<i>90</i>
3.5.13.1.	Interface.....	90
3.5.13.2.	Locals.....	90
3.5.13.3.	Operator Hierarchy.....	91
3.5.13.4.	Graphical and Textual Diagrams.....	92
3.5.14.	<i>From_SR Operator.....</i>	<i>93</i>
3.5.14.1.	Interface.....	93
3.5.14.2.	Locals.....	94
3.5.14.3.	Operator Hierarchy.....	94
3.5.14.4.	Graphical and Textual Diagrams.....	95
3.5.15.	<i>From_TR Operator.....</i>	<i>96</i>
3.5.15.1.	Interface.....	96
3.5.15.2.	Operator Hierarchy.....	96
3.5.15.3.	Graphical and Textual Diagrams.....	97
3.5.16.	<i>From_UN Operator</i>	<i>98</i>
3.5.16.1.	Interface.....	98
3.5.16.2.	Locals.....	98
3.5.16.3.	Operator Hierarchy.....	98
3.5.16.4.	Graphical and Textual Diagrams.....	100
3.6.	Procedures Package.....	101
3.6.1.	<i>Procedure_LimitedSupervision Operator</i>	<i>101</i>
3.6.1.1.	Comments and Information.....	101
3.6.1.2.	Interface.....	101
3.6.1.3.	Locals.....	102
3.6.1.4.	Operator Hierarchy	102
3.6.1.5.	Graphical and Textual Diagrams	102
3.6.2.	<i>Procedure_OnSight Operator</i>	<i>102</i>
3.6.2.1.	Interface.....	103
3.6.2.2.	Locals.....	103
3.6.2.3.	Operator Hierarchy	103
3.6.2.4.	Graphical and Textual Diagrams	104
3.6.3.	<i>Procedure_SH_Initiated_By_Driver Operator</i>	<i>104</i>
3.6.3.1.	Comments and Information.....	104
3.6.3.2.	Interface.....	104
3.6.3.3.	Locals.....	105
3.6.3.4.	Operator Hierarchy	105
3.6.3.5.	Graphical and Textual Diagrams	106
3.6.4.	<i>Procedure_SH_Ordered_By_Track Operator.....</i>	<i>107</i>
3.6.4.1.	Comments and Information.....	107
3.6.4.2.	Interface.....	107
3.6.4.3.	Locals.....	107
3.6.4.4.	Operator Hierarchy	107
3.6.4.5.	Graphical and Textual Diagrams	108
3.6.5.	<i>Procedure_Start_L1_L2_L3 Operator</i>	<i>108</i>
3.6.5.1.	Interface.....	108
3.6.5.2.	Locals.....	109
3.6.5.3.	Operator Hierarchy	109
3.6.5.4.	Graphical and Textual Diagrams	110
3.6.6.	<i>Procedure_StartOfMission Operator</i>	<i>112</i>

3.6.6.1.	Interface.....	113
3.6.6.2.	Operator Hierarchy	114
3.6.6.3.	Graphical and Textual Diagrams	115
3.6.7.	<i>Procedure_Train_Reversing Operator.....</i>	<i>118</i>
3.6.7.1.	Interface.....	118
3.6.7.2.	Locals.....	118
3.6.7.3.	Operator Hierarchy	119
3.6.7.4.	Graphical and Textual Diagrams	119
3.6.8.	<i>Procedure_Train_Trip Operator</i>	<i>120</i>
3.6.8.1.	Comments and Information.....	120
3.6.8.2.	Interface.....	121
3.6.8.3.	Locals.....	122
3.6.8.4.	Operator Hierarchy	122
3.6.8.5.	Graphical and Textual Diagrams	123
3.6.9.	<i>Procedure_With_Mode_Profile Operator.....</i>	<i>125</i>
3.6.9.1.	Interface.....	125
3.6.9.2.	Locals.....	126
3.6.9.3.	Operator Hierarchy	126
3.6.9.4.	Graphical and Textual Diagrams	127
3.6.10.	<i>SH_Initiated_By_Driver_On Operator.....</i>	<i>132</i>
3.6.10.1.	Interface.....	132
3.6.10.2.	Locals.....	132
3.6.10.3.	Operator Hierarchy.....	132
3.6.10.4.	Graphical and Textual Diagrams.....	133

List Of Figures

Figure 1: View of diagram_ComputeModesConditions_1 (ComputeModesConditions)	23
Figure 2: View of diagram_ManageModes_1 (ManageModes)	25
Figure 3: View of diagram_Operator44_1 (Merge_Conditions)	28
Figure 4: View of diagram_SwitchModes_1 (SwitchModes)	31
Figure 5: View of diagram_ToFullSupervision_1 (ToFullSupervision)	33
Figure 6: View of diagram_ToIsolate_1 (ToIsolate)	34
Figure 7: View of diagram_ToNonLeading_1 (ToNonLeading)	35
Figure 8: View of diagram_ToNoPower_1 (ToNoPower)	35
Figure 9: View of diagram_ToPassiveShunting_1 (ToPassiveShunting) ..	36
Figure 10: View of diagram_ToShunting_1 (ToShunting)	38
Figure 11: View of diagram_ToSleeping_1 (ToSleeping)	39
Figure 12: View of diagram_ToOnSight1_1 (ToStaffResponsible)	40
Figure 13: View of diagram_ToStandBy_1 (ToStandBy)	42
Figure 14: View of diagram_ToSystemFailure_1 (ToSystemFailure)	43
Figure 15: View of diagram_ToSystemNational1_1 (ToSystemNational)	44
Figure 16: View of diagram_ToTrip_1 (ToTrip)	46
Figure 17: View of diagram_ToUnfitted_1 (ToUnfitted)	47
Figure 18: View of diagram_Operator5_1 (InputDMI)	48
Figure 19: View of diagram_InputF2Functions_1 (InputF2Functions) ..	49
Figure 20: View of diagram_InputSpeedAndSupervision1_1 (InputLocalisation)	50
Figure 21: View of diagram_InputSpeedAndSupervision_1 (InputSpeedAndSupervision)	51
Figure 22: View of diagram_InputSTM_1 (InputSTM)	52
Figure 23: View of diagram_InputTIUManagement_1 (InputTIUManagement)	54
Figure 24: View of diagram_InputTrackManagement_1 (InputTrackManagement)	56
Figure 25: View of diagram_Output_To_BG_Management_1 (Output_To_BG_Management)	57
Figure 26: View of diagram_Output_To_DMI_1 (Output_To_DMI)	58
Figure 27: View of diagram_Operator48_1 (OutputManagement)	59
Figure 28: View of diagram_Operator7_1 (Mode_Profile_Calculations) ..	61
Figure 29: View of diagram_Position_In_Ack_Area_1 (Position_In_Ack_Area)	62
Figure 30: View of diagram_Position_In_Area_1 (Position_In_Area) ...	63
Figure 31: View of diagram_Operator7_1 (Reversing_Calculations)	64
Figure 32: View of diagram_From_FS (From_FS)	66
Figure 33: View of diagram_From_LS (From_LS)	69
Figure 34: View of diagram_From_NL (From_NL)	71
Figure 35: View of diagram_From_NP (From_NP)	72
Figure 36: View of diagram_From_OS (From_OS)	75
Figure 37: View of diagram_From_PS (From_PS)	77
Figure 38: View of diagram_From_PT (From_PT)	79
Figure 39: View of diagram_From_RV (From_RV)	81
Figure 40: View of diagram_From_SB (From_SB)	84
Figure 41: View of diagram_From_SF (From_SF)	86

Figure 42: View of diagram_From_SH (From_SH)	88
Figure 43: View of diagram_From_SL (From_SL)	89
Figure 44: View of diagram_From_SN (From_SN)	92
Figure 45: View of diagram_From_SR (From_SR)	95
Figure 46: View of diagram_From_TR (From_TR)	97
Figure 47: View of diagram_From_UN (From_UN)	100
Figure 48: View of diagram_Procedure_LimitedSupervision_1 (Procedure_LimitedSupervision)	102
Figure 49: View of diagram_Procedure_OnSight_1 (Procedure_OnSight)	104
Figure 50: View of diagram_Procedure_SH_Initiated_By_Driver_1 (Procedure_SH_Initiated_By_Driver)	106
Figure 51: View of diagram_Procedure_SH_Ordered_By_Track_1 (Procedure_SH_Ordered_By_Track)	108
Figure 52: View of diagram_Procedure_Start_L1_L2_L3_1 (Procedure_Start_L1_L2_L3)	110
Figure 53: View of diagram_Procedure_StartOfMission_1 (Procedure_StartOfMission)	115
Figure 54: View of diagram_Procedure_Train_Reversing_1 (Procedure_Train_Reversing)	119
Figure 55: View of diagram_Procedure_Train_Trip_1 (Procedure_Train_Trip)	123
Figure 56: View of diagram_Procedure_With_Mode_Profile_1 (Procedure_With_Mode_Profile)	127
Figure 57: View of diagram_SH_Initiated_By_Driver_On_1 (SH_Initiated_By_Driver_On)	133

List Of Tables

Table 1: Inputs of ComputeModesConditions	18
Table 2: Outputs of ComputeModesConditions	20
Table 3: Locals of ComputeModesConditions	21
Table 4: Inputs of ManageModes.....	24
Table 5: Outputs of ManageModes.....	24
Table 6: Inputs of Merge_Conditions.....	26
Table 7: Outputs of Merge_Conditions.....	27
Table 8: Inputs of SwitchModes	28
Table 9: Outputs of SwitchModes	29
Table 10: Locals of SwitchModes	29
Table 11: Inputs of ToFullSupervision	31
Table 12: Outputs of ToFullSupervision	32
Table 13: Locals of ToFullSupervision.....	32
Table 14: Inputs of ToIsolate	34
Table 15: Outputs of ToIsolate	34
Table 16: Inputs of ToNonLeading.....	34
Table 17: Outputs of ToNonLeading	34
Table 18: Inputs of ToNoPower	35
Table 19: Outputs of ToNoPower	35
Table 20: Inputs of ToPassiveShunting	36
Table 21: Outputs of ToPassiveShunting	36
Table 22: Inputs of ToShunting	36
Table 23: Outputs of ToShunting	37
Table 24: Inputs of ToSleeping.....	39
Table 25: Outputs of ToSleeping.....	39
Table 26: Inputs of ToStaffResponsible.....	39
Table 27: Outputs of ToStaffResponsible.....	39
Table 28: Locals of ToStaffResponsible	40
Table 29: Inputs of ToStandBy	41
Table 30: Outputs of ToStandBy	41
Table 31: Inputs of ToSystemFailure.....	43
Table 32: Outputs of ToSystemFailure.....	43
Table 33: Inputs of ToSystemNational	43
Table 34: Outputs of ToSystemNational	43
Table 35: Inputs of ToTrip	44
Table 36: Outputs of ToTrip.....	45
Table 37: Locals of ToTrip	45
Table 38: Inputs of ToUnfitted	47
Table 39: Outputs of ToUnfitted	47
Table 40: Inputs of InputDMI.....	47
Table 41: Outputs of InputDMI.....	48
Table 42: Inputs of InputF2Functions	49
Table 43: Outputs of InputF2Functions	49
Table 44: Inputs of InputLocalisation.....	50
Table 45: Outputs of InputLocalisation	50
Table 46: Inputs of InputSpeedAndSupervision	51
Table 47: Outputs of InputSpeedAndSupervision	51
Table 48: Inputs of InputSTM.....	52
Table 49: Outputs of InputSTM.....	52

Table 50: Inputs of InputTIUManagement	52
Table 51: Outputs of InputTIUManagement	53
Table 52: Locals of InputTIUManagement.....	53
Table 53: Inputs of InputTrackManagement	55
Table 54: Outputs of InputTrackManagement	55
Table 55: Inputs of Output_To_BG_Management.....	56
Table 56: Outputs of Output_To_BG_Management.....	56
Table 57: Inputs of Output_To_DMI.....	57
Table 58: Outputs of Output_To_DMI.....	57
Table 59: Inputs of OutputManagement.....	58
Table 60: Outputs of OutputManagement.....	59
Table 61: Inputs of Mode_Profile_Calculations	60
Table 62: Outputs of Mode_Profile_Calculations	60
Table 63: Locals of Mode_Profile_Calculations.....	60
Table 64: Conditional Blocks of diagram_Operator7_1.....	61
Table 65: Actions of diagram_Operator7_1	61
Table 66: Inputs of Position_In_Ack_Area.....	62
Table 67: Outputs of Position_In_Ack_Area.....	62
Table 68: Inputs of Position_In_Area.....	62
Table 69: Outputs of Position_In_Area	62
Table 70: Inputs of Reversing_Calculations	63
Table 71: Outputs of Reversing_Calculations	63
Table 72: Locals of Reversing_Calculations.....	63
Table 73: Inputs of From_FS.....	64
Table 74: Outputs of From_FS.....	65
Table 75: Locals of From_FS.....	65
Table 76: Conditional Blocks of diagram_From_FS.....	66
Table 77: Actions of diagram_From_FS	66
Table 78: Inputs of From_LS	67
Table 79: Outputs of From_LS	68
Table 80: Locals of From_LS.....	68
Table 81: Conditional Blocks of diagram_From_LS.....	69
Table 82: Actions of diagram_From_LS	69
Table 83: Inputs of From_NL.....	70
Table 84: Outputs of From_NL.....	70
Table 85: Conditional Blocks of diagram_From_NL	71
Table 86: Actions of diagram_From_NL.....	71
Table 87: Inputs of From_NP	71
Table 88: Outputs of From_NP	71
Table 89: Conditional Blocks of diagram_From_NP	72
Table 90: Actions of diagram_From_NP	72
Table 91: Inputs of From_OS.....	72
Table 92: Outputs of From_OS	73
Table 93: Locals of From_OS	73
Table 94: Conditional Blocks of diagram_From_OS	75
Table 95: Actions of diagram_From_OS	75
Table 96: Inputs of From_PS.....	76
Table 97: Outputs of From_PS.....	76
Table 98: Conditional Blocks of diagram_From_PS.....	77
Table 99: Actions of diagram_From_PS.....	77
Table 100: Inputs of From_PT	78
Table 101: Outputs of From_PT.....	78

Table 102: Locals of From_PT.....	78
Table 103: Conditional Blocks of diagram_From_PT.....	80
Table 104: Actions of diagram_From_PT.....	80
Table 105: Inputs of From_RV.....	80
Table 106: Outputs of From_RV	80
Table 107: Conditional Blocks of diagram_From_RV	81
Table 108: Actions of diagram_From_RV.....	81
Table 109: Inputs of From_SB.....	81
Table 110: Outputs of From_SB.....	82
Table 111: Locals of From_SB	82
Table 112: Conditional Blocks of diagram_From_SB.....	84
Table 113: Actions of diagram_From_SB.....	84
Table 114: Inputs of From_SF	85
Table 115: Outputs of From_SF	85
Table 116: Conditional Blocks of diagram_From_SF.....	86
Table 117: Actions of diagram_From_SF	86
Table 118: Inputs of From_SH.....	86
Table 119: Outputs of From_SH	87
Table 120: Locals of From_SH	87
Table 121: Conditional Blocks of diagram_From_SH	88
Table 122: Actions of diagram_From_SH.....	88
Table 123: Inputs of From_SL	89
Table 124: Outputs of From_SL.....	89
Table 125: Conditional Blocks of diagram_From_SL.....	89
Table 126: Actions of diagram_From_SL	90
Table 127: Inputs of From_SN.....	90
Table 128: Outputs of From_SN	90
Table 129: Locals of From_SN	90
Table 130: Conditional Blocks of diagram_From_SN	92
Table 131: Actions of diagram_From_SN.....	92
Table 132: Inputs of From_SR.....	93
Table 133: Outputs of From_SR.....	94
Table 134: Locals of From_SR	94
Table 135: Conditional Blocks of diagram_From_SR	95
Table 136: Actions of diagram_From_SR.....	95
Table 137: Inputs of From_TR.....	96
Table 138: Outputs of From_TR.....	96
Table 139: Conditional Blocks of diagram_From_TR.....	97
Table 140: Actions of diagram_From_TR.....	97
Table 141: Inputs of From_UN	98
Table 142: Outputs of From_UN	98
Table 143: Locals of From_UN.....	98
Table 144: Conditional Blocks of diagram_From_UN	100
Table 145: Actions of diagram_From_UN	100
Table 146: Inputs of Procedure_LimitedSupervision	101
Table 147: Outputs of Procedure_LimitedSupervision	101
Table 148: Locals of Procedure_LimitedSupervision.....	102
Table 149: Inputs of Procedure_OnSight.....	103
Table 150: Outputs of Procedure_OnSight	103
Table 151: Locals of Procedure_OnSight	103
Table 152: Inputs of Procedure_SH_Initiated_By_Driver.....	104
Table 153: Outputs of Procedure_SH_Initiated_By_Driver	105

Table 154: Locals of Procedure_SH_Initiated_By_Driver	105
Table 155: State Machines of	
diagram_Procedure_SH_Initiated_By_Driver_1.....	106
Table 156: States of diagram_Procedure_SH_Initiated_By_Driver_1 .	106
Table 157: Transitions of diagram_Procedure_SH_Initiated_By_Driver_1	
.....	106
Table 158: Inputs of Procedure_SH_Ordered_By_Track.....	107
Table 159: Outputs of Procedure_SH_Ordered_By_Track	107
Table 160: Locals of Procedure_SH_Ordered_By_Track	107
Table 161: Inputs of Procedure_Start_L1_L2_L3	108
Table 162: Outputs of Procedure_Start_L1_L2_L3	108
Table 163: Locals of Procedure_Start_L1_L2_L3.....	109
Table 164: State Machines of diagram_Procedure_Start_L1_L2_L3_1	110
Table 165: States of diagram_Procedure_Start_L1_L2_L3_1.....	110
Table 166: Transitions of diagram_Procedure_Start_L1_L2_L3_1	111
Table 167: Inputs of Procedure_StartOfMission	113
Table 168: Outputs of Procedure_StartOfMission	113
Table 169: State Machines of diagram_Procedure_StartOfMission_1 ..	115
Table 170: States of diagram_Procedure_StartOfMission_1.....	116
Table 171: Transitions of diagram_Procedure_StartOfMission_1	116
Table 172: Inputs of Procedure_Train_Reversing	118
Table 173: Outputs of Procedure_Train_Reversing	118
Table 174: Locals of Procedure_Train_Reversing	118
Table 175: State Machines of diagram_Procedure_Train_Reversing_1	119
Table 176: States of diagram_Procedure_Train_Reversing_1	119
Table 177: Transitions of diagram_Procedure_Train_Reversing_1	120
Table 178: Inputs of Procedure_Train_Trip.....	121
Table 179: Outputs of Procedure_Train_Trip.....	121
Table 180: Locals of Procedure_Train_Trip	122
Table 181: State Machines of diagram_Procedure_Train_Trip_1.....	123
Table 182: States of diagram_Procedure_Train_Trip_1	123
Table 183: Transitions of diagram_Procedure_Train_Trip_1	124
Table 184: Inputs of Procedure_With_Mode_Profile	125
Table 185: Outputs of Procedure_With_Mode_Profile	125
Table 186: Locals of Procedure_With_Mode_Profile.....	126
Table 187: Signals of Procedure_With_Mode_Profile	126
Table 188: Counter (#8) hidden inputs assignment of	
diagram_Procedure_With_Mode_Profile_1	127
Table 189: State Machines of diagram_Procedure_With_Mode_Profile_1	
.....	127
Table 190: States of diagram_Procedure_With_Mode_Profile_1	128
Table 191: Transitions of diagram_Procedure_With_Mode_Profile_1 .	129
Table 192: Conditional Blocks of	
diagram_Procedure_With_Mode_Profile_1	131
Table 193: Actions of diagram_Procedure_With_Mode_Profile_1	131
Table 194: Inputs of SH_Initiated_By_Driver_On	132
Table 195: Outputs of SH_Initiated_By_Driver_On	132
Table 196: Locals of SH_Initiated_By_Driver_On.....	132
Table 197: State Machines of diagram_SH_Initiated_By_Driver_On_1	133
Table 198: States of diagram_SH_Initiated_By_Driver_On_1	133
Table 199: Transitions of diagram_SH_Initiated_By_Driver_On_1	133

1. General Project Description

<description>

2. Software Architecture

2.1. Project Architecture

This section displays the package hierarchy of projects.

Project Modes

- Conditions
- Interfaces
- Librairies
- PriorityManagement
- Procedures

2.2. Call Graph

This Call Graph displays the dependency tree of model operators.

1. ManageModes

1.1. ComputeModesConditions

- 1.1.1. Conditions::ToFullSupervision
- 1.1.2. Conditions::ToIsolate
- 1.1.3. Conditions::ToNonLeading
- 1.1.4. Conditions::ToNoPower
- 1.1.5. Conditions::ToPassiveShunting
- 1.1.6. Conditions::ToShunting
 - 1.1.6.1. Procedures::Procedure_SH_Initiated_By_Driver
 - 1.1.6.1.1. Procedures::SH_Initiated_By_Driver_On
 - 1.1.6.2. Procedures::Procedure_SH_Ordered_By_Track
 - 1.1.6.2.1. Procedures::Procedure_With_Mode_Profile
 - 1.1.6.2.1.1. Librairies::Mode_Profile_Calculations
 - 1.1.6.2.1.1.1. Librairies::Position_In_Ack_Area
 - 1.1.6.2.1.1.2. Librairies::Position_In_Area
 - 1.1.6.2.1.2. pwlinear::Counter
- 1.1.7. Conditions::ToSleeping
- 1.1.8. Conditions::ToStaffResponsible
- 1.1.9. Conditions::ToStandBy
- 1.1.10. Conditions::ToSystemFailure
- 1.1.11. Conditions::ToSystemNational
- 1.1.12. Conditions::ToTrip
- 1.1.13. Conditions::ToUnfitted
- 1.1.14. Merge_Conditions
- 1.1.15. Procedures::Procedure_LimitedSupervision
 - 1.1.15.1. Librairies::Mode_Profile_Calculations
 - 1.1.15.1.1. Librairies::Position_In_Ack_Area
 - 1.1.15.1.2. Librairies::Position_In_Area
 - 1.1.15.2. Procedures::Procedure_With_Mode_Profile
 - 1.1.15.2.1. Librairies::Mode_Profile_Calculations
 - 1.1.15.2.1.1. Librairies::Position_In_Ack_Area
 - 1.1.15.2.1.2. Librairies::Position_In_Area
 - 1.1.15.2.2. pwlinear::Counter
- 1.1.16. Procedures::Procedure_OnSight

- 1.1.16.1. Librairies::Mode_Profile_Calculations
 - 1.1.16.1.1. Librairies::Position_In_Ack_Area
 - 1.1.16.1.2. Librairies::Position_In_Area
- 1.1.16.2. Procedures::Procedure_With_Mode_Profile
 - 1.1.16.2.1. Librairies::Mode_Profile_Calculations
 - 1.1.16.2.1.1. Librairies::Position_In_Ack_Area
 - 1.1.16.2.1.2. Librairies::Position_In_Area
 - 1.1.16.2.2. pwlinear::Counter
- 1.1.17. Procedures::Procedure_StartOfMission
 - 1.1.17.1. Procedures::Procedure_Start_L1_L2_L3
 - 1.1.17.2. Procedures::SH_Initiated_By_Driver_On
- 1.1.18. Procedures::Procedure_Train_Reversing
 - 1.1.18.1. Librairies::Reversing_Calculations
 - 1.1.18.1.1. Librairies::Position_In_Area
- 1.1.19. Procedures::Procedure_Train_Trip
 - 1.1.19.1. Procedures::Procedure_Start_L1_L2_L3
 - 1.1.19.2. Procedures::SH_Initiated_By_Driver_On
- 1.2. Interfaces::InputDMI
- 1.3. Interfaces::InputF2Functions
- 1.4. Interfaces::InputLocalisation
- 1.5. Interfaces::InputSpeedAndSupervision
- 1.6. Interfaces::InputSTM
- 1.7. Interfaces::InputTIUManagement
- 1.8. Interfaces::InputTrackManagement
- 1.9. Interfaces::OutputManagement
 - 1.9.1. Interfaces::Output_To_BG_Management
 - 1.9.2. Interfaces::Output_To_DMI
- 1.10. SwitchModes
 - 1.10.1. PriorityManagement::From_FS
 - 1.10.2. PriorityManagement::From_LS
 - 1.10.3. PriorityManagement::From_NL
 - 1.10.4. PriorityManagement::From_NP
 - 1.10.5. PriorityManagement::From_OS
 - 1.10.6. PriorityManagement::From_PS
 - 1.10.7. PriorityManagement::From_PT
 - 1.10.8. PriorityManagement::From_RV
 - 1.10.9. PriorityManagement::From_SB
 - 1.10.10. PriorityManagement::From_SF
 - 1.10.11. PriorityManagement::From_SH
 - 1.10.12. PriorityManagement::From_SL
 - 1.10.13. PriorityManagement::From_SN
 - 1.10.14. PriorityManagement::From_SR
 - 1.10.15. PriorityManagement::From_TR
 - 1.10.16. PriorityManagement::From_UN

3. Modes Project

3.1. Root Elements

3.1.1. Open Packages

- TrainPosition_Types_Pck

3.1.2. ComputeModesConditions Operator

Declared as **public node**

3.1.2.1. Interface

Table 1: Inputs of ComputeModesConditions

Name	Type	Properties		Comments and Information
Current_Level	M_LEVEL	last	M_LEVEL_Level_0	
Current_Mode	Level_And_Mode_Types_Pkg::T_Mode			
Train_Permitted_NL	bool			
Train_Permitted_PS	bool			
Train_Req_SL	bool			
All_Desks_Closed	bool			
Desk_Open	bool			
OnBoard_Powered	bool			
Valid_Train_Data_Stored	bool			
Driver_Ack_LS	bool			
Driver_Ack_OS	bool			
Driver_Ack_RV	bool			
Driver_Ack_SH	bool			
Driver_Ack_SN	bool			
Driver_Ack_SR	bool			
Driver_Ack_TR	bool			
Driver_Ack_UN	bool			
Driver_Req_Exit_SH	bool			
Driver_Req_NL	bool			
Driver_Req_Override	bool			
Driver_Req_SH	bool			
Driver_Req_Start	bool			
ETCS_Isolated	bool			
MA_SSP_Gradient_Available	bool			
Mode_Profile_On_Board	Level_And_Mode_Types_Pkg::T_Mode_Profile			

Name	Type	Properties		Comments and Information
Shunting_Granted_By_RBC	bool			
Trip_Order_Given_By_Balise	bool			
List_BG_Related_To_SR_Empty	bool			
Stop_If_In_Shunting	bool			
Stop_If_In_SR	bool			
RBC_Ack_And_EB_Revoked	bool			
RBC_Authorized_SR	bool			
Reversing_Data	Level_And_Mode_Types_Pkg::T_Reversing_Data			
Emergency_Stop_Message_Received	bool			
Estimated_Front_End_Overpass_SR_Distance	bool			
Estimated_Front_End_Rear_Location_SSP_Or_Gradient	bool			
Override_Function_Active	bool	last	false	
Train_Overpass_EOA_Antenna	bool	last	false	
Train_Overpass_EOA_Front_End	bool			
Train_Speed_Under_Override_Limit	bool			
BG_In_Expected_List_In_SR	bool			
BG_In_Expected_List_In_SH	bool			
Linked_BG_Pased_In_Wrong_Direction	bool			
Train_Position	TrainPosition_Types_Pkg::trainPosition_T			
Train_Speed	Obu_BasicTypes_Pkg::Speed_T			
Train_Standstill	bool			
Interface_To_National_System	bool			
National_Trip_Order	bool			
T_NVCONTACT_Overpass	bool			
Error_BG_System_Version	bool			
Failure_Occured	bool	last	false	
Continue_Shunting_Function_Active	bool			
Stop_Shunting_Stored	bool			
Linking_Reaction_To_Trip	bool			

Table 2: Outputs of ComputeModesConditions

Name	Type	Properties	Comments and Information
Condition1	bool		
Condition2	bool		
Condition3	bool		
Condition4	bool		
Condition5	bool		
Condition6	bool		
Condition7	bool		
Condition8	bool		
Condition10	bool		
Condition13	bool		
Condition14	bool		
Condition15	bool		
Condition19	bool		
Condition21	bool		
Condition22	bool		
Condition23	bool		
Condition25	bool		
Condition26	bool		
Condition27	bool		
Condition28	bool		
Condition29	bool		
Condition30	bool		
Condition31	bool		
Condition32	bool		
Condition34	bool		
Condition37	bool		
Condition40	bool		
Condition44	bool		
Condition45	bool		
Condition46	bool		
Condition47	bool		
Condition50	bool		
Condition51	bool		
Condition56	bool		
Condition58	bool		
Condition59	bool		
Condition60	bool		
Condition61	bool		

Name	Type	Properties		Comments and Information
Condition62	bool			
Condition63	bool			
Condition68	bool			
Condition70	bool			
Condition71	bool			
Condition72	bool			
Condition73	bool			
Condition74	bool			
Condition_Trip	bool			
Ack_LS_Req_To_Driver	bool			
Ack_OS_Req_To_Driver	bool			
Ack_RV_Req_To_Driver	bool			
Ack_SH_Req_To_Driver	bool			
Ack_SN_Req_To_Driver	bool			
Ack_SR_Req_To_Driver	bool			
Ack_TR_Req_To_Driver	bool			
Ack_UN_Req_To_Driver	bool			
Clean_BG_List_SH_Area	bool			
EB_Requested	bool			
End_Of_Mission_Procedure_Req	bool	last	true	
MA_Req_To_RBC	bool			
Request_For_SH_To_RBC	bool			
Service_Brake_Command	bool			
SH_Refused_By_RBC_To_DMI	bool			

3.1.2.2. Locals

Table 3: Locals of ComputeModesConditions

Name	Type	Properties		Comments and Information
Condition_to_Trip	bool			
Loc_Ack_LS_Req_To_Driver_LS	bool			
Loc_Ack_LS_Req_To_Driver_SoM	bool			
Loc_Ack_LS_Req_To_Driver_TR	bool			

Name	Type	Properties	Comments and Information
Loc_Ack_OS_Req_To_Driver_OS	bool		
Loc_Ack_OS_Req_To_Driver_SoM	bool		
Loc_Ack_OS_Req_To_Driver_TR	bool		
Loc_Ack_SH_Req_To_Driver_SH	bool		
Loc_Ack_SH_Req_To_Driver_SoM	bool		
Loc_Ack_SH_Req_To_Driver_TR	bool		
Loc_Ack_SR_Req_To_Driver_SoM	bool		
Loc_Ack_SR_Req_To_Driver_TR	bool		
Loc_Clean_BG_List_Of_SoM	bool		
Loc_Clean_BG_List_SH_Area_SH	bool		
Loc_Clean_BG_List_SH_Area_TR	bool		
Loc_Cond_15_OS	bool		
Loc_Cond_15_SoM	bool		
Loc_Cond_15_TR	bool		
Loc_Cond_31_FS	bool		
Loc_Cond_31_TR	bool		
Loc_Cond_46_NL	bool		
Loc_Cond_46_SoM	bool		
Loc_Cond_50_SH	bool		
Loc_Cond_50_SoM	bool		
Loc_Cond_50_TR	bool		
Loc_Cond_5_SH	bool		
Loc_Cond_5_SoM	bool		
Loc_Cond_5_TR	bool		
Loc_Cond_6_SH	bool		
Loc_Cond_6_SoM	bool		
Loc_Cond_6_TR	bool		
Loc_Cond_70_LS	bool		
Loc_Cond_70_SoM	bool		
Loc_Cond_70_TR	bool		
Loc_Cond_8_SoM	bool		
Loc_Cond_8_TR	bool		
Loc_End_Of_Mission_Procedure_Req_SB	bool		
Loc_End_Of_Mission_Procedure_Req_SH	bool		

Name	Type	Properties		Comments and Information
Loc_End_Of_Mission_Procedure_Req_SoM	bool			
Loc_End_Of_Mission_Procedure_Req_TR	bool			
Loc_MA_Req_To_RBC_SoM	bool			
Loc_MA_Req_To_RBC_TR	bool			
Loc_Request_For_SH_To_RBC_SH	bool			
Loc_Request_For_SH_To_RBC_SoM	bool			
Loc_Request_For_SH_To_RBC_TR	bool			
Loc_Service_Brake_Command_LS	bool			
Loc_Service_Brake_Command_OS	bool			
Loc_Service_Brake_Command_SH	bool			
Loc_SH_Refused_By_RBC_To_DMI_SH	bool			
Loc_SH_Refused_By_RBC_To_DMI_SoM	bool			
Loc_SH_Refused_By_RBC_To_DMI_TR	bool			
On_Going_Mission	bool	last	false	

3.1.2.3. Operator Hierarchy

diagram : diagram_ComputeModesConditions_1

3.1.2.4. Graphical and Textual Diagrams

3.1.2.4.1. View of diagram_ComputeModesConditions_1 (ComputeModesConditions)




Figure 1: View of diagram_ComputeModesConditions_1 (ComputeModesConditions)

3.1.3. ManageModes Operator

Declared as **public node**

3.1.3.1. Comments and Information

ManageModes Comments:

Root operator shared in for parts :

- the inputs management
- Computation of Mode conditions: this part covers the computation of conditions according to subset 26 §4.6.3 and procedure related to mode mangement in § 5. Computation of conditions are organized by procedure and mode to reach (by line of of table in §4.6.2)
- SwitchMode: this part selects the new mode according conditions and priorities given in §4.6.2 : from each mode, the new mode is calculated (by column of table 4.6.2).
- the outputs management

3.1.3.2. Interface

Table 4: Inputs of ManageModes

Name	Type	Comments and Information
Current_Level	M_LEVEL	
Cab	TIU_Types_Pkg::cab_ID_T	
Data_From_DMI	Level_And_Mode_Types_Pkg::T_Data_From_DMI	
Data_From_F2_Functions	Level_And_Mode_Types_Pkg::T_Data_From_F2_functions	
Data_From_Localisation	Level_And_Mode_Types_Pkg::T_Data_From_Localisation	
Data_From_Speed_and_Supervision	Level_And_Mode_Types_Pkg::T_Data_From_Speed_Supervision	
Data_From_STM	Level_And_Mode_Types_Pkg::T_Data_From_STM	
Data_From_TIU	TIU_Types_Pkg::Message_Train_Interface_to_EVC_T	
Data_From_Track	Level_And_Mode_Types_Pkg::T_Data_From_Track	

Table 5: Outputs of ManageModes

Name	Type	Properties		Comments and Information
currentMode	Level_And_Mode_Types_Pkg::T_Mode	default	Level_And_Mode_Types_Pkg::SB	

Name	Type	Properties		Comments and Information
		last	Level_And_Mode_Types_Pkg::SB	
EB_Requested	bool			
Service_Brake_Command	bool			
Data_To_DMI	Level_And_Mode_Types_Pkg::T_Data_To_DMI			
Data_To_BG_Management	Level_And_Mode_Types_Pkg::T_Data_To_BG_Management			

3.1.3.3. Operator Hierarchy

diagram : diagram_ManageModes_1

3.1.3.4. Graphical and Textual Diagrams

3.1.3.4.1. View of diagram_ManageModes_1 (ManageModes)




Figure 2: View of diagram_ManageModes_1 (ManageModes)

3.1.4. Merge_Conditions Operator

Declared as **public function**

3.1.4.1. Interface

Table 6: Inputs of Merge_Conditions

Name	Type	Comments and Information
SH_Ref_SH	bool	
SH_Ref_SoM	bool	
SH_ref_TR	bool	
Ack_LS_LS	bool	
Ack_LS_SoM	bool	
Ack_LS_TR	bool	
Ack_OS_OS	bool	
Ack_OS_SoM	bool	
Ack_OS_TR	bool	
Ack_SH_SH	bool	
Ack_SH_SoM	bool	
Ack_SH_TR	bool	
Ack_SR_SoM	bool	
Ack_SR_TR	bool	
Clean_BG_SoM	bool	
Clean_BG_SH	bool	
Clean_BG_TR	bool	
EoM_SB	bool	
EoM_SH	bool	
EoM_SoM	bool	
EoM_TR	bool	
MA_SoM	bool	
MA_TR	bool	
Req_SH_SH	bool	
Req_SH_SoM	bool	
Req_SH_TR	bool	
SB_LS	bool	
SB_OS	bool	
SB_SH	bool	
C15_OS	bool	
C15_SoM	bool	
C15_TR	bool	
C31_FS	bool	
C31_TR	bool	
C46_NL	bool	
C46_SoM	bool	
C50_SH	bool	
C50_SoM	bool	

Name	Type	Comments and Information
C50_TR	bool	
C5_SH	bool	
C5_SoM	bool	
C5_TR	bool	
C6_SH	bool	
C6_SoM	bool	
C6_TR	bool	
C70_LS	bool	
C70_SoM	bool	
C70_TR	bool	
C8_SoM	bool	
C8_TR	bool	

Table 7: Outputs of Merge_Conditions

Name	Type	Comments and Information
SH_Refused_By_RBC_To_DMI	bool	
Ack_LS_Req_To_Driver	bool	
Ack_OS_Req_To_Driver	bool	
Ack_SH_Req_To_Driver	bool	
Ack_SR_Req_To_Driver	bool	
Clean_BG_List_SH_Area	bool	
End_Of_Mission_Procedure_Req	bool	
MA_Req_To_RBC	bool	
Request_For_SH_To_RBC	bool	
Service_Brake_Command	bool	
Condition15	bool	
Condition31	bool	
Condition46	bool	
Condition50	bool	
Condition5	bool	
Condition6	bool	
Condition70	bool	
Condition8	bool	

3.1.4.2. Operator Hierarchy
diagram : diagram_Operator44_1

3.1.4.3. Graphical and Textual Diagrams

3.1.4.3.1. View of diagram_Operator44_1 (Merge_Conditions)




Figure 3: View of diagram_Operator44_1 (Merge_Conditions)

3.1.5. SwitchModes Operator

Declared as **public node**

3.1.5.1. Interface

Table 8: Inputs of SwitchModes

Name	Type	Comments and Information
Condition1	bool	
Condition2	bool	
Condition3	bool	
Condition4	bool	
Condition5	bool	
Condition6	bool	
Condition7	bool	
Condition8	bool	
Condition10	bool	
Condition13	bool	
Condition14	bool	
Condition15	bool	
Condition19	bool	
Condition21	bool	
Condition22	bool	
Condition23	bool	
Condition25	bool	
Condition26	bool	
Condition27	bool	
Condition28	bool	

Name	Type	Comments and Information
Condition29	bool	
Condition30	bool	
Condition31	bool	
Condition32	bool	
Condition34	bool	
Condition37	bool	
Condition40	bool	
Condition44	bool	
Condition45	bool	
Condition46	bool	
Condition47	bool	
Condition50	bool	
Condition51	bool	
Condition56	bool	
Condition58	bool	
Condition59	bool	
Condition60	bool	
Condition61	bool	
Condition62	bool	
Condition63	bool	
Condition68	bool	
Condition70	bool	
Condition71	bool	
Condition72	bool	
Condition73	bool	
Condition74	bool	
ConditionTrip	bool	

Table 9: Outputs of SwitchModes

Name	Type	Properties	Comments and Information
currentMode	Level_And_Mode_Type s_Pkg::T_Mode	default	Level_And_Mode_Types_Pkg::SB
		last	Level_And_Mode_Types_Pkg::SB

3.1.5.2. Locals

Table 10: Locals of SwitchModes

Name	Type	Properties	Comments and Information
FromFS	Level_And_Mode_Type s_Pkg::T_Mode		

Name	Type	Properties		Comments and Information
FromLS	Level_And_Mode_Type s_Pkg::T_Mode			
FromNL	Level_And_Mode_Type s_Pkg::T_Mode			
FromNP	Level_And_Mode_Type s_Pkg::T_Mode			
FromOS	Level_And_Mode_Type s_Pkg::T_Mode			
FromPS	Level_And_Mode_Type s_Pkg::T_Mode			
FromPT	Level_And_Mode_Type s_Pkg::T_Mode			
FromRV	Level_And_Mode_Type s_Pkg::T_Mode			
FromSB	Level_And_Mode_Type s_Pkg::T_Mode			
FromSF	Level_And_Mode_Type s_Pkg::T_Mode			
FromSH	Level_And_Mode_Type s_Pkg::T_Mode			
FromSL	Level_And_Mode_Type s_Pkg::T_Mode			
FromSN	Level_And_Mode_Type s_Pkg::T_Mode			
FromSR	Level_And_Mode_Type s_Pkg::T_Mode			
FromTR	Level_And_Mode_Type s_Pkg::T_Mode			
FromUN	Level_And_Mode_Type s_Pkg::T_Mode			
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	default	Level_And_M ode_Types_P kg::SB	

3.1.5.3. Operator Hierarchy

diagram : diagram_SwitchModes_1

3.1.5.4. Graphical and Textual Diagrams

3.1.5.4.1. View of diagram_SwitchModes_1 (SwitchModes)




Figure 4: View of diagram_SwitchModes_1 (SwitchModes)

3.2. Conditions Package

3.2.1. ToFullSupervision Operator

Declared as **public node**

3.2.1.1. Comments and Information

ToFullSupervision Comments:

SRS-26 §4.6.3 C25 : "(ERTMS/ETCS level switches to 1,2 or 3) AND (MA+SSP+gradient are on-board) AND (no specific mode is required by a Mode Profile)"

SRS-26 §4.6.3 C31 : "(MA+SSP+gradient are on-board) AND (no specific mode is required by a Mode Profile) AND (ERTMS/ETCS level is 2 or 3)"

SRS-26 §4.6.3 C32 : "(MA+SSP+gradient are on-board) AND (no specific mode is required by a Mode Profile) AND (ERTMS/ETCS level is 1) AND (no trip order is given by balise)"

3.2.1.2. Interface

Table 11: Inputs of ToFullSupervision

Name	Type	Properties		Comments and Information
Current_Level	M_LEVEL	last	M_LEVEL_Level_0	
Trip_Order_Given_By_Balise	bool			
Mode_Profile_On_Board	Level_And_Mode_Types_Pkg::T_Mode_Profile			
MA_SSP_Gradient_Available	bool			

Table 12: Outputs of ToFullSupervision

Name	Type	Comments and Information
Condition25	bool	
Condition31	bool	
Condition32	bool	

3.2.1.3. Locals

Table 13: Locals of ToFullSupervision

Name	Type	Comments and Information
FS_Data_Condition	bool	

3.2.1.4. Operator Hierarchy

diagram : diagram_ToFullSupervision_1

3.2.1.5. Graphical and Textual Diagrams

3.2.1.5.1. View of diagram_ToFullSupervision_1 (ToFullSupervision)




Figure 5: View of diagram_ToFullSupervision_1 (ToFullSupervision)

3.2.2. ToIsolate Operator

Declared as **public function**

3.2.2.1. Comments and Information

ToIsolate Comments:

§4.6.3 : Condition 1 : "The driver isolates the ERTMS/ETCS on-board equipment".

3.2.2.2. Interface

Table 14: Inputs of ToIsolate

Name	Type	Comments and Information
ETCS_Isolation_Status	bool	

Table 15: Outputs of ToIsolate

Name	Type	Comments and Information
Condition1	bool	

3.2.2.3. Operator Hierarchy

diagram : diagram_ToIsolate_1

3.2.2.4. Graphical and Textual Diagrams

3.2.2.4.1. View of diagram_ToIsolate_1 (ToIsolate)




Figure 6: View of diagram_ToIsolate_1 (ToIsolate)

3.2.3. ToNonLeading Operator

Declared as **public function**

3.2.3.1. Comments and Information

ToNonLeading Comments:

§4.6.3 : Condition 46 " Driver selects non-leading AND train is at standstill AND non-leading input signal received

3.2.3.2. Interface

Table 16: Inputs of ToNonLeading

Name	Type	Comments and Information
Train_Permitted_NL	bool	
Train_Standstill	bool	
Driver_Req_NL	bool	

Table 17: Outputs of ToNonLeading

Name	Type	Comments and Information
Condition46	bool	

3.2.3.3. Operator Hierarchy

diagram : diagram_ToNonLeading_1

3.2.3.4. Graphical and Textual Diagrams

3.2.3.4.1. View of diagram_ToNonLeading_1 (ToNonLeading)




Figure 7: View of diagram_ToNonLeading_1 (ToNonLeading)

3.2.4. ToNoPower Operator

Declared as **public function**

3.2.4.1. Comments and Information

ToNoPower Comments:

§4.6.3 : Condition 29 : "The ERTMS/ETCS on -board equipment is not powered".

3.2.4.2. Interface

Table 18: Inputs of ToNoPower

Name	Type	Comments and Information
OnBoard_Powered	bool	

Table 19: Outputs of ToNoPower

Name	Type	Comments and Information
Condition29	bool	

3.2.4.3. Operator Hierarchy

diagram : diagram_ToNoPower_1

3.2.4.4. Graphical and Textual Diagrams

3.2.4.4.1. View of diagram_ToNoPower_1 (ToNoPower)




Figure 8: View of diagram_ToNoPower_1 (ToNoPower)

3.2.5. ToPassiveShunting Operator

Declared as **public function**

3.2.5.1. Comments and Information

ToPassiveShunting Comments:

§4.6.3 : Condition 26 : "desks are closed AND "continue shunting on desk closure" function is active AND the "passive shunting" input signal is active"

3.2.5.2. Interface

Table 20: Inputs of ToPassiveShunting

Name	Type	Comments and Information
Train_Permitted_PS	bool	
Continue_Shunting_Function_Active	bool	
Desks_Closed	bool	

Table 21: Outputs of ToPassiveShunting

Name	Type	Comments and Information
Condition26	bool	

3.2.5.3. Operator Hierarchy

diagram : diagram_ToPassiveShunting_1

3.2.5.4. Graphical and Textual Diagrams

3.2.5.4.1. View of diagram_ToPassiveShunting_1 (ToPassiveShunting)




Figure 9: View of diagram_ToPassiveShunting_1 (ToPassiveShunting)

3.2.6. ToShunting Operator

Declared as **public node**

3.2.6.1. Interface

Table 22: Inputs of ToShunting

Name	Type	Comments and Information
Current_Level	M_LEVEL	
Current_Mode	Level_And_Mode_Type s_Pkg::T_Mode	
Desk_Open	bool	
Driver_Ack_SH	bool	
Driver_Req_SH	bool	
Mode_Profile_On_Board	Level_And_Mode_Type s_Pkg::T_Mode_Profile	
On_Going_Mission	bool	
Shunting_Granted_By_RBC	bool	

Name	Type	Comments and Information
Stop_Shunting_Stored	bool	
Train_Position	TrainPosition_Types_Pkg::trainPosition_T	
Train_Speed	Obu_BasicTypes_Pkg::Speed_T	
Train_Standstill	bool	

Table 23: Outputs of ToShunting

Name	Type	Comments and Information
Condition5	bool	
Condition6	bool	
Condition23	bool	
Condition50	bool	
Condition51	bool	
Condition61	bool	
Ack_SH_Req_To_Driver	bool	
Clean_BG_List_SH_Area	bool	
End_Of_Mission_Procedure_Req	bool	
Request_For_SH_To_RBC	bool	
Service_Brake_Command	bool	
SH_refused_By_RBC_To_DMI	bool	

3.2.6.2. Operator Hierarchy

diagram : diagram_ToShunting_1

3.2.6.3. Graphical and Textual Diagrams

3.2.6.3.1. View of diagram_ToShunting_1 (ToShunting)





Figure 10: View of diagram_ToShunting_1 (ToShunting)

3.2.7. ToSleeping Operator

Declared as **public function**

3.2.7.1. Comments and Information

ToSleeping Comments:

§4.6.3 : Condition 14 : "The sleeping input signal is received AND train is at standstill AND all desks connected to the ERTMS/ETCS on-board equipment are closed

3.2.7.2. Interface

Table 24: Inputs of ToSleeping

Name	Type	Comments and Information
All_Desks_Closed	bool	
Train_Standstill	bool	
Train_Req_SL	bool	

Table 25: Outputs of ToSleeping

Name	Type	Comments and Information
Condition14	bool	

3.2.7.3. Operator Hierarchy

diagram : diagram_ToSleeping_1

3.2.7.4. Graphical and Textual Diagrams

3.2.7.4.1. View of diagram_ToSleeping_1 (ToSleeping)




Figure 11: View of diagram_ToSleeping_1 (ToSleeping)

3.2.8. ToStaffResponsible Operator

Declared as **public node**

3.2.8.1. Interface

Table 26: Inputs of ToStaffResponsible

Name	Type	Properties		Comments and Information
Current_Level	M_LEVEL	last	M_LEVEL_Level_0	
Driver_Req_Override	bool			
Train_Speed_Under_Override_Limit	bool			
Override_Function_Active	bool			
Emergency_Stop_Message_Received	bool			

Table 27: Outputs of ToStaffResponsible

Name	Type	Comments and Information
Condition44	bool	
Condition45	bool	

Name	Type	Comments and Information
Condition37	bool	

3.2.8.2. Locals

Table 28: Locals of ToStaffResponsible

Name	Type	Comments and Information
Level_L1	bool	
Level_L2_L3	bool	
Level_prev_L0_LNTC	bool	

3.2.8.3. Operator Hierarchy

diagram : diagram_ToOnSight1_1

3.2.8.4. Graphical and Textual Diagrams

3.2.8.4.1. View of diagram_ToOnSight1_1 (ToStaffResponsible)




Figure 12: View of diagram_ToOnSight1_1 (ToStaffResponsible)

3.2.9. ToStandBy Operator

Declared as **public function**

3.2.9.1. Comments and Information

ToStandBy Comments:

SRS-026 § 4.6.2 : C2 "(a desk is open)"

SRS-026 § 4.6.2 : C3 "(no "go sleeping" input signal is received any more) AND (train is at standstill)"

SRS-026 § 4.6.2 : C4 "The ERTMS/ETCS on-board equipment is powered."

SRS-026 § 4.6.2 : C19 "(driver selects "exit Shunting") AND (train is at standstill)."

SRS-026 § 4.6.2 : C22 "(a desk is open) AND ("Stop Shunting on desk opening" information is stored onboard)"

SRS-026 § 4.6.2 : C27 "(desks are closed) AND ("Continue Shunting on desk closure" function is not active)"

SRS-026 § 4.6.2 : C28 "(desks are closed) "

SRS-026 § 4.6.2 : C30 "(desks are closed) AND (no "passive shunting" input signal is received)"

SRS-026 § 4.6.2 : C47 "(no "non leading" input signal is received any more) AND (train is at standstill)"

3.2.9.2. Interface

Table 29: Inputs of ToStandBy

Name	Type	Comments and Information
Desk_Open	bool	
All_Desks_Closed	bool	
Train_Standstill	bool	
Train_Req_SL	bool	
OnBoard_Powered	bool	
Train_Permitted_PS	bool	
Train_Permitted_NL	bool	
Continue_Shunting_function_Active	bool	
Driver_Req_Exit_SH	bool	
Stop_Shunting_Stored	bool	
On_Going_Mission	bool	

Table 30: Outputs of ToStandBy

Name	Type	Properties	Comments and Information
Condition2	bool		
Condition3	bool		
Condition4	bool		
Condition19	bool		
Condition22	bool		
Condition27	bool		
Condition28	bool		
Condition30	bool		

Name	Type	Properties		Comments and Information
Condition47	bool			
End_Of_Mission_Procedure_Req	bool	default	false	

3.2.9.3. Operator Hierarchy

diagram : diagram_ToStandBy_1

3.2.9.4. Graphical and Textual Diagrams

3.2.9.4.1. View of diagram_ToStandBy_1 (ToStandBy)




Figure 13: View of diagram_ToStandBy_1 (ToStandBy)

3.2.10. ToSystemFailure Operator

Declared as **public function**

3.2.10.1. Comments and Information

ToSystemFailure Comments:

§4.6.3 : Condition 13 : "The ERTMS/ETCS on-board equipment detects a fault that affects safety".

3.2.10.2. Interface

Table 31: Inputs of ToSystemFailure

Name	Type	Comments and Information
Safety_Failure_Occured	bool	

Table 32: Outputs of ToSystemFailure

Name	Type	Comments and Information
Condition13	bool	

3.2.10.3. Operator Hierarchy

diagram : diagram_ToSystemFailure_1

3.2.10.4. Graphical and Textual Diagrams

3.2.10.4.1. View of diagram_ToSystemFailure_1 (ToSystemFailure)



Figure 14: View of diagram_ToSystemFailure_1 (ToSystemFailure)

3.2.11. ToSystemNational Operator

Declared as **public node**

3.2.11.1. Comments and Information

ToSystemNational Comments:

SRS-026 § 4.6.2 : C56 "(the ERTMS/ETCS level switches to "NTC")"

3.2.11.2. Interface

Table 33: Inputs of ToSystemNational

Name	Type	Properties		Comments and Information
Current_Level	M_LEVEL	last	M_LEVEL_Level_0	

Table 34: Outputs of ToSystemNational

Name	Type	Comments and Information
Condition56	bool	

3.2.11.3. Operator Hierarchy

diagram : diagram_ToSystemNational1_1

3.2.11.4. Graphical and Textual Diagrams

3.2.11.4.1. View of diagram_ToSystemNational1_1 (ToSystemNational)




Figure 15: View of diagram_ToSystemNational1_1 (ToSystemNational)

3.2.12. ToTrip Operator

Declared as **public node**

3.2.12.1. Interface

Table 35: Inputs of ToTrip

Name	Type	Properties		Comments and Information
BG_In_Expected_List_In_SH	bool			
BG_In_Expected_List_In_SR	bool			
Current_Level	M_LEVEL	last	M_LEVEL_Level_0	
Current_Mode	Level_And_Mode_Types_Pkg::T_Mode			
Driver_Select_SH	bool			
Emergency_Stop_Message_Received	bool			
Error_BG_System_Version	bool			
Estimated_Front_End_Overpass_SR_Distance	bool			
Estimated_Front_End_Rear_Location_SSP_Or_Gradient	bool			
Interface_To_National_System	bool			
Linked_BG_Pased_In_Wrong_Direction	bool			
Linking_Reaction_To_Trip	bool			
List_BG_Related_To_SR_Empty	bool			
MA_Available	bool			
National_Trip_Order	bool			
Override_Function_Active	bool			
Override_Function_Former_Active	bool			
Stop_If_In_Shunting	bool			
Stop_If_In_SR	bool			

Name	Type	Properties	Comments and Information
T_NVCONTACT_Overpass	bool		
Train_Overpass_EOA_Antenna	bool		
Train_Overpass_EOA_Front_End	bool		
Train_Overpass_Former_EOA_Antenna	bool		
Trip_Order_Given_By_Balise	bool		

Table 36: Outputs of ToTrip

Name	Type	Comments and Information
Condition2Trip	bool	

3.2.12.2. Locals

Table 37: Locals of ToTrip

Name	Type	Comments and Information
Condition12	bool	
Condition16	bool	
Condition17	bool	
Condition18	bool	
Condition20	bool	
Condition35	bool	
Condition36	bool	
Condition38	bool	
Condition39	bool	
Condition41	bool	
Condition42	bool	
Condition43	bool	
Condition49	bool	
Condition52	bool	
Condition54	bool	
Condition65	bool	
Condition66	bool	
Condition67	bool	
Condition69	bool	
Level_L1	bool	
Level_L1_L2_L3	bool	
Level_L2_L3	bool	
Level_LNTC	bool	
Level_prev_L0_LNTC	bool	
Level_prev_L1	bool	

Name	Type	Comments and Information
Mode_FS_LS_OS	bool	
Mode_SH	bool	
Mode_SN	bool	
Mode_SR	bool	
Mode_UN	bool	

3.2.12.3. Operator Hierarchy

diagram : diagram_ToTrip_1

3.2.12.4. Graphical and Textual Diagrams

3.2.12.4.1. View of diagram_ToTrip_1 (ToTrip)




Figure 16: View of diagram_ToTrip_1 (ToTrip)

3.2.13. ToUnfitted Operator

Declared as **public node**

3.2.13.1. Comments and Information

ToUnfitted Comments:

SRS-026 § 4.6.2 : C21 "(the ERTMS/ETCS level switches to 0"

3.2.13.2. Interface

Table 38: Inputs of ToUnfitted

Name	Type	Properties		Comments and Information
Current_Level	M_LEVEL	last	M_LEVEL_Level_0	

Table 39: Outputs of ToUnfitted

Name	Type	Comments and Information
Condition21	bool	

3.2.13.3. Operator Hierarchy

diagram : diagram_ToUnfitted_1

3.2.13.4. Graphical and Textual Diagrams

3.2.13.4.1. View of diagram_ToUnfitted_1 (ToUnfitted)




Figure 17: View of diagram_ToUnfitted_1 (ToUnfitted)

3.3. Interfaces Package

3.3.1. InputDMI Operator

Declared as **public function**

3.3.1.1. Interface

Table 40: Inputs of InputDMI

Name	Type	Comments and Information
Data_From_DMI	Level_And_Mode_Type s_Pkg::T_Data_From_DMI	

Table 41: Outputs of InputDMI

Name	Type	Comments and Information
Driver_Ack_LS	bool	
Driver_Ack_OS	bool	
Driver_Ack_RV	bool	
Driver_Ack_SH	bool	
Driver_Ack_SN	bool	
Driver_Ack_SR	bool	
Driver_Ack_TR	bool	
Driver_Ack_UN	bool	
Driver_Req_Exit_SH	bool	
Driver_Req_NL	bool	
Driver_Req_Override	bool	
Driver_Req_SH	bool	
Driver_Req_Start	bool	
ETCS_Isolated	bool	

3.3.1.2. Operator Hierarchy

diagram : diagram_Operator5_1

3.3.1.3. Graphical and Textual Diagrams

3.3.1.3.1. View of diagram_Operator5_1 (InputDMI)



Figure 18: View of diagram_Operator5_1 (InputDMI)

3.3.2. InputF2Functions Operator

Declared as **public function**

3.3.2.1. Interface

Table 42: Inputs of InputF2Functions

Name	Type	Comments and Information
Data_From_F2_Functions	Level_And_Mode_Types_Pkg::T_Data_From_F2_functions	

Table 43: Outputs of InputF2Functions

Name	Type	Comments and Information
T_NVCONTACT_Overpass	bool	
Error_BG_System_Version	bool	
Failure_Occured	bool	
Continue_Shunting_Function_Active	bool	
Stop_Shunting_Stored	bool	
Linking_Reaction_To_Trip	bool	

3.3.2.2. Operator Hierarchy

diagram : diagram_InputF2Functions_1

3.3.2.3. Graphical and Textual Diagrams

3.3.2.3.1. View of diagram_InputF2Functions_1 (InputF2Functions)




Figure 19: View of diagram_InputF2Functions_1 (InputF2Functions)

3.3.3. InputLocalisation Operator

Declared as **public function**

3.3.3.1. Interface

Table 44: Inputs of InputLocalisation

Name	Type	Comments and Information
Data_From_Localisation	Level_And_Mode_Type s_Pkg::T_Data_From_Localisation	

Table 45: Outputs of InputLocalisation

Name	Type	Comments and Information
BG_In_Expected_List_In_SR	bool	
BG_In_Expected_List_In_SH	bool	
Linked_BG_Pased_In_Wrong_Direction	bool	
Train_Position	TrainPosition_Types_Pkg::trainPosition_T	
Train_Speed	Obu_BasicTypes_Pkg::Speed_T	
Train_Standstill	bool	

3.3.3.2. Operator Hierarchy

diagram : diagram_InputSpeedAndSupervision1_1

3.3.3.3. Graphical and Textual Diagrams

3.3.3.3.1. View of diagram_InputSpeedAndSupervision1_1 (InputLocalisation)




Figure 20: View of diagram_InputSpeedAndSupervision1_1 (InputLocalisation)

3.3.4. InputSpeedAndSupervision Operator

Declared as **public function**

3.3.4.1. Interface

Table 46: Inputs of InputSpeedAndSupervision

Name	Type	Comments and Information
Data_From_Speed_and_Supervision	Level_And_Mode_Type s_Pkg::T_Data_From_Speed_Supervision	

Table 47: Outputs of InputSpeedAndSupervision

Name	Type	Comments and Information
Estimated_Front_End_Overpass_SR_Distance	bool	
Estimated_Front_End_Rear_Location_SSP_Or_Gradient	bool	
Override_Function_Active	bool	
Train_Overpass_EOA_Antenna	bool	
Train_Overpass_EOA_Front_End	bool	
Train_Speed_Under_Override_Limit	bool	

3.3.4.2. Operator Hierarchy

diagram : diagram_InputSpeedAndSupervision_1

3.3.4.3. Graphical and Textual Diagrams

3.3.4.3.1. View of diagram_InputSpeedAndSupervision_1 (InputSpeedAndSupervision)




Figure 21: View of diagram_InputSpeedAndSupervision_1 (InputSpeedAndSupervision)

3.3.5. InputSTM Operator

Declared as **public function**

3.3.5.1. Interface

Table 48: Inputs of InputSTM

Name	Type	Comments and Information
Data_From_STM	Level_And_Mode_Type s_Pkg::T_Data_From_ STM	

Table 49: Outputs of InputSTM

Name	Type	Comments and Information
Interface_To_National_ System	bool	
National_Trip_Order	bool	

3.3.5.2. Operator Hierarchy

diagram : diagram_InputSTM_1

3.3.5.3. Graphical and Textual Diagrams

3.3.5.3.1. View of diagram_InputSTM_1 (InputSTM)




Figure 22: View of diagram_InputSTM_1 (InputSTM)

3.3.6. InputTIUManagement Operator

Declared as **public function**

3.3.6.1. Comments and Information

InputTIUManagement Comments:

What are the default values for the location if the train position is not valid ?
Do we use the last value or a default value ?

3.3.6.2. Interface

Table 50: Inputs of InputTIUManagement

Name	Type	Comments and Information
Data_from_TIU	TIU_Types_Pkg::Messa ge_Train_Interface_to_ EVC_T	

Name	Type	Comments and Information
Cab	TIU_Types_Pkg::cab_ID_T	

Table 51: Outputs of InputTIUManagement

Name	Type	Comments and Information
Train_Permitted_NL	bool	
Train_Permitted_PS	bool	
Train_Req_SL	bool	
All_Desks_Closed	bool	
Desk_Open	bool	
OnBoard_Powered	bool	
Valid_Train_Data_Stored	bool	

3.3.6.3. Locals

Table 52: Locals of InputTIUManagement

Name	Type	Comments and Information
Loc_Cab_ST	TIU_Types_Pkg::M_cab_signal_status_T	
Loc_NL_ST	TIU_Types_Pkg::M_noleading_signal_status_T	
Loc_PS_ST	TIU_Types_Pkg::M_passiveshunting_signal_status_T	
Loc_Sleeping_ST	TIU_Types_Pkg::M_sleeping_signal_status_T	

3.3.6.4. Operator Hierarchy

diagram : diagram_InputTIUManagement_1

3.3.6.5. Graphical and Textual Diagrams

3.3.6.5.1. View of diagram_InputTIUManagement_1 (InputTIUManagement)




Figure 23: View of diagram_InputTIUManagement_1 (InputTIUManagement)

3.3.7. InputTrackManagement Operator Declared as **public function**

3.3.7.1. Interface

Table 53: Inputs of InputTrackManagement

Name	Type	Comments and Information
Data_From_Track	Level_And_Mode_Type s_Pkg::T_Data_From_Track	

Table 54: Outputs of InputTrackManagement

Name	Type	Comments and Information
MA_SSP_Gradient_Available	bool	
Mode_Profile_On_Board	Level_And_Mode_Type s_Pkg::T_Mode_Profile	
Shunting_Granted_By_RBC	bool	
Trip_Order_Given_By_Balise	bool	
List_BG_Related_To_S R_Empty	bool	
Stop_If_In_Shunting	bool	
Stop_If_In_SR	bool	
RCB_Ack_And_EB_Revoked	bool	
RBC_Authorized_SR	bool	
Reversing_Data	Level_And_Mode_Type s_Pkg::T_Reversing_Data	
Emergency_Stop_Message_Received	bool	

3.3.7.2. Operator Hierarchy

diagram : diagram_InputTrackManagement_1

3.3.7.3. Graphical and Textual Diagrams

3.3.7.3.1. View of diagram_InputTrackManagement_1 (InputTrackManagement)



Figure 24: View of diagram_InputTrackManagement_1 (InputTrackManagement)

3.3.8. Output_To_BG_Management Operator

Declared as **public function**

3.3.8.1. Interface

Table 55: Inputs of Output_To_BG_Management

Name	Type	Comments and Information
End_Of_Mission_Procedure_Req	bool	
Clean_BG_List_SH_Area	bool	
MA_Req_To_RBC	bool	
Request_For_SH_To_RBC	bool	

Table 56: Outputs of Output_To_BG_Management

Name	Type	Comments and Information
Data_To_BG_Management	Level_And_Mode_Types_Pkg::T_Data_To_BG_Management	

3.3.8.2. Operator Hierarchy

diagram : diagram_Output_To_BG_Management_1

3.3.8.3. Graphical and Textual Diagrams

3.3.8.3.1. View of diagram_Output_To_BG_Management_1 (Output_To_BG_Management)




Figure 25: View of diagram_Output_To_BG_Management_1 (Output_To_BG_Management)

3.3.9. Output_To_DMI Operator

Declared as **public function**

3.3.9.1. Interface

Table 57: Inputs of Output_To_DMI

Name	Type	Comments and Information
Ack_LS_Req_To_Driver	bool	
Ack_OS_Req_To_Driver	bool	
Ack_RV_Req_To_Driver	bool	
Ack_SH_Req_To_Driver	bool	
Ack_SN_Req_To_Driver	bool	
Ack_SR_Req_To_Driver	bool	
Ack_TR_Req_To_Driver	bool	
Ack_UN_Req_To_Driver	bool	
SH_Refused_By_RBC_To_DMI	bool	

Table 58: Outputs of Output_To_DMI

Name	Type	Comments and Information
Data_To_DMI	Level_And_Mode.Types.Pkg::T_Data_To_DMI	

3.3.9.2. Operator Hierarchy

diagram : diagram_Output_To_DMI_1

3.3.9.3. Graphical and Textual Diagrams

3.3.9.3.1. View of diagram_Output_To_DMI_1 (Output_To_DMI)




Figure 26: View of diagram_Output_To_DMI_1 (Output_To_DMI)

3.3.10. OutputManagement Operator

Declared as **public function**

3.3.10.1. Interface

Table 59: Inputs of OutputManagement

Name	Type	Comments and Information
current_Mode	Level_And_Mode_Types_Pkg::T_Mode	
Ack_LS_Req_To_Driver	bool	
Ack_OS_Req_To_Driver	bool	
Ack_RV_Req_To_Driver	bool	
Ack_SH_Req_To_Driver	bool	
Ack_SN_Req_To_Driver	bool	
Ack_SR_Req_To_Driver	bool	
Ack_TR_Req_To_Driver	bool	
Ack_UN_Req_To_Driver	bool	
Clean_BG_List_SH_Area	bool	
EB_requested	bool	
End_Of_Mission_Procedure_Req	bool	
MA_Req_to_RBC	bool	
Request_For_SH_To_RBC	bool	

Name	Type	Comments and Information
service_brake_Command	bool	
SH_Refused_by_RBC_To_DMI	bool	

Table 60: Outputs of OutputManagement

Name	Type	Comments and Information
Data_To_DMI	Level_And_Mode_Types_Pkg::T_Data_To_DMI	
Data_To_BG_Management	Level_And_Mode_Types_Pkg::T_Data_To_BG_Management	
EB_Requested	bool	
Service_Brake_Command	bool	
newMode	Level_And_Mode_Types_Pkg::T_Mode	

3.3.10.2. Operator Hierarchy diagram : diagram_Operator48_1

3.3.10.3. Graphical and Textual Diagrams

3.3.10.3.1. View of diagram_Operator48_1 (OutputManagement)




Figure 27: View of diagram_Operator48_1 (OutputManagement)

3.4. Librairies Package

3.4.1. Mode_Profile_Calculations Operator

Declared as **public function**

3.4.1.1. Interface

Table 61: Inputs of Mode_Profile_Calculations

Name	Type	Comments and Information
Selected_Mode	Level_And_Mode_Type s_Pkg::T_Mode	
Mode_Profile_On_Board	Level_And_Mode_Type s_Pkg::T_Mode_Profile	
Profile_Mode	Level_And_Mode_Type s_Pkg::T_MA	
Train_Speed	Obu_BasicTypes_Pkg:: Speed_T	
Train_Position	TrainPosition_Types_Pc k::trainPosition_T	

Table 62: Outputs of Mode_Profile_Calculations

Name	Type	Comments and Information
Max_Safe_Front_In_Mode_Profile	bool	
Supervision_Condition_In_Mode_Profile	bool	
Awaited_Mode_Profile	bool	
Estimated_front_End_In_Ack_Area	bool	

3.4.1.2. Locals

Table 63: Locals of Mode_Profile_Calculations

Name	Type	Comments and Information
Condition_Loc	bool	
Condition_Ok	bool	
Estimated_Front_End	Obu_BasicTypes_Pkg:: Location_T	
Loc_MP_Distance	Obu_BasicTypes_Pkg:: Location_T	
Loc_MP_Length	Obu_BasicTypes_Pkg:: Location_T	
Loc_MP_Length_Ack	Obu_BasicTypes_Pkg:: Location_T	
Loc_MP_Mode	Level_And_Mode_Type s_Pkg::T_MA	
Loc_MP_Speed	Obu_BasicTypes_Pkg:: Speed_T	
Max_Safe_Front_End	Obu_BasicTypes_Pkg:: Location_T	
Valid_Train_Position	bool	

3.4.1.3. Operator Hierarchy

diagram : diagram_Operator7_1

activate if : IfBlock2

branch : then

```
branch : else
```

branch : then

```
branch : else
```

```
branch : then
```

```
branch : else
```

3.4.1.4. Graphical and Textual Diagrams

3.4.1.4.1. View of diagram_Operator7_1 (Mode_Profile_Calculations)




Figure 28: View of diagram_Operator7_1 (Mode_Profile_Calculations)

Table 64: Conditional Blocks of diagram_Operator7_1

Conditional Block	Comments and Information
IfBlock2	

Table 65: Actions of diagram_Operator7_1

Conditional Block Action	Comments and Information
IfBlock2:then	
IfBlock2:else:then	
IfBlock2:else:else:then	
IfBlock2:else:else:else	

3.4.2. Position_In_Ack_Area Operator

Declared as **public function**

3.4.2.1. Interface

Table 66: Inputs of Position_In_Ack_Area

Name	Type	Comments and Information
Position	Obu_BasicTypes_Pkg::Location_T	
D_Area	Obu_BasicTypes_Pkg::Location_T	
L_Ack_Area	Obu_BasicTypes_Pkg::Location_T	

Table 67: Outputs of Position_In_Ack_Area

Name	Type	Comments and Information
Position_In_Ack_Area	bool	

3.4.2.2. Operator Hierarchy

diagram : diagram_Position_In_Ack_Area_1

3.4.2.3. Graphical and Textual Diagrams

3.4.2.3.1. View of diagram_Position_In_Ack_Area_1 (Position_In_Ack_Area)




Figure 29: View of diagram_Position_In_Ack_Area_1 (Position_In_Ack_Area)

3.4.3. Position_In_Area Operator

Declared as **public function**

3.4.3.1. Interface

Table 68: Inputs of Position_In_Area

Name	Type	Comments and Information
Position	Obu_BasicTypes_Pkg::Location_T	
D_Area	Obu_BasicTypes_Pkg::Location_T	
L_Area	Obu_BasicTypes_Pkg::Location_T	

Table 69: Outputs of Position_In_Area

Name	Type	Comments and Information
Position_In_Area	bool	

3.4.3.2. Operator Hierarchy

diagram : diagram_Position_In_Area_1

3.4.3.3. Graphical and Textual Diagrams

3.4.3.3.1. View of diagram_Position_In_Area_1 (Position_In_Area)




Figure 30: View of diagram_Position_In_Area_1 (Position_In_Area)

3.4.4. Reversing_Calculations Operator

Declared as **public function**

3.4.4.1. Interface

Table 70: Inputs of Reversing_Calculations

Name	Type	Comments and Information
Reversing_Data	Level_And_Mode_Type s_Pkg::T_Reversing_Data	
Train_Position	TrainPosition_Types_Pc k::trainPosition_T	

Table 71: Outputs of Reversing_Calculations

Name	Type	Comments and Information
Max_Safe_Front_In_Re verse_Area	bool	
RV_Data_Available	bool	

3.4.4.2. Locals

Table 72: Locals of Reversing_Calculations

Name	Type	Comments and Information
Loc_RV_Available	bool	
Loc_RV_Dist_Start	Obu_BasicTypes_Pkg:: Location_T	
Loc_RV_Length	Obu_BasicTypes_Pkg:: Location_T	
Max_Safe_Front_End	Obu_BasicTypes_Pkg:: Location_T	
Valid_Train_Position	bool	

3.4.4.3. Operator Hierarchy

diagram : diagram_Operator7_1

3.4.4.4. Graphical and Textual Diagrams

3.4.4.4.1. View of diagram_Operator7_1 (Reversing_Calculations)



Figure 31: View of diagram_Operator7_1 (Reversing_Calculations)

3.5. PriorityManagement Package

3.5.1. From_FS Operator

Declared as **public function**

3.5.1.1. Interface

Table 73: Inputs of From_FS

Name	Type	Comments and Information
Condition1	bool	
Condition5	bool	
Condition6	bool	
Condition13	bool	
Condition15	bool	
Condition21	bool	
Condition28	bool	
Condition29	bool	
Condition37	bool	
Condition40	bool	
Condition46	bool	
Condition50	bool	
Condition51	bool	
Condition56	bool	
Condition59	bool	
Condition70	bool	
Condition72	bool	
ConditionFS2TR	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 74: Outputs of From_FS

Name	Type	Comments and Information
FromFS_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.1.2. Locals

Table 75: Locals of From_FS

Name	Type	Comments and Information
Condition2LS	bool	
Condition2OS	bool	
Condition2SH	bool	

3.5.1.3. Operator Hierarchy

diagram : diagram_From_FS

activate if : IfBlock1

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch :

then

branch :

else

branch : then

branch : else

branch : then

branch : else

3.5.1.4. Graphical and Textual Diagrams

3.5.1.4.1. View of diagram_From_FS (From_FS)



Figure 32: View of diagram_From_FS (From_FS)

Table 76: Conditional Blocks of diagram_From_FS

Conditional Block	Comments and Information
IfBlock1	

Table 77: Actions of diagram_From_FS

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	

Conditional Block Action	Comments and Information
IfBlock1:else:else:else:else:else:else:the n	
IfBlock1:else:else:else:else:else:else:else :then	
IfBlock1:else:else:else:else:else:else:else :else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:else:else	

3.5.2. From_LS Operator

Declared as **public function**

3.5.2.1. Interface

Table 78: Inputs of From_LS

Name	Type	Comments and Information
Condition1	bool	
Condition5	bool	
Condition6	bool	
Condition13	bool	
Condition15	bool	
Condition21	bool	
Condition28	bool	
Condition29	bool	
Condition31	bool	
Condition32	bool	
Condition37	bool	
Condition46	bool	
Condition50	bool	
Condition51	bool	
Condition56	bool	
Condition59	bool	
Condition73	bool	
ConditionLS2TR	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 79: Outputs of From_LS

Name	Type	Comments and Information
FromLS_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.2.2. Locals

Table 80: Locals of From_LS

Name	Type	Comments and Information
Condition2FS	bool	
Condition2OS	bool	
Condition2SH	bool	

3.5.2.3. Operator Hierarchy

diagram : diagram_From_LS

activate if : IfBlock1

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch :

then

branch :

else

branch : then

branch : else

branch : then

branch : else

3.5.2.4. Graphical and Textual Diagrams

3.5.2.4.1. View of diagram_From_LS (From_LS)




Figure 33: View of diagram_From_LS (From_LS)

Table 81: Conditional Blocks of diagram_From_LS

Conditional Block	Comments and Information
IfBlock1	

Table 82: Actions of diagram_From_LS

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	

Conditional Block Action	Comments and Information
IfBlock1:else:else:else:else:else:else:the n	
IfBlock1:else:else:else:else:else:else:else :then	
IfBlock1:else:else:else:else:else:else:else :else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:else:else	

3.5.3. From_NL Operator

Declared as **public function**

3.5.3.1. Interface

Table 83: Inputs of From_NL

Name	Type	Comments and Information
Condition1	bool	
Condition28	bool	
Condition29	bool	
Condition47	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 84: Outputs of From_NL

Name	Type	Comments and Information
FromNL_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.3.2. Operator Hierarchy

diagram : diagram_From_NL

```

activate if : IfBlock1
  branch : then
  branch : else
    branch : then
    branch : else
      branch : then
      branch : else

```

3.5.3.3. Graphical and Textual Diagrams

3.5.3.3.1. View of diagram_From_NL (From_NL)




Figure 34: View of diagram_From_NL (From_NL)

Table 85: Conditional Blocks of diagram_From_NL

Conditional Block	Comments and Information
IfBlock1	

Table 86: Actions of diagram_From_NL

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else	

3.5.4. From_NP Operator

Declared as **public function**

3.5.4.1. Interface

Table 87: Inputs of From_NP

Name	Type	Comments and Information
Condition1	bool	
Condition4	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 88: Outputs of From_NP

Name	Type	Comments and Information
FromNP_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.4.2. Operator Hierarchy

diagram : diagram_From_NP

activate if : IfBlock1

branch : then

branch : else

branch : then

branch : else

3.5.4.3. Graphical and Textual Diagrams

3.5.4.3.1. View of diagram_From_NP (From_NP)




Figure 35: View of diagram_From_NP (From_NP)

Table 89: Conditional Blocks of diagram_From_NP

Conditional Block	Comments and Information
IfBlock1	

Table 90: Actions of diagram_From_NP

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else	

3.5.5. From_OS Operator

Declared as **public function**

3.5.5.1. Interface

Table 91: Inputs of From_OS

Name	Type	Comments and Information
Condition1	bool	
Condition5	bool	
Condition6	bool	
Condition13	bool	

Name	Type	Comments and Information
Condition21	bool	
Condition28	bool	
Condition29	bool	
Condition31	bool	
Condition32	bool	
Condition37	bool	
Condition46	bool	
Condition50	bool	
Condition51	bool	
Condition56	bool	
Condition59	bool	
Condition70	bool	
Condition74	bool	
ConditionOS2TR	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 92: Outputs of From_OS

Name	Type	Comments and Information
FromOS_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.5.2. Locals

Table 93: Locals of From_OS

Name	Type	Comments and Information
Condition2FS	bool	
Condition2LS	bool	
Condition2SH	bool	

3.5.5.3. Operator Hierarchy

diagram : diagram_From_OS

activate if : IfBlock1

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else

branch : then

branch : else


```

                                branch : then
                                branch : else
                                    branch : then
                                    branch : else
                                        branch : then
                                        branch : else
                                            branch : then
                                            branch : else
                                                branch :
then
                                branch :
else
                                branch :
branch : then
branch : else
branch : then
branch : else
```

3.5.5.4. Graphical and Textual Diagrams

3.5.5.4.1. View of diagram_From_OS (From_OS)





Figure 36: View of diagram_From_OS (From_OS)

Table 94: Conditional Blocks of diagram_From_OS

Conditional Block	Comments and Information
IfBlock1	

Table 95: Actions of diagram_From_OS

Conditional Block Action	Comments and Information
IfBlock1:then	

Conditional Block Action	Comments and Information
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:the n	
IfBlock1:else:else:else:else:else:else:else :then	
IfBlock1:else:else:else:else:else:else:else :else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:else:else	

3.5.6. From_PS Operator

Declared as **public function**

3.5.6.1. Interface

Table 96: Inputs of From_PS

Name	Type	Comments and Information
Condition1	bool	
Condition13	bool	
Condition14	bool	
Condition22	bool	
Condition23	bool	
Condition29	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 97: Outputs of From_PS

Name	Type	Comments and Information
FromPS_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.6.2. Operator Hierarchy

diagram : diagram_From_PS

activate if : IfBlock1

branch : then

```

branch : else
  branch : then
  branch : else
    branch : then
    branch : else
      branch : then
      branch : else
        branch : then
        branch : else

```

3.5.6.3. Graphical and Textual Diagrams

3.5.6.3.1. View of diagram_From_PS (From_PS)




Figure 37: View of diagram_From_PS (From_PS)

Table 98: Conditional Blocks of diagram_From_PS

Conditional Block	Comments and Information
IfBlock1	

Table 99: Actions of diagram_From_PS

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else	

3.5.7. From_PT Operator

Declared as **public function**

3.5.7.1. Interface

Table 100: Inputs of From_PT

Name	Type	Comments and Information
Condition1	bool	
Condition5	bool	
Condition6	bool	
Condition8	bool	
Condition13	bool	
Condition15	bool	
Condition28	bool	
Condition29	bool	
Condition31	bool	
Condition37	bool	
Condition50	bool	
Condition70	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 101: Outputs of From_PT

Name	Type	Comments and Information
FromPT_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.7.2. Locals

Table 102: Locals of From_PT

Name	Type	Comments and Information
Condition2SH	bool	
Condition2SR	bool	

3.5.7.3. Operator Hierarchy

diagram : diagram_From_PT

activate if : IfBlock1

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

```

branch : else
  branch : then
    branch : else
      branch : then
        branch : else
          branch : then
            branch : else

```

3.5.7.4. Graphical and Textual Diagrams

3.5.7.4.1. View of diagram_From_PT (From_PT)




Figure 38: View of diagram_From_PT (From_PT)

Table 103: Conditional Blocks of diagram_From_PT

Conditional Block	Comments and Information
IfBlock1	

Table 104: Actions of diagram_From_PT

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:the n	
IfBlock1:else:else:else:else:else:else:else :then	
IfBlock1:else:else:else:else:else:else:else :else:then	
IfBlock1:else:else:else:else:else:else:else :else:else	

3.5.8. From_RV Operator

Declared as **public function**

3.5.8.1. Interface

Table 105: Inputs of From_RV

Name	Type	Comments and Information
Condition1	bool	
Condition13	bool	
Condition28	bool	
Condition29	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 106: Outputs of From_RV

Name	Type	Comments and Information
FromRV_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.8.2. Operator Hierarchy

diagram : diagram_From_RV

activate if : IfBlock1

 branch : then

 branch : else

 branch : then

 branch : else

branch : then
branch : else
branch : then
branch : else

3.5.8.3. Graphical and Textual Diagrams

3.5.8.3.1. View of diagram_From_RV (From_RV)




Figure 39: View of diagram_From_RV (From_RV)

Table 107: Conditional Blocks of diagram_From_RV

Conditional Block	Comments and Information
IfBlock1	

Table 108: Actions of diagram_From_RV

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else	

3.5.9. From_SB Operator

Declared as **public function**

3.5.9.1. Interface

Table 109: Inputs of From_SB

Name	Type	Comments and Information
Condition1	bool	
Condition5	bool	
Condition6	bool	
Condition8	bool	
Condition10	bool	

Name	Type	Comments and Information
Condition13	bool	
Condition14	bool	
Condition15	bool	
Condition29	bool	
Condition37	bool	
Condition46	bool	
Condition50	bool	
Condition58	bool	
Condition60	bool	
Condition70	bool	
ConditionSB2TR	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 110: Outputs of From_SB

Name	Type	Comments and Information
FromSB_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.9.2. Locals

Table 111: Locals of From_SB

Name	Type	Comments and Information
Condition2SH	bool	
Condition2SR	bool	

3.5.9.3. Operator Hierarchy

diagram : diagram_From_SB

activate if : IfBlock1

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

then

else

branch : then

branch : else

branch : then

branch : else

branch : else
branch : then
branch : else
branch :

branch :

3.5.9.4. Graphical and Textual Diagrams

3.5.9.4.1. View of diagram_From_SB (From_SB)





Figure 40: View of diagram_From_SB (From_SB)

Table 112: Conditional Blocks of diagram_From_SB

Conditional Block	Comments and Information
IfBlock1	

Table 113: Actions of diagram_From_SB

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	

Conditional Block Action	Comments and Information
IfBlock1:else:else:else:else:else:else:the n	
IfBlock1:else:else:else:else:else:else:else :then	
IfBlock1:else:else:else:else:else:else:else :else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	

3.5.10. From_SF Operator

Declared as **public function**

3.5.10.1. Interface

Table 114: Inputs of From_SF

Name	Type	Comments and Information
Condition1	bool	
Condition29	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 115: Outputs of From_SF

Name	Type	Comments and Information
FromSF_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.10.2. Operator Hierarchy

diagram : diagram_From_SF

```

activate if : IfBlock1
  branch : then
  branch : else
    branch : then
    branch : else

```

3.5.10.3. Graphical and Textual Diagrams

3.5.10.3.1. View of diagram_From_SF (From_SF)




Figure 41: View of diagram_From_SF (From_SF)

Table 116: Conditional Blocks of diagram_From_SF

Conditional Block	Comments and Information
IfBlock1	

Table 117: Actions of diagram_From_SF

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else	

3.5.11. From_SH Operator

Declared as **public function**

3.5.11.1. Interface

Table 118: Inputs of From_SH

Name	Type	Comments and Information
Condition1	bool	
Condition13	bool	
Condition19	bool	
Condition26	bool	
Condition27	bool	
Condition29	bool	
Condition30	bool	
Condition46	bool	
ConditionSH2TR	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 119: Outputs of From_SH

Name	Type	Comments and Information
FromSH_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.11.2. Locals

Table 120: Locals of From_SH

Name	Type	Comments and Information
Condition2SB	bool	

3.5.11.3. Operator Hierarchy

diagram : diagram_From_SH

activate if : IfBlock1

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

3.5.11.4. Graphical and Textual Diagrams

3.5.11.4.1. View of diagram_From_SH (From_SH)




Figure 42: View of diagram_From_SH (From_SH)

Table 121: Conditional Blocks of diagram_From_SH

Conditional Block	Comments and Information
IfBlock1	

Table 122: Actions of diagram_From_SH

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:the n	
IfBlock1:else:else:else:else:else:else:else	

3.5.12. From_SL Operator

Declared as **public function**

3.5.12.1. Interface

Table 123: Inputs of From_SL

Name	Type	Comments and Information
Condition1	bool	
Condition3	bool	
Condition2	bool	
Condition29	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 124: Outputs of From_SL

Name	Type	Comments and Information
FromSL_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.12.2. Operator Hierarchy

diagram : diagram_From_SL

```

activate if : IfBlock1
  branch : then
  branch : else
    branch : then
    branch : else
      branch : then
      branch : else
        branch : then
        branch : else

```

3.5.12.3. Graphical and Textual Diagrams

3.5.12.3.1. View of diagram_From_SL (From_SL)




Figure 43: View of diagram_From_SL (From_SL)

Table 125: Conditional Blocks of diagram_From_SL

Conditional Block	Comments and Information
IfBlock1	

Table 126: Actions of diagram_From_SL

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else	

3.5.13. From_SN Operator

Declared as **public function**

3.5.13.1. Interface

Table 127: Inputs of From_SN

Name	Type	Comments and Information
Condition1	bool	
Condition5	bool	
Condition13	bool	
Condition21	bool	
Condition25	bool	
Condition28	bool	
Condition29	bool	
Condition34	bool	
Condition44	bool	
Condition45	bool	
Condition61	bool	
Condition71	bool	
ConditionSN2TR	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 128: Outputs of From_SN

Name	Type	Comments and Information
FromSN_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.13.2. Locals

Table 129: Locals of From_SN

Name	Type	Comments and Information
Condition2SH	bool	
Condition2SR	bool	

3.5.13.3. Operator Hierarchy

diagram : diagram_From_SN

activate if : IfBlock1

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch :

then

branch :

else

3.5.13.4. Graphical and Textual Diagrams

3.5.13.4.1. View of diagram_From_SN (From_SN)




Figure 44: View of diagram_From_SN (From_SN)

Table 130: Conditional Blocks of diagram_From_SN

Conditional Block	Comments and Information
IfBlock1	

Table 131: Actions of diagram_From_SN

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	

Conditional Block Action	Comments and Information
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:the n	
IfBlock1:else:else:else:else:else:else:else :then	
IfBlock1:else:else:else:else:else:else:else :else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else	

3.5.14. From_SR Operator

Declared as **public function**

3.5.14.1. Interface

Table 132: Inputs of From_SR

Name	Type	Comments and Information
Condition1	bool	
Condition5	bool	
Condition6	bool	
Condition13	bool	
Condition21	bool	
Condition28	bool	
Condition29	bool	
Condition31	bool	
Condition32	bool	
Condition40	bool	
Condition46	bool	
Condition51	bool	
Condition56	bool	
Condition59	bool	
Condition72	bool	
ConditionSR2TR	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 133: Outputs of From_SR

Name	Type	Comments and Information
FromSR_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.14.2. Locals

Table 134: Locals of From_SR

Name	Type	Comments and Information
Condition2FS	bool	
Condition2SH	bool	

3.5.14.3. Operator Hierarchy

diagram : diagram_From_SR

activate if : IfBlock1

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch : then

 branch : else

 branch :

then

branch :

else

branch : then

branch : else

branch : then

branch : else

3.5.14.4. Graphical and Textual Diagrams

3.5.14.4.1. View of diagram_From_SR (From_SR)





Figure 45: View of diagram_From_SR (From_SR)

Table 135: Conditional Blocks of diagram_From_SR

Conditional Block	Comments and Information
IfBlock1	

Table 136: Actions of diagram_From_SR

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	

Conditional Block Action	Comments and Information
IfBlock1:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:the n	
IfBlock1:else:else:else:else:else:else:else :then	
IfBlock1:else:else:else:else:else:else:else :else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else :else:else:else:else:else:else	

3.5.15. From_TR Operator

Declared as **public function**

3.5.15.1. Interface

Table 137: Inputs of From_TR

Name	Type	Comments and Information
Condition1	bool	
Condition7	bool	
Condition13	bool	
Condition29	bool	
Condition62	bool	
Condition63	bool	
Condition68	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 138: Outputs of From_TR

Name	Type	Comments and Information
FromTR_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.15.2. Operator Hierarchy

diagram : diagram_From_TR

```

activate if : IfBlock1
  branch : then
  branch : else
    branch : then
    branch : else
      branch : then

```

```

branch : else
  branch : then
    branch : else
      branch : then
        branch : else
          branch : then
            branch : else
              branch : then
                branch : else

```

3.5.15.3. Graphical and Textual Diagrams

3.5.15.3.1. View of diagram_From_TR (From_TR)



Figure 46: View of diagram_From_TR (From_TR)

Table 139: Conditional Blocks of diagram_From_TR

Conditional Block	Comments and Information
IfBlock1	

Table 140: Actions of diagram_From_TR

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:the n	
IfBlock1:else:else:else:else:else:else:else	

3.5.16. From_UN Operator

Declared as **public function**

3.5.16.1. Interface

Table 141: Inputs of From_UN

Name	Type	Comments and Information
Condition1	bool	
Condition5	bool	
Condition13	bool	
Condition25	bool	
Condition28	bool	
Condition29	bool	
Condition34	bool	
Condition44	bool	
Condition45	bool	
Condition56	bool	
Condition61	bool	
Condition71	bool	
ConditionUN2TR	bool	
previousMode_Loc	Level_And_Mode_Type s_Pkg::T_Mode	

Table 142: Outputs of From_UN

Name	Type	Comments and Information
FromUN_To_NewMode	Level_And_Mode_Type s_Pkg::T_Mode	

3.5.16.2. Locals

Table 143: Locals of From_UN

Name	Type	Comments and Information
Condition2SH	bool	
Condition2SR	bool	

3.5.16.3. Operator Hierarchy

diagram : diagram_From_UN

```
activate if : IfBlock1
  branch : then
  branch : else
    branch : then
    branch : else
      branch : then
      branch : else
        branch : then
        branch : else
```

```

                                branch : then
                                branch : else
                                  branch : then
                                  branch : else
                                    branch : then
                                    branch : else
                                      branch : then
                                      branch : else
                                        branch : then
                                        branch : else
                                          branch : then
                                          branch : else
                                            branch :
then
                                branch :
else
```

3.5.16.4. Graphical and Textual Diagrams

3.5.16.4.1. View of diagram_From_UN (From_UN)





Figure 47: View of diagram_From_UN (From_UN)

Table 144: Conditional Blocks of diagram_From_UN

Conditional Block	Comments and Information
IfBlock1	

Table 145: Actions of diagram_From_UN

Conditional Block Action	Comments and Information
IfBlock1:then	
IfBlock1:else:then	
IfBlock1:else:else:then	

Conditional Block Action	Comments and Information
IfBlock1:else:else:else:then	
IfBlock1:else:else:else:else:then	
IfBlock1:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else:else:else:else:then	
IfBlock1:else:else:else:else:else:else:else:else:else:else:else:then	

3.6. Procedures Package

3.6.1. Procedure_LimitedSupervision Operator

Declared as **public node**

3.6.1.1. Comments and Information

Procedure_LimitedSupervision Comments:

Case of starting mode is SB or PT is covered by the start of mission procedure and the train-trip procedure.

3.6.1.2. Interface

Table 146: Inputs of Procedure_LimitedSupervision

Name	Type	Comments and Information
Current_Mode	Level_And_Mode_Type s_Pkg::T_Mode	
Driver_Ack_LS	bool	
Mode_Profile_On_Board	Level_And_Mode_Type s_Pkg::T_Mode_Profile	
Train_Position	TrainPosition_Types_Pck::trainPosition_T	
Train_Speed	Obu_BasicTypes_Pkg::Speed_T	

Table 147: Outputs of Procedure_LimitedSupervision

Name	Type	Comments and Information
Condition70	bool	
Condition71	bool	
Condition72	bool	

Name	Type	Comments and Information
Condition74	bool	Comments: §4.6.3 : Condition 74 : "(A Mode Profile defining a Limited Supervision area is on-board) AND (The max safe front end of the train is inside the Limited Supervision area) AND (The estimated front end of the train is not inside an OS acknowledgement area)"
Ack_LS_Req_To_Driver	bool	
Service_Brake_Command	bool	

3.6.1.3. Locals

Table 148: Locals of Procedure_LimitedSupervision

Name	Type	Comments and Information
Loc_Condition_74	bool	
Loc_Procedure_Possible	bool	
Loc_Supervision_Mode	bool	

3.6.1.4. Operator Hierarchy

diagram : diagram_Procedure_LimitedSupervision_1

3.6.1.5. Graphical and Textual Diagrams

3.6.1.5.1. View of diagram_Procedure_LimitedSupervision_1 (Procedure_LimitedSupervision)




Figure 48: View of diagram_Procedure_LimitedSupervision_1 (Procedure_LimitedSupervision)

3.6.2. Procedure_OnSight Operator

Declared as **public node**

3.6.2.1. Interface

Table 149: Inputs of Procedure_OnSight

Name	Type	Comments and Information
Current_Mode	Level_And_Mode_Type s_Pkg::T_Mode	
Driver_Ack_OS	bool	
Mode_Profile_On_Board	Level_And_Mode_Type s_Pkg::T_Mode_Profile	
Train_Position	TrainPosition_Types_Pc k::trainPosition_T	
Train_Speed	Obu_BasicTypes_Pkg:: Speed_T	

Table 150: Outputs of Procedure_OnSight

Name	Type	Comments and Information
Condition15	bool	
Condition34	bool	
Condition40	bool	
Condition73	bool	
Ack_OS_Req_To_Driver	bool	
Service_Brake_Command	bool	

3.6.2.2. Locals

Table 151: Locals of Procedure_OnSight

Name	Type	Comments and Information
Loc_Condition_73	bool	
Loc_Procedure_Possible	bool	
Loc_Supervision_Mode	bool	

3.6.2.3. Operator Hierarchy

diagram : diagram_Procedure_OnSight_1

3.6.2.4. Graphical and Textual Diagrams

3.6.2.4.1. View of diagram_Procedure_OnSight_1 (Procedure_OnSight)




Figure 49: View of diagram_Procedure_OnSight_1 (Procedure_OnSight)

3.6.3. Procedure_SH_Initiated_By_Driver Operator

Declared as **public node**

3.6.3.1. Comments and Information

Procedure_SH_Initiated_By_Driver Comments:

From SRS-026 v3.3.0, §5.6 Shunting Initiated by Driver.

Assumptions:

- A030 and National Trip occurrence is covered by Trip conditions and procedures with higher priority.
- Communication with RBC is out of the scope of this function (repetition of message to RBC, waiting for acknowledgement,...)

3.6.3.2. Interface

Table 152: Inputs of Procedure_SH_Initiated_By_Driver

Name	Type	Comments and Information
Current_Level	M_LEVEL	
Current_Mode	Level_And_Mode_Type s_Pkg::T_Mode	
Driver_Req_SH	bool	
On_Going_Mission	bool	
Shunting_Granted_By_RBC	bool	
Train_Standstill	bool	

Table 153: Outputs of Procedure_SH_Initiated_By_Driver

Name	Type	Properties		Comments and Information
Condition5	bool	default	false	
Condition6	bool	default	false	
Clean_BG_List_SH_Area	bool	default	false	
End_Of_Mission_Procedure_Req	bool	default	false	
Request_For_SH_To_RBC	bool	default	false	
SH_Refused_By_RBC_To_DMI	bool	default	false	

3.6.3.3. Locals

Table 154: Locals of Procedure_SH_Initiated_By_Driver

Name	Type	Comments and Information
Loc_Procedure_Possible	bool	

3.6.3.4. Operator Hierarchy

diagram : diagram_Procedure_SH_Initiated_By_Driver_1


state-machine : SH_Initiated_By_Driver

 state : S0_SH_initiated_by_driver_procedure_on

 state : SH_initiated_by_driver_procedure_off

3.6.3.5. Graphical and Textual Diagrams

3.6.3.5.1. View of diagram_Procedure_SH_Initiated_By_Driver_1 (Procedure_SH_Initiated_By_Driver)



**Figure 50: View of diagram_Procedure_SH_Initiated_By_Driver_1
(Procedure_SH_Initiated_By_Driver)**

Table 155: State Machines of diagram_Procedure_SH_Initiated_By_Driver_1

State Machine	Comments and Information
SH_Initiated_By_Driver	

Table 156: States of diagram_Procedure_SH_Initiated_By_Driver_1

State	Comments and Information
SH_Initiated_By_Driver:S0_SH_initiated_by_driver_procedure_on	Comments: SRS § 5.6 state S0
SH_Initiated_By_Driver:SH_initiated_by_driver_procedure_off	

Table 157: Transitions of diagram_Procedure_SH_Initiated_By_Driver_1

Source/Target	#	Conditions/Actions	Comments and Information
Source: SH_Initiated_By_Driver:S0_SH_initiated_by_driver_procedure_on Target: SH_Initiated_By_Driver:SH_initiated_by_driver_procedure_off	1	Condition: not Loc_Procedure_Possible or not Train_Standstill Actions:	Comments: Condition to manage the procedure are no more available : train is moving or mode change (for example to Trip mode)
Source: SH_Initiated_By_Driver:SH_initiated_by_driver_procedure_off Target: SH_Initiated_By_Driver:S0_SH_initiated_by_driver_procedure_on	1	Condition: Loc_Procedure_Possible and Train_Standstill Actions:	Comments: S0 : start of procedure is possible

3.6.4. Procedure_SH_Ordered_By_Track Operator

Declared as **public node**

3.6.4.1. Comments and Information

Procedure_SH_Ordered_By_Track Comments:

From SRS-026 v3.3.0, §5.7 Shunting Order from trackside

Assumptions:

- Driver acknowledgement not possible in mode SR, UN and SN see table 4.7.2.1.4 and tables 4.6.2 and 4.6.3 condition 51 and 61
-

3.6.4.2. Interface

Table 158: Inputs of Procedure_SH_Ordered_By_Track

Name	Type	Comments and Information
Current_Mode	Level_And_Mode_Types_Pkg::T_Mode	
Driver_Ack_SH	bool	
Mode_Profile_On_Board	Level_And_Mode_Types_Pkg::T_Mode_Profile	
Train_Position	TrainPosition_Types_Pkg::trainPosition_T	
Train_Speed	Obu_BasicTypes_Pkg::Speed_T	

Table 159: Outputs of Procedure_SH_Ordered_By_Track

Name	Type	Comments and Information
Condition50	bool	
Condition51	bool	
Condition61	bool	
Ack_SH_Req_To_Driver	bool	
Service_Brake_Command	bool	

3.6.4.3. Locals

Table 160: Locals of Procedure_SH_Ordered_By_Track


Name	Type	Comments and Information
Loc_Procedure_Possible	bool	
Loc_Supervision_Mode	bool	

3.6.4.4. Operator Hierarchy

diagram : diagram_Procedure_SH_Ordered_By_Track_1

3.6.4.5. Graphical and Textual Diagrams

3.6.4.5.1. View of diagram_Procedure_SH_Ordered_By_Track_1 (Procedure_SH_Ordered_By_Track)



**Figure 51: View of diagram_Procedure_SH_Ordered_By_Track_1
(Procedure_SH_Ordered_By_Track)**

3.6.5. Procedure_Start_L1_L2_L3 Operator

Declared as public node

3.6.5.1. Interface

Table 161: Inputs of Procedure_Start_L1_L2_L3

Name	Type	Comments and Information
Current_Level	M_LEVEL	
Driver_Ack_LS	bool	
Driver_Ack_OS	bool	
Driver_Ack_SH	bool	
Driver_Ack_SR	bool	
Driver_Req_Start	bool	
MA_SSP_Gradient_Available	bool	
Mode_Profile_On_Board	Level_And_Mode_Types_Pkg::T_Mode_Profile	
RBC_Authorizes_SR	bool	

Table 162: Outputs of Procedure_Start_L1_L2_L3

Name	Type	Properties		Comments and Information
Ack_LS_Req_To_Driver	bool	default	false	
Ack_OS_Req_To_Driver	bool	default	false	
Ack_SH_Req_To_Driver	bool	default	false	

Name	Type	Properties		Comments and Information
Ack_SR_Req_To_Driver	bool	default	false	
Condition_8	bool	default	false	
Condition_10_31	bool	default	false	
Condition_15	bool	default	false	
Condition_50	bool	default	false	
Condition_70	bool	default	false	
MA_Req_To_RBC	bool	default	false	

3.6.5.2. Locals

Table 163: Locals of Procedure_Start_L1_L2_L3

Name	Type	Comments and Information
Loc_Mode_Profile	Level_And_Mode_Types_Pkg::T_MA	

3.6.5.3. Operator Hierarchy

diagram : diagram_Procedure_Start_L1_L2_L3_1

state-machine : SM_Start_L1_L2_L3

state : FS_Mode

state : Level_1

state : Level_2_3

state : LS_Mode

state : OS_Mode

state : SH_Mode

state : SR_Mode

state : Wait_For_LS

state : Wait_For_OS

state : Wait_For_SH

state : Waiting_Driver_Starting_Command

3.6.5.4. Graphical and Textual Diagrams

3.6.5.4.1. View of diagram_Procedure_Start_L1_L2_L3_1 (Procedure_Start_L1_L2_L3)




Figure 52: View of diagram_Procedure_Start_L1_L2_L3_1 (Procedure_Start_L1_L2_L3)

Table 164: State Machines of diagram_Procedure_Start_L1_L2_L3_1

State Machine	Comments and Information
SM_Start_L1_L2_L3	

Table 165: States of diagram_Procedure_Start_L1_L2_L3_1

State	Comments and Information
SM_Start_L1_L2_L3:FS_Mode	Comments: SRS § 4.6.3 C10:“(valid Train Data is stored on board) AND (MA + SSP +gradient are on-board) AND (no specific mode is required by a Mode Profile)” SRS § 4.6.3 C31: “(MA+SSP+gradient are on-board) AND (no specific mode is required by a Mode Profile) AND (ERTMS/ETCS level is 2 or 3)”
SM_Start_L1_L2_L3:Level_1	Comments: SRS § 5.4 state S24 SRS § 5.11 state S160
SM_Start_L1_L2_L3:Level_2_3	Comments: SRS § 5.4 state S21 SRS § 5.11 state S150

State	Comments and Information
SM_Start_L1_L2_L3:LS_Mode	Comments: SRS § 4.6.3 C70 : "(An ackn. request for Limited Supervision is displayed to the driver) AND (the driver acknowledges) " {7} The request to acknowledge Limited Supervision is displayed to the driver only if certain conditions are fulfilled. These conditions are not specified here. See the "Limited Supervision" procedure" of SRS-§5 (for transitions from FS/OS/UN to LS) and the "Start of mission" procedure (for transition from SB to LS).
SM_Start_L1_L2_L3:OS_Mode	Comments: SRS § 4.6.3 C15: "(An ackn. request for On Sight is displayed to the driver) AND (the driver acknowledges) " {1} The request to acknowledge On Sight is displayed to the driver only if certain conditions are fulfilled. These conditions are not specified here. See the "On Sight" procedure" of SRS-§5 (for transitions from FS/LS/UN to OS) and the "Start of mission" procedure (for transition from SB to OS).
SM_Start_L1_L2_L3:SH_Mode	Comments: SRS § 4.6.3 C50: "(An ackn. request for Shunting is displayed to the driver) AND (the driver acknowledges) " {5} The request to acknowledge Shunting is displayed to the driver only if certain conditions are fulfilled. These conditions are not specified here. See the "Entry in Shunting" procedure and the "Start Of Mission" procedure of SRS-§5.
SM_Start_L1_L2_L3:SR_Mode	Comments: SRS § 4.6.3 C8 "StaffResponsible Mode is proposed o the driver AND the driver acknowledges"
SM_Start_L1_L2_L3:Wait_For_LS	Comments: SRS § 5.4 state S25 SRS § 5.11 state S170
SM_Start_L1_L2_L3:Wait_For_OS	Comments: SRS § 5.4 state S25 SRS § 5.11 state S170
SM_Start_L1_L2_L3:Wait_For_SH	Comments: SRS § 5.4 state S25 SRS § 5.11 state S170
SM_Start_L1_L2_L3:Waiting_Driver_Start ing_Command	Comments: SRS § 5.4 state S20 SRS § 5.11 state S140

Table 166: Transitions of diagram_Procedure_Start_L1_L2_L3_1

Source/Target	#	Conditions/Actions	Comments and Information
Source: SM_Start_L1_L2_L3:Level_1 Target: SM_Start_L1_L2_L3:SR_Mode	1	Condition: Driver_Ack_SR	Comments: SRS § 5.4 state E32 SRS § 5.11 state E160
Source: SM_Start_L1_L2_L3:Level_2_3 Target: SM_Start_L1_L2_L3:Level_1	1	Condition: RBC_Authorizes_SR	Comments: SRS § 5.4 state E26 SRS § 5.11 state E26

Source/Target	#	Conditions/ Actions	Comments and Information
Source: SM_Start_L1_L2_L3:Level_2_3 Target: SM_Start_L1_L2_L3:FS_Mode	2	Condition: MA_SSP_Gradient_Available and Loc_Mode_Profile = Level_And_Mode_Type s_Pkg::No_Profile	Comments: SRS § 5.4 state E29 SRS § 5.11 state E170
Source: SM_Start_L1_L2_L3:Level_2_3 Target: SM_Start_L1_L2_L3:Wait_For_OS	3	Condition: Loc_Mode_Profile = Level_And_Mode_Type s_Pkg::Profile_OS Actions:	Comments: SRS § 5.4 state E27 SRS § 5.11 state E175
Source: SM_Start_L1_L2_L3:Level_2_3 Target: SM_Start_L1_L2_L3:Wait_For_SH	4	Condition: Loc_Mode_Profile = Level_And_Mode_Type s_Pkg::Profile_SH Actions:	Comments: SRS § 5.4 state E27 SRS § 5.11 state E175
Source: SM_Start_L1_L2_L3:Level_2_3 Target: SM_Start_L1_L2_L3:Wait_For_LS	5	Condition: Loc_Mode_Profile = Level_And_Mode_Type s_Pkg::Profile_LS Actions:	Comments: SRS § 5.4 state E27 SRS § 5.11 state E175
Source: SM_Start_L1_L2_L3:Wait_For_LS Target: SM_Start_L1_L2_L3:LS_Mode	1	Condition: Driver_Ack_LS	Comments: SRS § 5.4 state E33 SRS § 5.11 state E185
Source: SM_Start_L1_L2_L3:Wait_For_OS Target: SM_Start_L1_L2_L3:OS_Mode	1	Condition: Driver_Ack_OS	Comments: SRS § 5.4 state E33 SRS § 5.11 state E185
Source: SM_Start_L1_L2_L3:Wait_For_SH Target: SM_Start_L1_L2_L3:SH_Mode	1	Condition: Driver_Ack_SH	Comments: SRS § 5.4 state E33 SRS § 5.11 state E185
Source: SM_Start_L1_L2_L3:Waiting_Driver_Starting_Command Target: SM_Start_L1_L2_L3:Level_1	1	Condition: Driver_Req_Start	
	1	Condition: Current_Level = M_LEVEL_Level_1 Actions:	Comments: SRS § 5.4 state E22 SRS § 5.11 state E150
Source: SM_Start_L1_L2_L3:Waiting_Driver_Starting_Command Target: SM_Start_L1_L2_L3:Level_2_3	1	Condition: Driver_Req_Start	
	2	Condition: Current_Level = M_LEVEL_Level_2 or Current_Level = M_LEVEL_Level_3 Actions:	Comments: SRS § 5.4 state E24 SRS § 5.11 state E155

3.6.6. Procedure_StartOfMission Operator

Declared as **public node**

3.6.6.1. Interface

Table 167: Inputs of Procedure_StartOfMission

Name	Type	Comments and Information
Current_Level	M_LEVEL	
Current_Mode	Level_And_Mode_Types_Pkg::T_Mode	
Desk_Open	bool	
Driver_Ack_LS	bool	
Driver_Ack_OS	bool	
Driver_Ack_SH	bool	
Driver_Ack_SN	bool	
Driver_Ack_SR	bool	
Driver_Ack_UN	bool	
Driver_Req_NL	bool	
Driver_Req_SH	bool	
Driver_Req_Start	bool	
MA_SSP_Gradient_Available	bool	
Mode_Profile_On_Board	Level_And_Mode_Types_Pkg::T_Mode_Profile	
RBC_Authorizes_SR	bool	
Shunting_Granted_By_RBC	bool	
Train_Permitted_NL	bool	
Train_Standstill	bool	
Valid_Train_Data_Stored	bool	

Table 168: Outputs of Procedure_StartOfMission

Name	Type	Properties		Comments and Information
Ack_LS_Req_To_Driver	bool	default	false	
Ack_OS_Req_To_Driver	bool	default	false	
Ack_SH_Req_To_Driver	bool	default	false	
Ack_SN_Req_To_Driver	bool	default	false	
Ack_SR_Req_To_Driver	bool	default	false	
Ack_UN_Req_To_Driver	bool	default	false	
Clean_BG_List_SH_Area	bool	default	false	
Condition_5	bool	default	false	
Condition_6	bool	default	false	
Condition_8	bool	default	false	
Condition_10	bool	default	false	

Name	Type	Properties		Comments and Information
Condition_15	bool	default	false	
Condition_46	bool	default	false	
Condition_50	bool	default	false	
Condition_58	bool	default	false	
Condition_60	bool	default	false	
Condition_70	bool	default	false	
EB_Requested	bool	default	false	
End_Of_Mission_Procedure_Req	bool	default	false	
MA_Req_To_RBC	bool	default	false	
Request_For_SH_To_RBC	bool	default	false	
SH_Refused_By_RBC_To_DMI	bool	default	false	

3.6.6.2. Operator Hierarchy

diagram : diagram_Procedure_StartOfMission_1

state-machine : SM_StartOfMissionProcedure

state : EB_Requested

state : Procedure_Off

state : Procedure_On

state-machine : SM_SoM_On

state : Level_0

state : Level_NTC

state : NL_Mode

state : Procedure_SH_Initiated_By_Driver

state : SN_Mode

state : UN_Mode

state : Waiting_Driver_Command

state : Waiting_Driver_Selection

state : Waiting_Driver_Strating_Command

3.6.6.3. Graphical and Textual Diagrams

3.6.6.3.1. View of diagram_Procedure_StartOfMission_1 (Procedure_StartOfMission)




Figure 53: View of diagram_Procedure_StartOfMission_1 (Procedure_StartOfMission)

Table 169: State Machines of diagram_Procedure_StartOfMission_1

State Machine	Comments and Information
SM_StartOfMissionProcedure	
SM_StartOfMissionProcedure: Procedure On:SM SoM On	

Table 170: States of diagram_Procedure_StartOfMission_1

State	Comments and Information
SM_StartOfMissionProcedure:EB_Requested	
SM_StartOfMissionProcedure:Procedure_Off	Comments: SRS § 5.4 state S0
SM_StartOfMissionProcedure:Procedure_On	
SM_StartOfMissionProcedure:Procedure_On:SM_SoM_On:Level_0	Comments: SRS § 5.4 state S23
SM_StartOfMissionProcedure:Procedure_On:SM_SoM_On:Level_NTC	Comments: SRS § 5.4 state S22
SM_StartOfMissionProcedure:Procedure_On:SM_SoM_On:NL_Mode	Comments: SRS § 4.6.3 C46 : "(Driver selects NON LEADING) AND (train is at standstill) AND (The "non leading" input signal is received)"
SM_StartOfMissionProcedure:Procedure_On:SM_SoM_On:Procedure_SH_Initiated_By_Driver	
SM_StartOfMissionProcedure:Procedure_On:SM_SoM_On:SN_Mode	Comments: SRS § 4.6.3 C58 : "(the ERTMS/ETCS level is "NTC") AND (an acknowledgement request for SN mode is displayed to the driver) AND (the driver acknowledges) "
SM_StartOfMissionProcedure:Procedure_On:SM_SoM_On:UN_Mode	Comments: SRS § 4.6.3 C60 : " (an acknowledgement request for UN mode is displayed to the driver) AND (the driver acknowledges)"
SM_StartOfMissionProcedure:Procedure_On:SM_SoM_On:Waiting_Driver_Command	Comments: SRS § 5.4 state S11
SM_StartOfMissionProcedure:Procedure_On:SM_SoM_On:Waiting_Driver_Selection	Comments: SRS § 5.4 state S20
SM_StartOfMissionProcedure:Procedure_On:SM_SoM_On:Waiting_Driver_Strating_Command	Comments: SRS § 5.4 state S20

Table 171: Transitions of diagram_Procedure_StartOfMission_1

Source/Target	#	Conditions/Actions	Comments and Information
Source: SM_StartOfMissionProcedure:EB_Requested Target: SM_StartOfMissionProcedure:Procedure_Off	1	Condition: Train_Standstill	
Source: SM_StartOfMissionProcedure:Procedure_Off Target: SM_StartOfMissionProcedure:Procedure_On	1	Condition: Current_Mode = Level_And_Mode_Type s_Pkg::SB and Train_Standstill and Desk_Open	

Source/Target	#	Conditions/ Actions	Comments and Information
Source: SM_StartOfMissionProcedure:Proce dure_On Target: SM_StartOfMissionProcedure:EB_R equested	1	Condition: Current_Mode = Level_And_Mode_Type s_Pkg::SB and not Train_Standstill Actions:	
Source: SM_StartOfMissionProcedure:Proce dure_On Target: SM_StartOfMissionProcedure:Proce dure_Off	2	Condition: not (Current_Mode = Level_And_Mode_Type s_Pkg::SB) or not Desk_Open	
Source: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Level_0 Target: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:UN_Mode	1	Condition: Driver_Ack_UN	Comments: SRS § 5.4 state E31
Source: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Level_NTC Target: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:SN_Mode	1	Condition: Driver_Ack_SN	Comments: SRS § 5.4 state E30
Source: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Waiting_Driv er_Command Target: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:NL_Mode	1	Condition: Driver_Req_NL and Train_Permitted_NL	Comments: SRS § 5.4 state E10
Source: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Waiting_Driv er_Command Target: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Procedure_S H_Initiated_By_Driver	2	Condition: Driver_Req_SH	Comments: SRS § 5.4 state E12
Source: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Waiting_Driv er_Command Target: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Waiting_Driv er_Strating_Command	3	Condition: Valid_Train_Data_Stor ed	Comments: SRS § 5.4 state E14
Source: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Waiting_Driv er_Strating_Command Target: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Waiting_Driv er_Selection	1	Condition: Current_Level = M_LEVEL_Level_1 or Current_Level = M_LEVEL_Level_2 or Current_Level = M_LEVEL_Level_3	
Source: SM_StartOfMissionProcedure:Proce	2	Condition: Driver_Req_Start	

Source/Target	#	Conditions/ Actions	Comments and Information
dure_On:SM_SoM_On:Waiting_Driver_Strating_Command Target: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Level_0	1	Condition: Current_Level = M_LEVEL_Level_0 Actions:	Comments: SRS § 5.4 state E21
Source: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Waiting_Driver_Strating_Command Target: SM_StartOfMissionProcedure:Proce dure_On:SM_SoM_On:Level_NTC	2	Condition: Driver_Req_Start	
	2	Condition: Current_Level = M_LEVEL_Level_NTC_s pecified_by_NID_NTC Actions:	Comments: SRS § 5.4 state E20

3.6.7. Procedure_Train_Reversing Operator

Declared as **public node**

3.6.7.1. Interface

Table 172: Inputs of Procedure_Train_Reversing

Name	Type	Comments and Information
Driver_Ack_RV	bool	
Train_Standstill	bool	
Train_Position	TrainPosition_Types_Pck::trainPosition_T	
Current_Mode	Level_And_Mode_Types_Pkg::T_Mode	
Reversing_Data	Level_And_Mode_Types_Pkg::T_Reversing_Data	

Table 173: Outputs of Procedure_Train_Reversing

Name	Type	Properties	Comments and Information
Condition_59	bool	default false	
Ack_RV_Req_To_Driver	bool	default false	

3.6.7.2. Locals

Table 174: Locals of Procedure_Train_Reversing

Name	Type	Comments and Information
Loc_Cond_Procedure_On	bool	
Loc_Max_Safe_Front_In_RV_Area	bool	
Loc_RV_Data_Available	bool	

3.6.7.3. Operator Hierarchy

diagram : diagram_Procedure_Train_Reversing_1

state-machine : SM_Train_Reversing

state : Reversing_Condition

state : Reversing_Data_Available

state : Reversing_Procedure_Off

state : RV_Mode

3.6.7.4. Graphical and Textual Diagrams

3.6.7.4.1. View of diagram_Procedure_Train_Reversing_1 (Procedure_Train_Reversing)




Figure 54: View of diagram_Procedure_Train_Reversing_1 (Procedure_Train_Reversing)

Table 175: State Machines of diagram_Procedure_Train_Reversing_1

State Machine	Comments and Information
SM_Train_Reversing	

Table 176: States of diagram_Procedure_Train_Reversing_1

State	Comments and Information
SM_Train_Reversing:Reversing_Condition	Comments: SRS § 5.4 state S24 SRS § 5.11 state S160
SM_Train_Reversing:Reversing_Data_Available	Comments: SRS § 5.4 state S25 SRS § 5.11 state S170
SM_Train_Reversing:Reversing_Procedure_Off	Comments: SRS § 5.4 state S20 SRS § 5.11 state S140
SM_Train_Reversing:RV_Mode	Comments: SRS § 4.6.3 C8 "StaffResponsible Mode is proposed o the driver AND the driver acknowledges"

Table 177: Transitions of diagram_Procedure_Train_Reversing_1

Source/Target	#	Conditions/Actions	Comments and Information
Source: SM_Train_Reversing:Reversing_Co ndition Target: SM_Train_Reversing:RV_Mode	1	Condition: Driver_Ack_RV	Comments: SRS § 5.4 state E32 SRS § 5.11 state E160
Source: SM_Train_Reversing:Reversing_Co ndition Target: SM_Train_Reversing:Reversing_Pro cedure_Off	2	Condition: not Loc_Cond_Procedure_ On	
Source: SM_Train_Reversing:Reversing_Co ndition Target: SM_Train_Reversing:Reversing_Dat a_Available	3	Condition: not (Train_Standstill and Loc_Max_Safe_Front_I n_RV_Area)	
Source: SM_Train_Reversing:Reversing_Dat a_Available Target: SM_Train_Reversing:Reversing_Co ndition	1	Condition: Train_Standstill and Loc_Max_Safe_Front_I n_RV_Area	
Source: SM_Train_Reversing:Reversing_Dat a_Available Target: SM_Train_Reversing:Reversing_Pro cedure_Off	2	Condition: not Loc_Cond_Procedure_ On	
Source: SM_Train_Reversing:Reversing_Pro cedure_Off Target: SM_Train_Reversing:Reversing_Dat a_Available	1	Condition: Loc_Cond_Procedure_ On	

3.6.8. Procedure_Train_Trip Operator

Declared as **public node**

3.6.8.1. Comments and Information

Procedure_Train_Trip Comments:

SRS-026 §4.6.3 C7 :“(the driver acknowledges the train trip) AND (the train is at standstill) AND (the ERTMS/ETCS level is different from 0, NTC)”

SRS-026 §4.6.3 C62 :“(the driver acknowledges the train trip) AND (the train is at standstill) AND (the ERTMS/ETCS level is 0) AND (valid Train Data is on-board)”

SRS-026 §4.6.3 C63:“(the driver acknowledges the train trip) AND (the train is at standstill) AND (the ERTMS/ETCS level is NTC) AND (valid Train Data is on-board)”

SRS-026 §4.6.3 C68 :“(the driver acknowledges the train trip) AND (the train is at standstill) AND (the ERTMS/ETCS level is 0 or NTC) AND (no valid Train Data is on-board)”

3.6.8.2. Interface

Table 178: Inputs of Procedure_Train_Trip

Name	Type	Comments and Information
Condition_To_Trip	bool	
Current_Level	M_LEVEL	
Current_Mode	Level_And_Mode_Types_Pkg::T_Mode	
Driver_Ack_LS	bool	
Driver_Ack_OS	bool	
Driver_Ack_SH	bool	
Driver_Ack_SR	bool	
Driver_Ack_TR	bool	
Driver_Req_SH	bool	
Driver_Req_Start	bool	
MA_SSP_Gradient_Available	bool	
Mode_Profile_On_Board	Level_And_Mode_Types_Pkg::T_Mode_Profile	
On_Going_Mission	bool	
RCB_Ack_And_EB_Revoked	bool	
RBC_Authorizes_SR	bool	
Shunting_Granted_By_RBC	bool	
Train_Standstill	bool	
Valid_Train_Data_Stored	bool	

Table 179: Outputs of Procedure_Train_Trip

Name	Type	Properties		Comments and Information
Ack_LS_Req_To_Driver	bool	default	false	
Ack_OS_Req_To_Driver	bool	default	false	
Ack_SH_Req_To_Driver	bool	default	false	
Ack_SR_Req_To_Driver	bool	default	false	
Ack_TR_Req_To_Driver	bool	default	false	
Clean_BG_List_SH_Area	bool	default	false	
Condition_Trip	bool	default	false	
Condition_5	bool	default	false	
Condition_6	bool	default	false	
Condition_7	bool	default	false	

Name	Type	Properties		Comments and Information
Condition_8	bool	default	false	
Condition_31	bool	default	false	
Condition_15	bool	default	false	
Condition_50	bool	default	false	
Condition_62	bool	default	false	
Condition_63	bool	default	false	
Condition_68	bool	default	false	
Condition_70	bool	default	false	
End_Of_Mission_Procedure_Req	bool	default	false	
MA_Req_To_RBC	bool	default	false	
Request_For_SH_To_RBC	bool	default	false	
SH_Refused_By_RBC_To_DMI	bool	default	false	

3.6.8.3. Locals

Table 180: Locals of Procedure_Train_Trip

Name	Type	Comments and Information
Loc_Procedure_Possible	bool	

3.6.8.4. Operator Hierarchy

diagram : diagram_Procedure_Train_Trip_1

state-machine : SM_Train_Trip

state : Post_Trip_Mode

state : Procedure_SH_Initiated_By_Driver

state : SH_Mode

state : SN_Mode

state : Train_Trip_procedure_off

state : Trip_Mode

state : Trip_Mode_Waiting_Ack

state : UN_Mode

state : Wait_RBC_Ack

state : Waiting_Driver_Selection

3.6.8.5. Graphical and Textual Diagrams

3.6.8.5.1. View of diagram Procedure_Train_Trip_1 (Procedure_Train_Trip)




Figure 55: View of diagram Procedure_Train_Trip_1 (Procedure_Train_Trip)

Table 181: State Machines of diagram_Procedure_Train_Trip_1

State Machine	Comments and Information
SM_Train_Trip	

Table 182: States of diagram_Procedure_Train_Trip_1

State	Comments and Information
SM_Train_Trip:Post_Trip_Mode	
SM_Train_Trip:Procedure_SH_Initiated_By_Driver	
SM_Train_Trip:SH_Mode	
SM_Train_Trip:SN_Mode	
SM_Train_Trip:Train_Trip_procedure_off	
SM_Train_Trip:Trip_Mode	
SM_Train_Trip:Trip_Mode_Waiting_Ack	
SM_Train_Trip:UN_Mode	
SM_Train_Trip:Wait_RBC_Ack	
SM_Train_Trip:Waiting_Driver_Selection	

Table 183: Transitions of diagram_Procedure_Train_Trip_1

Source/Target	#	Conditions/Actions	Comments and Information
Source: SM_Train_Trip:Post_Trip_Mode Target: SM_Train_Trip:Waiting_Driver_Selection	1	Condition: Current_Level = M_LEVEL_Level_1	
Source: SM_Train_Trip:Post_Trip_Mode Target: SM_Train_Trip:Wait_RBC_Ack	2	Condition: Current_Level = M_LEVEL_Level_2 or Current_Level = M_LEVEL_Level_3	
Source: SM_Train_Trip:Post_Trip_Mode Target: SM_Train_Trip:Procedure_SH_Initialized_By_Driver	3	Condition: Driver_Req_SH	
Source: SM_Train_Trip:Train_Trip_procedure_off Target: SM_Train_Trip:Trip_Mode	1	Condition: Loc_Procedure_Possible and Condition_To_Trip Actions:	Comments: S0 : start of procedure is possible
Source: SM_Train_Trip:Trip_Mode Target: SM_Train_Trip:Trip_Mode_Waiting_Ack	1	Condition: Train_Standstill Actions:	
Source: SM_Train_Trip:Trip_Mode_Waiting_Ack Target: SM_Train_Trip:Post_Trip_Mode	1	Condition: Driver_Ack_TR	
	1	Condition: Current_Level = M_LEVEL_Level_1 or Current_Level = M_LEVEL_Level_2 or Current_Level = M_LEVEL_Level_3	
Source: SM_Train_Trip:Trip_Mode_Waiting_Ack Target: SM_Train_Trip:SH_Mode	1	Condition: Driver_Ack_TR	
	2	Condition: not Valid_Train_Data_Stored and (Current_Level = M_LEVEL_Level_0 or Current_Level = M_LEVEL_Level_NTC_specified_by_NID_NTC)	
Source: SM_Train_Trip:Trip_Mode_Waiting_Ack Target: SM_Train_Trip:UN_Mode	1	Condition: Driver_Ack_TR	
	3	Condition: Valid_Train_Data_Stored Actions:	
	1	Condition: Current_Level = M_LEVEL_Level_0 Actions:	

Source/Target	#	Conditions/ Actions	Comments and Information
Source: SM_Train_Trip:Trip_Mode_Waiting_Ack Target: SM_Train_Trip:SN_Mode	1	Condition: Driver_Ack_TR	
	3	Condition: Valid_Train_Data_Stored Actions:	
	2	Condition: Current_Level = M_LEVEL_Level_NTC_specified_by_NID_NTC Actions:	
Source: SM_Train_Trip:Wait_RBC_Ack Target: SM_Train_Trip:Waiting_Driver_Selection	1	Condition: RCB_Ack_And_EB_Revoked	
Source: SM_Train_Trip:Waiting_Driver_Selection Target: SM_Train_Trip:Procedure_SH_Initiated_By_Driver	1	Condition: Driver_Req_SH Actions:	

3.6.9. Procedure_With_Mode_Profile Operator

Declared as **public node**

3.6.9.1. Interface

Table 184: Inputs of Procedure_With_Mode_Profile

Name	Type	Comments and Information
Current_Mode	Level_And_Mode_Types_Pkg::T_Mode	
Driver_Ack_Mode_Profile	bool	
Mode_Profile_On_Board	Level_And_Mode_Types_Pkg::T_Mode_Profile	
Procedure_Possible	bool	
Profile_Mode	Level_And_Mode_Types_Pkg::T_MA	
Selected_Mode	Level_And_Mode_Types_Pkg::T_Mode	
Supervision_Modes	bool	
Train_Position	TrainPosition_Types_Pkg::trainPosition_T	
Train_Speed	Obu_BasicTypes_Pkg::Speed_T	

Table 185: Outputs of Procedure_With_Mode_Profile

Name	Type	Properties	Comments and Information
Condition_15_50_70	bool	default false	

Name	Type	Properties		Comments and Information
Condition_34_61_71	bool	default	false	
Condition_40_51_72	bool	default	false	
Condition_73_74	bool	default	false	
Service_Brake_Command	bool	default	false	
Ack_Req_To_Driver	bool			

3.6.9.2. Locals

Table 186: Locals of Procedure_With_Mode_Profile

Name	Type	Properties		Comments and Information
Loc_Confirmation	bool	default	true	
		last	true	
Loc_Mode_Available	bool			
Loc_Mode_Profile_Condition	bool			
Loc_Supervision_Condition_Covered	bool			
Loc_Timer	int	default	0	
		last	0	

Table 187: Signals of Procedure_With_Mode_Profile

Name	Comments and Information
Loc_Ack_Req_To_Driver	

3.6.9.3. Operator Hierarchy

diagram : diagram_Procedure_With_Mode_Profile_1

state-machine : SM_Mode_Profile_By_Trackside

state : Current_Location

state-machine : SM_Current_Location

state : Ack_Not_Received

state : Req_Current_Location

state : Switch_Autorized_Waiting_Ack

activate if : IfBlock1

branch : then

branch : else

branch : then

branch : else

state : Switch_Mode_Confirmed

state : Waiting_Ack

state : Futher_location

state-machine : SM_Futher_Location

state : Req_Futher_Location

state : Start_Supervision

state : Switch_Mode_Confirmed

state : Waiting_Ack
state : Procedure_Off

3.6.9.4. Graphical and Textual Diagrams

3.6.9.4.1. View of diagram_Procedure_With_Mode_Profile_1
(Procedure_With_Mode_Profile)




Figure 56: View of diagram_Procedure_With_Mode_Profile_1 (Procedure_With_Mode_Profile)

Table 188: Counter (#8) hidden inputs assignment of diagram_Procedure_With_Mode_Profile_1

Rank	Name	Value
1	Reset	wired (_L4)

Table 189: State Machines of diagram_Procedure_With_Mode_Profile_1

State Machine	Comments and Information
SM_Mode_Profile_By_Tracksi de	
SM_Mode_Profile_By_Tracksi de:Current_Location:SM_Cur rent_Location	
SM_Mode_Profile_By_Tracksi de:Futther_location:SM_Futhe r_Location	

Table 190: States of diagram_Procedure_With_Mode_Profile_1

State	Comments and Information
SM_Mode_Profile_By_Trackside:Current_Location	
SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Ack_Not_Received	Comments: SRS § 5.7.2.4, 5.9.2.4, 5.19.2.4 SRS § 5.7.3.7, 5.9.3.8, 5.19.3.8
SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Req_Current_Location	
SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Switch_Authorized_Waiting_Ack	Comments: SRS § 5.7.2.3, 5.9.2.3, 5.19.2.3 §4.6.3 : Condition 34 : "(An ackn. request for On Sight is displayed to the driver) AND (the driver acknowledges) see {1} here under" §4.6.3 : Condition 61 : "(An ackn. request for Shunting is displayed to the driver) AND (the driver acknowledges) see {5} here under" §4.6.3 : Condition 71 : "(A Mode Profile defining a Limited Supervision area is on-board) AND (The max safe front end of the train is inside the Limited Supervision area) AND (The ERTMS/ETCS level switches to 1,2 or 3)" §4.6.3 : Condition 40 : "(An ackn. request for On Sight is displayed to the driver) AND (the driver acknowledges) see {1} here under" §4.6.3 : Condition 51 : "(A Mode Profile defining the entry of a Shunting area is used on-board) AND (The max safe front end of the train is inside the Shunting area)" §4.6.3 : Condition 72 : "(A Mode Profile defining a Limited Supervision area is on-board) AND (The max safe front end of the train is inside the Limited Supervision area)." §4.6.3 : Condition 73 : "(A Mode Profile defining an On Sight area is on-board) AND (The max safe front end of the train is inside the On Sight area) AND (The estimated front end of the train is not inside an LS acknowledgement area)" §4.6.3 : Condition 74 : "(A Mode Profile defining a Limited Supervision area is on-board) AND (The max safe front end of the train is inside the Limited Supervision area) AND (The estimated front end of the train is not inside an OS acknowledgement area)"
SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Switch_Mode_Confirmed	Comments: §4.6.3 : Condition 15 : "(An ackn. request for On Sight is displayed to the driver) AND (the driver acknowledges) see {1} here under" §4.6.3 : Condition 50 : "(An ackn. request for Shunting is displayed to the driver) AND (the driver acknowledges) see {5} here under" §4.6.3 : Condition 70 : "(An ackn. request for Limited Supervision is displayed to the driver) AND (the driver acknowledges) see {7} here under"
SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Waiting_Ack	Comments: SRS § 5.7.4.1, 5.9.5.1, 5.19.5.1
SM_Mode_Profile_By_Trackside:Further_Location	

State	Comments and Information
SM_Mode_Profile_By_Trackside:Futher_location:SM_Futher_Location:Req_Futher_Location	
SM_Mode_Profile_By_Trackside:Futher_location:SM_Futher_Location:Start_Supervision	
SM_Mode_Profile_By_Trackside:Futher_location:SM_Futher_Location:Switch_Mode_Confirmed	Comments: SRS § 5.7.3.5, 5.9.3.6, 5.19.3.6 §4.6.3 : Condition 15 : "(An ackn. request for On Sight is displayed to the driver) AND (the driver acknowledges) see {1} here under" §4.6.3 : Condition 50 : "(An ackn. request for Shunting is displayed to the driver) AND (the driver acknowledges) see {5} here under" §4.6.3 : Condition 70 : "(An ackn. request for Limited Supervision is displayed to the driver) AND (the driver acknowledges) see {7} here under"
SM_Mode_Profile_By_Trackside:Futher_location:SM_Futher_Location:Waiting_Ack	Comments: SRS § 5.7.3.3,, 5.9.3.5, 5.19.3.5
SM_Mode_Profile_By_Trackside:Procedure_Off	

Table 191: Transitions of diagram_Procedure_With_Mode_Profile_1

Source/Target	#	Conditions/Actions	Comments and Information
Source: SM_Mode_Profile_By_Trackside:Current_Location Target: SM_Mode_Profile_By_Trackside:Procedure_Off	1	Condition: not Procedure_Possible and last 'Loc_Confirmation	
Source: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Ack_Not_Received Target: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Switch_Mode_Confirmed	1	Condition: Driver_Ack_Mode_Profile Actions:	
Source: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Req_Current_Location Target: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Switch_Autorized_Waiting_Ack	1	Condition: Current_Mode = Level_And_Mode_Types_Pkg::UN or Current_Mode = Level_And_Mode_Types_Pkg::SN or Current_Mode = Level_And_Mode_Types_Pkg::SR or Supervision_Modes Actions: emit 'Loc_Ack_Req_To_Driver;	

Source/Target	#	Conditions/ Actions	Comments and Information
Source: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Req_Current_Location Target: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Waiting_Ack	2	Condition: Current_Mode = Level_And_Mode_Type s_Pkg::SB or Current_Mode = Level_And_Mode_Type s_Pkg::PT Actions: emit 'Loc_Ack_Req_To_Driver';	
Source: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Switch_Autorized_Waiting_Ack Target: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Switch_Mode_Confirmed	1	Condition: Driver_Ack_Mode_Profile Actions:	
Source: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Switch_Autorized_Waiting_Ack Target: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Ack_Not_Received	2	Condition: last 'Loc_Timer > Level_And_Mode_Type s_Pkg::C_Driver_Ack_Delay Actions:	
Source: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Waiting_Ack Target: SM_Mode_Profile_By_Trackside:Current_Location:SM_Current_Location:Switch_Mode_Confirmed	1	Condition: Driver_Ack_Mode_Profile Actions:	Comments: SRS § 5.7.4.2, 5.9.5.2, 5.19.5.2
Source: SM_Mode_Profile_By_Trackside:Futther_location Target: SM_Mode_Profile_By_Trackside:Procedure_Off	1	Condition: not Procedure_Possible Actions:	
Source: SM_Mode_Profile_By_Trackside:Futther_location Target: SM_Mode_Profile_By_Trackside:Current_Location	2	Condition: Loc_Mode_Profile_Condition	Comments: SRS § 5.7.3.6,, 5.9.3.7, 5.19.3.7
Source: SM_Mode_Profile_By_Trackside:Futther_location:SM_Futther_Location:Req_Futther_Location Target: SM_Mode_Profile_By_Trackside:Futther_location:SM_Futther_Location:Start_Supervision	1	Condition: Supervision_Modes Actions:	Comments: SRS § 5.7.3.2,, 5.9.3.2, 5.19.3.2

Source/Target	#	Conditions/ Actions	Comments and Information
Source: SM_Mode_Profile_By_Trackside:Fut her_location:SM_Futher_Location:S tart_Supervision Target: SM_Mode_Profile_By_Trackside:Fut her_location:SM_Futher_Location: Waiting_Ack	1	Condition: Loc_Supervision_Condi tion_Covered Actions:	Comments: SRS § 5.7.3.2,, 5.9.3.2, 5.19.3.2
Source: SM_Mode_Profile_By_Trackside:Fut her_location:SM_Futher_Location: Waiting_Ack Target: SM_Mode_Profile_By_Trackside:Fut her_location:SM_Futher_Location:S witch_Mode_Confirmed	1	Condition: Driver_Ack_Mode_Profi le Actions:	
Source: SM_Mode_Profile_By_Trackside:Pro cedure_Off Target: SM_Mode_Profile_By_Trackside:Fut her_location	1	Condition: Procedure_Possible Actions:	
	1	Condition: Loc_Mode_Available and not Loc_Mode_Profile_Con dition	
Source: SM_Mode_Profile_By_Trackside:Pro cedure_Off Target: SM_Mode_Profile_By_Trackside:Cur rent_Location	1	Condition: Procedure_Possible Actions:	
	2	Condition: Loc_Mode_Available and Loc_Mode_Profile_Con dition	

Table 192: Conditional Blocks of diagram_Procedure_With_Mode_Profile_1

Conditional Block	Comments and Information
SM_Mode_Profile_By_Tracksi de:Current_Location:SM_Cur rent_Location:Switch_Autoriz ed_Waiting_Ack:IfBlock1	

Table 193: Actions of diagram_Procedure_With_Mode_Profile_1

Conditional Block Action	Comments and Information
SM_Mode_Profile_By_Trackside:Current_ Location:SM_Current_Location:Switch_Au torized_Waiting_Ack:IfBlock1:then	
SM_Mode_Profile_By_Trackside:Current_ Location:SM_Current_Location:Switch_Au torized_Waiting_Ack:IfBlock1:else:then	
SM_Mode_Profile_By_Trackside:Current_ Location:SM_Current_Location:Switch_Au torized_Waiting_Ack:IfBlock1:else:else	

3.6.10. SH_Initiated_By_Driver_On Operator

Declared as **public node**

3.6.10.1. Interface

Table 194: Inputs of SH_Initiated_By_Driver_On

Name	Type	Comments and Information
Current_Level	M_LEVEL	
Driver_Req_SH	bool	
On_Going_Mission	bool	
Shunting_Granted_By_RBC	bool	

Table 195: Outputs of SH_Initiated_By_Driver_On

Name	Type	Properties		Comments and Information
Clean_BG_List_SH_Area	bool	default	false	
Condition5	bool	default	false	
Condition6	bool	default	false	
End_Of_Mission_Procedure_Req	bool	default	false	
SH_Refused_By_RBC_To_DMI	bool	default	false	
Request_For_SH_To_RBC	bool	default	false	

3.6.10.2. Locals

Table 196: Locals of SH_Initiated_By_Driver_On

Name	Type	Comments and Information
Loc_Level_2_3	bool	

3.6.10.3. Operator Hierarchy

diagram : diagram_SH_Initiated_By_Driver_On_1
 state-machine : SM_SH_Initiated_By_Driver
 state : Issue_SH_Request_L2_L3
 state : SH_Authorized_L0_L1_LNTC
 state : SH_Authorized_L2_L3
 state : SH_procedure_possible

3.6.10.4. Graphical and Textual Diagrams

3.6.10.4.1. View of diagram_SH_Initiated_By_Driver_On_1 (SH_Initiated_By_Driver_On)




Figure 57: View of diagram_SH_Initiated_By_Driver_On_1 (SH_Initiated_By_Driver_On)

Table 197: State Machines of diagram_SH_Initiated_By_Driver_On_1

State Machine	Comments and Information
SM_SH_Initiated_By_Driver	

Table 198: States of diagram_SH_Initiated_By_Driver_On_1

State	Comments and Information
SM_SH_Initiated_By_Driver:Issue_SH_Request_L2_L3	Comments: SRS § 5.6 state A045 : Issue SH request
SM_SH_Initiated_By_Driver:SH_Authorized_L0_L1_LNTC	Comments: SRS § 5.6 state A050: Transition to SH SRS § 5.5.2.3 : Entry in SH mode as End Of Mission §4.6.3 : Condition 5 : "Train is at standstill AND ERTMS/ETCS level is 0 or NTC or 1 AND driver selects Shunting Mode"
SM_SH_Initiated_By_Driver:SH_Authorized_L2_L3	Comments: SRS § 5.6 state A050: Transition to SH SRS § 5.6 state D040: On going Mission SRS § 5.5.2.3 : Entry in SH mode as End Of Mission §4.6.3 : Condition 6 : "Train is at standstill AND ERTMS/ETCS level is 2 or 3 AND reception of the information "Shunting granted by RBC", due to a shunting request from the driver"
SM_SH_Initiated_By_Driver:SH_procedure_possible	Comments: SRS § 5.6 state S0

Table 199: Transitions of diagram_SH_Initiated_By_Driver_On_1

Source/Target	#	Conditions/Actions	Comments and Information
Source: SM_SH_Initiated_By_Driver:Issue_SH_Request_L2_L3 Target: SM_SH_Initiated_By_Driver:SH_Authorized_L2_L3	1	Condition: Shunting_Granted_By_RBC Actions:	Comments: SRS § 5.6 state E09 : SH Authorized

Source/Target	#	Conditions/ Actions	Comments and Information
Source: SM_SH_Initiated_By_Driver:Issue_SH_Request_L2_L3 Target: SM_SH_Initiated_By_Driver:SH_procedure_possible	2	Condition: not Shunting_Granted_By_RBC Actions: SH_Refused_By_RBC_To_DMI = true;	Comments: SRS § 5.6 state E215 : transition SH refused
Source: SM_SH_Initiated_By_Driver:SH_procedure_possible Target: SM_SH_Initiated_By_Driver:SH_Authorized_L0_L1_LNTC	1	Condition: Driver_Req_SH Actions:	Comments: SRS § 5.6 state E015 transition : Driver selects shunting
	1	Condition: not Loc_Level_2_3 Actions:	
Source: SM_SH_Initiated_By_Driver:SH_procedure_possible Target: SM_SH_Initiated_By_Driver:Issue_SH_Request_L2_L3	1	Condition: Driver_Req_SH Actions:	Comments: SRS § 5.6 state E015 transition : Driver selects shunting
	2	Condition: Loc_Level_2_3 Actions:	Comments: D020 : Level 2 or 3

End of document.