

# WHY FORMS?





Ship to this address

# FORM CONTROLS

#### ADDING TEXT:

Text input (single-line)

Ivy

Password input

•••••

Text area (multi-line)

Enter your comments...

#### MAKING CHOICES:

Radio buttons

Rock ○ Pop ○ Jazz

Checkboxes

d iTunes ☐ Last.fm ☐ Spotify

Drop-down boxes

iPod

#### SUBMITTING FORMS:

Submit buttons

Subscribe

Image buttons

SUBSCRIBE


#### **UPLOADING FILES:**

File upload


Upload Browse...




1: User fills in form and presses button to submit info to server



2: Name of each form control sent with value user entered



3: Server processes information using programming language




4: Server creates new page to send back to the browser based on info received


# NAME & VALUE PAIRS

username="Ivy"

# NAME & VALUE PAIRS



# NAME & VALUE PAIRS



# FORM STRUCTURE

</form>

```
<form
    action="mailto:gurkewitzr@wcsu.edu"
    method="get">

This is where the form controls
    will appear.
```

# FORM STRUCTURE

<form
 action="mailto:gurkewitzr@wcsu.edu"
 method="get">

This is where the form controls will appear. Several different controls are created with the input element The action attribute shows the page the form is sent to

</form>

# TEXT INPUT

# TEXT INPUT

RESULT

Username:

### PASSWORD

```
<form action="mailto:gurkewitzr@wcsu.edu"</pre>
method="get">
Username:
 <input type="text" name="username"</pre>
        size="15" maxlength="30" />
Password:
 <input type="password" name="password"</pre>
        size="15" maxlength="30" />
</form>
```



Username: Ivy

Password: .....

\*\*\*\*\*\*

#### TEXTAREA

```
<form action="mailto:gurkewitzr@wcsu.edu"
method="get">
What did you think of this gig?
<textarea name="comments"
    cols="20" rows="4">
    Enter your comments...
</textarea>
</form>
```



### What did you think of this gig?

Enter your comments...

### RADIO BUTTON

```
Note: all names in a group are same so
they work together
<form action="mailto:gurkewitzr@wcsu.edu"</pre>
method="get">
Your favorite genre:<br />
<input type="radio" name="genre"</pre>
   value="rock" checked="checked" /> Rock
<input type="radio" name="genre"</pre>
   value="pop" /> Pop
<input type="radio" name="genre"</pre>
   value="jazz" /> Jazz
p < form >
```



Please select your favorite genre:

Rock Pop Jazz

```
Note: all names same for a group
Your favorite music service:<br />
 <input type="checkbox" name="service"</pre>
  value="iTunes"
  checked="checked" /> iTunes
 <input type="checkbox" name="service"</pre>
  value="Last.fm" /> Last.fm
 <input type="checkbox" name="service"</pre>
  value="Spotify" /> Spotify
```

```
Your favorite music service:<br />
 <input type="checkbox" name="service"</pre>
 value="iTunes"
  checked="checked" /> iTunes
 <input type="checkbox" name="service"</pre>
 value="Last.fm" /> Last.fm
 <input type="checkbox" name="service"</pre>
 value="Spotify" /> Spotify
```

```
Your favorite music service:<br />
 <input type="checkbox" name="service"</pre>
 value="iTunes"
  checked="checked" /> iTunes
 <input type="checkbox" name="service"</pre>
 value="Last.fm" /> Last.fm
 <input type="checkbox" name="service"</pre>
 value="Spotify" /> Spotify
```

```
Your favorite music service:<br />
 <input type="checkbox" name="service"</pre>
 value="iTunes"
  checked="checked" /> iTunes
 <input type="checkbox" name="service"</pre>
  value="Last.fm" /> Last.fm
 <input type="checkbox" name="service"</pre>
 value="Spotify" /> Spotify
```

```
Your favorite music service:<br />
 <input type="checkbox" name="service"</pre>
 value="iTunes"
  checked="checked" /> iTunes
 <input type="checkbox" name="service"</pre>
 value="Last.fm" /> Last.fm
 <input type="checkbox" name="service"</pre>
 value="Spotify" /> Spotify
```

**RESULT** 

Your favorite music service:

iTunes □ Last.fm □ Spotify

```
<select name="devices">
 <option value="iPod"</pre>
  selected="selected">iPod</option>
 <option value="radio">Radio</option>
 <option value="PC">Computer</option>
</select>
```

```
<select name="devices">
 <option value="iPod"</pre>
  selected="selected">iPod</option>
 <option value="radio">Radio</option>
 <option value="PC">Computer</option>
</select>
```

```
<select name="devices">
 <option value="iPod"</pre>
  selected="selected">iPod</option>
 <option value="radio">Radio</option>
 <option value="PC">Computer</option>
</select>
```

```
<select name="devices">
 <option value="iPod"</pre>
  selected="selected">iPod</option>
 <option value="radio">Radio</option>
 <option value="PC">Computer</option>
</select>
```

```
<select name="devices">
 <option value="iPod"</pre>
  selected="selected">iPod</option>
 <option value="radio">Radio</option>
 <option value="PC">Computer</option>
</select>
```

```
<select name="devices">
 <option value="iPod"</pre>
  selected="selected">iPod</option>
 <option value="radio">Radio</option>
 <option value="PC">Computer</option>
</select>
```



# MULTIPLE SELECT BOX

```
<select name="devices" size="4">
 <option value="quitar"</pre>
   selected="selected">Guitar</option>
 <option value="drums">Drums</option>
 <option value="keys"</pre>
  selected="selected">Keyboard</option>
 <option value="bass">Bass</option>
</select>
```

# MULTIPLE SELECT BOX

```
<select name="devices" size="4">
 <option value="quitar"</pre>
   selected="selected">Guitar</option>
<option value="drums">Drums
 <option value="keys"</pre>
  selected="selected">Keyboard</option>
<option value="bass">Bass
</select>
```

**RESULT** 

Guitar Drums Keyboard Bass

```
<form action="http://eg.com/upload.php"</pre>
      method="post">
Upload your song in MP3 format:
<input type="file" name="user-song" />
<input type="submit" value="upload" />
</form>
```

```
<form action="http://eg.com/upload.php"</pre>
     method="post">
Upload your song in MP3 format:
<input type="file" name="user-song" />
<input type="submit" value="upload" />
</form>
```

```
<form action="http://eg.com/upload.php"</pre>
     method="post">
Upload your song in MP3 format:
<input type="file" name="user-song" />
<input type="submit" value="upload" />
</form>
```

```
<form action="http://eg.com/upload.php"</pre>
      method="post">
Upload your song in MP3 format:
<input type="file" name="user-song" />
<input type="submit" value="upload" />
</form>
```



#### Upload your song in MP3 format:

Upload Browse...

## SUBMIT BUTTON

```
<form action=mailto:gurkewitzr@wcsu.edu</pre>
     method="post">
 Subscribe to our email list:
 <input type="text" name="email" />
 <input type="submit"</pre>
        value="Subscribe" />
</form>
```

## SUBMIT BUTTON

```
<form action="http://eg.com/email.php">
Subscribe to our email list:
 <input type="text" name="email" />
 <input type="submit"</pre>
        value="Subscribe" />
</form>
```

## SUBMIT BUTTON

```
<form action="http://eg.com/email.php">
Subscribe to our email list:
 <input type="text" name="email" />
 <input type="submit"</pre>
        value="Subscribe" />
</form>
```



Subscribe to our email list:

Subscribe



Subscribe to our email list:

SUBSCRIBE

#### BUTTONS

## BUTTONS



## HIDDEN FORM CONTROLS

```
<form action="http://eg.com/add.php">
 <button>
   <img src="images/add.gif" alt="add"</pre>
    width="10" height="20" /></button>
 <input type="hidden" name="bookmark"</pre>
   value="lyrics" />
</form>
```



## LABELLING FORM CONTROLS

```
<form action="http://eg.com/email.php">
 <label>Age:
  <input type="text" name="Age" /></label>
 Gender:
 <input id="female" type="radio"</pre>
    name="gender" value="f" />
 <label for="female">Female/label>
 <input id="male" type="radio"</pre>
    name="gender" value="m" />
 <label for="female">Male</label>
</form>
```

## LABELLING FORM CONTROLS

```
<form action="http://eg.com/email.php">
 <label>Age:
  <input type="text" name="Age" /></label>
 Gender:
 <input id="female" type="radio"</pre>
    name="gender" value="f" />
 <label for="female">Female/label>
 <input id="male" type="radio"</pre>
    name="qender" value="m" />
 <label for="female">Male</label>
</form>
```

**RESULT** 

Age:

Gender: O Female O Male

## GROUPING FORM ELEMENTS

```
<fieldset>
 <legend>Contact details</legend>
 <label>Email:<br />
 <input type="text" name="email"></label>
 <br />
 <label>Mobile:<br />
 <input type="text" name="mobile"></label>
 <br />
 <label>Telephone:<br />
 <input type="text" name="tel"></label>
</fieldset>
```

## GROUPING FORM ELEMENTS

```
<fieldset>
 <legend>Contact details</legend>
 <label>Email:<br />
 <input type="text" name="email"></label>
 <br />
 <label>Mobile:<br />
 <input type="text" name="mobile"></label>
 <br />
 <label>Telephone:<br />
 <input type="text" name="tel"></label>
</fieldset>
```

## GROUPING FORM ELEMENTS

```
<fieldset>
 <legend>Contact details</legend>
 <label>Email:<br />
 <input type="text" name="email"></label>
 <br />
 <label>Mobile:<br />
 <input type="text" name="mobile"></label>
 <br />
 <label>Telephone:<br />
 <input type="text" name="tel"></label>
</fieldset>
```

—Contact details———	
Email:	
Mobile:	
Telephone:	

# SUMMARY

Whenever you want to collect information from visitors you will need a form, which lives inside a <form> element.

## SUMMARY

Information from a form is sent in name/value pairs.

## SUMMARY

Each form control is given a name, and the text the user types in or the values of the options they select are sent to the server.

