

Slide 1 of 30

necap

Progress

Results

Next Steps

PhD Committee Meeting #4

Dan Szymczak

Computing and Software Department Faculty of Engineering McMaster University

June 28, 2018



Slide 2 of 30

Progres

Results

Next Otep

Overview

- 1 Research Recap
- 2 Current Progress
- 3 Results to date
- 4 Next Steps.



Slide 3 of 30

Recap

Progress

Results

Vext Steps

Research Topic Recap Motivation

Too much duplication!



Slide 4 of 30

Recap

Progress

Results

Next Steps

- Too much duplication!
- Inter-/intra-artifact consistency issues



Slide 5 of 30

Recap

Progres

Results

мехі этер

- Too much duplication!
- Inter-/intra-artifact consistency issues
- Design for change



Slide 6 of 30

Recap

Progres

Results

Next Steps

- Too much duplication!
- Inter-/intra-artifact consistency issues
- Design for change
- Promote reusability



Slide 7 of 30

Recap

Progress

Results

TOXE OLOP

- Too much duplication!
- Inter-/intra-artifact consistency issues
- Design for change
- Promote reusability
- (Re-)Certification is expensive



Slide 8 of 30

Recap

Progres

nesuits

Mext Stel

Research Topic Recap

KBSE & The Drasil Framework

- Too much duplication!
- Inter-/intra-artifact consistency issues
- Design for change
- Promote reusability
- (Re-)Certification is expensive



Slide 9 of 30

Recap

Progres

Results

мехі этер

Research Topic Recap

KBSE & The Drasil Framework

- Single knowledge-base
- Inter-/intra-artifact consistency issues
- Design for change
- Promote reusability
- (Re-)Certification is expensive



Slide 10 of 30

Recap

Progress

Results

Next Step

Research Topic Recap

KBSE & The Drasil Framework

- Single knowledge-base
- Guaranteed consistency
- Design for change
- Promote reusability
- (Re-)Certification is expensive



Slide 11 of 30

Recap

Progress

Results

Next Step

Research Topic Recap

KBSE & The Drasil Framework

- Single knowledge-base
- Guaranteed consistency
- Easy to mix and match
- Promote reusability
- (Re-)Certification is expensive



Slide 12 of 30

Recap

Progres

Results

Next Step

Research Topic Recap

KBSE & The Drasil Framework

- Single knowledge-base
- Guaranteed consistency
- Easy to mix and match
- Reusable across projects
- (Re-)Certification is expensive



Slide 13 of 30

Recap

Progres

Result

TOM OTOP

Research Topic Recap

KBSE & The Drasil Framework

- Single knowledge-base
- Guaranteed consistency
- Easy to mix and match
- Reusable across projects
- Generate artifacts




Slide 14 of 30

Recap

Research Topic Recap

KBSE & The Drasil Framework

Drasil – Towards generating Software Families





Slide 15 of 30

Recap

Progres

Results

Research Topic Recap

KBSE & The Drasil Framework

Drasil – Towards generating Software Families

- One "source", multiple views
- Full traceability
- Consistent-by-construction artifacts



Slide 16 of 30

Recap

Progres

Results

. tont Otop

Research Topic Recap

KBSE & The Drasil Framework

Drasil composed of many Domain-Specific Languages (DSLs) including, but not limited to:

- Knowledge Capture
- Recipes (Document generation)
- Code Generation



Slide 17 of 30

Current Program Progress A brief overview

Progress

results

Next Steps

- Completed all necessary graduate courses & comprehensive examinations
- Currently Writing:
 - Journal paper for ACM TOSEM
 - Thesis



Slide 18 of 30

Recan

Progress

Results

. tont Otop

Current Program Progress

A brief overview continued

Research Project: Drasil proof-of-concept "complete"

- Scoped-down due to nature of project
- Generating SRS for six case studies & code for one
- Still improving with the help of summer students



Slide 19 of 30

Since Last Time

necap

Progress

Results

I VOXI OTO

Summer 2017: Supervised 5 research students

- Cleaned up case studies
- Helped improve Drasil

Submitted to SE-CoDeSE'17 – Rejected Began a paper for FASE 2018 – Scrapped Met with OPG – Positive feedback Co-supervising 3 research students Writing



Slide 20 of 30

.

Progress

Results

мехі отер

Since Last Time Drasil-Specific

Total of 372 issues closed on the Drasil github

- Haddock
- Chunk and referencing databases
- Improved the Drasil class hierarchy
- Finished creating Document Language (Cont'd)
- Continuous Integration & automated tests
- General source clean-up and refactoring

Currently \sim 130 open issues guiding development



Slide 21 of 30

Results

Results **Document Language**

Introduction of new Document Language led to:

- De-embedding a lot of English
- More readable source
- Improved sanity checking



Slide 22 of 30

Recap

Progres

Results

Next Step

Results

Old

```
glassBR_srs :: Document
 2 glassBR_srs = Document ((srs ^. defn) +:+ S "for" +:+ (gLassBR ^. defn))
         srs authors
     [s1.s2.s3.s4.s5.s6.s7.s8.s9.s10.s11]
 3
   s1 = Section(S "Reference Material") [Con s1_intro, Sub s1_1, Sub s1_2,
     Sub s1_31
   s1_intro = Paragraph (S "This section records information for easy reference.")
   s1_1 = table_of_units this_si
11
   s1_2 = table_of_symbols ((map gs glassBRSymbols) ++
     (map gs glassBRUnitless)) (^.term)
13
14
15 s1_3 = table_of_abb_and_acronyms acronyms
16
   s2 = Section(S "Introduction") [Con s2_intro, Sub s2_1, Sub s2_2, Sub s2_3]
18
  s2_intro = Paragraph $
     S "Software is helpful to efficiently and correctly predict the blast" +:+
20
21
     S "risk involved with the" +:+. (sMap (map toLower) (glaSlab ^. term)) +:+
22
     S "The" +:+ (sMap (map toLower) (blast ^. term)) +:+ S "under" +:+
23
     S "consideration is" +:+. (sMap (map toLower) (blast ^. defn)) +:+
     S "The software, herein called" +:+ (qLassBR ^. defn) +:+ S "aims to" +:+
24
25
     S "predict the blast risk involved with the" +:+
26
     (sMap (map toLower) (glaSlab ^, term)) +:+ S "using an intuitive" +:+
27
     S "interface. The following section provides an overview of the" +:+
     (srs ^. defn) +:+ sParen (srs ^. term) +:+ S "for" +:+. (gLassBR ^. defn) +:+
28
29
     S "This section explains the purpose of the" +:+
30
     S "document is designed to fulfil, the scope of the requirements and" +:+
```



Slide 23 of 30

Results

```
Results
```

New

```
glassBR_srs :: Document
 2 glassBR_srs = mkDoc mkSRS (for '' titleize phrase) glassSystInfo
 4 mkSBS · · DocDesc
  mkSRS = RefSec (RefProg intro [TUnits, tsymb [TSPurpose, SymbOrder], TAandA])
    IntroSec (
     IntroProg (startIntro software blstRskInvWGlassSlab gLassBR) (short gLassBR)
      [IPurpose (purpose_intro_p1 document gLassBR glaSlab),
 8
 9
      IScope incScoR endScoR.
10
      IChar (rdrKnldgbleIn glBreakage blastRisk) undIR appStanddIR.
      IOrgSec intendedReaderIntro_end1):
11
12
    StkhldrSec (StkhldrProg2 [Client gLassBR (S "a" +:+ phrase company +:+
13
        S "named Entuitive. It is developed by Dr." +:+ (S $ name mCampidelli)),
14
      Cstmr gLassBR1) :
15
    GSDSec (GSDProg2
16
      [UsrChars [user_chars_bullets endUser qLassBR secondYear undergradDegree
17
       civilEng structuralEng glBreakage blastRisk], SystCons [] []]) :
    ScpOfProjSec (ScpOfProjProg (short gLassBR) (prod_use_case_table)
18
19
              (indiv_prod_use_case (glaSlab) (capacity) (demandq) (probability)))
20
    SSDSec (SSDProg [SSDProblem (
      PDProg start gLassBR ending [terms_defs, phys_sys_desc, goals])],
21
22
      [ SSDSolChSpec (
23
         SCSProa
24
          [ Assumptions
25
          , TMs ([Label] ++ stdFields) [t1IsSafe]
26
          . GDs [] [] HideDerivation — No Gen Defs for GlassBR
27
          , DDs ([Label, Symbol, Units] ++ stdFields) dataDefns ShowDerivation
28
          , IMs ([Label, Input, Output, InConstraints, OutConstraints] ++
29
                  stdFields) [probOfBreak, testIMFromQD1 HideDerivation
30
```



Slide 24 of 30

несар

Progress

Results

vext Steps

Results

Equivalent to 140 "Old" lines

```
glassBR_srs :: Document
glassBR_srs = mkDoc mkSRS (for'' titleize phrase) glassSystInfo

mkSRS :: DocDesc
mkSRS = RefSec (RefProg intro [TUnits, tsymb [TSPurpose, SymbOrder], TAandA]) :
IntroSec (
IntroProg (startIntro software blstRskInvWGlassSlab gLassBR) (short gLassBR)
[IPurpose (purpose_intro_p1 document gLassBR glaSlab),
IScope incScoR endScoR,
IChar (rdrKnldgbleIn glBreakage blastRisk) undIR appStanddIR,
IOrgSec intendedReaderIntro dataDefn SRS.dataDefn intendedReaderIntro_end]):
```

```
StkhldrSec (StkhldrProg2 [Client gLassBR (S "a" +:+ phrase company +:+
12
13
        S "named Entuitive. It is developed by Dr." +:+ (S $ name mCampidelli)),
14
      Cstmr gLassBR1) :
15
    GSDSec (GSDProg2
16
      [UsrChars [user_chars_bullets endUser qLassBR secondYear undergradDegree
17
       civilEng structuralEng glBreakage blastRisk], SystCons [] []]) :
18
    ScpOfProiSec (ScpOfProiProg (short gLassBR) (prod_use_case_table)
19
              (indiv_prod_use_case (glaSlab) (capacity) (demandg) (probability)))
    SSDSec (SSDProg [SSDProblem (
20
21
      PDProg start gLassBR ending [terms_defs. phys_sys_desc. goals])].
22
      [ SSDSolChSpec (
23
         SCSProg
24
          [ Assumptions
25
          , TMs ([Label] ++ stdFields) [t1IsSafe]
26
          , GDs [] [] HideDerivation — No Gen Defs for GlassBR
27
          , DDs ([Label, Symbol, Units] ++ stdFields) dataDefns ShowDerivation
28
           . IMs ([Label. Input. Output. InConstraints. OutConstraints] ++
29
                  stdFields) [probOfBreak, testIMFromQD] HideDerivation
```



Slide 25 of 30

Results Sanity Checking

Results

SSP Example (Issue #348)

$$S_i = \frac{P_i}{FS}$$
 (1) $FS = \frac{S_i}{\tau_i}$ (2)

$$FS = \frac{S_i}{\tau_i}$$
 (2)



Slide 26 of 30

Results Sanity Checking

recap

Progres

Results

Next Steps

SSP Example (Issue #348)

$$S_i = \frac{P_i}{FS}$$
 (1) $FS = \frac{S_i}{\tau_i}$

Where did τ_i come from?

Were S_i and P_i swapped?



Slide 27 of 30

Recar

Progres

Results

Next Ste

Results Sanity Checking

SSP Example (Issue #348)

$$S_i = \frac{P_i}{FS}$$
 (1) $FS = \frac{S_i}{\tau_i}$ (2)

Where did τ_i come from?

Were S_i and P_i swapped?

- τ_i was not defined anywhere in the documents
- Found with Drasil undefined symbols throw errors
- Equation based on concepts symbols automatically retrieved



Slide 28 of 30

Results

Results

Conceptual Inconsistencies in Software Artifacts

Manually created artifacts are human-readable. Problems arise when explaining things to a machine.

- What do our artifacts mean?
- What is each section contributing?
- Why do we organize things a given way?
- Are models/definitions different? How?

Need to be more rigorous!



Slide 29 of 30

Progres

Result

Next Steps

Next Steps Broad Strokes

What next?

- Finish writing paper for ACM TOSEM
- Complete Thesis writing
- Continue improving Drasil



Slide 30 of 30

.

Progres

Results

Next Steps

Summary

Problem:

- Duplication
- Inconsistency
- Design for change
- Promote re-usability
- Re-certification

Solution:

Capture fine-grained knowledge & generate ALL artifacts