Bruce A Skin Fix	Nov. 22, 1996	Page M-1
File No. NK21-LOG-33115-975 055 ERM	Computed by:	E.H. Mileta
•	Checked by:	W.W. Teper

Appendix M

Test Case - Big Holes - Preload - Material A

This appendix contains:

Item	Description	Page
M-02	Table: Summary of Preload Achieved	M-02
M-03	Table: Volume History Output	M-03
M-05	Table: Node 15873 Out of Plane Displacement over Time	M-04
M-06	Table: Bolt Axial Stress History	M-05
M-08	Table: Bolt Plastic Strain History	M-08
M-11	Figure: Bolt Plastic Strain History Plots	M-11
M-17	Figure: Model Displacement and Sealing Skin Mises Contour Plots	M-17
M-18	Figure: Clamp Plate and Divider Plate Plastic Strain Contour Plots	M-18
M-19	Figure: Clamp Dogs and Seat Bar Plastic Strain Contour Plots	M-19
M-20	Figure:: Bolt Plastic Strain Contour Plots	M-20

Bruce A Skin Fix	Χ .	
Calculation Log	NK21-33115-97	xxx-ERM

Nov. 22, 1996 Computed by: Checked by: Page M-2 E.H. Mileta W.W. Teper


Summary of Preload Achieved


Bolt	Axial Stress	Bolt	Axial Stress
Q (Bolt 14)	17.30 ksi	13 (Bolt 48)	42.10 ksi
2 02 (Bolt 15) 03 (Bolt 16)	15.58 ksi	14 (Bolt 49)	25.13 ksi
03 (Bolt 16)	9.23 ksi	15 (Bolt 50)	38.83 ksi
04 (Bolt 17)	8.15 ksi	16 (Bolt 51)	31.76 ksi
05 (Bolt 34)	47.48 ksi	17 (Bolt 55)	32.30 ksi
06 (Bolt 35)	50.15 ksi	18 (Bolt 56)	26.06 ksi
07 (Bolt 36)	44.73 ksi		
08 (Bolt 37)	1.35 ksi		
09 (Bolt 41)	6.12 ksi		
10 (Bolt 42)	2.45 ksi		
11 (Bolt 43)	10.46 ksi		
12 (Bolt 44)	22.94 ksi		


```
_$6$DRB5:[BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A]VOL_HIS_BIGHOLES_A.HIS;1 Page 1
                            ***
       Program VOL HIS
 Read displacements from run EXT BIGHOLES A
 Output file ID = VOL HIS BIGHOLES A
      Time
           Pressure
                               Time
                                    Pressure
                                                       Time
                                                             Pressure
    0.0000
            0.00000E+00
                            0.0200
                                     0.00000E+00
                                                     0.0800
                                                               300.00
    1.0000
             300.00
                            2.0000
                                      300.00
                                                 10000.0000
                                                               300.00
 Read element and area from MODEL.AREA
 Read element/surface definition from MODEL.FACE
 Max. displacement at node
                                   85418
 Number of elts to be processed (.AREA file):
                                                         519
 Total area (A total) :
                           239.5448
Number of elts in the .FACE file :
 Volume calculation based on displacement U3
 V = Sum of (Ui*Ai), where Ui=Ave. displ of elt.
                                                       Ai=elt. area
 Vc=U_ 85418*A_total
      Time Pressure
                                           Vc
                                                     V/Vc
                                                                  U 85418
  1.0000E-02
              0.0000E+00
                           0.9611
                                        0.9806
                                                     0.9801
                                                                  4.0935E-03
  2.0000E-02
               0.0000E+00
                            1.519
                                         1.648
                                                     0.9216
                                                                  6.8800E-03
                20.00
  2.4000E-02
                                         3.609
                             3.306
                                                     0.9159
                                                                  1.5067E-02
  2.8000E-02
                40.00
                            10.52
                                         16.63
                                                     0.6326
                                                                  6.9444E-02
  3.2000E-02
                60.00
                            13.52
                                          30.13
                                                     0.4485
                                                                  0.1258
  3.6000E-02
                80.00
                            18.63
                                          36.03
                                                     0.5172
                                                                  0.1504
  4.0000E-02
                100.0
                             23.82
                                          39.50
                                                     0.6030
                                                                  0.1649
  4.2000E-02
                110.0
                             25.96
                                          51.60
                                                     0.5032
                                                                  0.2154
  4.4000E-02
                120.0
                             28.53
                                         56.22
                                                     0.5075
                                                                  0.2347
                130.0
  4.6000E-02
                             31.40
                                         55.31
                                                     0.5676
                                                                  0.2309
  4.8000E-02
                140.0
                             34.24
                                          61.87
                                                     0.5534
                                                                  0.2583
  5.0000E-02
                150.0
                             36.99
                                          71.50
                                                     0.5174
                                                                  0.2985
  5.2000E-02
                160.0
                             39.90
                                         72.82
                                                     0.5480
                                                                  0.3040
  5.6000E-02
                180.0
                            48.88
                                         90.07
                                                                  0.3760
                                                     0.5427
  5.8000E-02
                190.0
                             55.49
                                          94.74
                                                     0.5857
                                                                  0.3955
  6.0000E-02
                200.0
                             63.50
                                          111.7
                                                     0.5686
                                                                  0.4662
  6.2000E-02
                210.0
                            73.50
                                         129.7
                                                     0.5665
                                                                  0.5416
  6.4000E-02
                                         152.1
                220.0
                             86.44
                                                     0.5683
                                                                  0.6350
  6.6000E-02
                230.0
                             103.5
                                                                  0.7865
                                         188.4
                                                     0.5493
  6.8000E-02
                240.0
                             125.8
                                          234.0
                                                     0.5378
                                                                  0.9767
  7.0000E-02
                250.0
                             154.1
                                         281.0
                                                     0.5485
                                                                   1.173
  7.2000E-02
                             188.6
                                                     0.5382
                260.0
                                          350.5
                                                                   1.463
                                          421.4
→7.4000E-02
                270.0
                             229.5
                                                     0.5448
                                                                   1.759
  7.6000E-02
                280.0
                             280.2
                                          531.1
                                                     0.5276
                                                                   2.217
  7.6520E-02
                282.6
                             295.6
                                          548.6
                                                     0.5388
                                                                   2.290
```


* FIRST BOLT FAILURE

```
* *
**
** XY REPORT :
**
**
* *
                     U3 15873
**
      TIME
                   Variable U3
    1.0000E-02
                    4.6598E-06
    2.0000E-02
                   -7.9848E-04
    2.4000E-02
                    1.0088E-02
    2.8000E-02
                    6.0976E-02
    3.2000E-02
                    8.2286E-02
    3.6000E-02
                       0.1191
    4.0000E-02
                       0.1573
    4.2000E-02
                       0.1725
                       0.1907
    4.4000E-02
    4.6000E-02
                       0.2112
                       0.2315
    4.8000E-02
                       0.2511
    5.0000E-02
                       0.2724
    5.2000E-02
    5.4000E-02
                       0.3001
    5.6000E-02
                       0.3392
    5.8000E-02
                       0.3888
    6.0000E-02
                       0.4494
    6.2000E-02
                       0.5255
                       0.6260
    6.4000E-02
    6.6000E-02
                       0.7586
    6.8000E-02
                       0.9313
                       1.150
    7.0000E-02
    7.2000E-02
                       1.411
                       1.725
    7.4000E-02
    7.6000E-02
                       2.126
    7.6517E-02
                       2.242
```









			n-m 3
CUTPUT BOLT COUNT: 00 CUTPUT BOLT COUNT: 01 Time: 0.010 S33 MAN ks1: 14.99 Avg, ks1: 13.81 Time: 0.020 S33 MAN ks1: 20.69 Avg, ks1: 17.30 Time: 0.020 S33 MAN ks1: 20.69 Avg, ks1: 17.30 Time: 0.028 S33 MAN ks1: 36.93 Avg, ks1: 26.30 Time: 0.028 S33 MAN ks1: 36.93 Avg, ks1: 26.30 Time: 0.028 S33 MAN ks1: 36.93 Avg, ks1: 26.30 Time: 0.028 S33 MAN ks1: 37.61 Avg, ks1: 33.86 Time: 0.040 S33 MAN ks1: 72.44 Avg, ks1: 39.49 Time: 0.040 S33 MAN ks1: 72.44 Avg, ks1: 39.49 Time: 0.046 S33 MAN ks1: 72.74 Avg, ks1: 43.23 Time: 0.046 S33 MAN ks1: 80.14 Avg, ks1: 45.96 Time: 0.046 S33 MAN ks1: 81.84 Avg, ks1: 45.96 Time: 0.048 S33 MAN ks1: 86.18 Avg, ks1: 45.96 Time: 0.058 S33 MAN ks1: 86.18 Avg, ks1: 45.96 Time: 0.058 S33 MAN ks1: 86.18 Avg, ks1: 46.07 Time: 0.052 S33 MAN ks1: 87.12 Avg, ks1: 50.07 Time: 0.052 S33 MAN ks1: 87.12 Avg, ks1: 50.07 Time: 0.058 S33 MAN ks1: 87.12 Avg, ks1: 50.07 Time: 0.058 S33 MAN ks1: 87.12 Avg, ks1: 50.96 Time: 0.058 S33 MAN ks1: 87.12 Avg, ks1: 55.22 Time: 0.058 S33 MAN ks1: 92.58 Avg, ks1: 65.33 Time: 0.068 S33 MAN ks1: 92.72 Avg, ks1: 65.33 Time: 0.068 S33 MAN ks1: 92.72 Avg, ks1: 65.33 Time: 0.068 S33 MAN ks1: 92.72 Avg, ks1: 65.33 Time: 0.068 S33 MAN ks1: 92.72 Avg, ks1: 68.20 Time: 0.068 S33 MAN ks1: 93.10 Avg, ks1: 68.20 Time: 0.068 S33 MAN ks1: 10.13 Avg, ks1: 68.20 Time: 0.068 S33 MAN ks1: 10.47 Avg, ks1: 11.83 Time: 0.068 S33 MAN ks1: 10.84 Avg, ks1: 15.66 Time: 0.068 S33 MAN ks1: 10.84 Avg, ks1: 15.56 Time: 0.068 S33 MAN ks1: 10.84 Avg, ks1: 17.75 Time: 0.066 S33 MAN ks1: 10.84 Avg, ks1: 17.75 Time: 0.066 S33 MAN ks1: 10.84 Avg, ks1: 17.75 Time: 0.076 S33 MAN ks1: 10.84 Avg, ks1: 17.83 Time: 0.066 S33 MAN ks1: 10.84 Avg, ks1: 17.75 Time: 0.066 S33 MAN ks1: 10.84 Avg, ks1: 17.83 Time: 0.066 S33 MAN ks1: 10.84 Avg, ks1: 17.83 Time: 0.066 S33 MAN ks1: 10.84 Avg, ks1: 17.83 Time: 0.076 S33 MAN ks1: 10.84 Avg, ks1: 18.59 Time: 0.076 S33 MAN ks1: 10.84 Avg, ks1: 18.59 Time: 0.076 S33 MAN ks1: 10.85 Avg, ks1: 13.47 Time: 0.076 S33 MAN ks1: 10.08 Avg, ks1: 13.47 Time: 0.076 S33 MAN ks1: 10.	Page 2	Time: 0.064 S33 MAX ksi: 137.07 Avg. ksi: 32.24 Time: 0.066 S33 MAX ksi: 142.65 Avg. ksi: 33.62 Time: 0.068 S33 MAX ksi: 142.65 Avg. ksi: 33.485 Time: 0.070 S33 MAX ksi: 151.98 Avg. ksi: 37.94 Time: 0.070 S33 MAX ksi: 151.98 Avg. ksi: 37.94 Time: 0.072 S33 MAX ksi: 156.88 Avg. ksi: 4.45 Time: 0.072 S33 MAX ksi: 156.88 Avg. ksi: 4.45 Time: 0.076 S33 MAX ksi: 156.88 Avg. ksi: 4.9.57 Time: 0.077 S33 MAX ksi: 105.87 Avg. ksi: 49.57 OUTPUT BOLT COUNT: 06 Time: 0.010 S33 MAX ksi: 0.99 Avg. ksi: 0.02 Time: 0.020 S33 MAX ksi: 60.02 Avg. ksi: 50.15 Time: 0.024 S33 MAX ksi: 60.02 Avg. ksi: 50.15 Time: 0.024 S33 MAX ksi: 62.29 Avg. ksi: 50.97 Time: 0.024 S33 MAX ksi: 82.43 Avg. ksi: 50.97 Time: 0.032 S33 MAX ksi: 88.52 Avg. ksi: 50.96 Time: 0.032 S33 MAX ksi: 92.43 Avg. ksi: 50.96 Time: 0.032 S33 MAX ksi: 92.43 Avg. ksi: 50.96 Time: 0.042 S33 MAX ksi: 109.20 Avg. ksi: 35.74 Time: 0.042 S33 MAX ksi: 109.20 Avg. ksi: 35.74 Time: 0.042 S33 MAX ksi: 109.20 Avg. ksi: 35.74 Time: 0.042 S33 MAX ksi: 111.62 Avg. ksi: 35.74 Time: 0.042 S33 MAX ksi: 111.62 Avg. ksi: 33.18 Time: 0.042 S33 MAX ksi: 111.62 Avg. ksi: 35.74 Time: 0.046 S33 MAX ksi: 113.64 Avg. ksi: 30.21 Time: 0.046 S33 MAX ksi: 113.64 Avg. ksi: 30.21 Time: 0.055 S33 MAX ksi: 114.68 Avg. ksi: 30.21 Time: 0.055 S33 MAX ksi: 116.33 Avg. ksi: 29.18 Time: 0.055 S33 MAX ksi: 118.00 Avg. ksi: 22.70 Time: 0.056 S33 MAX ksi: 118.98 Avg. ksi: 22.70 Time: 0.056 S33 MAX ksi: 118.98 Avg. ksi: 22.70 Time: 0.056 S33 MAX ksi: 119.98 Avg. ksi: 22.70 Time: 0.056 S33 MAX ksi: 122.98 Avg. ksi: 22.70 Time: 0.056 S33 MAX ksi: 119.98 Avg. ksi: 22.70 Time: 0.066 S33 MAX ksi: 119.98 Avg. ksi: 22.70 Time: 0.056 S33 MAX ksi: 119.98 Avg. ksi: 22.70 Time: 0.058 S33 MAX ksi: 122.94 Avg. ksi: 31.55 Time: 0.058 S33 MAX ksi: 122.94 Avg. ksi: 31.55 Time: 0.058 S33 MAX ksi: 122.94 Avg. ksi: 31.55 Time: 0.068 S33 MAX ksi: 119.98 Avg. ksi: 119.99 Time: 0.068 S33 MAX ksi: 119.98 Avg. ksi: 119.55 Time: 0.002 S33 MAX ksi: 119.99 Time: 0.004 S33 MAX ksi: 119.99 Time: 0.004 S33 MAX ksi: 119.99 Time: 0.004 S33	Pago 3
Time: 0.060 S33 MAX ks1: 91.01 Avg. ks1: 66.50 Time: 0.064 S33 MAX ks1: 91.15 Avg. ks1: 70.26 Time: 0.066 S33 MAX ks1: 91.73 Avg. ks1: 73.90 Time: 0.068 S33 MAX ks1: 91.73 Avg. ks1: 76.47 Time: 0.068 S33 MAX ks1: 91.73 Avg. ks1: 78.97 Time: 0.072 S33 MAX ks1: 91.74 Avg. ks1: 83.47 Time: 0.072 S33 MAX ks1: 104.80 Avg. ks1: 83.47 Time: 0.076 S33 MAX ks1: 109.97 Avg. ks1: 83.47 Time: 0.076 S33 MAX ks1: 109.97 Avg. ks1: 85.73 Time: 0.076 S33 MAX ks1: 109.97 Avg. ks1: 85.73 Time: 0.077 S33 MAX ks1: 113.88 Avg. ks1: 95.68 CUTPUT BOLT COUNT: 04 Time: 0.020 S33 MAX ks1: 119.74 Avg. ks1: 85.68 Time: 0.020 S33 MAX ks1: 110.27 Avg. ks1: 6.53 Time: 0.028 S33 MAX ks1: 120.27 Avg. ks1: 17.36 Time: 0.036 S33 MAX ks1: 121.55 Avg. ks1: 17.36 Time: 0.036 S33 MAX ks1: 21.55 Avg. ks1: 17.36 Time: 0.036 S33 MAX ks1: 33.43 Avg. ks1: 25.14 Time: 0.042 S33 MAX ks1: 33.43 Avg. ks1: 25.14 Time: 0.042 S33 MAX ks1: 33.43 Avg. ks1: 25.14 Time: 0.042 S33 MAX ks1: 33.43 Avg. ks1: 25.14 Time: 0.042 S33 MAX ks1: 33.43 Avg. ks1: 25.14 Time: 0.056 S33 MAX ks1: 33.43 Avg. ks1: 25.14 Time: 0.056 S33 MAX ks1: 30.47 Avg. ks1: 32.29 Time: 0.056 S33 MAX ks1: 45.07 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 48.15 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 48.15 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 48.15 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 48.15 Avg. ks1: 35.68 Time: 0.058 S33 MAX ks1: 48.15 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 48.15 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 48.15 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 48.15 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 48.15 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 49.83 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 49.83 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 49.83 Avg. ks1: 32.29 Time: 0.058 S33 MAX ks1: 66.83 Avg. ks1: 31.10 Time: 0.058 S33 MAX ks1: 66.83 Avg. ks1: 31.10 Time: 0.058 S33 MAX ks1: 62.84 Avg. ks1: 31.10 Time: 0.058 S33 MAX ks1: 62.84 Avg. ks1: 76.77 Time: 0.068 S33 MAX ks1: 62.84 Avg. ks1: 76.77 Time: 0.068 S33 MAX ks1: 62.85 Avg. ks1: 76.77 Time: 0.068 S33 MAX ks1: 62.84 Avg. ks1: 7		Timo: 0.048 533 MAX ksi: 26.82 Avg. ksi: 2.50 Timo: 0.050 833 MAX ksi: 26.82 Avg. ksi: 2.51 Timo: 0.050 833 MAX ksi: 28.87 Avg. ksi: 2.51 Timo: 0.052 833 MAX ksi: 35.67 Avg. ksi: 2.50 Timo: 0.054 833 MAX ksi: 35.27 Avg. ksi: 2.74 Timo: 0.054 833 MAX ksi: 35.27 Avg. ksi: 2.74 Timo: 0.056 833 MAX ksi: 35.27 Avg. ksi: 3.63 Timo: 0.068 833 MAX ksi: 35.27 Avg. ksi: 3.63 Timo: 0.068 833 MAX ksi: 55.73 Avg. ksi: 3.63 Timo: 0.068 833 MAX ksi: 55.73 Avg. ksi: 3.63 Timo: 0.068 833 MAX ksi: 56.73 Avg. ksi: 3.30 Timo: 0.068 833 MAX ksi: 76.37 Avg. ksi: 3.30 Timo: 0.068 833 MAX ksi: 76.37 Avg. ksi: 3.12 Timo: 0.068 833 MAX ksi: 76.37 Avg. ksi: 3.12 Timo: 0.068 833 MAX ksi: 84.04 Avg. ksi: 1.73 Timo: 0.072 833 MAX ksi: 84.04 Avg. ksi: 1.73 Timo: 0.072 833 MAX ksi: 82.81 Avg. ksi: 0.00 Timo: 0.073 833 MAX ksi: 82.81 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.0776 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.0776 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.0772 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.0772 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.0772 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.0772 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.0776 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 85.97 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.11 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.11 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.11 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.11 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.11 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.11 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.11 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.11 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.11 Avg. ksi: 0.00 Timo: 0.076 833 MAX ksi: 10.00 Timo: 0.077 833 MAX ksi: 10.00 Timo: 0.078 833 MAX ksi: 10.00 Timo: 0.078 83	

\$6\$DRB5:[BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A]BS.RPT_OUT:1	Page 5	\$6\$DRBS: (BASKIN. TEST. CUT. BIGHOLES_PRELOAD_A] BS. RPT_OUT; 1	Page 7
Time: 0.050 S33 MAX ksi: 100.85 Avg. ksi: 7.52 Time: 0.054 S33 MAX ksi: 102.31 Avg. ksi: 8.27 Time: 0.055 S33 MAX ksi: 103.17 Avg. ksi: 8.54 Time: 0.056 S33 MAX ksi: 105.09 Avg. ksi: 9.03 Time: 0.058 S33 MAX ksi: 105.09 Avg. ksi: 9.03 Time: 0.058 S33 MAX ksi: 109.76 Avg. ksi: 9.94 Time: 0.066 S33 MAX ksi: 109.76 Avg. ksi: 10.13 Time: 0.066 S33 MAX ksi: 116.74 Avg. ksi: 10.11 Time: 0.066 S33 MAX ksi: 116.74 Avg. ksi: 10.91 Time: 0.066 S33 MAX ksi: 112.52 Avg. ksi: 12.01 Time: 0.066 S33 MAX ksi: 121.52 Avg. ksi: 12.01 Time: 0.068 S33 MAX ksi: 121.52 Avg. ksi: 12.01 Time: 0.0072 S33 MAX ksi: 128.02 Avg. ksi: 13.97 Time: 0.071 S33 MAX ksi: 163.72 Avg. ksi: 12.01 Time: 0.071 S33 MAX ksi: 165.72 Avg. ksi: 22.10 Time: 0.071 S33 MAX ksi: 165.72 Avg. ksi: 26.26 Time: 0.077 S33 MAX ksi: 167.60 Avg. ksi: 26.26 OUTFUT BOLT COUNT: 11 Time: 0.001 S33 MAX ksi: 12.46 Avg. ksi: 26.98 OUTFUT BOLT COUNT: 11 Time: 0.020 S33 MAX ksi: 12.46 Avg. ksi: 10.46 Timo: 0.022 S33 MAX ksi: 12.46 Avg. ksi: 10.46 Timo: 0.022 S33 MAX ksi: 12.46 Avg. ksi: 9.90 Time: 0.032 S33 MAX ksi: 12.46 Avg. ksi: 9.90 Time: 0.032 S33 MAX ksi: 10.70 Time: 0.032 S33 MAX ksi: 12.46 Avg. ksi: 9.90 Time: 0.032 S33 MAX ksi: 10.08 Avg. ksi: 9.90 Time: 0.032 S33 MAX ksi: 10.08 Avg. ksi: 9.90 Time: 0.032 S33 MAX ksi: 10.08 Avg. ksi: 9.90 Time: 0.032 S33 MAX ksi: 10.08 Avg. ksi: 9.90 Time: 0.032 S33 MAX ksi: 10.08 Avg. ksi: 9.90 Time: 0.036 S33 MAX ksi: 100.8 Avg. ksi: 9.91 Time: 0.042 S33 MAX ksi: 100.8 Avg. ksi: 9.94 Time: 0.056 S33 MAX ksi: 100.8 Avg. ksi: 9.94 Time: 0.056 S33 MAX ksi: 100.8 Avg. ksi: 10.13 Time: 0.066 S33 MAX ksi: 100.8 Avg. ksi: 10.13 Time: 0.066 S33 MAX ksi: 100.8 Avg. ksi: 10.90 Time: 0.056 S33 MAX ksi: 100.8 Avg. ksi: 10.90 Time: 0.056 S33 MAX ksi: 100.8 Avg. ksi: 10.90 Time: 0.056 S33 MAX ksi: 100.8 Avg. ksi: 10.90 Time: 0.056 S33 MAX ksi: 100.8 Avg. ksi: 10.90 Time: 0.056 S33 MAX ksi: 100.8 Avg. ksi: 10.90 Time: 0.058 S33 MAX ksi: 100.8 Avg. ksi: 10.90 Time: 0.056 S33 MAX ksi: 100.8 Avg. ksi: 10.90 Time: 0.056 S33 MAX ksi: 100.8 Avg. ksi: 10		Time : 0.032 S33 MAX Ksi: 19.85 Avg. ksi: 36.28 Time : 0.056 S33 MAX ksi: 104.70 Avg. ksi: 33.31 Time : 0.042 S33 MAX ksi: 109.63 Avg. ksi: 26.41 Time : 0.042 S33 MAX ksi: 111.253 Avg. ksi: 21.94 Time : 0.046 S33 MAX ksi: 111.253 Avg. ksi: 18.36 Time : 0.048 S33 MAX ksi: 111.253 Avg. ksi: 14.39 Time : 0.056 S33 MAX ksi: 114.05 Avg. ksi: 14.39 Time : 0.050 S33 MAX ksi: 114.05 Avg. ksi: 13.26 Time : 0.052 S33 MAX ksi: 115.38 Avg. ksi: 12.44 Time : 0.056 S33 MAX ksi: 115.38 Avg. ksi: 12.46 Time : 0.056 S33 MAX ksi: 115.38 Avg. ksi: 12.46 Time : 0.056 S33 MAX ksi: 115.38 Avg. ksi: 11.85 Time : 0.056 S33 MAX ksi: 115.38 Avg. ksi: 11.85 Time : 0.056 S33 MAX ksi: 115.38 Avg. ksi: 11.85 Time : 0.056 S33 MAX ksi: 120.70 Avg. ksi: 11.85 Time : 0.062 S33 MAX ksi: 120.70 Avg. ksi: 11.85 Time : 0.062 S33 MAX ksi: 120.70 Avg. ksi: 11.87 Time : 0.066 S33 MAX ksi: 126.09 Avg. ksi: 11.99 Time : 0.066 S33 MAX ksi: 129.66 Avg. ksi: 13.92 Time : 0.066 S33 MAX ksi: 129.66 Avg. ksi: 13.92 Time : 0.066 S33 MAX ksi: 140.37 Avg. ksi: 15.59 Time : 0.070 S33 MAX ksi: 140.37 Avg. ksi: 15.59 Time : 0.071 S33 MAX ksi: 140.37 Avg. ksi: 20.92 Time : 0.071 S33 MAX ksi: 140.37 Avg. ksi: 20.92 Time : 0.072 S33 MAX ksi: 161.21 Avg. ksi: 20.92 Time : 0.073 S33 MAX ksi: 161.21 Avg. ksi: 20.92 Time : 0.074 S33 MAX ksi: 161.21 Avg. ksi: 30.50 Time : 0.075 S33 MAX ksi: 161.21 Avg. ksi: 30.50 Time : 0.020 S33 MAX ksi: 101.32 Avg. ksi: 31.76 Time : 0.020 S33 MAX ksi: 40.31 Avg. ksi: 30.52 Time : 0.024 S33 MAX ksi: 40.31 Avg. ksi: 30.50 Time : 0.046 S33 MAX ksi: 40.31 Avg. ksi: 30.50 Time : 0.046 S33 MAX ksi: 40.31 Avg. ksi: 30.50 Time : 0.056 S33 MAX ksi: 40.31 Avg. ksi: 30.51 Time : 0.068 S33 MAX ksi: 40.31 Avg. ksi: 30.50 Time : 0.068 S33 MAX ksi: 40.31 Avg. ksi: 30.50 Time : 0.068 S33 MAX ksi: 40.31 Avg. ksi: 30.50 Time : 0.068 S33 MAX ksi: 40.31 Avg. ksi: 30.46 Time : 0.068 S33 MAX ksi: 40.31 Avg. ksi: 30.46 Time : 0.068 S33 MAX ksi: 40.31 Avg. ksi: 30.46 Time : 0.068 S33 MAX ksi: 106.66 Avg. ksi: 30.47 Time : 0.068 S33 MAX ksi: 106.67 Avg. ksi: 30.	
S6\$DRB5: BASKIN. TEST. CUT. BIGHOLES PRELOAD A BS, RPT OUT:	Page 6	### SESPRES: (BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A) BS.RPT_OUT; 1 Time: 0.056	Page 8

STRESS::BASKIN

JOB 970

 $BP.RPT_OUT;1$

File:

_\$6\$DRB5:[BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A]BP.RPT_OUT;1

Last Modified: 11-NOV-1997 15:38

Owner UIC:

[G42,BASKIN]

Length:

54 blocks

Longest record:

56 bytes

Priority:

100

Submit queue:

SYS\$PRINT

Submitted: Printer queue:

SYS\$PRINT

11-NOV-1997 15:38

Printer device:

POSTMO::

Digital Equipment Corporation

PrintServer 20 POSTMO

OpenVMS AXP V6.2

DECprint Supervisor V1.2

Item M-08: Table: Bolt Plastic Strain History

	_\$68DRB5: {BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A}B2.R9T_OUT;1	Page 1	_\$\$\$ORBS:{BASKIN.TEST.CUT.BIGROLES_PRELOAD_A}BP.RPT_OUT:1 Time: 0.064 PEEQ MAX %: 4.22 Avg. %: 2.40	Page 3
	OUTPUT BOLT COUNT: 00 OUTPUT BOLT COUNT: 01 Time: 0.010 PEEQ MAX 8: 0.00 Avg. 8: 0.00		Time: 0.066 PEEC MAX %: 5.03 Avg. %: 2.95 Time: 0.068 PEEC MAX %: 5.92 Avg. %: 3.55	
-	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEQ MAX %: 0.00 Avg. %: 0.00		Time: 0.072 PEEC MAX 8: 8.01 Avg. 8: 4.94 Time: 0.074 PEEC MAX 8: 9.24 Avg. 8: 5.81	
	Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00		Time: 0.077 PEEQ MAX %: 11.11 Avg. %: 7.42	
	Time: 0.042 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.02 Avg. %: 0.00 Time: 0.046 PEEQ MAX %: 0.09 Avg. %: 0.02		Time: 0.020 PEEQ MAX 8: 0.00 Avg. 8: 0.00 Time: 0.024 PEEQ MAX 8: 0.00 Avg. 8: 0.00	
	Time: 0.048 PEEQ MAX %: 0.17 Avg. %: 0.04 Time: 0.050 PEEQ MAX %: 0.24 Avg. %: 0.06 Time: 0.052 PEEQ MAX %: 0.32 Avg. %: 0.09		Time: 0.032 PEEQ MAX %: 0.13 Avg. %: 0.05 Time: 0.036 PEEQ MAX %: 0.39 Avg. %: 0.19	
	Time: 0.054 PEEQ MAX %: 0.40 Avg. %: 0.14 Time: 0.056 PEEQ MAX %: 0.52 Avg. %: 0.20 Time: 0.058 PEEQ MAX %: 0.66 Avg. %: 0.27		Time: 0.042 PEEC MAX %: 0.90 Avg. %: 0.45 Time: 0.044 PEEC MAX %: 1.08 Avg. %: 0.54	
Ì	Time: 0.060 PEEQ MAX %: 0.80 Avg. %: 0.35 Time: 0.062 PEEQ MAX %: 1.01 Avg. %: 0.47 Time: 0.064 PEEQ MAX %: 1.30 Avg. %: 0.63		Time: 0.046 PERQ MAX %: 1.29 Avg. %: 0.54 Time: 0.048 PERQ MAX %: 1.50 Avg. %: 0.75 Time: 0.050 PERQ MAX %: 1.72 Avg. %: 0.88 Time: 0.052 PERQ MAX %: 1.92 Avg. %: 1.90	
	Time: 0.066 PEEC MAN %: 1.69 Avg. %: 0.85 Time: 0.068 PEEC MAN %: 2.14 Avg. %: 1.08 Time: 0.070 PEEC MAN %: 2.69 Avg. %: 1.39 Time: 0.072 PEEC MAN %: 3.32 Avg. %: 1.86		Time: 0.054 PEEC MAX %: 2.16 Avg. %: 1.14 Time: 0.056 PEEC MAX %: 2.50 Avg. %: 1.38 Time: 0.058 PEEC MAX %: 2.93 Avg. %: 1.72	
Ì	Time: 0.072 PEEQ MAX %: 3.32 Avg, %: 1.86 Time: 0.074 PEEQ MAX %: 4.02 Avg, %: 2.45 Time: 0.076 PEEQ MAX %: 4.62 Avg, %: 2.83 Time: 0.077 PEEQ MAX %: 4.74 Avg, %: 2.86		Time: 0.060 PEEQ MAX %: 3.49 Avg. %: 2.18 Time: 0.062 PEEQ MAX %: 4.16 Avg. %: 2.75	Ì
	OUTPUT BOLT COUNT: 02 Time: 0.010 PEEQ MAX 8: 0.00 Avg. 8: 0.00 Time: 0.020 PEEQ MAX 8: 0.00 Avg. 8: 0.00		Time: 0.066 PEEC MAX &: 5.94 Avg. %: 4.04 Time: 0.068 PEEC MAX &: 7.03 Avg. %: 4.80 Time: 0.070 PEEC MAX %: 8.31 Avg. %: 5.71 Time: 0.072 PEEC MAX %: 9.87 Avg. %: 6.64	į
	Time: 0.024 PEEO MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEO MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEO MAX %: 0.00 Avg. %: 0.00		Time: 0.074 PEEC MAX %: 11.68 Avg. %: 7.83 Time: 0.076 PEEC MAX %: 12.87 Avg. %: 9.75	
	Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEQ MAX %: 0.00 Avg. %: 0.00		OUTPUT BOLT COUNT: 07 Time: 0.010 PEEO MAX 8: 0.00 Avg. 8: 0.00	
1	Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.048 PEEQ MAX %: 0.03 Avg. %: 0.01 Time: 0.050 PEEQ MAX %: 0.03 Avg. %: 0.01 Time: 0.050 PEEQ MAX %: 0.07 Avg. %: 0.02		Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEQ MAX %: 0.01 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.01 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.24 Avg. %: 0.09	,
	Time: 0.050 PEEQ MAX %: 0.07 Avg. %: 0.02 Time: 0.052 PEEQ MAX %: 0.13 Avg. %: 0.03 Time: 0.054 PEEQ MAX %: 0.19 Avg. %: 0.05 Time: 0.056 PEEQ MAX %: 0.26 Avg. %: 0.05		Time: 0.036 PREO MAX %: 0.70 Avg. %: 0.33 Time: 0.040 PREO MAX %: 1.28 Avg. %: 0.64 Time: 0.042 PREO MAX %: 1.52 Avg. %: 0.82	
1	Time: 0.056 PEEQ MAX %: 0.40 Avg. %: 0.14 Time: 0.060 PEEQ MAX %: 0.57 Avg. %: 0.24 Time: 0.062 PEEQ MAX %: 0.75 Avg. %: 0.35		Time: 0.044 PEEQ MAX %: 1.77 AVG. %: 1.00 Time: 0.046 PEEQ MAX %: 2.06 Avg. %: 1.30 Time: 0.048 PEEQ MAX %: 2.35 Avg. %: 1.56	
	Time: 0.064 PEEQ MAX 8: 1.01 Avg. 8: 0.50 Time: 0.066 PEEQ MAX 8: 1.31 Avg. 8: 0.67 Time: 0.068 PEEQ MAX 8: 1.70 Avg. 8: 0.92		Time: 0.052 PEEQ MAX %: 2.87 Avg. %: 2.03 Time: 0.054 PEEQ MAX %: 3.15 Avg. %: 2.26	Ì
	Time: 0.070 PEEC MAX 8: 2.24 AVG. 8: 1.40 Time: 0.072 PEEC MAX 8: 2.79 AVG. 8: 1.88 Time: 0.074 PEEC MAX 8: 3.40 AVG. 8: 2.42		Time: 0.056 PEEC HAX %: 3.49 Avg. %: 2.53 Time: 0.058 PEEC HAX %: 3.94 Avg. %: 2.90 Time: 0.050 PEEC HAX %: 4.52 Avg. %: 3.34 Time: 0.050 PEEC HAX %: 5.21 Avg. %: 3.36	
	Time: 0.077 PEEO MAX %: 4.02 Avg. %: 2.84 CUTPUT BOLT COUNT: 03		Time: 0.064 PEEQ MAX 8: 5.99 AVG. 8: 4.43 Time: 0.066 PEEQ MAX 8: 6.90 AVG. 8: 5.07 Time: 0.068 PEEQ MAX 8: 7.96 AVG. 8: 5.82	
ļ	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEQ MAX %: 0.00 Avg. %: 0.00		Time: 0.070 PEEQ MAX 8: 9.26 Avg. 8: 6.73 Time: 0.072 PEEQ MAX 8: 10.70 Avg. 8: 7.67 Time: 0.074 PEEQ MAX 8: 12.87 Avg. 8: 9.52	
	Time: 0.032 PEEO MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEO MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEO MAX %: 0.00 Avg. %: 0.00		Time: 0.076 PEEC MAX 8: 12.87 Avg. 8: 10.33 Time: 0.077 PEEC MAX 8: 12.87 Avg. 8: 10.57 OUTPUT BOILT COUNT: 08 Time: 0.010 PEEC MAX 8: 0.00 Avg. 8: 0.00	
	Time: 0.042 PEEQ MAX 8: 0.00 Avg. 8: 0.00			Page 4
/	S6SDRBS: (BASKIN, TEST, CUT. BIGGOIES PRELOAD A18P.RPT OUT: 1		ACCORDE CRECKIN MUCH CHE RICHOIVE PRVICAD AIRP RPT OUT: 1	
		Page 2	\$6\$QRB5:(BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A]BP.RPT_QUT:1 Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00	zago ,
	Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 Avg. 8: 0.01 Time: 0.050 PEEC MAX 8: 0.08 Avg. 8: 0.02 Time: 0.050 PEEC MAX 8: 0.14 Avg. 8: 0.02	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00	zago 7
	Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 Avg. 8: 0.01 Time: 0.050 PEEC MAX 8: 0.08 Avg. 8: 0.01 Time: 0.050 PEEC MAX 8: 0.08 Avg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.14 Avg. 8: 0.02 Time: 0.055 PEEC MAX 8: 0.19 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.19 Avg. 8: 0.05 Time: 0.058 PEEC MAX 8: 0.28 Avg. 8: 0.08 Time: 0.058 PEEC MAX 8: 0.28 Avg. 8: 0.08	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00	2030
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 IIme: 0.046 PEEC MAX 8: 0.00 AVg. AVg. AVg. AVg. AVg. AVg. AVg. AVg.	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00	Zago
	Time: 0.044 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEQ MAX 8: 0.04 Avg. 8: 0.01 Time: 0.052 PEEQ MAX 8: 0.04 Avg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.14 Avg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.14 Avg. 8: 0.04 Time: 0.054 PEEC MAX 8: 0.19 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.46 Avg. 8: 0.16 Time: 0.060 PEEC MAX 8: 0.66 Avg. 8: 0.28 Time: 0.062 PEEC MAX 8: 0.51 Avg. 8: 0.43 Time: 0.066 PEEC MAX 8: 0.53 Avg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.53 Avg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.53 Avg. 8: 0.77 Time: 0.068 PEEC MAX 8: 1.55 Avg. 8: 0.77 Time: 0.068 PEEC MAX 8: 1.55 Avg. 8: 0.77 Time: 0.068 PEEC MAX 8: 1.55 Avg. 8: 1.01	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00	Zago
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 IIme: 0.046 PEEC MAX 8: 0.00 AVg. AVg. 8: 0.00 AVg. AVg. 8: 0.00 AVg. AVg. 8: 0.00 AVg. AVg.	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00	2 4 9 9
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 Avg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.08 Avg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.14 Avg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.14 Avg. 8: 0.02 Time: 0.055 PEEC MAX 8: 0.19 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.19 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.46 Avg. 8: 0.19 Time: 0.060 PEEC MAX 8: 0.46 Avg. 8: 0.16 Time: 0.060 PEEC MAX 8: 0.91 Avg. 8: 0.48 Time: 0.066 PEEC MAX 8: 0.91 Avg. 8: 0.49 Time: 0.066 PEEC MAX 8: 1.93 Avg. 8: 0.49 Time: 0.066 PEEC MAX 8: 1.53 Avg. 8: 0.77 Time: 0.068 PEEC MAX 8: 1.53 Avg. 8: 0.77 Time: 0.068 PEEC MAX 8: 1.53 Avg. 8: 0.77 Time: 0.068 PEEC MAX 8: 1.53 Avg. 8: 1.01 Time: 0.070 PEEC MAX 8: 1.94 Avg. 8: 1.94 Time: 0.072 PEEC MAX 8: 1.94 Avg. 8: 1.99 Time: 0.074 PEEC MAX 8: 3.83 Avg. 8: 2.54 Time: 0.077 PEEC MAX 8: 3.83 Avg. 8: 2.99 Time: 0.077 PEEC MAX 8: 4.44 Avg. 8: 2.99 Time: 0.070 PEEC MAX 8: 4.44 Avg. 8: 2.99 Time: 0.010 PEEC MAX 8: 4.44 Avg. 8: 2.99 Time: 0.010 PEEC MAX 8: 4.00 Avg. 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 Avg. 8: 0.00	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.051 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00	2 4 9 9
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.19 AVg. 8: 0.04 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.04 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.05 Time: 0.060 PEEC MAX 8: 0.66 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.50 AVg. 8: 0.28 Time: 0.066 PEEC MAX 8: 1.59 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.59 AVg. 8: 0.57 Time: 0.066 PEEC MAX 8: 1.59 AVg. 8: 1.01 Time: 0.066 PEEC MAX 8: 1.59 AVg. 8: 1.01 Time: 0.070 PEEC MAX 8: 1.99 AVg. 8: 1.04 Time: 0.071 PEEC MAX 8: 1.99 AVg. 8: 1.99 Time: 0.071 PEEC MAX 8: 3.17 AVg. 8: 1.99 Time: 0.071 PEEC MAX 8: 3.17 AVg. 8: 2.95 GUPUT BOLT COUNT: 04 Time: 0.007 PEEC MAX 8: 4.34 AVg. 8: 2.95 GUPUT BOLT COUNT: 04 Time: 0.020 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.067 PEEQ MAX %: 0.04 Avg. %: 0.07 Time: 0.067 PEEQ MAX %: 0.04 Avg. %: 0.07 Time: 0.067 PEEQ MAX %: 0.07 Time: 0.068 PEEQ MAX %: 0.07 Time: 0.067 PEEQ MAX %: 0.05 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.05 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.05 Avg. %: 0.17	2 4 9 9
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 Avg. 8: 0.00 Time: 0.052 PEEC MAX 8: 0.08 Avg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.08 Avg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.19 Avg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.19 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.19 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 Avg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 Avg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 Avg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.46 Avg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.51 Avg. 8: 0.28 Time: 0.066 PEEC MAX 8: 1.15 Avg. 8: 0.27 Time: 0.066 PEEC MAX 8: 1.15 Avg. 8: 0.79 Time: 0.068 PEEC MAX 8: 1.15 Avg. 8: 1.07 Time: 0.068 PEEC MAX 8: 1.35 Avg. 8: 1.07 Time: 0.068 PEEC MAX 8: 1.35 Avg. 8: 1.46 Time: 0.070 PEEC MAX 8: 3.17 Avg. 8: 1.46 Time: 0.072 PEEC MAX 8: 3.83 Avg. 8: 1.99 Time: 0.074 PEEC MAX 8: 3.83 Avg. 8: 2.95 Time: 0.077 PEEC MAX 8: 3.83 Avg. 8: 2.95 Time: 0.078 PEEC MAX 8: 4.44 Avg. 8: 2.95 Time: 0.020 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.024 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.024 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.022 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.034 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.01 Time: 0.070 PEEQ MAX %: 0.53 Avg. %: 0.13 Time: 0.070 PEEQ MAX %: 0.53 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.53 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.53 Avg. %: 0.78 CUTPUT BOLT COUNT: 09 Time: 0.010 PEEQ MAX %: 0.00 Avg. %: 0.70 CUTPUT BOLT COUNT: 09 Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00	
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 Avg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.08 Avg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.19 Avg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.14 Avg. 8: 0.04 Time: 0.056 PEEC MAX 8: 0.19 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 Avg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.46 Avg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.46 Avg. 8: 0.16 Time: 0.060 PEEC MAX 8: 0.46 Avg. 8: 0.28 Time: 0.066 PEEC MAX 8: 0.91 Avg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.91 Avg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.53 Avg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.53 Avg. 8: 0.77 Time: 0.068 PEEC MAX 8: 1.53 Avg. 8: 0.79 Time: 0.068 PEEC MAX 8: 1.53 Avg. 8: 1.91 Time: 0.070 PEEC MAX 8: 1.53 Avg. 8: 1.91 Time: 0.071 PEEC MAX 8: 1.94 Avg. 8: 1.99 Time: 0.072 PEEC MAX 8: 3.87 Avg. 8: 1.99 Time: 0.074 PEEC MAX 8: 3.83 Avg. 8: 2.54 Time: 0.076 PEEC MAX 8: 4.34 Avg. 8: 2.90 Time: 0.077 PEEC MAX 8: 4.34 Avg. 8: 2.90 Time: 0.079 PEEC MAX 8: 4.34 Avg. 8: 2.99 Time: 0.020 PEEC MAX 8: 4.34 Avg. 8: 2.99 Time: 0.020 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.042 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.047 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.00 A	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.051 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.067 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.068 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.068 PEEQ MAX %: 0.04 Avg. %: 0.07 Time: 0.070 PEEQ MAX %: 0.04 Avg. %: 0.07 Time: 0.070 PEEQ MAX %: 0.05 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.05 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.05 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.08 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.08 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.08 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.08 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.08 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.070 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.070 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.070 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.070 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.070 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.070 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.070 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.000 Avg. %: 0.00 Time:	
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 Avg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.19 Avg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.14 Avg. 8: 0.04 Time: 0.056 PEEC MAX 8: 0.19 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 Avg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 Avg. 8: 0.02 Time: 0.056 PEEC MAX 8: 0.46 Avg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.46 Avg. 8: 0.16 Time: 0.060 PEEC MAX 8: 0.91 Avg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.91 Avg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 Avg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 Avg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 Avg. 8: 0.77 Time: 0.068 PEEC MAX 8: 1.93 Avg. 8: 0.79 Time: 0.070 PEEC MAX 8: 1.93 Avg. 8: 1.01 Time: 0.071 PEEC MAX 8: 1.94 Avg. 8: 1.99 Time: 0.072 PEEC MAX 8: 1.93 Avg. 8: 1.99 Time: 0.074 PEEC MAX 8: 3.83 Avg. 8: 2.90 Time: 0.076 PEEC MAX 8: 4.34 Avg. 8: 2.90 Time: 0.077 PEEC MAX 8: 4.34 Avg. 8: 2.99 Time: 0.007 PEEC MAX 8: 4.34 Avg. 8: 2.99 Time: 0.020 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.047 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 Avg. 8: 0.00	Page 2	Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.067 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.068 PEEQ MAX %: 0.04 Avg. %: 0.07 Time: 0.070 PEEQ MAX %: 0.04 Avg. %: 0.07 Time: 0.070 PEEQ MAX %: 0.07 Time: 0.070 PEEQ MAX %: 0.08 Time: 0.070 PEEQ MAX %: 0.07 Time: 0.070 PEEQ MAX %: 0.08 Time:	
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.19 AVg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.066 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.066 PEEC MAX 8: 1.13 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.13 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.35 AVg. 8: 0.59 Time: 0.068 PEEC MAX 8: 1.35 AVg. 8: 1.46 Time: 0.070 PEEC MAX 8: 1.37 AVg. 8: 1.92 Time: 0.077 PEEC MAX 8: 3.17 AVg. 8: 1.99 Time: 0.077 PEEC MAX 8: 3.17 AVg. 8: 1.99 Time: 0.076 PEEC MAX 8: 4.44 AVg. 8: 2.90 Time: 0.077 PEEC MAX 8: 4.34 AVg. 8: 2.90 Time: 0.078 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.079 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.047 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.045 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.047 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.055 PEEC MAX 8: 0.00 A	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.034 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.045 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0674 PEEQ MAX %: 0.16 Avg. %: 0.13 Time: 0.074 PEEQ MAX %: 0.16 Avg. %: 0.17 Time: 0.074 PEEQ MAX %: 0.16 Avg. %: 0.17 Time: 0.074 PEEQ MAX %: 0.18 Avg. %: 0.17 Time: 0.074 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0040 PEEQ M	
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 AVg. 8: 0.00 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.19 AVg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.066 PEEC MAX 8: 0.51 AVg. 8: 0.29 Time: 0.066 PEEC MAX 8: 1.15 AVg. 8: 0.79 Time: 0.066 PEEC MAX 8: 1.35 AVg. 8: 0.79 Time: 0.068 PEEC MAX 8: 1.35 AVg. 8: 1.01 Time: 0.070 PEEC MAX 8: 1.35 AVg. 8: 1.46 Time: 0.071 PEEC MAX 8: 3.77 AVg. 8: 1.46 Time: 0.072 PEEC MAX 8: 3.83 AVg. 8: 2.95 Time: 0.074 PEEC MAX 8: 3.83 AVg. 8: 2.95 Time: 0.075 PEEC MAX 8: 3.83 AVg. 8: 2.95 Time: 0.076 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.024 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.045 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.047 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.058 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.056 PEEC MAX 8: 0.00 A	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.034 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.067 PEEQ MAX %: 0.00 Avg. %: 0.07 Time: 0.068 PEEQ MAX %: 0.00 Avg. %: 0.07 Time: 0.070 PEEQ MAX %: 0.04 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.05 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.05 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.05 Avg. %: 0.17 Time: 0.070 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.004 PEEQ MAX %: 0.00 A	
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 AVg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.14 AVg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.14 AVg. 8: 0.03 Time: 0.056 PEEC MAX 8: 0.14 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.02 Time: 0.056 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.66 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.66 AVg. 8: 0.28 Time: 0.066 PEEC MAX 8: 0.91 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 AVg. 8: 0.59 Time: 0.068 PEEC MAX 8: 1.93 AVg. 8: 0.77 Time: 0.068 PEEC MAX 8: 1.93 AVg. 8: 1.91 Time: 0.070 PEEC MAX 8: 1.93 AVg. 8: 1.91 Time: 0.071 PEEC MAX 8: 3.83 AVg. 8: 1.99 Time: 0.072 PEEC MAX 8: 3.83 AVg. 8: 2.54 Time: 0.074 PEEC MAX 8: 3.83 AVg. 8: 2.90 Time: 0.076 PEEC MAX 8: 4.34 AVg. 8: 2.99 Time: 0.077 PEEC MAX 8: 4.34 AVg. 8: 2.99 Time: 0.076 PEEC MAX 8: 4.34 AVg. 8: 2.99 Time: 0.077 PEEC MAX 8: 4.34 AVg. 8: 2.99 Time: 0.020 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.024 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.042 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.042 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.045 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.047 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.045 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.047 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.058 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.059 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.059 PEEC MAX 8: 0.00 A	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.022 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 A	
	Time: 0.044 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEQ MAX 8: 0.04 AVg. 8: 0.00 Time: 0.052 PEEQ MAX 8: 0.08 AVg. 8: 0.01 Time: 0.055 PEEQ MAX 8: 0.08 AVg. 8: 0.02 Time: 0.055 PEEQ MAX 8: 0.14 AVg. 8: 0.02 Time: 0.055 PEEQ MAX 8: 0.19 AVg. 8: 0.02 Time: 0.056 PEEQ MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEQ MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEQ MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEQ MAX 8: 0.46 AVg. 8: 0.28 Time: 0.060 PEEQ MAX 8: 0.46 AVg. 8: 0.28 Time: 0.060 PEEQ MAX 8: 0.46 AVg. 8: 0.28 Time: 0.066 PEEQ MAX 8: 0.15 AVg. 8: 0.45 Time: 0.066 PEEQ MAX 8: 1.15 AVg. 8: 0.59 Time: 0.066 PEEQ MAX 8: 1.15 AVg. 8: 0.59 Time: 0.068 PEEQ MAX 8: 1.15 AVg. 8: 0.59 Time: 0.068 PEEQ MAX 8: 1.15 AVg. 8: 0.77 Time: 0.070 PEEQ MAX 8: 1.15 AVg. 8: 1.46 Time: 0.072 PEEQ MAX 8: 1.37 AVg. 8: 1.99 Time: 0.074 PEEQ MAX 8: 3.17 AVg. 8: 1.99 Time: 0.076 PEEQ MAX 8: 3.17 AVg. 8: 1.99 Time: 0.076 PEEQ MAX 8: 3.17 AVg. 8: 2.95 Time: 0.076 PEEQ MAX 8: 4.34 AVg. 8: 2.95 Time: 0.076 PEEQ MAX 8: 4.34 AVg. 8: 2.95 Time: 0.076 PEEQ MAX 8: 4.34 AVg. 8: 2.95 Time: 0.076 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.077 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.020 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.020 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.00 A	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.022 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.034 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 A	
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 AVg. 8: 0.00 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.19 AVg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.19 AVg. 8: 0.02 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.066 PEEC MAX 8: 0.19 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.13 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.13 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.37 AVg. 8: 0.59 Time: 0.070 PEEC MAX 8: 1.37 AVg. 8: 1.46 Time: 0.071 PEEC MAX 8: 3.17 AVg. 8: 1.99 Time: 0.074 PEEC MAX 8: 3.17 AVg. 8: 1.99 Time: 0.076 PEEC MAX 8: 3.37 AVg. 8: 1.99 Time: 0.076 PEEC MAX 8: 3.37 AVg. 8: 2.95 Time: 0.076 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.077 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.021 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.035 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 A	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.022 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.034 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 A	
	Time: 0.044 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.052 PEEC MAX 8: 0.08 AVG 8: 0.01 Time: 0.052 PEEC MAX 8: 0.19 AVG 8: 0.02 Time: 0.052 PEEC MAX 8: 0.14 AVG 8: 0.02 Time: 0.054 PEEC MAX 8: 0.14 AVG 8: 0.03 Time: 0.056 PEEC MAX 8: 0.19 AVG 8: 0.03 Time: 0.056 PEEC MAX 8: 0.19 AVG 8: 0.02 Time: 0.056 PEEC MAX 8: 0.28 AVG 8: 0.28 Time: 0.056 PEEC MAX 8: 0.66 AVG 8: 0.28 Time: 0.060 PEEC MAX 8: 0.66 AVG 8: 0.28 Time: 0.060 PEEC MAX 8: 0.91 AVG 8: 0.59 Time: 0.064 PEEC MAX 8: 0.91 AVG 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 AVG 8: 0.59 Time: 0.068 PEEC MAX 8: 1.93 AVG 8: 0.59 Time: 0.068 PEEC MAX 8: 1.93 AVG 8: 0.77 Time: 0.070 PEEC MAX 8: 1.93 AVG 8: 1.91 Time: 0.071 PEEC MAX 8: 1.93 AVG 8: 1.99 Time: 0.072 PEEC MAX 8: 3.17 AVG 8: 1.99 Time: 0.074 PEEC MAX 8: 3.83 AVG 8: 2.90 Time: 0.076 PEEC MAX 8: 4.34 AVG 8: 2.90 Time: 0.076 PEEC MAX 8: 4.34 AVG 8: 2.90 Time: 0.077 PEEC MAX 8: 4.34 AVG 8: 2.90 Time: 0.078 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.024 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.042 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.045 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.047 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.048 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 AVG 8: 0	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.025 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.034 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.067 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.068 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.069 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 A	
	Time: 0.044 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.052 PEEC MAX 8: 0.08 AVG 8: 0.01 Time: 0.052 PEEC MAX 8: 0.18 AVG 8: 0.02 Time: 0.052 PEEC MAX 8: 0.19 AVG 8: 0.02 Time: 0.054 PEEC MAX 8: 0.14 AVG 8: 0.03 Time: 0.056 PEEC MAX 8: 0.14 AVG 8: 0.03 Time: 0.056 PEEC MAX 8: 0.19 AVG 8: 0.02 Time: 0.056 PEEC MAX 8: 0.28 AVG 8: 0.28 Time: 0.058 PEEC MAX 8: 0.66 AVG 8: 0.28 Time: 0.060 PEEC MAX 8: 0.66 AVG 8: 0.28 Time: 0.060 PEEC MAX 8: 0.91 AVG 8: 0.59 Time: 0.066 PEEC MAX 8: 0.91 AVG 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 AVG 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 AVG 8: 0.59 Time: 0.068 PEEC MAX 8: 1.93 AVG 8: 0.77 Time: 0.068 PEEC MAX 8: 1.93 AVG 8: 1.91 Time: 0.070 PEEC MAX 8: 1.93 AVG 8: 1.91 Time: 0.071 PEEC MAX 8: 1.97 AVG 8: 1.99 Time: 0.072 PEEC MAX 8: 3.17 AVG 8: 1.99 Time: 0.074 PEEC MAX 8: 3.83 AVG 8: 2.90 Time: 0.076 PEEC MAX 8: 4.34 AVG 8: 2.90 Time: 0.076 PEEC MAX 8: 4.34 AVG 8: 2.90 Time: 0.077 PEEC MAX 8: 4.34 AVG 8: 2.95 Time: 0.020 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVG 8: 0.00 Time: 0.036 PEEC MAX 8: 0.00 AVG 8: 0	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.022 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.034 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0674 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.0674 PEEQ MAX %: 0.00	
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.048 PEEC MAX 8: 0.04 AVg. 8: 0.01 Time: 0.050 PEEC MAX 8: 0.08 AVg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.02 Time: 0.055 PEEC MAX 8: 0.19 AVg. 8: 0.02 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.05 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.28 Time: 0.056 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.46 AVg. 8: 0.28 Time: 0.066 PEEC MAX 8: 0.31 AVg. 8: 0.45 Time: 0.066 PEEC MAX 8: 1.33 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.35 AVg. 8: 0.59 Time: 0.068 PEEC MAX 8: 1.35 AVg. 8: 1.46 Time: 0.070 PEEC MAX 8: 1.37 AVg. 8: 1.99 Time: 0.071 PEEC MAX 8: 3.17 AVg. 8: 1.99 Time: 0.074 PEEC MAX 8: 3.37 AVg. 8: 1.99 Time: 0.076 PEEC MAX 8: 3.37 AVg. 8: 2.95 Time: 0.076 PEEC MAX 8: 4.44 AVG. 8: 2.95 Time: 0.077 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.078 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.021 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.022 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 A	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.022 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.034 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.16 Avg. %: 0.13 Time: 0.067 PEEQ MAX %: 0.16 Avg. %: 0.17 Time: 0.068 PEEQ MAX %: 0.28 Avg. %: 0.13 Time: 0.069 PEEQ MAX %: 0.29 Time: 0.060 PEEQ MAX %: 0.20 Time: 0.060 PEEQ MAX %: 0.25 Time: 0.060 PEEQ MAX %: 0.26 Time: 0.060 PEEQ MAX %: 0	
	Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.052 PEEC MAX 8: 0.08 AVg. 8: 0.01 Time: 0.052 PEEC MAX 8: 0.18 AVg. 8: 0.02 Time: 0.052 PEEC MAX 8: 0.14 AVg. 8: 0.02 Time: 0.054 PEEC MAX 8: 0.14 AVg. 8: 0.03 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.03 Time: 0.056 PEEC MAX 8: 0.19 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.08 Time: 0.056 PEEC MAX 8: 0.28 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.66 AVg. 8: 0.28 Time: 0.060 PEEC MAX 8: 0.91 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 0.91 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 AVg. 8: 0.59 Time: 0.066 PEEC MAX 8: 1.93 AVg. 8: 0.59 Time: 0.068 PEEC MAX 8: 1.93 AVg. 8: 0.77 Time: 0.069 PEEC MAX 8: 1.93 AVg. 8: 0.79 Time: 0.070 PEEC MAX 8: 1.93 AVg. 8: 1.91 Time: 0.071 PEEC MAX 8: 1.93 AVg. 8: 1.99 Time: 0.072 PEEC MAX 8: 3.17 AVg. 8: 1.99 Time: 0.074 PEEC MAX 8: 3.83 AVg. 8: 2.54 Time: 0.075 PEEC MAX 8: 4.34 AVg. 8: 2.90 Time: 0.076 PEEC MAX 8: 4.34 AVg. 8: 2.90 Time: 0.077 PEEC MAX 8: 4.34 AVg. 8: 2.99 Time: 0.078 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.020 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.021 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.032 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.034 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.042 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.044 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.046 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.047 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.049 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 AVg. 8: 0.00 Time: 0.050 PEEC MAX 8: 0.00 A	Page 2	Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.022 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.041 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.066 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.067 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.068 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.060 PEEQ MAX %: 0.00 A	

\$6\$DRB5:{BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A]BP.RPT_OUT;1 Time : 0.050 PEEQ MAX %: 0.74 Avg. %: 0.49	Page 5	_\$6\$DRB5: [BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A] BP.RPT_OUT; 1 Page Time: 0.032 PEEO MAX %: 0.16 Avg. %: 0.07	9 7
Time: 0.052 PEEC MAX %: 0.92 Avg. %: 0.63 Time: 0.054 PEEC MAX %: 1.12 Avg. %: 0.80 Time: 0.056 PEEC MAX %: 1.40 Avg. %: 1.04 Time: 0.058 PEEC MAX %: 1.76 Avg. %: 1.35 Time: 0.060 PEEC MAX %: 2.23 Avg. %: 1.76 Time: 0.062 PEEC MAX %: 2.80 Avg. %: 2.26 Time: 0.066 PEEC MAX %: 2.80 Avg. %: 2.26 Time: 0.066 PEEC MAX %: 4.26 Avg. %: 3.47 Time: 0.068 PEEC MAX %: 4.26 Avg. %: 3.47 Time: 0.068 PEEC MAX %: 5.25 Avg. %: 3.47 Time: 0.070 PEEC MAX %: 5.25 Avg. %: 5.25 Time: 0.072 PEEC MAX %: 7.82 Avg. %: 6.33 Time: 0.072 PEEC MAX %: 7.82 Avg. %: 6.33 Time: 0.076 PEEC MAX %: 7.82 Avg. %: 6.37 Time: 0.077 PEEC MAX %: 10.80 Avg. %: 7.49 Time: 0.077 PEEC MAX %: 10.80 Avg. %: 8.76 Time: 0.077 PEEC MAX %: 10.80 Avg. %: 8.76 Time: 0.077 PEEC MAX %: 11.27 Avg. %: 8.76		Time: 0.036 PEDÖ MAX %: 0.48 Avg. %: 0.28 Time: 0.040 PEDÖ MAX %: 0.98 Avg. %: 0.46 Time: 0.040 PEDÖ MAX %: 1.26 Avg. %: 0.46 Time: 0.044 PEDÖ MAX %: 1.55 Avg. %: 0.83 Time: 0.044 PEDÖ MAX %: 1.55 Avg. %: 0.83 Time: 0.044 PEDÖ MAX %: 1.55 Avg. %: 1.08 Time: 0.048 PEDÖ MAX %: 2.12 Avg. %: 1.35 Time: 0.050 PEDÖ MAX %: 2.12 Avg. %: 1.62 Time: 0.050 PEDÖ MAX %: 2.41 Avg. %: 1.62 Time: 0.050 PEDÖ MAX %: 2.47 Avg. %: 1.87 Time: 0.054 PEDÖ MAX %: 2.87 Avg. %: 2.05 Time: 0.054 PEDÖ MAX %: 3.12 Avg. %: 2.05 Time: 0.058 PEDÖ MAX %: 3.12 Avg. %: 2.65 Time: 0.058 PEDÖ MAX %: 3.12 Avg. %: 2.65 Time: 0.068 PEDÖ MAX %: 4.08 Avg. %: 3.13 Time: 0.060 PEDÖ MAX %: 4.08 Avg. %: 3.13 Time: 0.060 PEDÖ MAX %: 4.08 Avg. %: 3.13 Time: 0.060 PEDÖ MAX %: 4.08 Avg. %: 3.160	
OUTPUT BOIT COUNT: 11 Time: 0.010 PEEQ MAX 8: 0.00 Avg. 8: 0.00 Time: 0.024 PEEQ MAX 8: 0.00 Avg. 8: 0.00 Time: 0.024 PEEQ MAX 8: 0.00 Avg. 8: 0.00 Time: 0.028 PEEQ MAX 8: 0.00 Avg. 8: 0.00 Time: 0.032 PEEQ MAX 8: 0.00 Avg. 8: 0.00 Time: 0.032 PEEQ MAX 8: 0.00 Avg. 8: 0.00 Time: 0.036 PEEQ MAX 8: 0.03 Avg. 8: 0.01 Time: 0.040 PEEQ MAX 8: 0.35 Avg. 8: 0.19 Time: 0.042 PEEQ MAX 8: 0.60 Avg. 8: 0.36 Time: 0.042 PEEQ MAX 8: 0.60 Avg. 8: 0.36 Time: 0.042 PEEQ MAX 8: 0.60 Avg. 8: 0.36 Time: 0.042 PEEQ MAX 8: 0.60 Avg. 8: 0.36		Time: 0.064 PEED MAX %: 5.27 Avg. %: 4.15 Time: 0.066 PEED MAX %: 6.07 Avg. %: 4.83 Time: 0.068 PEED MAX %: 7.04 Avg. %: 5.62 Time: 0.070 PEED MAX %: 8.20 Avg. %: 5.62 Time: 0.072 PEED MAX %: 8.20 Avg. %: 6.54 Time: 0.072 PEED MAX %: 9.41 Avg. %: 7.50 Time: 0.074 PEED MAX %: 10.71 Avg. %: 8.53 Time: 0.076 PEED MAX %: 12.25 Avg. %: 9.83 Time: 0.077 PEED MAX %: 12.25 Avg. %: 11.08 DUTPUT BOLT COUNT: 16 Time: 0.010 PEED MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEED MAX %: 0.00 Avg. %: 0.00	
Time : 0.046 PEEC MAX %: 1.06 Avg. %: 0.77 Time : 0.050 PEEC MAX %: 1.30 Avg. %: 0.99 Time : 0.052 PEEC MAX %: 1.56 Avg. %: 1.23 Time : 0.052 PEEC MAX %: 1.80 Avg. %: 1.46 Time : 0.054 PEEC MAX %: 1.97 Avg. %: 1.62 Time : 0.056 PEEC MAX %: 2.21 Avg. %: 1.62 Time : 0.056 PEEC MAX %: 2.21 Avg. %: 1.84 Time : 0.060 PEEC MAX %: 3.11 Avg. %: 2.64 Time : 0.060 PEEC MAX %: 3.11 Avg. %: 2.64 Time : 0.064 PEEC MAX %: 3.64 Avg. %: 3.65 Time : 0.064 PEEC MAX %: 4.28 Avg. %: 3.65 Time : 0.066 PEEC MAX %: 4.28 Avg. %: 3.65		Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.048 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.055 PEEC MAX %: 0.00 Avg. %: 0.00	
Time: 0.068 PEEC MAX 8: 6.12 Avg. 8: 5.12 Time: 0.070 PEEC MAX 8: 7.40 Avg. 8: 6.10 Time: 0.072 PEEC MAX 8: 8.74 Avg. 9: 7.09 Time: 0.074 PEEC MAX 8: 10.19 Avg. 8: 8.21 Time: 0.076 PEEC MAX 8: 11.78 Avg. 8: 9.57 Time: 0.077 PEEC MAX 8: 11.87 Avg. 8: 9.57 Time: 0.070 PEEC MAX 8: 12.87 Avg. 8: 10.41 Time: 0.010 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.024 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.024 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.024 PEEC MAX 8: 0.00 Avg. 8: 0.00 Time: 0.024 PEEC MAX 8: 0.00 Avg. 8: 0.00		Time: 0.054 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.058 PEEQ MAX %: 0.09 Avg. %: 0.02 Time: 0.060 PEEQ MAX %: 0.18 Avg. %: 0.04 Time: 0.060 PEEQ MAX %: 0.27 Avg. %: 0.07 Time: 0.064 PEEQ MAX %: 0.42 Avg. %: 0.16 Time: 0.066 PEEQ MAX %: 0.42 Avg. %: 0.16 Time: 0.066 PEEQ MAX %: 0.64 Avg. %: 0.29 Time: 0.068 PEEQ MAX %: 0.92 Avg. %: 0.46 Time: 0.070 PEEQ MAX %: 1.23 Avg. %: 0.65 Time: 0.070 PEEQ MAX %: 1.23 Avg. %: 0.65 Time: 0.070 PEEQ MAX %: 1.45 Avg. %: 0.78 Time: 0.074 PEEQ MAX %: 1.67 Avg. %: 0.78 Time: 0.074 PEEQ MAX %: 1.67 Avg. %: 0.96	
Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.048 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.048 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.052 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.052 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.056 PEEC MAX %: 0.00 Avg. %: 0.00		Time: 0.076 PEEC MAX %: 2.06 Avg. %: 1.31 Time: 0.077 PEEC MAX %: 2.19 Avg. %: 1.42 OUTPUT BOLT COUNT: 17 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.01 Time: 0.032 PEEC MAX %: 0.03 Avg. %: 0.01 Time: 0.036 PEEC MAX %: 0.31 Avg. %: 0.14 Time: 0.040 PEEC MAX %: 0.66 Avg. %: 0.32 Time: 0.040 PEEC MAX %: 0.60 Time: 0.040 PEEC MAX %: 0.60 Avg. %: 0.32 Time: 0.040 PEEC MAX %: 0.60 Avg. %: 0.39 Time: 0.044 PEEC MAX %: 0.97 Avg. %: 0.50	
Time: 0.060 PEEC MAX %: 0.10 Avg. %: 0.02 Time: 0.062 PEEC MAX %: 0.24 Avg. %: 0.07 Time: 0.064 PEEC MAX %: 0.42 Avg. %: 0.15 Time: 0.066 PEEC MAX %: 0.66 Avg. %: 0.28 Time: 0.068 PEEC MAX %: 0.89 Avg. %: 0.41	,	Time: 0.046 PEEC MAX %: 1.16 Avg. %: 0.62 Time: 0.048 PEEC MAX %: 1.36 Avg. %: 0.77 Time: 0.050 PEEC MAX %: 1.54 Avg. %: 0.92 Time: 0.052 PEEC MAX %: 1.54 Avg. %: 0.92 Time: 0.052 PEEC MAX %: 1.74 Avg. %: 1.09 Time: 0.054 PEEC MAX %: 1.98 Avg. %: 1.30	
	Page 6	_\$6\$DRB5:[BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A]BP.RPT_OUT;1 Pag Time: 0.056 PEEQ MAX %: 2.28 Avg. %: 1.58 Time: 0.058 PEEQ MAX %: 2.61 Avg. %: 1.88	je 8
Time: 0.074 PEEQ MAX 8: 1.54 Avg. 8: 0.94 Time: 0.076 PEEQ MAX 8: 2.01 Avg. 8: 1.31 Time: 0.077 PEEQ MAX 8: 2.13 Avg. 8: 1.41 OUTPUT BOLT COUNT: 13		Time: 0.060 PEEC MAX %: 2.95 Avg. %: 2.17 Time: 0.062 PEEC MAX %: 3.37 Avg. %: 2.53 Time: 0.064 PEEC MAX %: 3.91 Avg. %: 2.99 Time: 0.066 PEEC MAX %: 4.55 Avg. %: 3.53	
Time: 0.010 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEQ MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEQ MAX %: 0.00 Avg. %: 0.00		Time: 0.068 PEEQ MAX %: 5.35 Avg. %: 4.19 Time: 0.070 PEEQ MAX %: 6.26 Avg. %: 4.95 Time: 0.072 PEEQ MAX %: 7.34 Avg. %: 5.81	
Time: 0.032 PEEQ MAX %: 0.21 Avg. %: 0.08 Time: 0.036 PEEQ MAX %: 0.52 Avg. %: 0.23 Time: 0.040 PEEQ MAX %: 0.84 Avg. %: 0.39		Time: 0.076 PEEC MAX %: 9.58 Avg. %: 7.57 Time: 0.077 PEEC MAX %: 9.97 Avg. %: 7.89 OUTPUT BOLT COUNT: 18	
Time: 0.042 PEEC MAX 8: 0.97 Avg. 8: 0.45 Time: 0.044 PEEC MAX 8: 1.13 Avg. 8: 0.53 Time: 0.046 PEEC MAX 8: 1.31 Avg. 8: 0.64 Time: 0.048 PEEC MAX 8: 1.31 Avg. 8: 0.64		Time: 0.010 PEEQ MAX %: 0.00 Avg. %: 0.00	
Time: 0.050 PEEC MAX %: 1.66 Avg. %: 0.87		Time: 0.020 PEEO MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEO MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEO MAX %: 0.00 Avg. %: 0.00	
Time: 0.052 PEEQ MAX %: 1.85 Avg. %: 0.99 Time: 0.054 PEEQ MAX %: 2.09 Avg. %: 1.19 Time: 0.056 PEEQ MAX %: 2.38 Avg %: 1.42		Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time: 0.035 PEEC MAX %: 0.33 Avg. %: 0.12 Time: 0.040 PEEC MAX %: 0.72 Avg. %: 0.32	
Time : 0.052 PEEC MAX %: 1.85 Avg. %: 0.99 Time : 0.054 PEEC MAX %: 2.09 Avg. %: 1.19 Time : 0.056 PEEC MAX %: 2.36 Avg. %: 1.42 Time : 0.058 PEEC MAX %: 2.60 Avg. %: 1.42 Time : 0.060 PEEC MAX %: 2.60 Avg. %: 1.59 Time : 0.060 PEEC MAX %: 2.90 Avg. %: 1.82 Time : 0.062 PEEC MAX %: 2.90 Avg. %: 1.82		Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time: 0.032 PEEC MAX %: 0.06 Avg. %: 0.12 Time: 0.036 PEEC MAX %: 0.33 Avg. %: 0.12 Time: 0.040 PEEC MAX %: 0.72 Avg. %: 0.32 Time: 0.041 PEEC MAX %: 0.88 Avg. %: 0.40 Time: 0.044 PEEC MAX %: 1.08 Avg. %: 0.52 Time: 0.046 PEEC MAX %: 1.29 Avg. %: 0.52 Time: 0.048 PEEC MAX %: 1.29 Avg. %: 0.69 Time: 0.048 PEEC MAX %: 1.50 Avg. %: 0.87	į
Time: 0.052 FEEC MAX %: 1.85 Avg. %: 0.99 Time: 0.054 FEEC MAX %: 2.09 Avg. %: 1.19 Time: 0.056 FEEC MAX %: 2.38 Avg. %: 1.42 Time: 0.058 FEEC MAX %: 2.60 Avg. %: 1.42 Time: 0.060 FEEC MAX %: 2.60 Avg. %: 1.59 Time: 0.060 FEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.064 FEEC MAX %: 3.31 Avg. %: 2.18 Time: 0.066 FEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 FEEC MAX %: 3.85 Avg. %: 3.13 Time: 0.068 FEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.068 FEEC MAX %: 5.39 Avg. %: 3.76		Time : 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.06 Avg. %: 0.12 Time : 0.040 PEEC MAX %: 0.72 Avg. %: 0.32 Time : 0.042 PEEC MAX %: 0.72 Avg. %: 0.32 Time : 0.042 PEEC MAX %: 0.83 Avg. %: 0.40 Time : 0.044 PEEC MAX %: 1.88 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.29 Time : 0.050 PEEC MAX %: 1.60 Avg. %: 0.87 Time : 0.050 PEEC MAX %: 1.69 Time : 0.054 PEEC MAX %: 2.09	
Time: 0.052 PEEC MAX %: 1.85 Avg. %: 0.99 Time: 0.056 PEEC MAX %: 2.09 Avg. %: 1.19 Time: 0.056 PEEC MAX %: 2.36 Avg. %: 1.42 Time: 0.058 PEEC MAX %: 2.60 Avg. %: 1.42 Time: 0.060 PEEC MAX %: 2.60 Avg. %: 1.82 Time: 0.060 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.064 PEEC MAX %: 3.31 Avg. %: 2.18 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 3.85 Avg. %: 3.76 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.070 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.071 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.076 PEEC MAX %: 9.63 Avg. %: 5.91 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85		Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time: 0.036 PEEC MAX %: 0.06 Avg. %: 0.12 Time: 0.036 PEEC MAX %: 0.33 Avg. %: 0.12 Time: 0.040 PEEC MAX %: 0.72 Avg. %: 0.32 Time: 0.042 PEEC MAX %: 0.83 Avg. %: 0.40 Time: 0.042 PEEC MAX %: 1.08 Avg. %: 0.52 Time: 0.046 PEEC MAX %: 1.08 Avg. %: 0.52 Time: 0.048 PEEC MAX %: 1.29 Avg. %: 0.57 Time: 0.050 PEEC MAX %: 1.59 Avg. %: 0.87 Time: 0.051 PEEC MAX %: 1.69 Avg. %: 1.04 Time: 0.052 PEEC MAX %: 1.87 Avg. %: 1.22 Time: 0.055 PEEC MAX %: 2.40 Avg. %: 1.22 Time: 0.056 PEEC MAX %: 2.40 Avg. %: 1.71 Time: 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time: 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time: 0.058 PEEC MAX %: 2.40 Avg. %: 2.11 Time: 0.050 PEEC MAX %: 3.31 Avg. %: 2.59 Time: 0.050 PEEC MAX %: 3.38 Avg. %: 3.73	
Time: 0.052 PEEC MAX %: 1.85 Avg. %: 0.99 Time: 0.056 PEEC MAX %: 2.09 Avg. %: 1.19 Time: 0.056 PEEC MAX %: 2.36 Avg. %: 1.42 Time: 0.058 PEEC MAX %: 2.60 Avg. %: 1.42 Time: 0.060 PEEC MAX %: 2.60 Avg. %: 1.59 Time: 0.060 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.064 PEEC MAX %: 3.85 Avg. %: 2.18 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.070 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.071 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.076 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.079 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.070 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.070 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00		Time : 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.028 PEEC MAX %: 0.06 Avg. %: 0.00 Time : 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.33 Avg. %: 0.32 Time : 0.042 PEEC MAX %: 0.38 Avg. %: 0.32 Time : 0.044 PEEC MAX %: 0.88 Avg. %: 0.52 Time : 0.045 PEEC MAX %: 1.08 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.69 Time : 0.048 PEEC MAX %: 1.50 Avg. %: 0.87 Time : 0.050 PEEC MAX %: 1.69 Avg. %: 0.87 Time : 0.052 PEEC MAX %: 1.69 Avg. %: 1.24 Time : 0.052 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.056 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.056 PEEC MAX %: 3.31 Avg. %: 2.59 Time : 0.066 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 6.38 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 7.59 Avg. %: 5.35	
Time: 0.052 FEEC MAX %: 1.85 Avg. %: 0.99 Time: 0.056 FEEC MAX %: 2.09 Avg. %: 1.19 Time: 0.056 FEEC MAX %: 2.38 Avg. %: 1.42 Time: 0.058 FEEC MAX %: 2.60 Avg. %: 1.42 Time: 0.060 FEEC MAX %: 2.60 Avg. %: 1.59 Time: 0.060 FEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.064 FEEC MAX %: 3.85 Avg. %: 2.18 Time: 0.066 FEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 FEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 FEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.070 FEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.071 FEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.072 FEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.076 FEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 FEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.078 FEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.079 FEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.070 FEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.070 FEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.070 FEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.070 FEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.070 FEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.020 FEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 FEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 FEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 FEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 FEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 FEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 FEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 FEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 FEEC MAX %: 0.00 Avg. %: 0.00		Time : 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.06 Avg. %: 0.12 Time : 0.046 PEEC MAX %: 0.72 Avg. %: 0.32 Time : 0.042 PEEC MAX %: 0.83 Avg. %: 0.40 Time : 0.044 PEEC MAX %: 0.88 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.08 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.69 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.69 Time : 0.048 PEEC MAX %: 1.29 Avg. %: 0.67 Time : 0.050 PEEC MAX %: 1.69 Avg. %: 1.04 Time : 0.050 PEEC MAX %: 1.69 Avg. %: 1.04 Time : 0.055 PEEC MAX %: 2.09 Avg. %: 1.43 Time : 0.056 PEEC MAX %: 2.09 Avg. %: 1.43 Time : 0.056 PEEC MAX %: 2.09 Avg. %: 1.71 Time : 0.056 PEEC MAX %: 2.80 Avg. %: 2.11 Time : 0.056 PEEC MAX %: 2.80 Avg. %: 2.11 Time : 0.056 PEEC MAX %: 3.38 Avg. %: 2.59 Time : 0.052 PEEC MAX %: 3.38 Avg. %: 3.12 Time : 0.062 PEEC MAX %: 3.38 Avg. %: 3.73 Time : 0.062 PEEC MAX %: 4.56 Time : 0.068 PEEC MAX %: 5.38 Time : 0.066 PEEC MAX %: 5.38 Time : 0.068 PEEC MAX %: 5.38 Time : 0.066 PEEC MAX %: 5.38 Time : 0.070 PEEC MAX %: 5.39 Time : 0.070 PEEC MAX %: 5.38 Time :	
Time: 0.052 PEEC MAX %: 1.85 Avg. %: 0.99 Time: 0.056 PEEC MAX %: 2.09 Avg. %: 1.19 Time: 0.056 PEEC MAX %: 2.36 Avg. %: 1.42 Time: 0.058 PEEC MAX %: 2.60 Avg. %: 1.42 Time: 0.060 PEEC MAX %: 2.90 Avg. %: 1.59 Time: 0.060 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.064 PEEC MAX %: 3.85 Avg. %: 2.18 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.070 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.071 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.076 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.078 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.078 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEC MAX %: 0.07 Avg. %: 0.13 Time: 0.046 PEEC MAX %: 0.39 Avg. %: 0.13 Time: 0.046 PEEC MAX %: 0.55 Avg. %: 0.27 Time: 0.046 PEEC MAX %: 0.74 Avg. %: 0.38 Time: 0.046 PEEC MAX %: 0.74 Avg. %: 0.55		Time : 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.08 Time : 0.042 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 1.08 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.69 Time : 0.050 PEEC MAX %: 1.29 Avg. %: 0.87 Time : 0.051 PEEC MAX %: 1.29 Time : 0.052 PEEC MAX %: 1.29 Time : 0.054 PEEC MAX %: 1.29 Time : 0.055 PEEC MAX %: 2.40 Avg. %: 1.22 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.056 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 5.38 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.072 PEEC MAX %: 7.59 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.89 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.075 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 9.65	
Time: 0.052 PEEC MAX %: 1.85 Avg. %: 0.99 Time: 0.056 PEEC MAX %: 2.09 Avg. %: 1.19 Time: 0.056 PEEC MAX %: 2.38 Avg. %: 1.42 Time: 0.056 PEEC MAX %: 2.60 Avg. %: 1.59 Time: 0.060 PEEC MAX %: 2.90 Avg. %: 1.59 Time: 0.060 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.064 PEEC MAX %: 3.31 Avg. %: 2.18 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.070 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.077 PEEC MAX %: 7.45 Avg. %: 3.76 Time: 0.077 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.077 PEEC MAX %: 9.53 Avg. %: 6.85 TITIME: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 TITIME: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 TITIME: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 TITIME: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 TITIME: 0.010 PEEC MAX %: 9.63 Avg. %: 0.00 TIME: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.032 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.034 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.038 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.038 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.048 PEEC MAX %: 0.01 Avg. %: 0.00 Time: 0.044 PEEC MAX %: 0.07 Avg. %: 0.13 Time: 0.044 PEEC MAX %: 0.74 Avg. %: 0.38 Time: 0.048 PEEC MAX %: 0.74 Avg. %: 0.38 Time: 0.059 PEEC MAX %: 0.74 Avg. %: 0.38 Time: 0.059 PEEC MAX %: 0.74 Avg. %: 0.38 Time: 0.059 PEEC MAX %: 0.55 Avg. %: 0.27 Time: 0.048 PEEC MAX %: 0.55 Avg. %: 0.50 Time: 0.059 PEEC MAX %: 0.50 Avg. %: 0.50 Time: 0.059 PEEC MAX %: 0.50 Avg. %: 0.50 Time: 0.059 PEEC MAX %: 0.55 Avg. %: 0.50 Time: 0.059 PEEC MAX %: 0.55 Avg. %: 0.50 Time: 0.059 PEEC MAX %: 0.55 Avg. %: 0.50		Time : 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.08 Time : 0.042 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 1.08 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.69 Time : 0.050 PEEC MAX %: 1.29 Avg. %: 0.87 Time : 0.051 PEEC MAX %: 1.29 Time : 0.052 PEEC MAX %: 1.29 Time : 0.054 PEEC MAX %: 1.29 Time : 0.055 PEEC MAX %: 2.40 Avg. %: 1.22 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.056 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 5.38 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.072 PEEC MAX %: 7.59 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.89 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.075 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 9.65	
Time: 0.052 PEEC MAX %: 1.85 Avg. %: 0.99 Time: 0.056 PEEC MAX %: 2.38 Avg. %: 1.42 Time: 0.056 PEEC MAX %: 2.38 Avg. %: 1.42 Time: 0.058 PEEC MAX %: 2.60 Avg. %: 1.59 Time: 0.060 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.064 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.070 PEEC MAX %: 5.39 Avg. %: 5.15 Time: 0.071 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.072 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.076 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.078 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.079 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.042 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.045 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.047 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.048 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.049 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.040 PEEC MAX %: 0.04 Avg. %: 0.05 Time: 0.044 PEEC MAX %: 0.044 Avg. %: 0.38 Time: 0.044 PEEC MAX %: 0.044 Avg. %: 0.38 Time: 0.044 PEEC MAX %: 0.04		Time : 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.08 Time : 0.042 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 1.08 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.69 Time : 0.050 PEEC MAX %: 1.29 Avg. %: 0.87 Time : 0.051 PEEC MAX %: 1.29 Time : 0.052 PEEC MAX %: 1.29 Time : 0.054 PEEC MAX %: 1.29 Time : 0.055 PEEC MAX %: 2.40 Avg. %: 1.22 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.056 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 5.38 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.072 PEEC MAX %: 7.59 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.89 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.075 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 9.65	
Time: 0.052 PEEC MAX %: 1.85 Avg. %: 0.99 Time: 0.056 PEEC MAX %: 2.38 Avg. %: 1.42 Time: 0.056 PEEC MAX %: 2.38 Avg. %: 1.42 Time: 0.058 PEEC MAX %: 2.60 Avg. %: 1.59 Time: 0.060 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.064 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.070 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.071 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.072 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.076 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.078 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.036 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.044 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.050 PEEC MAX %: 0.39 Avg. %: 0.38 Time: 0.044 PEEC MAX %: 0.04 Avg. %: 0.05 Time: 0.050 PEEC MAX %: 0.39 Avg. %: 0.39 Time: 0.050 PEEC MAX %: 0.74 Avg. %: 0.38 Time: 0.050 PEEC MAX %: 0.74 Avg. %: 0.38 Time: 0.050 PEEC MAX %: 0.74 Avg. %: 0.55 Time: 0.050 PEEC MAX %: 0.77 Avg. %: 0.55 Time: 0.050 PEEC MAX %: 0.77 Avg. %: 0.55 Time: 0.050 PEEC MAX %: 0.77 Avg. %: 0.55 Time: 0.050 PEEC MAX %: 0.77 Avg. %: 0.55 Time: 0.050 PEEC MAX %: 0.77 Avg. %: 0.55 Time: 0.050 PEEC MAX %: 0.77 Avg. %: 0.55 Time: 0.050 PEEC MAX %: 0.77 A		Time : 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.08 Time : 0.042 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 1.08 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.69 Time : 0.050 PEEC MAX %: 1.29 Avg. %: 0.87 Time : 0.051 PEEC MAX %: 1.29 Time : 0.052 PEEC MAX %: 1.29 Time : 0.054 PEEC MAX %: 1.29 Time : 0.055 PEEC MAX %: 2.40 Avg. %: 1.22 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.056 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 5.38 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.072 PEEC MAX %: 7.59 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.89 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.075 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 9.65	
Time: 0.052 PEEC MAX %: 1.85 Avg. %: 0.99 Time: 0.056 PEEC MAX %: 2.09 Avg. %: 1.19 Time: 0.056 PEEC MAX %: 2.38 Avg. %: 1.42 Time: 0.060 PEEC MAX %: 2.60 Avg. %: 1.59 Time: 0.060 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.066 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.066 PEEC MAX %: 2.90 Avg. %: 1.82 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.066 PEEC MAX %: 3.85 Avg. %: 2.64 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.068 PEEC MAX %: 5.39 Avg. %: 3.76 Time: 0.072 PEEC MAX %: 5.38 Avg. %: 3.76 Time: 0.074 PEEC MAX %: 6.38 Avg. %: 3.76 Time: 0.077 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.077 PEEC MAX %: 7.45 Avg. %: 5.15 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.077 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.078 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.079 PEEC MAX %: 9.63 Avg. %: 6.85 Time: 0.079 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.020 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.021 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.022 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.023 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time: 0.046 PEEC MAX %: 0.07 Time: 0.047 Avg. %: 0.13 Time: 0.048 PEEC MAX %: 0.07 Time: 0.049 PEEC MAX %: 0.07 Time: 0.049 PEEC MAX %: 0.05 Time: 0.046 PEEC MAX %: 0.07 Time: 0.047 PEEC MAX %: 0.05 Time: 0.050 PEEC MAX %: 0.55 Time: 0.050 PEEC MAX %: 0.55 Time: 0.050 PEEC MAX %: 0.55 Time: 0.050 PEEC MAX %: 0.50 Time: 0.050 PEEC MAX %: 0.55 Time: 0.050 PEEC MAX %: 0.55 Time: 0.050 PEEC MAX %: 0.50 Time: 0.050 PEEC MAX %: 0.50 Time: 0.050 PEEC MAX %: 0.50 Time: 0.050 PEEC MAX %: 0.55 Time: 0.050 PEEC MAX %: 0.55 Time: 0.050 PEEC MAX %: 0.50 Time: 0.050 PEEC MAX %: 0.55 Time: 0.050 PEEC MAX %: 0.50 Time: 0.050 P		Time : 0.024 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.028 PEEC MAX %: 0.00 Avg. %: 0.00 Time : 0.032 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.06 Avg. %: 0.01 Time : 0.036 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.03 Time : 0.042 PEEC MAX %: 0.08 Time : 0.042 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 0.88 Time : 0.046 PEEC MAX %: 1.08 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.52 Time : 0.046 PEEC MAX %: 1.29 Avg. %: 0.69 Time : 0.050 PEEC MAX %: 1.29 Avg. %: 0.87 Time : 0.051 PEEC MAX %: 1.29 Time : 0.052 PEEC MAX %: 1.29 Time : 0.054 PEEC MAX %: 1.29 Time : 0.055 PEEC MAX %: 2.40 Avg. %: 1.22 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.058 PEEC MAX %: 2.40 Avg. %: 1.71 Time : 0.056 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 3.88 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 5.38 Avg. %: 3.73 Time : 0.066 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.068 PEEC MAX %: 6.39 Avg. %: 5.32 Time : 0.072 PEEC MAX %: 7.59 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 8.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.89 Avg. %: 5.32 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.074 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.075 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 7.35 Time : 0.076 PEEC MAX %: 1.88 Avg. %: 9.65	

STRESS::BASKIN

JOB 974

BP_PLOT.PS;1

File:

\$6\$DRB5:[BASKIN.TEST.CUT.BIGHOLES_PRELOAD_A]BP_PLOT.PS;1

Last Modified: 11-NOV-1997 15:39

Owner UIC:

[G42,BASKIN]

Length:

732 blocks 95 bytes

Priority:

100

Submit queue:

Longest record:

SYS\$PRINT

Submitted: Printer queue:

11-NOV-1997 15:40

SYS\$PRINT

Printer device:

POSTMO::


Digital Equipment Corporation


OpenVMS AXP V6.2


PrintServer 20 POSTMO


DECprint Supervisor V1.2

Item M-11: Figure: Bolt Plastic Strain History Plots














M-12















































Item M-17: Figure: Model Displacement and Sealing Skin Mises Contour Plots



Item M-18: Figure: Clamp Plate and Divider Plate Plastic Strain Contour Plots



Item M-19: Figure: Clamp Dogs and Seat Bar Plastic Strain Contour Plots



Item M-20: Figure:: Bolt Plastic Strain Contour Plots

	·			
				·