

Administrator: Command Prompt - mysql -u root -p

Microsoft Windows [Version 10.0.19045.3693]
(c) Microsoft Corporation. All rights reserved.

C:\WINDOWS\system32>cd\

C:\>c
'c' is not recognized as an internal or external command,
operable program or batch file.

C:\>cd\

C:\>c\
'c\' is not recognized as an internal or external command,
operable program or batch file.

C:\>cd\

C:\>c:

C:\>cd xampp

C:\xampp>cd bin
The system cannot find the path specified.

C:\xampp>cd mysql

C:\xampp\mysql>cd bin

C:\xampp\mysql\bin>mysql -u root -p

Enter password:

Welcome to the MariaDB monitor. Commands end with ; or \g.

Your MariaDB connection id is 183

Server version: 10.4.27-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create database obat;

Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> use obat;

Database changed

MariaDB [obat]> creat tabel dataobat(



Administrator: Command Prompt - mysql -u root -p

Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> use obat;

Database changed

```
MariaDB [obat]> creat tabel dataobat(
  -> id int primary key auto_increment,
  -> kdobat varchar(10) unique,
  -> nama varchar(100),
  -> berat varchar(10),
  -> bentuk varchar(50));
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'creat tabel

```
dataobat(
  id int primary key auto_increment,
  kdobat varchar(10) u...' at line 1
```

```
MariaDB [obat]> create table dataobat(
  -> id int primary key auto_increment,
  -> kdobat varchar(10) unique,
  -> nama varchar(100),
  -> berat varchar(10),
  -> bentuk varchar(50));
```

Query OK, 0 rows affected (0.025 sec)

MariaDB [obat]> show tables;

```
+-----+
| Tables_in_obat |
+-----+
| dataobat       |
+-----+
```

1 row in set (0.001 sec)

MariaDB [obat]> insert into dataobat(kdobat,nama,berat,bentuk)values('765','promagh','20mg','tablet');

Query OK, 1 row affected (0.003 sec)

MariaDB [obat]> insert into dataobat(kdobat,nama,berat,bentuk)values('434','paracetamol','32mg','tablet');

Query OK, 1 row affected (0.002 sec)

MariaDB [obat]> insert into dataobat(kdobat,nama,berat,bentuk)values('823','kontreksin','12mg','kapsul');

Query OK, 1 row affected (0.002 sec)

MariaDB [obat]> insert into dataobat(kdobat,nama,berat,bentuk)values('909','procold','15mg','tablet,');

```
'> ;
'> ;
```

-> Ctrl-C -- exit!

Bye

Administrator: Command Prompt - mysql -u root -p

C:\xampp\mysql\bin>mysql -u root -p

Enter password:

Welcome to the MariaDB monitor. Commands end with ; or \g.

Your MariaDB connection id is 184

Server version: 10.4.27-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use obat;

Database changed

MariaDB [obat]> insert into dataobat(kdobat,nama,berat,bentuk)values('909','procold','15mg','tablet');

Query OK, 1 row affected (0.002 sec)

MariaDB [obat]> insert into dataobat(kdobat,nama,berat,bentuk)values('777','bodrex','10mg','kapsul');

Query OK, 1 row affected (0.001 sec)

MariaDB [obat]> select*from dataobat;

```
+-----+-----+-----+-----+-----+
| id | kdobat | nama      | berat | bentuk |
+-----+-----+-----+-----+-----+
| 1  | 765    | promagh   | 20mg  | tablet |
| 2  | 434    | paracetamol | 32mg  | tablet |
| 3  | 823    | kontreksin | 12mg  | kapsul |
| 4  | 909    | procold   | 15mg  | tablet |
| 5  | 777    | bodrex    | 10mg  | kapsul |
+-----+-----+-----+-----+-----+
5 rows in set (0.000 sec)
```

MariaDB [obat]> update dataobat set nama='antimo'where id='3';

Query OK, 1 row affected (0.002 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [obat]> select*from dataobat

```
-> ;
+-----+-----+-----+-----+-----+
| id | kdobat | nama      | berat | bentuk |
+-----+-----+-----+-----+-----+
| 1  | 765    | promagh   | 20mg  | tablet |
| 2  | 434    | paracetamol | 32mg  | tablet |
| 3  | 823    | antimo    | 12mg  | kapsul |
| 4  | 909    | procold   | 15mg  | tablet |
| 5  | 777    | bodrex    | 10mg  | kapsul |
+-----+-----+-----+-----+-----+
```

Administrator: Command Prompt - mysql -u root -p

```
MariaDB [(none)]> use obat;
Database changed
MariaDB [obat]> insert into dataobat(kdobat,nama,berat,bentuk)values('909','procold','15mg','tablet');
Query OK, 1 row affected (0.002 sec)

MariaDB [obat]> insert into dataobat(kdobat,nama,berat,bentuk)values('777','bodrex','10mg','kapsul');
Query OK, 1 row affected (0.001 sec)

MariaDB [obat]> select*from dataobat;
+-----+-----+-----+-----+-----+
| id | kdobat | nama      | berat | bentuk |
+-----+-----+-----+-----+-----+
| 1 | 765    | promagh   | 20mg  | tablet |
| 2 | 434    | paracetamol | 32mg  | tablet |
| 3 | 823    | kontreksin | 12mg  | kapsul |
| 4 | 909    | procold   | 15mg  | tablet |
| 5 | 777    | bodrex    | 10mg  | kapsul |
+-----+-----+-----+-----+-----+
5 rows in set (0.000 sec)

MariaDB [obat]> update dataobat set nama='antimo'where id='3';
Query OK, 1 row affected (0.002 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [obat]> select*from dataobat
-> ;
+-----+-----+-----+-----+-----+
| id | kdobat | nama      | berat | bentuk |
+-----+-----+-----+-----+-----+
| 1 | 765    | promagh   | 20mg  | tablet |
| 2 | 434    | paracetamol | 32mg  | tablet |
| 3 | 823    | antimo    | 12mg  | kapsul |
| 4 | 909    | procold   | 15mg  | tablet |
| 5 | 777    | bodrex    | 10mg  | kapsul |
+-----+-----+-----+-----+-----+
5 rows in set (0.000 sec)

MariaDB [obat]>
```