



PERFORMANCE · SCIENCE · POWER

THE PEPTIDE RECONSTITUTION & DOSING GUIDE

Mixing ratios · BAC water · Syringe draw · Frequency · Cycle

83 PEPTIDES · 10 CATEGORIES · ONE PAGE EACH

GH & Muscle Support · Healing & Recovery · Fat Loss & Metabolism · Longevity & Mitochondrial · Cognitive & Mood ·
Immunity & Inflammation · Hair, Skin & Cosmetic · Amino Blends · Bioregulators · Sexual Health

RESEARCH USE ONLY

This guide is NOT intended for human consumption. All dosing information is provided for reference only. Peptides 4 Power makes no medical claims. Always consult a qualified healthcare professional and follow all applicable laws before handling research compounds.

Table of Contents

Each peptide has its own one-page reconstitution sheet. Categories:

GH & Muscle Support	p. 3	Immunity & Inflammation	p. 50
CJC-1295 (with DAC) · CJC-1295 (No DAC) · Ipamorelin · CJC / Ipamorelin Blend · Tesamorelin · Sermorelin · Tesa / IPA Blend · IGF-1 LR3 · PEG-MGF · MGF · Follistatin 344 · GHRP-2 · ACE-031 · MOTS-C		Thymalin · Thymosin Alpha-1 · LL-37 · Glutathione	
Healing & Recovery	p. 17	Hair, Skin & Cosmetic	p. 54
BPC-157 · TB-500 · BPC / TB-500 Blend · GLOW (BPC / TB / GHK-Cu) · KLOW (BPC / TB / GHK-Cu / KPV) · KPV		GHK-Cu · AHK-Cu · SNAP-8 · Melanotan I · Melanotan II	
Fat Loss & Metabolism	p. 23	Amino Blends	p. 59
Retatrutide · Tirzepatide · Cagrilintide · AOD-9604 · 5-Amino 1MQ · AICAR · Adipotide · SLU-PP-332 · Eloralintide		L-Carnitine · Lipo-C MIC-B12 · Lipo-C Fat Blaster · Lipo-C Super Shred · Lipo-C Super Human · Lipo-B · Lipo-C Focus · Lipo-C No B12 · Lipo-C Super · Lemon Bottle	
Longevity & Mitochondrial	p. 32	Bioregulators	p. 69
FOXO4-DRI · Epitalon · NA-Epitalon · SS-31 · NAD+ Buffered · Humanin · Mito-Prime (5-Amino / MOTS-C / NAD+)		Vilon · Cardiogen · Bronchagen · Prostamax · Testagen · Ovagen · Cartalax · Pinealon · Vesugen · Liveagen · Cortagen · Pancragen · Thymogen · Crystagen · Chronluten · Vesilute	
Cognitive & Mood	p. 39	Sexual Health	p. 85
Selank · NA-Selank · Semax · NA-Semax · Adamax · Adamax w/ Adamantane · Cerebrolysin · PE-22-28 · P-21 · Oxytocin · VIP		PT-141 (Bremelanotide)	

CJC-1295 (with DAC)

Muscle · Fat loss · Anti-aging · Gh

About This Peptide

CJC-1295 (with DAC) is a research-grade peptide referenced for muscle, fat loss, anti-aging, gh. Longer-acting than No-DAC; provides a steadier GH elevation rather than a natural pulse. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Muscle
- ✓ Fat loss
- ✓ Anti-aging
- ✓ Gh

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
2mg	1ml	2 mg/ml	25u	M / W / F	500mcg
5mg	2ml	2.5 mg/ml	20u	M / W / F	500mcg

CYCLE

8-12 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Muscle, Fat loss, Anti-aging, GH

Notes: Longer-acting than No-DAC; provides a steadier GH elevation rather than a natural pulse.

CJC-1295 (No DAC)

Muscle · Fat loss · Anti-aging · Gh

About This Peptide

CJC-1295 (No DAC) is a research-grade peptide referenced for muscle, fat loss, anti-aging, gh. Short half-life - time doses around fasted windows for a cleaner GH pulse. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Muscle
- ✓ Fat loss
- ✓ Anti-aging
- ✓ Gh

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
2mg	2ml	1 mg/ml	15-30u	2-3x daily, fasted	150-300mcg
5mg	2.5ml	2 mg/ml	7-15u	2-3x daily, fasted	150-300mcg
10mg	2.5ml	4 mg/ml	4-8u	2-3x daily, fasted	150-300mcg

CYCLE

8-12 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Muscle, Fat loss, Anti-aging, GH

Notes: Short half-life - time doses around fasted windows for a cleaner GH pulse.

Ipamorelin

Fat loss · Increased gh · Recovery · Sleep

About This Peptide

Ipamorelin is a research-grade peptide referenced for fat loss, increased gh, recovery, sleep. Clean, selective GH release with minimal cortisol or prolactin spike. Pairs perfectly with CJC-1295. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat loss
- ✓ Increased gh
- ✓ Recovery
- ✓ Sleep

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
2mg	2ml	1 mg/ml	15-30u	2-3x daily, fasted	150-300mcg
5mg	2.5ml	2 mg/ml	7-15u	2-3x daily, fasted	150-300mcg
10mg	2.5ml	4 mg/ml	4-8u	2-3x daily, fasted	150-300mcg

CYCLE

8-12 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Fat loss, Increased GH, Recovery, Sleep

Notes: Clean, selective GH release with minimal cortisol or prolactin spike. Pairs perfectly with CJC-1295.

CJC / Ipamorelin Blend

Fat loss · Increased gh · Recovery

About This Peptide

CJC / Ipamorelin Blend is a research-grade peptide referenced for fat loss, increased gh, recovery. Dose exactly as you would Ipamorelin. The blend pairs a GHRH (CJC) with a GHRP (Ipa) for synergy. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat loss
- ✓ Increased gh
- ✓ Recovery

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg / 5mg	2ml	—	15-30u	2-3x daily, fasted	150-300mcg
10mg / 10mg	2ml	—	7-15u	2-3x daily, fasted	150-300mcg

CYCLE

8-12 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Fat loss, Increased GH, Recovery

Notes: Dose exactly as you would Ipamorelin. The blend pairs a GHRH (CJC) with a GHRP (Ipa) for synergy.

Tesamorelin

Belly fat · Low ldl · Cognitive · Gh

About This Peptide

Tesamorelin is a research-grade peptide referenced for belly fat, low ldl, cognitive, gh. Inject PM on an empty stomach. Best known for targeting visceral (belly) fat. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Belly fat
- ✓ Low ldl
- ✓ Cognitive
- ✓ Gh

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	20-40u	Daily, PM fasted	1-2mg
20mg	2ml	10 mg/ml	10-20u	Daily, PM fasted	1-2mg

CYCLE

10-16 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Belly fat, Low LDL, Cognitive, GH

Notes: Inject PM on an empty stomach. Best known for targeting visceral (belly) fat.

Sermorelin

Muscle · Fat · Anti-aging · Gh · Sleep

About This Peptide

Sermorelin is a research-grade peptide referenced for muscle, fat, anti-aging, gh, sleep. Can be stacked with GHRP-2 or Ipamorelin to amplify the GH pulse. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Muscle
- ✓ Fat
- ✓ Anti-aging
- ✓ Gh
- ✓ Sleep

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	2ml	2.5 mg/ml	10-20u	Daily PM, fasted	250-500mcg
10mg	2ml	5 mg/ml	5-10u	Daily PM, fasted	250-500mcg

CYCLE

Up to 6 months

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Muscle, Fat,
Anti-aging, GH, Sleep

Notes: Can be stacked with GHRP-2 or Ipamorelin to amplify the GH pulse.

Tesa / IPA Blend

Gh · Fat loss · Muscle

About This Peptide

Tesa / IPA Blend is a research-grade peptide referenced for gh, fat loss, muscle. Inject PM fasted. Combines Tesamorelin's visceral-fat action with Ipamorelin's clean pulse. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Gh
- ✓ Fat loss
- ✓ Muscle

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg / 3mg	2ml	—	10-20u	Daily PM, fasted	500mcg / 150mcg

CYCLE

10-16 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

GH, Fat loss, Muscle

Notes: Inject PM fasted. Combines Tesamorelin's visceral-fat action with Ipamorelin's clean pulse.

IGF-1 LR3

Muscle growth · Recovery · Bone

About This Peptide

IGF-1 LR3 is a research-grade peptide referenced for muscle growth, recovery, bone. Reconstitute with bacteriostatic water plus acetic acid. Eat carbohydrates right after dosing. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Muscle growth
- ✓ Recovery
- ✓ Bone

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
1mg	1.5ml BAC + 0.5ml Acetic	0.5 mg/ml	10-20u	AM, after workout	50-100mcg

CYCLE

10 days - 6 weeks

ADMINISTRATION

Intramuscular injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Muscle growth, Recovery, Bone

Notes: Reconstitute with bacteriostatic water plus acetic acid. Eat carbohydrates right after dosing.

PEG-MGF

Muscle growth · Recovery · Bone

About This Peptide

PEG-MGF is a research-grade peptide referenced for muscle growth, recovery, bone. Injected intramuscularly and bilaterally - each arm, leg or shoulder you are training. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Muscle growth
- ✓ Recovery
- ✓ Bone

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
2mg	2ml	1 mg/ml	10u (per side)	3-4x / week, post-workout	100mcg each side

CYCLE

4-8 weeks

ADMINISTRATION

Intramuscular injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Muscle growth, Recovery, Bone

Notes: Injected intramuscularly and bilaterally - each arm, leg or shoulder you are training.

MGF

Muscle growth · Local repair

About This Peptide

MGF is a research-grade peptide referenced for muscle growth, local repair. Injected intramuscularly into each muscle group trained (arm, leg, shoulder). The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Muscle growth
- ✓ Local repair

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
2mg	1ml	2 mg/ml	10u	Daily, post-workout	200mcg
5mg	2ml	2.5 mg/ml	8u	Daily, post-workout	200mcg
10mg	3ml	3.33 mg/ml	6u	Daily, post-workout	200mcg

CYCLE

4-8 weeks

ADMINISTRATION

Intramuscular injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Muscle growth, Local repair

Notes: Injected intramuscularly into each muscle group trained (arm, leg, shoulder).

Follistatin 344

Muscle growth · Myostatin support

About This Peptide

Follistatin 344 is a research-grade peptide referenced for muscle growth, myostatin support. SubQ or IM, dosed bilaterally. Reconstitute with acetic acid if it will not dissolve. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Muscle growth
- ✓ Myostatin support

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
1mg	2ml	0.5 mg/ml	20u	Daily	100mcg

CYCLE

10-30 days

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Muscle growth,
Myostatin support

Notes: SubQ or IM, dosed bilaterally. Reconstitute with acetic acid if it will not dissolve.

GHRP-2

Gh · Fat loss · Muscle · Sleep · Skin

About This Peptide

GHRP-2 is a research-grade peptide referenced for gh, fat loss, muscle, sleep, skin. Take fasted. Strong GH release - may transiently raise appetite, cortisol and prolactin. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Gh
- ✓ Fat loss
- ✓ Muscle
- ✓ Sleep
- ✓ Skin

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	2.5ml	2 mg/ml	10-13u	2x daily M-F, fasted	200-250mcg

CYCLE

8-12 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

GH, Fat loss, Muscle, Sleep, Skin

Notes: Take fasted. Strong GH release - may transiently raise appetite, cortisol and prolactin.

ACE-031

Muscle growth · Bone density

About This Peptide

ACE-031 is a research-grade peptide referenced for muscle growth, bone density. Run on a simple every-other-day (EOD) protocol. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Muscle growth
- ✓ Bone density

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
1mg	2ml	0.5 mg/ml	20u	Every other day	1mg

CYCLE

4-8 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Muscle growth, Bone density

Notes: Run on a simple every-other-day (EOD) protocol.

MOTS-C

Performance · Fat loss · Mitochondrial

About This Peptide

MOTS-C is a research-grade peptide referenced for performance, fat loss, mitochondrial. Best used AFTER an SS-31 protocol to prime the mitochondria. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Performance
- ✓ Fat loss
- ✓ Mitochondrial

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	1ml	10 mg/ml	50-100u	1-3x per week	5-10mg
20mg	2ml	10 mg/ml	50-100u	1-3x per week	5-10mg
40mg	3ml	13.33 mg/ml	50-100u	1-3x per week	5-10mg

CYCLE

8-10 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Performance, Fat loss, Mitochondrial

Notes: Best used AFTER an SS-31 protocol to prime the mitochondria.

BPC-157

Tissue repair · Tendons · Gut · Collagen

About This Peptide

BPC-157 is a research-grade peptide referenced for tissue repair, tendons, gut, collagen. Excellent for gut health and systemic inflammation. Can be injected near the injury site. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Tissue repair
- ✓ Tendons
- ✓ Gut
- ✓ Collagen

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	2ml	2.5 mg/ml	10u	2-3x daily	250-270mcg (up to 1000mcg/day)
10mg	3ml	3.33 mg/ml	8u	2-3x daily	250-270mcg (up to 1000mcg/day)

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Tissue repair, Tendons, Gut, Collagen

Notes: Excellent for gut health and systemic inflammation. Can be injected near the injury site.

TB-500

Tissue repair · Healing · Endurance

About This Peptide

TB-500 is a research-grade peptide referenced for tissue repair, healing, endurance. Anti-inflammatory and improves flexibility. Loads daily, then tapers to a maintenance dose. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Tissue repair
- ✓ Healing
- ✓ Endurance

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	3ml	1.67 mg/ml	20u	Daily	500mcg (up to 1000mcg/day)
10mg	3ml	3.33 mg/ml	15u	Daily	500mcg (up to 1000mcg/day)

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Tissue repair, Healing, Endurance

Notes: Anti-inflammatory and improves flexibility. Loads daily, then tapers to a maintenance dose.

BPC / TB-500 Blend

Tissue repair · Tendons · Healing

About This Peptide

BPC / TB-500 Blend is a research-grade peptide referenced for tissue repair, tendons, healing. The classic synergistic healing stack - systemic repair plus local tendon and tissue recovery. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Tissue repair
- ✓ Tendons
- ✓ Healing

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg / 5mg	2ml	—	10u	2-3x daily	250mcg each
10mg / 10mg	2ml	—	8u	2-3x daily	250mcg each

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Tissue repair,
Tendons, Healing

Notes: The classic synergistic healing stack - systemic repair plus local tendon and tissue recovery.

GLOW (BPC / TB / GHK-Cu)

Healing · Recovery · Anti-aging · Skin

About This Peptide

GLOW (BPC / TB / GHK-Cu) is a research-grade peptide referenced for healing, recovery, anti-aging, skin. Do not dose higher than the listed amounts. A complete recovery and skin-rejuvenation blend. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Healing
- ✓ Recovery
- ✓ Anti-aging
- ✓ Skin

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10 / 10 / 70mg	3ml	—	10-15u	Daily	500mcg / 500mcg / 3500mcg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Healing, Recovery, Anti-aging, Skin

Notes: Do not dose higher than the listed amounts. A complete recovery and skin-rejuvenation blend.

KLOW (BPC / TB / GHK-Cu / KPV)

Healing · Recovery · Anti-aging · Inflammation

About This Peptide

KLOW (BPC / TB / GHK-Cu / KPV) is a research-grade peptide referenced for healing, recovery, anti-aging, inflammation. Do not dose higher. KLOW adds KPV to GLOW for extra anti-inflammatory and gut support. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Healing
- ✓ Recovery
- ✓ Anti-aging
- ✓ Inflammation

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10 / 10 / 50 / 10mg	3ml	—	15u	Daily	500 / 500mcg / 2.5mg / 500mcg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Healing, Recovery, Anti-aging, Inflammation

Notes: Do not dose higher. KLOW adds KPV to GLOW for extra anti-inflammatory and gut support.

KPV

Anti-inflammatory · Gut health

About This Peptide

KPV is a research-grade peptide referenced for anti-inflammatory, gut health. Avoid NSAIDs while running it; reconstitute with acetic acid if the peptide gels. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Anti-inflammatory
- ✓ Gut health

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10-20u	M-F	500mcg - 1mg
30mg	3ml	10 mg/ml	10-20u	M-F	500mcg - 1mg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Anti-inflammatory, Gut health

Notes: Avoid NSAIDs while running it; reconstitute with acetic acid if the peptide gels.

Retatrutide

Fat loss · Liver fat · Insulin sensitivity

About This Peptide

Retatrutide is a research-grade peptide referenced for fat loss, liver fat, insulin sensitivity. Start low; add roughly 2mg every 4 weeks. A triple-agonist (GLP-1 / GIP / glucagon). The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat loss
- ✓ Liver fat
- ✓ Insulin sensitivity

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	20u	2x per week	1mg (titrate up to 10mg)
20mg	2ml	10 mg/ml	10u	2x per week	1mg (titrate up to 10mg)
30mg	3ml	10 mg/ml	10u	2x per week	1mg (titrate up to 10mg)

CYCLE

Until results met

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Fat loss, Liver fat, Insulin sensitivity

Notes: Start low; add roughly 2mg every 4 weeks. A triple-agonist (GLP-1 / GIP / glucagon).

Tirzepatide

Fat loss · Appetite suppression · Metabolic

About This Peptide

Tirzepatide is a research-grade peptide referenced for fat loss, appetite suppression, metabolic. Start low and titrate slowly to manage GI side effects. A dual GLP-1 / GIP agonist. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat loss
- ✓ Appetite suppression
- ✓ Metabolic

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
15mg	2ml	7.5 mg/ml	10-20u	Weekly or 2x per week	0.5-2mg (titrate up)
30mg	3ml	10 mg/ml	10-20u	Weekly or 2x per week	0.5-2mg (titrate up)
60mg	4ml	15 mg/ml	10-20u	Weekly or 2x per week	0.5-2mg (titrate up)

CYCLE

Until results met

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Fat loss, Appetite suppression, Metabolic

Notes: Start low and titrate slowly to manage GI side effects. A dual GLP-1 / GIP agonist.

Cagrilintide

Appetite suppression · Fat loss

About This Peptide

Cagrilintide is a research-grade peptide referenced for appetite suppression, fat loss. Works well stacked with a GLP-1. Start low and build up gradually. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Appetite suppression
- ✓ Fat loss

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	2ml	2.5 mg/ml	10-80u	Weekly or 2x per week	0.25-2mg
10mg	3ml	3.33 mg/ml	7-60u	Weekly or 2x per week	0.25-2mg

CYCLE

Up to 16 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Appetite suppression, Fat loss

Notes: Works well stacked with a GLP-1. Start low and build up gradually.

AOD-9604

Fat loss · Metabolism

About This Peptide

AOD-9604 is a research-grade peptide referenced for fat loss, metabolism. Reconstitute with ~1.6ml BAC water and 0.4ml acetic acid. A fragment of GH for fat loss only. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat loss
- ✓ Metabolism

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	1.5ml BAC + 0.5ml Acetic	2.5 mg/ml	12-20u	Daily AM	300-500mcg

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Fat loss, Metabolism

Notes: Reconstitute with ~1.6ml BAC water and 0.4ml acetic acid. A fragment of GH for fat loss only.

5-Amino 1MQ

Fat loss · Metabolic function

About This Peptide

5-Amino 1MQ is a research-grade peptide referenced for fat loss, metabolic function. An NNMT inhibitor that supports metabolic rate and fat-cell turnover. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat loss
- ✓ Metabolic function

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	1ml	10 mg/ml	10-20u	Daily	250-500mcg
50mg	3ml	16.67 mg/ml	10-20u	Daily	250-500mcg

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Fat loss, Metabolic function

Notes: An NNMT inhibitor that supports metabolic rate and fat-cell turnover.

AICAR

Fat oxidation · Metabolic health

About This Peptide

AICAR is a research-grade peptide referenced for fat oxidation, metabolic health. An AMPK activator - mimics aspects of exercise for fat oxidation. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat oxidation
- ✓ Metabolic health

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
50mg	2ml	25 mg/ml	20-50u	3-5x per week	1-2mg

CYCLE

8-12 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Fat oxidation,
Metabolic health

Notes: An AMPK activator - mimics aspects of exercise for fat oxidation.

Adipotide

Fat loss · Targeted fat reduction

About This Peptide

Adipotide is a research-grade peptide referenced for fat loss, targeted fat reduction. Targets the blood supply (vasculature) feeding fat cells for localized reduction. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat loss
- ✓ Targeted fat reduction

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10-20u	Daily	500mcg - 1mg

CYCLE

4-8 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Fat loss, Targeted fat reduction

Notes: Targets the blood supply (vasculature) feeding fat cells for localized reduction.

SLU-PP-332

Fat oxidation · Energy · Recovery

About This Peptide

SLU-PP-332 is a research-grade peptide referenced for fat oxidation, energy, recovery. May require DMSO or saline to fully reconstitute. An exercise-mimetic for fat oxidation. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat oxidation
- ✓ Energy
- ✓ Recovery

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	1ml	5 mg/ml	10-60u	Up to 3x daily	500mcg - 3mg

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Fat oxidation, Energy, Recovery

Notes: May require DMSO or saline to fully reconstitute. An exercise-mimetic for fat oxidation.

Eloralintide

Weight management · Metabolic support

About This Peptide

Eloralintide is a research-grade peptide referenced for weight management, metabolic support. A novel amylin-based weight-management peptide. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Weight management
- ✓ Metabolic support

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10-20u	Weekly	0.5-1mg

CYCLE

Up to 16 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Weight management, Metabolic support

Notes: A novel amylin-based weight-management peptide.

FOXO4-DRI

Senolytic · Anti-aging · Cellular cleanup

About This Peptide

FOXO4-DRI is a research-grade peptide referenced for senolytic, anti-aging, cellular cleanup. Option 1: EOD ongoing. Option 2: 5 days on / 5 off, ~1 month total, up to 2x per year. A senolytic. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Senolytic
- ✓ Anti-aging
- ✓ Cellular cleanup

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	1ml	5 mg/ml	60u	EOD (Opt 1) / 5 on, 5 off (Opt 2)	3-5mg (Opt 1) . 1mg (Opt 2)
10mg	1ml	10 mg/ml	50u	EOD (Opt 1) / 5 on, 5 off (Opt 2)	3-5mg (Opt 1) . 1mg (Opt 2)
10mg	2ml	5 mg/ml	20u	EOD (Opt 1) / 5 on, 5 off (Opt 2)	3-5mg (Opt 1) . 1mg (Opt 2)

CYCLE

Ongoing or 2 weeks, 2x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Senolytic, Anti-aging, Cellular cleanup

Notes: Option 1: EOD ongoing. Option 2: 5 days on / 5 off, ~1 month total, up to 2x per year. A senolytic.

Epitalon

Anti-aging · Telomeres · Sleep · Immune

About This Peptide

Epitalon is a research-grade peptide referenced for anti-aging, telomeres, sleep, immune. Often stacked with Vilon or Livagen. Supports telomere length and circadian rhythm. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Anti-aging
- ✓ Telomeres
- ✓ Sleep
- ✓ Immune

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	1ml	10 mg/ml	50-100u	Daily PM	5-10mg
50mg	3ml	16.67 mg/ml	30-60u	Daily PM	5-10mg

CYCLE

2-3 weeks, 2x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Anti-aging, Telomeres, Sleep, Immune

Notes: Often stacked with Vilon or Livagen. Supports telomere length and circadian rhythm.

NA-Epitalon

Anti-aging · Telomeres

About This Peptide

NA-Epitalon is a research-grade peptide referenced for anti-aging, telomeres. An N-acetylated version of Epitalon with enhanced bioavailability. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Anti-aging
- ✓ Telomeres

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	20-40u	Daily PM	2-4mg

CYCLE

2-3 weeks, 2x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Anti-aging, Telomeres

Notes: An N-acetylated version of Epitalon with enhanced bioavailability.

SS-31

Mitochondrial protection · Cardioprotection

About This Peptide

SS-31 is a research-grade peptide referenced for mitochondrial protection, cardioprotection. A mitochondria-targeted peptide; strong cardioprotective research profile. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Mitochondrial protection
- ✓ Cardioprotection

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	1ml	10 mg/ml	10-20u	Daily	1-3mg
30mg	2ml	15 mg/ml	10-20u	Daily	1-3mg
50mg	3ml	16.67 mg/ml	10-20u	Daily	1-3mg

CYCLE

8-12 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Mitochondrial protection, Cardioprotection

Notes: A mitochondria-targeted peptide; strong cardioprotective research profile.

NAD+ Buffered

Cellular energy · Dna repair · Anti-aging

About This Peptide

NAD+ Buffered is a research-grade peptide referenced for cellular energy, dna repair, anti-aging. Inject slowly. Central to cellular energy production and DNA repair. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cellular energy
- ✓ Dna repair
- ✓ Anti-aging

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
500mg	2ml	250 mg/ml	50-100u	Daily or as needed	250-500mg

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cellular energy, DNA repair, Anti-aging

Notes: Inject slowly. Central to cellular energy production and DNA repair.

Humanin

Neuroprotection · Metabolic health

About This Peptide

Humanin is a research-grade peptide referenced for neuroprotection, metabolic health. A mitochondrial-derived peptide studied for neuroprotection and metabolic health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Neuroprotection
- ✓ Metabolic health

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	1ml	10 mg/ml	50-100u	Daily	5-10mg

CYCLE

8-10 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Neuroprotection,
Metabolic health

Notes: A mitochondrial-derived peptide studied for neuroprotection and metabolic health.

Mito-Prime (5-Amino / MOTS-C / NAD+)

Energy · Fat loss · Longevity

About This Peptide

Mito-Prime (5-Amino / MOTS-C / NAD+) is a research-grade peptide referenced for energy, fat loss, longevity. A comprehensive mitochondrial blend combining three energy-support compounds. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Energy
- ✓ Fat loss
- ✓ Longevity

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
120mg	2ml	60 mg/ml	20-50u	Daily	1-3mg

CYCLE

8-10 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Energy, Fat loss, Longevity

Notes: A comprehensive mitochondrial blend combining three energy-support compounds.

Selank

Anxiety · Cognitive · Memory · Mood

About This Peptide

Selank is a research-grade peptide referenced for anxiety, cognitive, memory, mood. Anxiolytic and nootropic. Often used in the morning for calm focus. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Anxiety
- ✓ Cognitive
- ✓ Memory
- ✓ Mood

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	3ml	3.33 mg/ml	6-10u	Daily AM	200-330mcg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Anxiety, Cognitive, Memory, Mood

Notes: Anxiolytic and nootropic. Often used in the morning for calm focus.

NA-Selank

Anxiety · Cognitive · Memory · Mood

About This Peptide

NA-Selank is a research-grade peptide referenced for anxiety, cognitive, memory, mood. An N-acetylated, longer-acting version of Selank. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Anxiety
- ✓ Cognitive
- ✓ Memory
- ✓ Mood

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	3ml	3.33 mg/ml	6-10u	Daily AM	200-330mcg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Anxiety, Cognitive, Memory, Mood

Notes: An N-acetylated, longer-acting version of Selank.

Semax

Cognitive · Memory · Neuroprotection

About This Peptide

Semax is a research-grade peptide referenced for cognitive, memory, neuroprotection. A nootropic that supports BDNF, focus and neuroprotection. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cognitive
- ✓ Memory
- ✓ Neuroprotection

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	3ml	3.33 mg/ml	6-10u	Daily AM	200-330mcg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cognitive, Memory, Neuroprotection

Notes: A nootropic that supports BDNF, focus and neuroprotection.

NA-Semax

Cognitive · Memory · Neuroprotection

About This Peptide

NA-Semax is a research-grade peptide referenced for cognitive, memory, neuroprotection. An N-acetylated, enhanced version of Semax. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cognitive
- ✓ Memory
- ✓ Neuroprotection

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	3ml	3.33 mg/ml	6-10u	Daily AM	200-330mcg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cognitive, Memory, Neuroprotection

Notes: An N-acetylated, enhanced version of Semax.

Adamax

Cognitive enhancement · Focus · Neuroprotection

About This Peptide

Adamax is a research-grade peptide referenced for cognitive enhancement, focus, neuroprotection. A nootropic peptide for focus, learning and neuroprotection. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cognitive enhancement
- ✓ Focus
- ✓ Neuroprotection

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10-20u	Daily	300mcg - 1mg

CYCLE

Up to 15 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cognitive enhancement, Focus, Neuroprotection

Notes: A nootropic peptide for focus, learning and neuroprotection.

Adamax w/ Adamantane

Cognitive enhancement · Focus · Neuroprotection

About This Peptide

Adamax w/ Adamantane is a research-grade peptide referenced for cognitive enhancement, focus, neuroprotection. The adamantane-enhanced version of Adamax for stronger, longer cognitive effect. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cognitive enhancement
- ✓ Focus
- ✓ Neuroprotection

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10-20u	Daily AM	500mcg - 1mg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cognitive enhancement, Focus, Neuroprotection

Notes: The adamantane-enhanced version of Adamax for stronger, longer cognitive effect.

Cerebrolysin

Neuroregeneration · Cognitive function

About This Peptide

Cerebrolysin is a research-grade peptide referenced for neuroregeneration, cognitive function. A neuroregenerative peptide mixture supporting brain recovery and cognition. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Neuroregeneration
- ✓ Cognitive function

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
30mg	2ml	15 mg/ml	20-50u	Daily	2-5mg

CYCLE

4-8 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Neuroregeneration, Cognitive function

Notes: A neuroregenerative peptide mixture supporting brain recovery and cognition.

PE-22-28

Cognitive · Antidepressant · Focus

About This Peptide

PE-22-28 is a research-grade peptide referenced for cognitive, antidepressant, focus. A fast-acting antidepressant peptide (a spadin analog). The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cognitive
- ✓ Antidepressant
- ✓ Focus

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	8-30u	Daily	250mcg - 1mg

CYCLE

8-12 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cognitive, Antidepressant, Focus

Notes: A fast-acting antidepressant peptide (a spadin analog).

P-21

Cognitive · Neuroplasticity · Memory

About This Peptide

P-21 is a research-grade peptide referenced for cognitive, neuroplasticity, memory. Supports neuroplasticity and new neuron formation (neurogenesis). The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cognitive
- ✓ Neuroplasticity
- ✓ Memory

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10-20u	Daily	500mcg - 1mg

CYCLE

8-12 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cognitive,
Neuroplasticity,
Memory

Notes: Supports neuroplasticity and new neuron formation (neurogenesis).

Oxytocin

Social connection · Mood · Stress relief

About This Peptide

Oxytocin is a research-grade peptide referenced for social connection, mood, stress relief. The bonding hormone - used situationally for mood and social connection. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Social connection
- ✓ Mood
- ✓ Stress relief

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	2ml	2.5 mg/ml	10-20u	As needed	250-500mcg
10mg	2ml	5 mg/ml	5-10u	As needed	250-500mcg

CYCLE

As needed

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Social connection, Mood, Stress relief

Notes: The bonding hormone - used situationally for mood and social connection.

VIP

Memory · Autoimmune · Blood flow

About This Peptide

VIP is a research-grade peptide referenced for memory, autoimmune, blood flow. May cause transient flushing. Often used in CIRS / mold-recovery protocols. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Memory
- ✓ Autoimmune
- ✓ Blood flow

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	3ml	1.67 mg/ml	6-18u	Daily	100-300mcg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Memory, Autoimmune, Blood flow

Notes: May cause transient flushing. Often used in CIRS / mold-recovery protocols.

Thymalin

Immunity restoration

About This Peptide

Thymalin is a research-grade peptide referenced for immunity restoration. Run as a short course 1-4 times per year to restore immune function. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Immunity restoration

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	1ml	10 mg/ml	100u	Daily	10mg / 5mg
20mg	2ml	10 mg/ml	50u	Daily	10mg / 5mg

CYCLE

10 days, 1-4x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Immunity restoration

Notes: Run as a short course 1-4 times per year to restore immune function.

Thymosin Alpha-1

Immunity · Viral defense · Autoimmune

About This Peptide

Thymosin Alpha-1 is a research-grade peptide referenced for immunity, viral defense, autoimmune. A powerful immune modulator for viral defense and autoimmune balance. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Immunity
- ✓ Viral defense
- ✓ Autoimmune

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10-20u	2x weekly	500mcg - 1mg

CYCLE

8-12 weeks

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Immunity, Viral defense, Autoimmune

Notes: A powerful immune modulator for viral defense and autoimmune balance.

LL-37

Immunity · Anti-inflammation

About This Peptide

LL-37 is a research-grade peptide referenced for immunity, anti-inflammation. Inject SubQ morning and evening. An antimicrobial peptide. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Immunity
- ✓ Anti-inflammation

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	3ml	1.67 mg/ml	9u	2x daily AM / PM	150mcg

CYCLE

50 days on

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Immunity,
Anti-inflammation

Notes: Inject SubQ morning and evening. An antimicrobial peptide.

Glutathione

Antioxidant · Immune · Liver · Skin

About This Peptide

Glutathione is a research-grade peptide referenced for antioxidant, immune, liver, skin. The body's master antioxidant - supports liver, skin and immune health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Antioxidant
- ✓ Immune
- ✓ Liver
- ✓ Skin

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
600mg	2ml	300 mg/ml	20-50u	2-3x weekly	600-1500mg
1500mg	3ml	500 mg/ml	20-50u	2-3x weekly	600-1500mg

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Antioxidant, Immune, Liver, Skin

Notes: The body's master antioxidant - supports liver, skin and immune health.

GHK-Cu

Skin · Hair · Collagen · Anti-inflammatory

About This Peptide

GHK-Cu is a research-grade peptide referenced for skin, hair, collagen, anti-inflammatory. The classic copper peptide for skin, hair and collagen synthesis. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Skin
- ✓ Hair
- ✓ Collagen
- ✓ Anti-inflammatory

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
50mg	2ml	25 mg/ml	10-20u	Daily	2.5-5mg
100mg	3ml	33.33 mg/ml	8-15u	Daily	2.5-5mg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Skin, Hair, Collagen, Anti-inflammatory

Notes: The classic copper peptide for skin, hair and collagen synthesis.

AHK-Cu

Hair growth · Skin repair · Anti-aging

About This Peptide

AHK-Cu is a research-grade peptide referenced for hair growth, skin repair, anti-aging. A copper peptide focused on hair growth and follicle health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Hair growth
- ✓ Skin repair
- ✓ Anti-aging

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
100mg	3ml	33.33 mg/ml	8u	Daily	2.5mg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Hair growth, Skin repair, Anti-aging

Notes: A copper peptide focused on hair growth and follicle health.

SNAP-8

Anti-wrinkle · Expression lines

About This Peptide

SNAP-8 is a research-grade peptide referenced for anti-wrinkle, expression lines. An anti-wrinkle peptide that softens expression lines. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Anti-wrinkle
- ✓ Expression lines

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10-20u	Daily	500mcg - 1mg

CYCLE

8 weeks on, 8 off

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Anti-wrinkle,
Expression lines

Notes: An anti-wrinkle peptide that softens expression lines.

Melanotan I

Tan · Uv protection

About This Peptide

Melanotan I is a research-grade peptide referenced for tan, uv protection. A tanning peptide with a milder side-effect profile than MT-II. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Tan
- ✓ Uv protection

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10u	2-3x weekly	500mcg

CYCLE

30 days

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Tan, UV protection

Notes: A tanning peptide with a milder side-effect profile than MT-II.

Melanotan II

Tan · Libido · Appetite suppression

About This Peptide

Melanotan II is a research-grade peptide referenced for tan, libido, appetite suppression. A potent tanning peptide that also influences libido and appetite. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Tan
- ✓ Libido
- ✓ Appetite suppression

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
10mg	2ml	5 mg/ml	10u	2-3x weekly	500mcg

CYCLE

30 days

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Tan, Libido, Appetite suppression

Notes: A potent tanning peptide that also influences libido and appetite.

L-Carnitine

Body composition · Energy · Fat loss

About This Peptide

L-Carnitine is a research-grade peptide referenced for body composition, energy, fat loss. Injected intramuscularly, ideally fasted before cardio. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Body composition
- ✓ Energy
- ✓ Fat loss

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
500-600mg/ml	Premixed	—	50-100u	Daily as needed	250-600mg

CYCLE

Months

ADMINISTRATION

Intramuscular injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Body composition, Energy, Fat loss

Notes: Injected intramuscularly, ideally fasted before cardio.

Lipo-C MIC-B12

Fat mobilization · Energy

About This Peptide

Lipo-C MIC-B12 is a research-grade peptide referenced for fat mobilization, energy. The classic lipotropic (MIC + B12) fat-mobilizing blend. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat mobilization
- ✓ Energy

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
Premixed	N/A	—	1ml	Daily as needed	1ml

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Fat mobilization, Energy

Notes: The classic lipotropic (MIC + B12) fat-mobilizing blend.

Lipo-C Fat Blaster

Aggressive fat loss · Metabolic

About This Peptide

Lipo-C Fat Blaster is a research-grade peptide referenced for aggressive fat loss, metabolic. An advanced lipotropic blend for accelerated fat loss. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Aggressive fat loss
- ✓ Metabolic

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
Premixed	N/A	—	1ml	Daily as needed	1ml

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Aggressive fat loss, Metabolic

Notes: An advanced lipotropic blend for accelerated fat loss.

Lipo-C Super Shred

Maximum fat shredding

About This Peptide

Lipo-C Super Shred is a research-grade peptide referenced for maximum fat shredding. A maximum-strength lipotropic shredding blend. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Maximum fat shredding

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
Premixed	N/A	—	1ml	Daily as needed	1ml

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Maximum fat shredding

Notes: A maximum-strength lipotropic shredding blend.

Lipo-C Super Human

Peak performance · Fat loss

About This Peptide

Lipo-C Super Human is a research-grade peptide referenced for peak performance, fat loss. A peak-performance lipotropic and energy blend. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Peak performance
- ✓ Fat loss

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
Premixed	N/A	—	1ml	Daily as needed	1ml

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Peak performance, Fat loss

Notes: A peak-performance lipotropic and energy blend.

Lipo-B

Fat mobilization · Energy · B-vitamin support

About This Peptide

Lipo-B is a research-grade peptide referenced for fat mobilization, energy, b-vitamin support. A B-vitamin lipotropic shot for fat metabolism and energy. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat mobilization
- ✓ Energy
- ✓ B-vitamin support

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
Premixed	N/A	—	1ml	Daily as needed	1ml

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Fat mobilization, Energy, B-vitamin support

Notes: A B-vitamin lipotropic shot for fat metabolism and energy.

Lipo-C Focus

Fat loss · Focus · Energy

About This Peptide

Lipo-C Focus is a research-grade peptide referenced for fat loss, focus, energy. A lipotropic blend formulated for fat loss with added focus and energy. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat loss
- ✓ Focus
- ✓ Energy

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
Premixed	N/A	—	1ml	Daily as needed	1ml

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Fat loss, Focus, Energy

Notes: A lipotropic blend formulated for fat loss with added focus and energy.

Lipo-C No B12

Fat mobilization · Metabolic

About This Peptide

Lipo-C No B12 is a research-grade peptide referenced for fat mobilization, metabolic. The classic lipotropic blend without B12, for those supplementing it separately. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat mobilization
- ✓ Metabolic

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
Premixed	N/A	—	1ml	Daily as needed	1ml

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Fat mobilization, Metabolic

Notes: The classic lipotropic blend without B12, for those supplementing it separately.

Lipo-C Super

Fat loss · Metabolic · Energy

About This Peptide

Lipo-C Super is a research-grade peptide referenced for fat loss, metabolic, energy. A higher-volume (10ml) lipotropic blend for extended fat-loss support. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Fat loss
- ✓ Metabolic
- ✓ Energy

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
Premixed (10ml)	N/A	—	1ml	Daily as needed	1ml

CYCLE

Ongoing

ADMINISTRATION

Subcutaneous injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Fat loss, Metabolic, Energy

Notes: A higher-volume (10ml) lipotropic blend for extended fat-loss support.

Lemon Bottle

Targeted fat reduction

About This Peptide

Lemon Bottle is a research-grade peptide referenced for targeted fat reduction. A fat-dissolving injection for localized, targeted areas. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Targeted fat reduction

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
Premixed	N/A	—	1ml	As needed	1ml

CYCLE

As needed

ADMINISTRATION

Subcutaneous injection

STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

PURPOSE

Targeted fat reduction

Notes: A fat-dissolving injection for localized, targeted areas.

Vilon

Neuroprotective · Mood · Focus

About This Peptide

Vilon is a research-grade peptide referenced for neuroprotective, mood, focus. Pairs with Epitalon. A short bioregulator peptide for cellular health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Neuroprotective
- ✓ Mood
- ✓ Focus

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	25u	2x daily	2.5mg

CYCLE

15-30 days

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Neuroprotective, Mood, Focus

Notes: Pairs with Epitalon. A short bioregulator peptide for cellular health.

Cardiogen

Heart cell growth · Anti-tumor

About This Peptide

Cardiogen is a research-grade peptide referenced for heart cell growth, anti-tumor. A heart bioregulator supporting cardiac cell renewal. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Heart cell growth
- ✓ Anti-tumor

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	10-40u	1-2x daily AM / PM	1-4mg

CYCLE

30 days, 2x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Heart cell growth, Anti-tumor

Notes: A heart bioregulator supporting cardiac cell renewal.

Bronchagen

Lung function · Inflammation · Asthma

About This Peptide

Bronchagen is a research-grade peptide referenced for lung function, inflammation, asthma. A lung bioregulator; can be combined with Chronluten. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Lung function
- ✓ Inflammation
- ✓ Asthma

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	10-20u	1-2x daily AM / PM	1-2mg

CYCLE

30 days, 2x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Lung function, Inflammation, Asthma

Notes: A lung bioregulator; can be combined with Chronluten.

Prostamax

Prostate health · Anti-aging

About This Peptide

Prostamax is a research-grade peptide referenced for prostate health, anti-aging. A prostate bioregulator, also used for PCT support. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Prostate health
- ✓ Anti-aging

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	10-50u	1-2x daily AM / PM	5mg

CYCLE

30 days, 2x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Prostate health,
Anti-aging

Notes: A prostate bioregulator, also used for PCT support.

Testagen

Testosterone · Energy · Cognitive

About This Peptide

Testagen is a research-grade peptide referenced for testosterone, energy, cognitive. Supports natural testosterone; often used for PCT support. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Testosterone
- ✓ Energy
- ✓ Cognitive

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	20u	1-2x daily AM / PM	2mg

CYCLE

10-30 days, 2x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Testosterone, Energy, Cognitive

Notes: Supports natural testosterone; often used for PCT support.

Ovagen

Liver inflammation · Metabolic

About This Peptide

Ovagen is a research-grade peptide referenced for liver inflammation, metabolic. A liver bioregulator supporting detox and metabolic function. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Liver inflammation
- ✓ Metabolic

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	20-50u	1-2x daily AM / PM	2-5mg

CYCLE

10-30 days, 2x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Liver inflammation, Metabolic

Notes: A liver bioregulator supporting detox and metabolic function.

Cartalax

Joint · Cartilage regeneration

About This Peptide

Cartalax is a research-grade peptide referenced for joint, cartilage regeneration. A cartilage bioregulator; inject near the target joint. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Joint
- ✓ Cartilage regeneration

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	10-20u	1-2x daily AM / PM	1-2mg

CYCLE

30 days, 1-3x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Joint, Cartilage regeneration

Notes: A cartilage bioregulator; inject near the target joint.

Pinealon

Cognitive · Brain health · Neuroprotection

About This Peptide

Pinealon is a research-grade peptide referenced for cognitive, brain health, neuroprotection. A brain bioregulator; pairs well with other cognitive peptides. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cognitive
- ✓ Brain health
- ✓ Neuroprotection

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	10-50u	1-2x daily AM / PM	1-5mg

CYCLE

30 days, 1-3x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cognitive, Brain health, Neuroprotection

Notes: A brain bioregulator; pairs well with other cognitive peptides.

Vesugen

Cognitive · Nerve health · Anti-aging

About This Peptide

Vesugen is a research-grade peptide referenced for cognitive, nerve health, anti-aging. A vascular bioregulator; pairs with Pinealon for nerve health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cognitive
- ✓ Nerve health
- ✓ Anti-aging

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	20u	1-2x daily AM / PM	2mg

CYCLE

30 days, 1-3x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cognitive, Nerve health, Anti-aging

Notes: A vascular bioregulator; pairs with Pinealon for nerve health.

Liveagen

Cellular regeneration · Immune

About This Peptide

Liveagen is a research-grade peptide referenced for cellular regeneration, immune. A liver / cellular bioregulator; pairs with Vilon or Epitalon. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Cellular regeneration
- ✓ Immune

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	20-100u	1-2x daily AM / PM	1-5mg

CYCLE

15-30 days

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Cellular regeneration, Immune

Notes: A liver / cellular bioregulator; pairs with Vilon or Epitalon.

Cortagen

Pancreas cell repair

About This Peptide

Cortagen is a research-grade peptide referenced for pancreas cell repair. A pancreas bioregulator supporting cellular repair. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Pancreas cell repair

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	10-50u	1x daily	1-5mg

CYCLE

30 days

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Pancreas cell repair

Notes: A pancreas bioregulator supporting cellular repair.

Pancragen

Immunity · Viral / bacterial defense

About This Peptide

Pancragen is a research-grade peptide referenced for immunity, viral / bacterial defense. A pancreas bioregulator with immune support properties. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Immunity
- ✓ Viral / bacterial defense

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	20u	1x daily	2mg

CYCLE

10-20 days

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Immunity, Viral / bacterial defense

Notes: A pancreas bioregulator with immune support properties.

Thymogen

Immunity · Viral / bacterial defense

About This Peptide

Thymogen is a research-grade peptide referenced for immunity, viral / bacterial defense. An immune bioregulator - intramuscular administration only. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Immunity
- ✓ Viral / bacterial defense

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	5-20u	1x daily	500mcg - 2mg

CYCLE

10-20 days

ADMINISTRATION

Intramuscular injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Immunity, Viral / bacterial defense

Notes: An immune bioregulator - intramuscular administration only.

Crystagen

Immunity · Protein synthesis · Recovery

About This Peptide

Crystagen is a research-grade peptide referenced for immunity, protein synthesis, recovery. An immunity and general-wellness bioregulator. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Immunity
- ✓ Protein synthesis
- ✓ Recovery

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	20u	Daily	2mg

CYCLE

30 days

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Immunity, Protein synthesis, Recovery

Notes: An immunity and general-wellness bioregulator.

Chronluten

Lung health

About This Peptide

Chronluten is a research-grade peptide referenced for lung health. A respiratory bioregulator; can be used with Bronchagen. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Lung health

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	10-50u	1-2x daily AM / PM	1-5mg

CYCLE

30 days, 1-3x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Lung health

Notes: A respiratory bioregulator; can be used with Bronchagen.

Vesilute

Vascular health · Circulation

About This Peptide

Vesilute is a research-grade peptide referenced for vascular health, circulation. A vascular bioregulator supporting healthy blood flow. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Vascular health
- ✓ Circulation

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
20mg	2ml	10 mg/ml	20u	1-2x daily AM / PM	2mg

CYCLE

30 days, 1-3x/year

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Vascular health, Circulation

Notes: A vascular bioregulator supporting healthy blood flow.

PT-141 (Bremelanotide)

Libido · Arousal · Sexual function

About This Peptide

PT-141 (Bremelanotide) is a research-grade peptide referenced for libido, arousal, sexual function. Inject on an empty stomach and avoid alcohol. Onset can take a few hours; use ahead of time, not immediately before. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

Key Benefits

- ✓ Libido
- ✓ Arousal
- ✓ Sexual function

Reconstitution & Dosing Guide

Vial Size	BAC Water	Concentration	Units to Draw	Frequency	Dose / Injection
5mg	2ml	2.5 mg/ml	10-20u	As needed	500mcg - 1mg
10mg	2ml	5 mg/ml	10-20u	As needed	500mcg - 1mg

CYCLE

As needed

ADMINISTRATION

Subcutaneous injection

STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

PURPOSE

Libido, Arousal, Sexual function

Notes: Inject on an empty stomach and avoid alcohol. Onset can take a few hours; use ahead of time, not immediately before.