



Performance · Science · Power

# PEPTIDE RECONSTITUTION & DOSING GUIDE

Mixing ratios · BAC water · Syringe draw · Frequency · Cycle

81 Peptides · 9 Categories · One Page Each

This guide is for RESEARCH USE ONLY and is NOT intended for human consumption. All dosing information is provided for reference only. Peptides 4 Power makes no medical claims. Always consult a qualified healthcare professional and follow all applicable laws before handling research compounds.

# Table of Contents

Each peptide has its own one-page reconstitution sheet. Categories:

|                                                                                                                                                                                                  |       |                                                                                                                                                                                |       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| <b>GH &amp; Muscle Support</b>                                                                                                                                                                   | p. 3  | <b>Immunity &amp; Inflammation</b>                                                                                                                                             | p. 53 |
| CJC-1295 (DAC) · CJC-1295 (No DAC) · Ipamorelin · CJC / Ipamorelin Blend · Tesamorelin · Sermorelin · Tesa / IPA Blend · IGF-1 LR3 · PEG-MGF · MGF · Follistatin 344 · GHRP-2 · ACE-031 · MOTS-C |       | Thymalin · Thymosin Alpha-1 · LL-37 · Glutathione                                                                                                                              |       |
| <b>Healing &amp; Recovery</b>                                                                                                                                                                    | p. 17 | <b>Hair, Skin &amp; Cosmetic</b>                                                                                                                                               | p. 57 |
| BPC-157 · TB-500 · BPC / TB-500 Blend · GLOW (BPC / TB / GHK-Cu) · KLOW (BPC / TB / GHK-Cu / KPV) · KPV · Abaloparatide · Teriparatide                                                           |       | GHK-Cu · AHK-Cu · SNAP-8 · Melanotan I · Melanotan II                                                                                                                          |       |
| <b>Fat Loss &amp; Metabolism</b>                                                                                                                                                                 | p. 25 | <b>Amino Blends</b>                                                                                                                                                            | p. 62 |
| Retatrutide · Tirzepatide · Cagrilintide · AOD-9604 · 5-Amino 1MQ · AICAR · Adipotide · SLU-PP-332 · Eloralintide                                                                                |       | L-Carnitine · Lipo-C MIC-B12 · Lipo-C Fat Blaster · Lipo-C Super Shred · Lipo-C Super Human · Lemon Bottle                                                                     |       |
| <b>Longevity &amp; Mitochondrial</b>                                                                                                                                                             | p. 34 | <b>Bioregulators</b>                                                                                                                                                           | p. 68 |
| FOXO4-DRI · Epitalon · NA-Epitalon · SS-31 · NAD <sup>+</sup> (Buffered) · Humanin · Mito-Prime (5-Amino / MOTS-C / NAD <sup>+</sup> ) · PNC-27                                                  |       | Vilon · Cardiogen · Bronchagen · Prostamax · Testagen · Ovagen · Cartalax · Pinealon · Vesugen · Livagen · Cortagen · Pancragen · Thymogen · Crystagen · Chronluten · Vesilute |       |
| <b>Cognitive &amp; Mood</b>                                                                                                                                                                      | p. 42 |                                                                                                                                                                                |       |
| Selank · NA-Selank · Semax · NA-Semax · Adamax (w/ Adamantane) · Cerebrolysin · PE-22-28 · P-21 · Oxytocin · VIP · DSIP                                                                          |       |                                                                                                                                                                                |       |

# CJC-1295 (DAC)

Muscle · Fat loss · Anti-aging · Gh

## About This Peptide

CJC-1295 (DAC) is a research-grade peptide referenced for muscle, fat loss, anti-aging, gh. Longer-acting than No-DAC; provides a steadier GH elevation rather than a natural pulse. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Muscle
- ✓ Fat loss
- ✓ Anti-aging
- ✓ Gh

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 2mg       | 1ml       | 2 mg/ml       | 25u           | M / W / F | 500mcg           |
| 5mg       | 2ml       | 2.5 mg/ml     | 20u           | M / W / F | 500mcg           |

### CYCLE

8-12 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Muscle, Fat loss, Anti-aging, GH

*Notes: Longer-acting than No-DAC; provides a steadier GH elevation rather than a natural pulse.*

# CJC-1295 (No DAC)

Muscle · Fat loss · Anti-aging · Gh

## About This Peptide

CJC-1295 (No DAC) is a research-grade peptide referenced for muscle, fat loss, anti-aging, gh. Short half-life - time doses around fasted windows for a cleaner GH pulse. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Muscle
- ✓ Fat loss
- ✓ Anti-aging
- ✓ Gh

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 2mg       | 2ml       | 1 mg/ml       | 15-30u        | 2-3x daily, fasted | 150-300mcg       |
| 5mg       | 2.5ml     | 2 mg/ml       | 7-15u         | 2-3x daily, fasted | 150-300mcg       |
| 10mg      | 2.5ml     | 4 mg/ml       | 4-8u          | 2-3x daily, fasted | 150-300mcg       |

### CYCLE

8-12 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Muscle, Fat loss, Anti-aging, GH

*Notes: Short half-life - time doses around fasted windows for a cleaner GH pulse.*

# Ipamorelin

Fat loss · Increased gh · Recovery · Sleep

## About This Peptide

Ipamorelin is a research-grade peptide referenced for fat loss, increased gh, recovery, sleep. Clean, selective GH release with minimal cortisol or prolactin spike. Pairs perfectly with CJC-1295. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat loss
- ✓ Increased gh
- ✓ Recovery
- ✓ Sleep

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 2mg       | 2ml       | 1 mg/ml       | 15-30u        | 2-3x daily, fasted | 150-300mcg       |
| 5mg       | 2.5ml     | 2 mg/ml       | 7-15u         | 2-3x daily, fasted | 150-300mcg       |
| 10mg      | 2.5ml     | 4 mg/ml       | 4-8u          | 2-3x daily, fasted | 150-300mcg       |

### CYCLE

8-12 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Fat loss, Increased GH, Recovery, Sleep

*Notes: Clean, selective GH release with minimal cortisol or prolactin spike. Pairs perfectly with CJC-1295.*

# CJC / Ipamorelin Blend

Fat loss · Increased gh · Recovery

## About This Peptide

CJC / Ipamorelin Blend is a research-grade peptide referenced for fat loss, increased gh, recovery. Dose exactly as you would Ipamorelin. The blend pairs a GHRH (CJC) with a GHRP (Ipa) for synergy. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat loss
- ✓ Increased gh
- ✓ Recovery

## Reconstitution & Dosing Guide

| Vial Size   | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-------------|-----------|---------------|---------------|--------------------|------------------|
| 5mg / 5mg   | 2ml       | —             | 15-30u        | 2-3x daily, fasted | 150-300mcg       |
| 10mg / 10mg | 2ml       | —             | 7-15u         | 2-3x daily, fasted | 150-300mcg       |

### CYCLE

8-12 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Fat loss, Increased GH, Recovery

*Notes: Dose exactly as you would Ipamorelin. The blend pairs a GHRH (CJC) with a GHRP (Ipa) for synergy.*

# Tesamorelin

Belly fat · Low Idl · Cognitive · Gh

## About This Peptide

Tesamorelin is a research-grade peptide referenced for belly fat, low Idl, cognitive, gh. Inject PM on an empty stomach. Best known for targeting visceral (belly) fat. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Belly fat
- ✓ Low Idl
- ✓ Cognitive
- ✓ Gh

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency        | Dose / Injection |
|-----------|-----------|---------------|---------------|------------------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 20-40u        | Daily, PM fasted | 1-2mg            |
| 20mg      | 2ml       | 10 mg/ml      | 10-20u        | Daily, PM fasted | 1-2mg            |

### CYCLE

10-16 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Belly fat, Low LDL, Cognitive, GH

*Notes: Inject PM on an empty stomach. Best known for targeting visceral (belly) fat.*



# Sermorelin

Muscle · Fat · Anti-aging · Gh · Sleep

## About This Peptide

Sermorelin is a research-grade peptide referenced for muscle, fat, anti-aging, gh, sleep. Can be stacked with GHRP-2 or Ipamorelin to amplify the GH pulse. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Muscle
- ✓ Fat
- ✓ Anti-aging
- ✓ Gh
- ✓ Sleep

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency        | Dose / Injection |
|-----------|-----------|---------------|---------------|------------------|------------------|
| 5mg       | 2ml       | 2.5 mg/ml     | 10-20u        | Daily PM, fasted | 250-500mcg       |
| 10mg      | 2ml       | 5 mg/ml       | 5-10u         | Daily PM, fasted | 250-500mcg       |

### CYCLE

Up to 6 months

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Muscle, Fat, Anti-aging, GH, Sleep

*Notes: Can be stacked with GHRP-2 or Ipamorelin to amplify the GH pulse.*





# Tesa / IPA Blend

Gh · Fat loss · Muscle

## About This Peptide

Tesa / IPA Blend is a research-grade peptide referenced for gh, fat loss, muscle. Inject PM fasted. Combines Tesamorelin's visceral-fat action with Ipamorelin's clean pulse. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Gh
- ✓ Fat loss
- ✓ Muscle

## Reconstitution & Dosing Guide

| Vial Size  | BAC Water | Concentration | Units to Draw | Frequency        | Dose / Injection |
|------------|-----------|---------------|---------------|------------------|------------------|
| 10mg / 3mg | 2ml       | —             | 10-20u        | Daily PM, fasted | 500mcg / 150mcg  |

### CYCLE

10-16 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

GH, Fat loss, Muscle

*Notes: Inject PM fasted. Combines Tesamorelin's visceral-fat action with Ipamorelin's clean pulse.*

# IGF-1 LR3

Muscle growth · Recovery · Bone

## About This Peptide

IGF-1 LR3 is a research-grade peptide referenced for muscle growth, recovery, bone. Reconstitute with bacteriostatic water plus acetic acid. Eat carbohydrates right after dosing. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Muscle growth
- ✓ Recovery
- ✓ Bone

## Reconstitution & Dosing Guide

| Vial Size | BAC Water                | Concentration | Units to Draw | Frequency         | Dose / Injection |
|-----------|--------------------------|---------------|---------------|-------------------|------------------|
| 1mg       | 1.5ml BAC + 0.5ml Acetic | 0.5 mg/ml     | 10-20u        | AM, after workout | 50-100mcg        |

### CYCLE

10 days - 6 weeks

### ADMINISTRATION

Intramuscular injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Muscle growth, Recovery, Bone

*Notes: Reconstitute with bacteriostatic water plus acetic acid. Eat carbohydrates right after dosing.*

# PEG-MGF

Muscle growth · Recovery · Bone

## About This Peptide

PEG-MGF is a research-grade peptide referenced for muscle growth, recovery, bone. Injected intramuscularly and bilaterally - each arm, leg or shoulder you are training. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Muscle growth
- ✓ Recovery
- ✓ Bone

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw  | Frequency                 | Dose / Injection |
|-----------|-----------|---------------|----------------|---------------------------|------------------|
| 2mg       | 2ml       | 1 mg/ml       | 10u (per side) | 3-4x / week, post-workout | 100mcg each side |

### CYCLE

4-8 weeks

### ADMINISTRATION

Intramuscular injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Muscle growth, Recovery, Bone

*Notes: Injected intramuscularly and bilaterally - each arm, leg or shoulder you are training.*

# MGF

Muscle growth · Local repair

## About This Peptide

MGF is a research-grade peptide referenced for muscle growth, local repair. Injected intramuscularly into each muscle group trained (arm, leg, shoulder). The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Muscle growth
- ✓ Local repair

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency           | Dose / Injection |
|-----------|-----------|---------------|---------------|---------------------|------------------|
| 2mg       | 1ml       | 2 mg/ml       | 10u           | Daily, post-workout | 200mcg           |
| 5mg       | 2ml       | 2.5 mg/ml     | 8u            | Daily, post-workout | 200mcg           |
| 10mg      | 3ml       | 3.33 mg/ml    | 6u            | Daily, post-workout | 200mcg           |

### CYCLE

4-8 weeks

### ADMINISTRATION

Intramuscular injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Muscle growth, Local repair

*Notes: Injected intramuscularly into each muscle group trained (arm, leg, shoulder).*

# Follistatin 344

Muscle growth · Myostatin support

## About This Peptide

Follistatin 344 is a research-grade peptide referenced for muscle growth, myostatin support. SubQ or IM, dosed bilaterally. Reconstitute with acetic acid if it will not dissolve. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Muscle growth
- ✓ Myostatin support

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 1mg       | 2ml       | 0.5 mg/ml     | 20u           | Daily     | 100mcg           |

### CYCLE

10-30 days

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Muscle growth, Myostatin support

*Notes: SubQ or IM, dosed bilaterally. Reconstitute with acetic acid if it will not dissolve.*

# GHRP-2

Gh · Fat loss · Muscle · Sleep · Skin

## About This Peptide

GHRP-2 is a research-grade peptide referenced for gh, fat loss, muscle, sleep, skin. Take fasted. Strong GH release - may transiently raise appetite, cortisol and prolactin. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Gh
- ✓ Fat loss
- ✓ Muscle
- ✓ Sleep
- ✓ Skin

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency            | Dose / Injection |
|-----------|-----------|---------------|---------------|----------------------|------------------|
| 5mg       | 2.5ml     | 2 mg/ml       | 10-13u        | 2x daily M-F, fasted | 200-250mcg       |

### CYCLE

8-12 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

GH, Fat loss, Muscle, Sleep, Skin

*Notes: Take fasted. Strong GH release - may transiently raise appetite, cortisol and prolactin.*

# ACE-031

Muscle growth · Bone density

## About This Peptide

ACE-031 is a research-grade peptide referenced for muscle growth, bone density. Run on a simple every-other-day (EOD) protocol. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Muscle growth
- ✓ Bone density

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency       | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------------|------------------|
| 1mg       | 2ml       | 0.5 mg/ml     | 20u           | Every other day | 1mg              |

### CYCLE

4-8 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Muscle growth, Bone density

*Notes: Run on a simple every-other-day (EOD) protocol.*

# MOTS-C

Performance · Fat loss · Mitochondrial

## About This Peptide

MOTS-C is a research-grade peptide referenced for performance, fat loss, mitochondrial. Best used AFTER an SS-31 protocol to prime the mitochondria. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Performance
- ✓ Fat loss
- ✓ Mitochondrial

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency     | Dose / Injection |
|-----------|-----------|---------------|---------------|---------------|------------------|
| 10mg      | 1ml       | 10 mg/ml      | 50-100u       | 1-3x per week | 5-10mg           |
| 20mg      | 2ml       | 10 mg/ml      | 50-100u       | 1-3x per week | 5-10mg           |
| 40mg      | 3ml       | 13.33 mg/ml   | 50-100u       | 1-3x per week | 5-10mg           |

### CYCLE

8-10 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Performance, Fat loss, Mitochondrial

*Notes: Best used AFTER an SS-31 protocol to prime the mitochondria.*





# BPC-157

Tissue repair · Tendons · Gut · Collagen

## About This Peptide

BPC-157 is a research-grade peptide referenced for tissue repair, tendons, gut, collagen. Excellent for gut health and systemic inflammation. Can be injected near the injury site. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Tissue repair
- ✓ Tendons
- ✓ Gut
- ✓ Collagen

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency  | Dose / Injection               |
|-----------|-----------|---------------|---------------|------------|--------------------------------|
| 5mg       | 2ml       | 2.5 mg/ml     | 10u           | 2-3x daily | 250-270mcg (up to 1000mcg/day) |
| 10mg      | 3ml       | 3.33 mg/ml    | 8u            | 2-3x daily | 250-270mcg (up to 1000mcg/day) |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Tissue repair, Tendons, Gut, Collagen

*Notes: Excellent for gut health and systemic inflammation. Can be injected near the injury site.*



# TB-500

Tissue repair · Healing · Endurance

## About This Peptide

TB-500 is a research-grade peptide referenced for tissue repair, healing, endurance. Anti-inflammatory and improves flexibility. Loads daily, then tapers to a maintenance dose. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Tissue repair
- ✓ Healing
- ✓ Endurance

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection           |
|-----------|-----------|---------------|---------------|-----------|----------------------------|
| 5mg       | 3ml       | 1.67 mg/ml    | 20u           | Daily     | 500mcg (up to 1000mcg/day) |
| 10mg      | 3ml       | 3.33 mg/ml    | 15u           | Daily     | 500mcg (up to 1000mcg/day) |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Tissue repair, Healing, Endurance

*Notes: Anti-inflammatory and improves flexibility. Loads daily, then tapers to a maintenance dose.*



# BPC / TB-500 Blend

Tissue repair · Tendons · Healing

## About This Peptide

BPC / TB-500 Blend is a research-grade peptide referenced for tissue repair, tendons, healing. The classic synergistic healing stack - systemic repair plus local tendon and tissue recovery. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Tissue repair
- ✓ Tendons
- ✓ Healing

## Reconstitution & Dosing Guide

| Vial Size   | BAC Water | Concentration | Units to Draw | Frequency  | Dose / Injection |
|-------------|-----------|---------------|---------------|------------|------------------|
| 5mg / 5mg   | 2ml       | —             | 10u           | 2-3x daily | 250mcg each      |
| 10mg / 10mg | 2ml       | —             | 8u            | 2-3x daily | 250mcg each      |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Tissue repair, Tendons, Healing

*Notes: The classic synergistic healing stack - systemic repair plus local tendon and tissue recovery.*



# GLOW (BPC / TB / GHK-Cu)

Healing · Recovery · Anti-aging · Skin

## About This Peptide

GLOW (BPC / TB / GHK-Cu) is a research-grade peptide referenced for healing, recovery, anti-aging, skin. Do not dose higher than the listed amounts. A complete recovery and skin-rejuvenation blend. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Healing
- ✓ Recovery
- ✓ Anti-aging
- ✓ Skin

## Reconstitution & Dosing Guide

| Vial Size      | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection          |
|----------------|-----------|---------------|---------------|-----------|---------------------------|
| 10 / 10 / 70mg | 3ml       | —             | 10-15u        | Daily     | 500mcg / 500mcg / 3500mcg |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Healing, Recovery, Anti-aging, Skin

*Notes: Do not dose higher than the listed amounts. A complete recovery and skin-rejuvenation blend.*

# KLOW (BPC / TB / GHK-Cu / KPV)

Healing · Recovery · Anti-aging · Inflammation

## About This Peptide

KLOW (BPC / TB / GHK-Cu / KPV) is a research-grade peptide referenced for healing, recovery, anti-aging, inflammation. Do not dose higher. KLOW adds KPV to GLOW for extra anti-inflammatory and gut support. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Healing
- ✓ Recovery
- ✓ Anti-aging
- ✓ Inflammation

## Reconstitution & Dosing Guide

| Vial Size           | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection              |
|---------------------|-----------|---------------|---------------|-----------|-------------------------------|
| 10 / 10 / 50 / 10mg | 3ml       | —             | 15u           | Daily     | 500 / 500mcg / 2.5mg / 500mcg |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Healing, Recovery, Anti-aging, Inflammation

*Notes: Do not dose higher. KLOW adds KPV to GLOW for extra anti-inflammatory and gut support.*



# KPV

Anti-inflammatory · Gut health

## About This Peptide

KPV is a research-grade peptide referenced for anti-inflammatory, gut health. Avoid NSAIDs while running it; reconstitute with acetic acid if the peptide gels. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Anti-inflammatory
- ✓ Gut health

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 10-20u        | M-F       | 500mcg - 1mg     |
| 30mg      | 3ml       | 10 mg/ml      | 10-20u        | M-F       | 500mcg - 1mg     |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Anti-inflammatory, Gut health

*Notes: Avoid NSAIDs while running it; reconstitute with acetic acid if the peptide gels.*

# Abaloparatide

## Bone density

### About This Peptide

Abaloparatide is a research-grade peptide referenced for bone density. A bone-building (anabolic) agent typically run for up to six months. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

### Key Benefits

- ✓ Bone density

### Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 3mg       | 3ml       | 1 mg/ml       | 8-10u         | Daily     | 80-100mcg        |

#### CYCLE

Up to 6 months

#### ADMINISTRATION

Subcutaneous injection

#### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

#### PURPOSE

Bone density

*Notes: A bone-building (anabolic) agent typically run for up to six months.*



# Teriparatide

Bone density · Osteoporosis

## About This Peptide

Teriparatide is a research-grade peptide referenced for bone density, osteoporosis. Long-term bone therapy for osteoporosis; can be run from a month up to two years. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Bone density
- ✓ Osteoporosis

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 750mcg    | 3ml       | 0.25 mg/ml    | 8u            | Daily     | 20mcg            |

### CYCLE

30 days - 2 years

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Bone density, Osteoporosis

*Notes: Long-term bone therapy for osteoporosis; can be run from a month up to two years.*



# Retatrutide

Fat loss · Liver fat · Insulin sensitivity

## About This Peptide

Retatrutide is a research-grade peptide referenced for fat loss, liver fat, insulin sensitivity. Start low; add roughly 2mg every 4 weeks. A triple-agonist (GLP-1 / GIP / glucagon). The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat loss
- ✓ Liver fat
- ✓ Insulin sensitivity

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency   | Dose / Injection         |
|-----------|-----------|---------------|---------------|-------------|--------------------------|
| 10mg      | 2ml       | 5 mg/ml       | 20u           | 2x per week | 1mg (titrate up to 10mg) |
| 20mg      | 2ml       | 10 mg/ml      | 10u           | 2x per week | 1mg (titrate up to 10mg) |
| 30mg      | 3ml       | 10 mg/ml      | 10u           | 2x per week | 1mg (titrate up to 10mg) |

### CYCLE

Until results met

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Fat loss, Liver fat, Insulin sensitivity

*Notes: Start low; add roughly 2mg every 4 weeks. A triple-agonist (GLP-1 / GIP / glucagon).*

# Tirzepatide

Fat loss · Appetite suppression · Metabolic

## About This Peptide

Tirzepatide is a research-grade peptide referenced for fat loss, appetite suppression, metabolic. Start low and titrate slowly to manage GI side effects. A dual GLP-1 / GIP agonist. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat loss
- ✓ Appetite suppression
- ✓ Metabolic

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency             | Dose / Injection     |
|-----------|-----------|---------------|---------------|-----------------------|----------------------|
| 15mg      | 2ml       | 7.5 mg/ml     | 10-20u        | Weekly or 2x per week | 0.5-2mg (titrate up) |
| 30mg      | 3ml       | 10 mg/ml      | 10-20u        | Weekly or 2x per week | 0.5-2mg (titrate up) |
| 60mg      | 4ml       | 15 mg/ml      | 10-20u        | Weekly or 2x per week | 0.5-2mg (titrate up) |

### CYCLE

Until results met

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Fat loss, Appetite suppression, Metabolic

*Notes: Start low and titrate slowly to manage GI side effects. A dual GLP-1 / GIP agonist.*

# Cagrilintide

Appetite suppression · Fat loss

## About This Peptide

Cagrilintide is a research-grade peptide referenced for appetite suppression, fat loss. Works well stacked with a GLP-1. Start low and build up gradually. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Appetite suppression
- ✓ Fat loss

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency             | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------------------|------------------|
| 5mg       | 2ml       | 2.5 mg/ml     | 10-80u        | Weekly or 2x per week | 0.25-2mg         |
| 10mg      | 3ml       | 3.33 mg/ml    | 7-60u         | Weekly or 2x per week | 0.25-2mg         |

### CYCLE

Up to 16 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Appetite suppression, Fat loss

*Notes: Works well stacked with a GLP-1. Start low and build up gradually.*



# AOD-9604

Fat loss · Metabolism

## About This Peptide

AOD-9604 is a research-grade peptide referenced for fat loss, metabolism. Reconstitute with ~1.6ml BAC water and 0.4ml acetic acid. A fragment of GH for fat loss only. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat loss
- ✓ Metabolism

## Reconstitution & Dosing Guide

| Vial Size | BAC Water                | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|--------------------------|---------------|---------------|-----------|------------------|
| 5mg       | 1.5ml BAC + 0.5ml Acetic | 2.5 mg/ml     | 12-20u        | Daily AM  | 300-500mcg       |

### CYCLE

Ongoing

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Fat loss, Metabolism

Notes: Reconstitute with ~1.6ml BAC water and 0.4ml acetic acid. A fragment of GH for fat loss only.



# 5-Amino 1MQ

Fat loss · Metabolic function

## About This Peptide

5-Amino 1MQ is a research-grade peptide referenced for fat loss, metabolic function. An NNMT inhibitor that supports metabolic rate and fat-cell turnover. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat loss
- ✓ Metabolic function

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 1ml       | 10 mg/ml      | 10-20u        | Daily     | 250-500mcg       |
| 50mg      | 3ml       | 16.67 mg/ml   | 10-20u        | Daily     | 250-500mcg       |

### CYCLE

Ongoing

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Fat loss, Metabolic function

*Notes: An NNMT inhibitor that supports metabolic rate and fat-cell turnover.*

# AICAR

Fat oxidation · Metabolic health

## About This Peptide

AICAR is a research-grade peptide referenced for fat oxidation, metabolic health. An AMPK activator - mimics aspects of exercise for fat oxidation. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat oxidation
- ✓ Metabolic health

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency     | Dose / Injection |
|-----------|-----------|---------------|---------------|---------------|------------------|
| 50mg      | 2ml       | 25 mg/ml      | 20-50u        | 3-5x per week | 1-2mg            |

### CYCLE

8-12 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Fat oxidation, Metabolic health

*Notes: An AMPK activator - mimics aspects of exercise for fat oxidation.*

# Adipotide

Fat loss · Targeted fat reduction

## About This Peptide

Adipotide is a research-grade peptide referenced for fat loss, targeted fat reduction. Targets the blood supply (vasculature) feeding fat cells for localized reduction. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat loss
- ✓ Targeted fat reduction

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 10-20u        | Daily     | 500mcg - 1mg     |

### CYCLE

4-8 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Fat loss, Targeted fat reduction

*Notes: Targets the blood supply (vasculature) feeding fat cells for localized reduction.*



# SLU-PP-332

Fat oxidation · Energy · Recovery

## About This Peptide

SLU-PP-332 is a research-grade peptide referenced for fat oxidation, energy, recovery. May require DMSO or saline to fully reconstitute. An exercise-mimetic for fat oxidation. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat oxidation
- ✓ Energy
- ✓ Recovery

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency      | Dose / Injection |
|-----------|-----------|---------------|---------------|----------------|------------------|
| 5mg       | 1ml       | 5 mg/ml       | 10-60u        | Up to 3x daily | 500mcg - 3mg     |

### CYCLE

Ongoing

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Fat oxidation, Energy, Recovery

*Notes: May require DMSO or saline to fully reconstitute. An exercise-mimetic for fat oxidation.*



# Eloralintide

Weight management · Metabolic support

## About This Peptide

Eloralintide is a research-grade peptide referenced for weight management, metabolic support. A novel amylin-based weight-management peptide. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Weight management
- ✓ Metabolic support

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 10-20u        | Weekly    | 0.5-1mg          |

### CYCLE

Up to 16 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Weight management,  
Metabolic support

*Notes: A novel amylin-based weight-management peptide.*

# FOXO4-DRI

Senolytic · Anti-aging · Cellular cleanup

## About This Peptide

FOXO4-DRI is a research-grade peptide referenced for senolytic, anti-aging, cellular cleanup. Option 1: EOD ongoing. Option 2: 5 days on / 5 off, ~1 month total, up to 2x per year. A senolytic. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Senolytic
- ✓ Anti-aging
- ✓ Cellular cleanup

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency                         | Dose / Injection            |
|-----------|-----------|---------------|---------------|-----------------------------------|-----------------------------|
| 5mg       | 1ml       | 5 mg/ml       | 60u           | EOD (Opt 1) / 5 on, 5 off (Opt 2) | 3-5mg (Opt 1) . 1mg (Opt 2) |
| 10mg      | 1ml       | 10 mg/ml      | 50u           | EOD (Opt 1) / 5 on, 5 off (Opt 2) | 3-5mg (Opt 1) . 1mg (Opt 2) |
| 10mg      | 2ml       | 5 mg/ml       | 20u           | EOD (Opt 1) / 5 on, 5 off (Opt 2) | 3-5mg (Opt 1) . 1mg (Opt 2) |

### CYCLE

Ongoing or 2 weeks, 2x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Senolytic, Anti-aging, Cellular cleanup

Notes: Option 1: EOD ongoing. Option 2: 5 days on / 5 off, ~1 month total, up to 2x per year. A senolytic.

# Epitalon

Anti-aging · Telomeres · Sleep · Immune

## About This Peptide

Epitalon is a research-grade peptide referenced for anti-aging, telomeres, sleep, immune. Often stacked with Vilon or Livagen. Supports telomere length and circadian rhythm. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Anti-aging
- ✓ Telomeres
- ✓ Sleep
- ✓ Immune

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 1ml       | 10 mg/ml      | 50-100u       | Daily PM  | 5-10mg           |
| 50mg      | 3ml       | 16.67 mg/ml   | 30-60u        | Daily PM  | 5-10mg           |

### CYCLE

2-3 weeks, 2x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Anti-aging, Telomeres, Sleep, Immune

*Notes: Often stacked with Vilon or Livagen. Supports telomere length and circadian rhythm.*

# NA-Epitalon

Anti-aging · Telomeres

## About This Peptide

NA-Epitalon is a research-grade peptide referenced for anti-aging, telomeres. An N-acetylated version of Epitalon with enhanced bioavailability. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Anti-aging
- ✓ Telomeres

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 20-40u        | Daily PM  | 2-4mg            |

### CYCLE

2-3 weeks, 2x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Anti-aging, Telomeres

*Notes: An N-acetylated version of Epitalon with enhanced bioavailability.*

# SS-31

Mitochondrial protection · Cardioprotection

## About This Peptide

SS-31 is a research-grade peptide referenced for mitochondrial protection, cardioprotection. A mitochondria-targeted peptide; strong cardioprotective research profile. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Mitochondrial protection
- ✓ Cardioprotection

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 1ml       | 10 mg/ml      | 10-20u        | Daily     | 1-3mg            |
| 30mg      | 2ml       | 15 mg/ml      | 10-20u        | Daily     | 1-3mg            |
| 50mg      | 3ml       | 16.67 mg/ml   | 10-20u        | Daily     | 1-3mg            |

### CYCLE

8-12 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Mitochondrial protection, Cardioprotection

*Notes: A mitochondria-targeted peptide; strong cardioprotective research profile.*

# NAD+ (Buffered)

Cellular energy · Dna repair · Anti-aging

## About This Peptide

NAD+ (Buffered) is a research-grade peptide referenced for cellular energy, dna repair, anti-aging. Inject slowly. Central to cellular energy production and DNA repair. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cellular energy
- ✓ Dna repair
- ✓ Anti-aging

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 500mg     | 2ml       | 250 mg/ml     | 50-100u       | Daily or as needed | 250-500mg        |

### CYCLE

Ongoing

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cellular energy, DNA repair, Anti-aging

*Notes: Inject slowly. Central to cellular energy production and DNA repair.*

# Humanin

Neuroprotection · Metabolic health

## About This Peptide

Humanin is a research-grade peptide referenced for neuroprotection, metabolic health. A mitochondrial-derived peptide studied for neuroprotection and metabolic health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Neuroprotection
- ✓ Metabolic health

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 1ml       | 10 mg/ml      | 50-100u       | Daily     | 5-10mg           |

### CYCLE

8-10 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Neuroprotection, Metabolic health

*Notes: A mitochondrial-derived peptide studied for neuroprotection and metabolic health.*



# Mito-Prime (5-Amino / MOTS-C / NAD+)

Energy · Fat loss · Longevity

## About This Peptide

Mito-Prime (5-Amino / MOTS-C / NAD+) is a research-grade peptide referenced for energy, fat loss, longevity. A comprehensive mitochondrial blend combining three energy-support compounds. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Energy
- ✓ Fat loss
- ✓ Longevity

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 120mg     | 2ml       | 60 mg/ml      | 20-50u        | Daily     | 1-3mg            |

### CYCLE

8-10 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Energy, Fat loss, Longevity

*Notes: A comprehensive mitochondrial blend combining three energy-support compounds.*



# PNC-27

Cellular cleanup · Anti-aging

## About This Peptide

PNC-27 is a research-grade peptide referenced for cellular cleanup, anti-aging. Researched for selectively targeting and removing abnormal cells. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cellular cleanup
- ✓ Anti-aging

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 30mg      | 3ml       | 10 mg/ml      | 5-10u         | Daily     | 500mcg - 1mg     |

### CYCLE

4-6 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cellular cleanup, Anti-aging

*Notes: Researched for selectively targeting and removing abnormal cells.*

# Selank

Anxiety · Cognitive · Memory · Mood

## About This Peptide

Selank is a research-grade peptide referenced for anxiety, cognitive, memory, mood. Anxiolytic and nootropic. Often used in the morning for calm focus. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Anxiety
- ✓ Cognitive
- ✓ Memory
- ✓ Mood

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 3ml       | 3.33 mg/ml    | 6-10u         | Daily AM  | 200-330mcg       |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Anxiety, Cognitive, Memory, Mood

*Notes: Anxiolytic and nootropic. Often used in the morning for calm focus.*

# NA-Selank

Anxiety · Cognitive · Memory · Mood

## About This Peptide

NA-Selank is a research-grade peptide referenced for anxiety, cognitive, memory, mood. An N-acetylated, longer-acting version of Selank. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Anxiety
- ✓ Cognitive
- ✓ Memory
- ✓ Mood

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 3ml       | 3.33 mg/ml    | 6-10u         | Daily AM  | 200-330mcg       |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Anxiety, Cognitive, Memory, Mood

*Notes: An N-acetylated, longer-acting version of Selank.*

# Semax

Cognitive · Memory · Neuroprotection

## About This Peptide

Semax is a research-grade peptide referenced for cognitive, memory, neuroprotection. A nootropic that supports BDNF, focus and neuroprotection. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cognitive
- ✓ Memory
- ✓ Neuroprotection

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 3ml       | 3.33 mg/ml    | 6-10u         | Daily AM  | 200-330mcg       |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cognitive, Memory, Neuroprotection

*Notes: A nootropic that supports BDNF, focus and neuroprotection.*



# NA-Semax

Cognitive · Memory · Neuroprotection

## About This Peptide

NA-Semax is a research-grade peptide referenced for cognitive, memory, neuroprotection. An N-acetylated, enhanced version of Semax. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cognitive
- ✓ Memory
- ✓ Neuroprotection

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 3ml       | 3.33 mg/ml    | 6-10u         | Daily AM  | 200-330mcg       |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cognitive, Memory, Neuroprotection

*Notes: An N-acetylated, enhanced version of Semax.*

# Adamax (w/ Adamantane)

Cognitive enhancement · Focus · Neuroprotection

## About This Peptide

Adamax (w/ Adamantane) is a research-grade peptide referenced for cognitive enhancement, focus, neuroprotection. A potent cognitive-enhancement peptide for focus and neuroprotection. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cognitive enhancement
- ✓ Focus
- ✓ Neuroprotection

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 10-20u        | Daily AM  | 500mcg - 1mg     |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cognitive enhancement, Focus, Neuroprotection

*Notes: A potent cognitive-enhancement peptide for focus and neuroprotection.*

# Cerebrolysin

Neuroregeneration · Cognitive function

## About This Peptide

Cerebrolysin is a research-grade peptide referenced for neuroregeneration, cognitive function. A neuroregenerative peptide mixture supporting brain recovery and cognition. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Neuroregeneration
- ✓ Cognitive function

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 30mg      | 2ml       | 15 mg/ml      | 20-50u        | Daily     | 2-5mg            |

### CYCLE

4-8 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Neuroregeneration, Cognitive function

*Notes: A neuroregenerative peptide mixture supporting brain recovery and cognition.*

# PE-22-28

Cognitive · Antidepressant · Focus

## About This Peptide

PE-22-28 is a research-grade peptide referenced for cognitive, antidepressant, focus. A fast-acting antidepressant peptide (a spadin analog). The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cognitive
- ✓ Antidepressant
- ✓ Focus

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 8-30u         | Daily     | 250mcg - 1mg     |

### CYCLE

8-12 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cognitive, Antidepressant, Focus

*Notes: A fast-acting antidepressant peptide (a spadin analog).*



# P-21

Cognitive · Neuroplasticity · Memory

## About This Peptide

P-21 is a research-grade peptide referenced for cognitive, neuroplasticity, memory. Supports neuroplasticity and new neuron formation (neurogenesis). The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cognitive
- ✓ Neuroplasticity
- ✓ Memory

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 10-20u        | Daily     | 500mcg - 1mg     |

### CYCLE

8-12 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cognitive, Neuroplasticity, Memory

*Notes: Supports neuroplasticity and new neuron formation (neurogenesis).*

# Oxytocin

Social connection · Mood · Stress relief

## About This Peptide

Oxytocin is a research-grade peptide referenced for social connection, mood, stress relief. The bonding hormone - used situationally for mood and social connection. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Social connection
- ✓ Mood
- ✓ Stress relief

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 5mg       | 2ml       | 2.5 mg/ml     | 10-20u        | As needed | 250-500mcg       |
| 10mg      | 2ml       | 5 mg/ml       | 5-10u         | As needed | 250-500mcg       |

### CYCLE

As needed

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Social connection, Mood, Stress relief

*Notes: The bonding hormone - used situationally for mood and social connection.*



# VIP

Memory · Autoimmune · Blood flow

## About This Peptide

VIP is a research-grade peptide referenced for memory, autoimmune, blood flow. May cause transient flushing. Often used in CIRS / mold-recovery protocols. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Memory
- ✓ Autoimmune
- ✓ Blood flow

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 5mg       | 3ml       | 1.67 mg/ml    | 6-18u         | Daily     | 100-300mcg       |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Memory, Autoimmune, Blood flow

*Notes: May cause transient flushing. Often used in CIRS / mold-recovery protocols.*

# DSIP

Sleep · Recovery

## About This Peptide

DSIP is a research-grade peptide referenced for sleep, recovery. Delta Sleep-Inducing Peptide - inject 1-3 hours before bed. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Sleep
- ✓ Recovery

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 5mg       | 2ml       | 2.5 mg/ml     | 10-20u        | Daily PM  | 250-500mcg       |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Sleep, Recovery

*Notes: Delta Sleep-Inducing Peptide - inject 1-3 hours before bed.*



# Thymalin

## Immunity restoration

### About This Peptide

Thymalin is a research-grade peptide referenced for immunity restoration. Run as a short course 1-4 times per year to restore immune function. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

### Key Benefits

- ✓ Immunity restoration

### Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 1ml       | 10 mg/ml      | 100u          | Daily     | 10mg / 5mg       |
| 20mg      | 2ml       | 10 mg/ml      | 50u           | Daily     | 10mg / 5mg       |

#### CYCLE

10 days, 1-4x/year

#### ADMINISTRATION

Subcutaneous injection

#### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

#### PURPOSE

Immunity restoration

*Notes: Run as a short course 1-4 times per year to restore immune function.*



# Thymosin Alpha-1

Immunity · Viral defense · Autoimmune

## About This Peptide

Thymosin Alpha-1 is a research-grade peptide referenced for immunity, viral defense, autoimmune. A powerful immune modulator for viral defense and autoimmune balance. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Immunity
- ✓ Viral defense
- ✓ Autoimmune

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 10-20u        | 2x weekly | 500mcg - 1mg     |

### CYCLE

8-12 weeks

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Immunity, Viral defense, Autoimmune

*Notes: A powerful immune modulator for viral defense and autoimmune balance.*

# LL-37

Immunity · Anti-inflammation

## About This Peptide

LL-37 is a research-grade peptide referenced for immunity, anti-inflammation. Inject SubQ morning and evening. An antimicrobial peptide. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Immunity
- ✓ Anti-inflammation

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency        | Dose / Injection |
|-----------|-----------|---------------|---------------|------------------|------------------|
| 5mg       | 3ml       | 1.67 mg/ml    | 9u            | 2x daily AM / PM | 150mcg           |

### CYCLE

50 days on

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Immunity, Anti-inflammation

*Notes: Inject SubQ morning and evening. An antimicrobial peptide.*



# Glutathione

Antioxidant · Immune · Liver · Skin

## About This Peptide

Glutathione is a research-grade peptide referenced for antioxidant, immune, liver, skin. The body's master antioxidant - supports liver, skin and immune health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Antioxidant
- ✓ Immune
- ✓ Liver
- ✓ Skin

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency   | Dose / Injection |
|-----------|-----------|---------------|---------------|-------------|------------------|
| 600mg     | 2ml       | 300 mg/ml     | 20-50u        | 2-3x weekly | 600-1500mg       |
| 1500mg    | 3ml       | 500 mg/ml     | 20-50u        | 2-3x weekly | 600-1500mg       |

### CYCLE

Ongoing

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Antioxidant, Immune, Liver, Skin

*Notes: The body's master antioxidant - supports liver, skin and immune health.*



# GHK-Cu

Skin • Hair • Collagen • Anti-inflammatory

## About This Peptide

GHK-Cu is a research-grade peptide referenced for skin, hair, collagen, anti-inflammatory. The classic copper peptide for skin, hair and collagen synthesis. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Skin
- ✓ Hair
- ✓ Collagen
- ✓ Anti-inflammatory

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 50mg      | 2ml       | 25 mg/ml      | 10-20u        | Daily     | 2.5-5mg          |
| 100mg     | 3ml       | 33.33 mg/ml   | 8-15u         | Daily     | 2.5-5mg          |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Skin, Hair, Collagen, Anti-inflammatory

*Notes: The classic copper peptide for skin, hair and collagen synthesis.*

# AHK-Cu

Hair growth · Skin repair · Anti-aging

## About This Peptide

AHK-Cu is a research-grade peptide referenced for hair growth, skin repair, anti-aging. A copper peptide focused on hair growth and follicle health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Hair growth
- ✓ Skin repair
- ✓ Anti-aging

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 100mg     | 3ml       | 33.33 mg/ml   | 8u            | Daily     | 2.5mg            |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Hair growth, Skin repair, Anti-aging

*Notes: A copper peptide focused on hair growth and follicle health.*



# SNAP-8

Anti-wrinkle · Expression lines

## About This Peptide

SNAP-8 is a research-grade peptide referenced for anti-wrinkle, expression lines. An anti-wrinkle peptide that softens expression lines. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Anti-wrinkle
- ✓ Expression lines

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 10-20u        | Daily     | 500mcg - 1mg     |

### CYCLE

8 weeks on, 8 off

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Anti-wrinkle, Expression lines

*Notes: An anti-wrinkle peptide that softens expression lines.*



# Melanotan I

Tan · Uv protection

## About This Peptide

Melanotan I is a research-grade peptide referenced for tan, uv protection. A tanning peptide with a milder side-effect profile than MT-II. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Tan
- ✓ Uv protection

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency   | Dose / Injection |
|-----------|-----------|---------------|---------------|-------------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 10u           | 2-3x weekly | 500mcg           |

### CYCLE

30 days

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Tan, UV protection

Notes: A tanning peptide with a milder side-effect profile than MT-II.

# Melanotan II

Tan · Libido · Appetite suppression

## About This Peptide

Melanotan II is a research-grade peptide referenced for tan, libido, appetite suppression. A potent tanning peptide that also influences libido and appetite. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Tan
- ✓ Libido
- ✓ Appetite suppression

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency   | Dose / Injection |
|-----------|-----------|---------------|---------------|-------------|------------------|
| 10mg      | 2ml       | 5 mg/ml       | 10u           | 2-3x weekly | 500mcg           |

### CYCLE

30 days

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Tan, Libido, Appetite suppression

*Notes: A potent tanning peptide that also influences libido and appetite.*

# L-Carnitine

Body composition · Energy · Fat loss

## About This Peptide

L-Carnitine is a research-grade peptide referenced for body composition, energy, fat loss. Injected intramuscularly, ideally fasted before cardio. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Body composition
- ✓ Energy
- ✓ Fat loss

## Reconstitution & Dosing Guide

| Vial Size    | BAC Water | Concentration | Units to Draw | Frequency       | Dose / Injection |
|--------------|-----------|---------------|---------------|-----------------|------------------|
| 500-600mg/ml | Premixed  | —             | 50-100u       | Daily as needed | 250-600mg        |

### CYCLE

Months

### ADMINISTRATION

Intramuscular injection

### STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

### PURPOSE

Body composition, Energy, Fat loss

*Notes: Injected intramuscularly, ideally fasted before cardio.*

# Lipo-C MIC-B12

Fat mobilization · Energy

## About This Peptide

Lipo-C MIC-B12 is a research-grade peptide referenced for fat mobilization, energy. The classic lipotropic (MIC + B12) fat-mobilizing blend. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Fat mobilization
- ✓ Energy

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency       | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------------|------------------|
| Premixed  | N/A       | —             | 1ml           | Daily as needed | 1ml              |

### CYCLE

Ongoing

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

### PURPOSE

Fat mobilization, Energy

*Notes: The classic lipotropic (MIC + B12) fat-mobilizing blend.*

# Lipo-C Fat Blaster

Aggressive fat loss · Metabolic

## About This Peptide

Lipo-C Fat Blaster is a research-grade peptide referenced for aggressive fat loss, metabolic. An advanced lipotropic blend for accelerated fat loss. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Aggressive fat loss
- ✓ Metabolic

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency       | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------------|------------------|
| Premixed  | N/A       | —             | 1ml           | Daily as needed | 1ml              |

### CYCLE

Ongoing

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

### PURPOSE

Aggressive fat loss, Metabolic

*Notes: An advanced lipotropic blend for accelerated fat loss.*





# Lipo-C Super Shred

Maximum fat shredding

## About This Peptide

Lipo-C Super Shred is a research-grade peptide referenced for maximum fat shredding. A maximum-strength lipotropic shredding blend. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Maximum fat shredding

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency       | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------------|------------------|
| Premixed  | N/A       | —             | 1ml           | Daily as needed | 1ml              |

### CYCLE

Ongoing

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

### PURPOSE

Maximum fat shredding

Notes: A maximum-strength lipotropic shredding blend.



# Lipo-C Super Human

Peak performance · Fat loss

## About This Peptide

Lipo-C Super Human is a research-grade peptide referenced for peak performance, fat loss. A peak-performance lipotropic and energy blend. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Peak performance
- ✓ Fat loss

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency       | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------------|------------------|
| Premixed  | N/A       | —             | 1ml           | Daily as needed | 1ml              |

### CYCLE

Ongoing

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

### PURPOSE

Peak performance, Fat loss

*Notes: A peak-performance lipotropic and energy blend.*

# Lemon Bottle

## Targeted fat reduction

### About This Peptide

Lemon Bottle is a research-grade peptide referenced for targeted fat reduction. A fat-dissolving injection for localized, targeted areas. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

### Key Benefits

- ✓ Targeted fat reduction

### Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| Premixed  | N/A       | —             | 1ml           | As needed | 1ml              |

#### CYCLE

As needed

#### ADMINISTRATION

Subcutaneous injection

#### STORAGE

Premixed solution - keep refrigerated (2-8°C) and protected from light. Do not freeze. Use by the labeled date.

#### PURPOSE

Targeted fat reduction

*Notes: A fat-dissolving injection for localized, targeted areas.*

# Vilon

Neuroprotective · Mood · Focus

## About This Peptide

Vilon is a research-grade peptide referenced for neuroprotective, mood, focus. Pairs with Epitalon. A short bioregulator peptide for cellular health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Neuroprotective
- ✓ Mood
- ✓ Focus

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 25u           | 2x daily  | 2.5mg            |

### CYCLE

15-30 days

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Neuroprotective, Mood, Focus

*Notes: Pairs with Epitalon. A short bioregulator peptide for cellular health.*

# Cardiogen

Heart cell growth · Anti-tumor

## About This Peptide

Cardiogen is a research-grade peptide referenced for heart cell growth, anti-tumor. A heart bioregulator supporting cardiac cell renewal. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Heart cell growth
- ✓ Anti-tumor

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 10-40u        | 1-2x daily AM / PM | 1-4mg            |

### CYCLE

30 days, 2x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Heart cell growth, Anti-tumor

*Notes: A heart bioregulator supporting cardiac cell renewal.*

# Bronchagen

Lung function · Inflammation · Asthma

## About This Peptide

Bronchagen is a research-grade peptide referenced for lung function, inflammation, asthma. A lung bioregulator; can be combined with Chronluten. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Lung function
- ✓ Inflammation
- ✓ Asthma

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 10-20u        | 1-2x daily AM / PM | 1-2mg            |

### CYCLE

30 days, 2x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Lung function, Inflammation, Asthma

*Notes: A lung bioregulator; can be combined with Chronluten.*

# Prostamax

Prostate health · Anti-aging

## About This Peptide

Prostamax is a research-grade peptide referenced for prostate health, anti-aging. A prostate bioregulator, also used for PCT support. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Prostate health
- ✓ Anti-aging

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 10-50u        | 1-2x daily AM / PM | 5mg              |

### CYCLE

30 days, 2x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Prostate health, Anti-aging

*Notes: A prostate bioregulator, also used for PCT support.*

# Testagen

Testosterone · Energy · Cognitive

## About This Peptide

Testagen is a research-grade peptide referenced for testosterone, energy, cognitive. Supports natural testosterone; often used for PCT support. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Testosterone
- ✓ Energy
- ✓ Cognitive

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 20u           | 1-2x daily AM / PM | 2mg              |

### CYCLE

10-30 days, 2x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Testosterone, Energy, Cognitive

*Notes: Supports natural testosterone; often used for PCT support.*



# Ovagen

Liver inflammation · Metabolic

## About This Peptide

Ovagen is a research-grade peptide referenced for liver inflammation, metabolic. A liver bioregulator supporting detox and metabolic function. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Liver inflammation
- ✓ Metabolic

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 20-50u        | 1-2x daily AM / PM | 2-5mg            |

### CYCLE

10-30 days, 2x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Liver inflammation, Metabolic

*Notes: A liver bioregulator supporting detox and metabolic function.*

# Cartalax

Joint · Cartilage regeneration

## About This Peptide

Cartalax is a research-grade peptide referenced for joint, cartilage regeneration. A cartilage bioregulator; inject near the target joint. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Joint
- ✓ Cartilage regeneration

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 10-20u        | 1-2x daily AM / PM | 1-2mg            |

### CYCLE

30 days, 1-3x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Joint, Cartilage regeneration

*Notes: A cartilage bioregulator; inject near the target joint.*

# Pinealon

Cognitive · Brain health · Neuroprotection

## About This Peptide

Pinealon is a research-grade peptide referenced for cognitive, brain health, neuroprotection. A brain bioregulator; pairs well with other cognitive peptides. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cognitive
- ✓ Brain health
- ✓ Neuroprotection

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 10-50u        | 1-2x daily AM / PM | 1-5mg            |

### CYCLE

30 days, 1-3x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cognitive, Brain health, Neuroprotection

*Notes: A brain bioregulator; pairs well with other cognitive peptides.*

# Vesugen

Cognitive · Nerve health · Anti-aging

## About This Peptide

Vesugen is a research-grade peptide referenced for cognitive, nerve health, anti-aging. A vascular bioregulator; pairs with Pinealon for nerve health. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cognitive
- ✓ Nerve health
- ✓ Anti-aging

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 20u           | 1-2x daily AM / PM | 2mg              |

### CYCLE

30 days, 1-3x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cognitive, Nerve health, Anti-aging

*Notes: A vascular bioregulator; pairs with Pinealon for nerve health.*

# Livagen

Cellular regeneration · Immune

## About This Peptide

Livagen is a research-grade peptide referenced for cellular regeneration, immune. A liver / cellular bioregulator; pairs with Vilon or Epitalon. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Cellular regeneration
- ✓ Immune

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 20-100u       | 1-2x daily AM / PM | 1-5mg            |

### CYCLE

15-30 days

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Cellular regeneration, Immune

*Notes: A liver / cellular bioregulator; pairs with Vilon or Epitalon.*

# Cortagen

## Pancreas cell repair

### About This Peptide

Cortagen is a research-grade peptide referenced for pancreas cell repair. A pancreas bioregulator supporting cellular repair. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

### Key Benefits

- ✓ Pancreas cell repair

### Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 10-50u        | 1x daily  | 1-5mg            |

#### CYCLE

30 days

#### ADMINISTRATION

Subcutaneous injection

#### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

#### PURPOSE

Pancreas cell repair

*Notes: A pancreas bioregulator supporting cellular repair.*

# Pancragen

Immunity · Viral / bacterial defense

## About This Peptide

Pancragen is a research-grade peptide referenced for immunity, viral / bacterial defense. A pancreas bioregulator with immune support properties. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Immunity
- ✓ Viral / bacterial defense

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 20u           | 1x daily  | 2mg              |

### CYCLE

10-20 days

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Immunity, Viral / bacterial defense

*Notes: A pancreas bioregulator with immune support properties.*

# Thymogen

Immunity · Viral / bacterial defense

## About This Peptide

Thymogen is a research-grade peptide referenced for immunity, viral / bacterial defense. An immune bioregulator - intramuscular administration only. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Immunity
- ✓ Viral / bacterial defense

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 5-20u         | 1x daily  | 500mcg - 2mg     |

### CYCLE

10-20 days

### ADMINISTRATION

Intramuscular injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Immunity, Viral / bacterial defense

*Notes: An immune bioregulator - intramuscular administration only.*



# Crystagen

Immunity · Protein synthesis · Recovery

## About This Peptide

Crystagen is a research-grade peptide referenced for immunity, protein synthesis, recovery. An immunity and general-wellness bioregulator. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Immunity
- ✓ Protein synthesis
- ✓ Recovery

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency | Dose / Injection |
|-----------|-----------|---------------|---------------|-----------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 20u           | Daily     | 2mg              |

### CYCLE

30 days

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Immunity, Protein synthesis, Recovery

*Notes: An immunity and general-wellness bioregulator.*

# Chronluten

Lung health

## About This Peptide

Chronluten is a research-grade peptide referenced for lung health. A respiratory bioregulator; can be used with Bronchagen. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Lung health

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 10-50u        | 1-2x daily AM / PM | 1-5mg            |

### CYCLE

30 days, 1-3x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Lung health

*Notes: A respiratory bioregulator; can be used with Bronchagen.*

# Vesilute

Vascular health · Circulation

## About This Peptide

Vesilute is a research-grade peptide referenced for vascular health, circulation. A vascular bioregulator supporting healthy blood flow. The table below lists the recommended bacteriostatic (BAC) water per vial size and the matching draw on a U-100 insulin syringe.

## Key Benefits

- ✓ Vascular health
- ✓ Circulation

## Reconstitution & Dosing Guide

| Vial Size | BAC Water | Concentration | Units to Draw | Frequency          | Dose / Injection |
|-----------|-----------|---------------|---------------|--------------------|------------------|
| 20mg      | 2ml       | 10 mg/ml      | 20u           | 1-2x daily AM / PM | 2mg              |

### CYCLE

30 days, 1-3x/year

### ADMINISTRATION

Subcutaneous injection

### STORAGE

Store lyophilized vial in fridge (2-8°C); freezer for long term. Once mixed, refrigerate and use within ~30 days. Keep out of light.

### PURPOSE

Vascular health, Circulation

*Notes: A vascular bioregulator supporting healthy blood flow.*