



1 >>>> Logo

1.1 Construction of the sign

The logo consists of a geometric logo mark with the name "AnterSystem" next to it.



1.2 Logo protection field

The logo's protection field always has the same proportions and is equal to the size of a part of the geometric logomark.



1.3 Logo variants

Basic color version of the logo:



Color version of the logo with the slogan:



Logo on navy blue background:



Logo on navy blue background with the slogan:



White logo on navy blue background:



White logo with the slogan on navy blue background:



Navy blue version of the logo:



Navy blue version of the logo with the slogan:



Monochromatic version of the logo:



Monochromatic version of the logo with the slogan:



Black version of the logo:



Black version of the logo with the slogan:



White logo on a black background:




White logo with the slogan on a black background:




2 >>>> Usage of the logo mark

Logo mark can be used as decorative element in print or online materials - for example in brochures, flyers, posters, rollups, websites and online ads. It can also be used as a pattern.

> Examples of logo mark usage:



Logo mark as graphic motive



Logo mark as a pattern

We also use an **arrow motif** in our marketing materials. Shape of it is taken directly from half of our logo mark.



➤ Examples of arrow motifs used in our marketing materials:



3 >>>> Color palette

We use Anter Navy Blue and it's tints as a main colors and Anter Yellow as accent color. For texts we use 100% K and white (on dark backgrounds).

ANTER NAVY BLUE


C: 100% R: 22
M: 80% G: 65
Y: 0% B: 148
K: 0%

HEX: 164194

ANTER YELLOW

C: 0% R: 255
M: 20% G: 204
Y: 100% B: 0
K: 0%

HEX: FFCC00



4 >>>> Typography

We use Montserrat font family in various variants. For example:

Montserrat Light

Aa Aą Bb Cc Ćć Dd Ee Ęę Ff Gg Hh Ii Jj Kk Ll Łł Mm Nn Ńń
Oo Óó Pp Qq Rr Ss Śś Tt Uu Vv Ww Xx Yy Zz Żż Żż

0 1 2 3 4 5 6 7 8 9

.,,:;! ? () [] { } / \ | @ # \$ % ^ & * + - = < > © ® ™

Montserrat Regular

Aa Aą Bb Cc Ćć Dd Ee Ęę Ff Gg Hh Ii Jj Kk Ll Łł Mm Nn Ńń
Oo Óó Pp Qq Rr Ss Śś Tt Uu Vv Ww Xx Yy Zz Żż Żż

0 1 2 3 4 5 6 7 8 9

.,,:;! ? () [] { } / \ | @ # \$ % ^ & * + - = < > © ® ™

Montserrat Medium

Aa Aą Bb Cc Ćć Dd Ee Ęę Ff Gg Hh Ii Jj Kk Ll Łł Mm Nn Ńń
Oo Óó Pp Qq Rr Ss Śś Tt Uu Vv Ww Xx Yy Zz Żż Żż

0 1 2 3 4 5 6 7 8 9

.,,:;! ? () [] { } / \ | @ # \$ % ^ & * + - = < > © ® ™

Montserrat SemiBold

Aa Aḗ Bb Cc Ćć Dd Ee Ėė Ff Gg Hh Ii Jj Kk Ll Łł Mm Nn Ńń
Oo Óó Pp Qq Rr Ss Śś Tt Uu Vv Ww Xx Yy Zz Żż Žž

0 1 2 3 4 5 6 7 8 9

.,,:;! ? () [] { } / \ | @ # \$ % ^ & * + - = < > © ® ™

Montserrat Bold

Aa Aḗ Bb Cc Ćć Dd Ee Ėė Ff Gg Hh Ii Jj Kk Ll Łł Mm Nn
Ńń Oo Óó Pp Qq Rr Ss Śś Tt Uu Vv Ww Xx Yy Zz Żż Žž

0 1 2 3 4 5 6 7 8 9

.,,:;! ? () [] { } / \ | @ # \$ % ^ & * + - = < > © ® ™

Montserrat Extra Bold

Aa Aḗ Bb Cc Ćć Dd Ee Ėė Ff Gg Hh Ii Jj Kk Ll Łł Mm Nn
Ńń Oo Óó Pp Qq Rr Ss Śś Tt Uu Vv Ww Xx Yy Zz Żż Žž

0 1 2 3 4 5 6 7 8 9

.,,:;! ? () [] { } / \ | @ # \$ % ^ & * + - = < > © ® ™

Montserrat Black

Aa Aą Bb Cc Ćć Dd Ee Ęę Ff Gg Hh Ii Jj Kk Ll Łł Mm Nn
Ńń Ōo Óó Pp Qq Rr Ss Śś Tt Uu Vv Ww Xx Yy Zz Żż Żż

0 1 2 3 4 5 6 7 8 9

.,,:;! ? () [] { } / \ | @ # \$ % ^ & * + - = < > © ® ™

5 >>>> Typographic hierarchy

For both - regular texts and headlines - we use Montserrat font family, but headlines should be noticeably larger and bolder. In headlines we can use uppercase or sentence case.

▶ Example with **uppercase headline** - used to give messages a bold, technical character.

THIS IS HEADLINE.

This is regular text.

▶ Example with **sentence case headline** - recommended for longer headlines to ensure maximum readability.

This is much longer headline.


This is regular text.

6 >>>> Style of icons, illustrations, 3D renders and project drawings


6.1 Iconography

The icons are designed in a modern, minimalist Line Art style (outline icons). They are characterized by high readability, visual lightness, and technical precision, reinforcing the brand's image as professional, trustworthy, and transparent. They can be designed with a subtle color accent or in one colour. It is important to keep one stroke weight across all icons in the set, so icons look consistent and aesthetic.

> Examples of icons with color accent:




> Examples of icons without color accent:






6.2 Illustrations

The illustration style is minimalist, functional, and instruction-driven. It utilizes a clean line-art approach designed to convey complex assembly processes quickly and universally.

➤ Examples of technical illustrations used in instructions:





► Examples of illustrations used in product cards:



6.3 3D renders

Our product imagery relies on high-fidelity 3D renders that emphasize the premium quality, structural durability, and functional clarity of our safety systems. The visual style is clean, technical, and minimalist, stripping away unnecessary environmental distractions to focus entirely on product engineering, form, and safety features. Use a clean, studio-style softbox lighting configuration. Light should be diffused and multi-directional to eliminate harsh, pitch-black shadows while clearly defining the cylindrical forms, joints, and modular connections of the barriers.

► Examples of product renders:



6.4 Technical drawings

A) Color versions

Product technical drawings in commercial documentation are shifting away from austere, strictly black-and-white outline drawings toward a Technical Flat Vector style (clean vector drawing with controlled, flat color fills).

► Multi-view layout:


The product presentation relies on orthogonal projections (top, bottom, side views) arranged symmetrically around the main view.

► Balanced use of color:

Color fills (hatching) are used for functional purposes — providing instant identification of safety zones, component types (e.g., yellow profiles, black connectors), and moving parts.

► Dynamic marking:

Moving parts (such as fencing panels or fencing gates) must have their radius and direction of opening clearly indicated with a dashed line.



B) Black outlines versions

Pure line drawings (black lines, no color fills) are used wherever geometry, manufacturing precision, and the versatility of duplicating documentation are of the highest importance.

► Production and workshop drawings:

Documentation sent directly to the shop floor or welding shop must be black and white. Color fills could distort the readability of dimension lines or become illegible after being photocopied or printed on a black-and-white laser printer.

► Patent and certification documentation:

Patent offices and certification bodies (e.g., TÜV) require strict, unambiguous contour drawings free of decorative or marketing elements.

► Assembly details of complex joints:

If a drawing shows a magnification (detail) of an anchor socket in concrete or the internal thread layout inside a post, color would introduce visual chaos. Here, the material structure is represented using black-and-white hatching.

