California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
Alameda	Alameda County Medical Center – Highland Campus				21.6% (2;31)	0.0% (0;15)		**21.6% (5;34) Worse**	2.4% (3;361)	12.0% (12;159)	0.0% (0;150)	0.0% (0;19)	6.4% (5;223)
	Alameda Hospital						0.0% (0;5)	2.6% (2;38)	2.5% (4;126)	13.5% (8;52)	**6.7% (5;76) Worse**	0.0% (0;26)	**1.4% (3;197) Better**
	Alta Bates Summit Medical Center – Alta Bates Campus				6.4% (9;66)	5.8% (4;48)	0.0% (0;12)	11.2% (7;62)	2.5% (8;269)	8.5% (33;291)	0.9% (2;210)	2.0% (2;78)	4.4% (8;225)
	Alta Bates Summit Medical Center – Summit Campus – Hawthorne		0.0% (0;4)	0.0% (0;8)		3.3% (20;677)	0.0% (0;16)	6.3% (22;446)	1.9% (9;527)	**5.5% (12;275) Better**	**0.5% (2;319) Better**	2.3% (3;104)	4.0% (13;320)
	Eden Medical Center				5.4% (15;113)		0.0% (0;9)	3.6% (4;60)	2.4% (6;213)	8.2% (62;494)	1.5% (2;144)	5.7% (6;88)	2.9% (6;200)
	Kaiser Foundation Hospital – Hayward	0.0% (0;4)	8.4% (1;9)	0.0% (0;20)		6.2% (1;16)	0.0% (0;27)	3.8% (7;124)	2.5% (12;473)	6.9% (20;240)	3.0% (10;336)	0.0% (0;129)	3.6% (12;271)
	Kaiser Foundation Hospital – Oakland Campus		0.0% (0;8)	4.8% (1;23)	0.0% (0;8)		0.0% (0;18)	5.1% (12;147)	4.5% (24;606)	7.6% (33;406)	**5.5% (9;235) Worse**	2.4% (4;152)	6.4% (20;267)
	Saint Rose Hospital					2.3% (4;165)	0.0% (0;4)	**11.3% (17;179) Worse**	4.1% (10;338)	5.7% (2;51)	2.8% (3;131)	3.6% (1;23)	5.5% (6;158)
	San Leandro Hospital			0.0% (0;11)			0.0% (0;26)	5.0% (2;26)	1.3% (3;244)	3.1% (1;39)	1.0% (1;100)	8.8% (3;33)	4.8% (5;128)
	Valleycare Medical Center			0.0% (0;5)		3.4% (6;124)	0.0% (0;27)	6.4% (12;157)	1.7% (4;197)	10.1% (7;81)	3.2% (4;106)	2.3% (2;50)	4.0% (15;268)
	Washington Hospital – Fremont			0.0% (0;6)	4.3% (3;43)	1.9% (4;256)	2.2% (1;25)	9.1% (16;264)	**5.5% (17;386) Worse**	9.2% (27;277)	1.7% (5;256)	0.9% (1;110)	**6.8% (26;401) Worse**
Amador	Sutter Amador Hospital							7.6% (1;4)	4.8% (4;66)	8.7% (3;55)	1.7% (1;60)	4.2% (1;43)	0.0% (0;75)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
Butte	Biggs Gridley Memorial Hospital							50.6% (1;3)	7.0% (1;26)	15.4% (1;11)	0.0% (0;18)	0.0% (0;14)	4.3% (1;62)
	Enloe Medical Center – Esplanade Campus			0.0% (0;23)	2.0% (1;38)	2.0% (7;334)	0.0% (0;106)	5.8% (18;350)	2.4% (7;244)	8.1% (26;307)	2.0% (5;278)	2.0% (3;134)	5.1% (20;416)
	Feather River Hospital						0.0% (0;22)	5.7% (6;58)	0.6% (1;114)	5.5% (3;83)	0.0% (0;102)	1.6% (1;68)	**1.0% (2;167) Better**
	Oroville Hospital			0.0% (0;4)			0.0% (0;21)	4.5% (3;43)	1.4% (3;274)	6.1% (5;113)	0.0% (0;160)	1.3% (1;55)	**1.2% (3;282) Better**
Calaveras	Mark Twain Saint Joseph's Hospital							5.2% (1;8)	8.0% (4;54)	5.9% (1;29)	0.0% (0;21)	0.0% (0;29)	9.4% (3;56)
Colusa	Colusa Regional Medical Center							16.5% (1;3)	9.6% (2;32)	9.5% (1;10)	0.0% (0;14)		9.7% (2;48)
Contra Costa	Contra Costa Regional Medical Center							0.0% (0;11)	4.7% (5;218)	9.4% (2;60)	1.3% (1;79)	0.0% (0;15)	5.6% (6;213)
	Doctors Medical Center – San Pablo					6.7% (4;109)	0.0% (0;6)	**2.4% (5;181) Better**	3.1% (10;441)	11.9% (13;153)	4.2% (6;166)	1.4% (1;64)	5.9% (15;244)
	John Muir Medical Center – Concord Campus	0.0% (0;7)		0.0% (0;37)		1.9% (6;308)	0.0% (0;58)	7.3% (17;302)	3.6% (14;371)	9.8% (12;164)	1.9% (4;197)	4.1% (2;60)	5.0% (11;217)
	John Muir Medical Center – Walnut Creek Campus				5.4% (8;97)	3.6% (4;76)	0.0% (0;45)	5.0% (9;133)	4.2% (18;293)	**12.8% (91;407) Worse**	2.8% (11;290)	3.3% (7;185)	2.3% (7;276)
	Kaiser Foundation Hospital – Antioch		0.0% (0;9)					**2.6% (4;88) Better**	0.9% (2;188)	6.9% (11;135)	0.9% (2;128)	0.0% (0;57)	4.6% (5;102)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Kaiser Foundation Hospital – Walnut Creek	0.0% (0;6)	0.0% (0;11)	3.2% (1;23)		1.4% (2;288)	0.0% (0;34)	4.7% (9;206)	4.1% (18;395)	7.9% (17;233)	1.1% (3;230)	2.2% (3;198)	2.7% (6;214)
	San Ramon Regional Medical Center			0.0% (0;3)		4.3% (2;67)	0.0% (0;3)	14.5% (5;63)	2.2% (2;83)	13.2% (4;69)	4.9% (4;95)	0.0% (0;27)	3.6% (5;165)
	Sutter Delta Medical Center					4.1% (6;110)	0.0% (0;7)	6.3% (11;162)	**1.4% (7;316) Better**	6.9% (7;118)	1.5% (3;167)	0.0% (0;61)	3.3% (9;215)
Del Norte	Sutter Coast Hospital							11.0% (5;19)	2.4% (3;76)	12.4% (3;36)	1.3% (1;59)		5.0% (8;136)
El Dorado	Barton Memorial Hospital (View Comment Letter)							9.2% (1;3)	3.1% (1;27)	19.2% (2;18)	0.0% (0;25)	5.3% (2;28)	4.4% (2;80)
	Marshall Medical Center						0.0% (0;4)	5.1% (3;29)	3.9% (9;151)	12.6% (12;101)	**5.6% (9;106) Worse**	1.6% (1;47)	3.7% (10;239)
Fresno	Clovis Community Medical Center		0.0% (0;3)			1.5% (1;88)		6.9% (8;93)	4.0% (6;156)	9.9% (6;90)	1.3% (2;137)	4.0% (2;89)	3.7% (6;229)
	Coalinga Regional Medical Center							29.9% (1;4)	0.0% (0;31)	20.2% (2;9)	0.0% (0;6)		8.3% (1;53)
	Community Regional Medical Center – Fresno		0.0% (0;14)	6.1% (1;15)	9.1% (23;214)	1.9% (11;558)	2.6% (1;33)	6.5% (40;699)	1.8% (10;752)	**11.2% (112;785) Worse**	**0.6% (3;556) Better**	5.6% (7;161)	3.8% (19;644)
	Fresno Heart and Surgical Hospital		0.0% (0;3)	0.0% (0;20)		0.0% (0;383)	1.7% (2;148)	4.8% (2;50)	4.0% (3;97)		0.0% (0;27)		9.4% (2;14)
	Kaiser Foundation Hospital – Fresno			0.0% (0;9)	6.5% (2;10)		0.0% (0;14)	4.8% (5;101)	4.7% (10;259)	6.2% (13;205)	3.3% (3;105)	2.6% (2;99)	4.0% (8;223)
	Saint Agnes Medical Center		0.0% (0;4)	0.0% (0;20)	**0.0% (0;67) Better**	2.4% (15;626)	0.0% (0;54)	7.5% (31;481)	3.5% (33;935)	**13.1% (51;533) Worse**	1.5% (10;558)	**4.5% (12;286) Worse**	**6.9% (53;850) Worse**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Sierra Kings District Hospital								13.7% (2;25)	8.3% (1;13)			0.0% (0;53)
Glenn	Glenn Medical Center								0.0% (0;6)		0.0% (0;6)		11.8% (3;39)
Humboldt	Jerold Phelps Community Hospital												0.0% (0;7)
	Mad River Community Hospital							0.0% (0;3)	0.0% (0;36)	0.0% (0;27)	0.0% (0;38)	0.0% (0;6)	2.4% (2;94)
	Redwood Memorial Hospital							25.2% (3;7)	0.0% (0;35)	21.8% (3;22)	3.2% (1;33)	8.1% (1;30)	4.8% (3;80)
	Saint Joseph Hospital – Eureka			0.0% (0;18)	11.2% (3;16)	2.5% (8;193)	1.6% (1;99)	7.5% (11;154)	3.9% (9;161)	**16.9% (21;138) Worse**	2.1% (5;101)	1.5% (2;89)	1.9% (4;143)
Imperial	El Centro Regional Medical Center				0.0% (0;4)			10.2% (10;59)	4.0% (7;203)	11.0% (9;124)	4.3% (5;147)	0.0% (0;66)	3.2% (6;202)
	Pioneers Memorial Hospital				0.0% (0;7)			8.9% (5;30)	3.0% (4;164)	3.6% (2;105)	2.2% (3;116)	0.0% (0;28)	3.0% (8;256)
Inyo	Northern Inyo Hospital							15.7% (1;7)	12.8% (1;11)	36.4% (1;9)	0.0% (0;19)	0.0% (0;12)	8.5% (1;23)
	Southern Inyo Hospital												**82.0% (2;9) Worse**
Kern	Bakersfield Heart Hospital			0.0% (0;4)		1.7% (6;443)	0.0% (0;7)	5.0% (12;308)	1.3% (3;269)	3.7% (1;70)	0.0% (0;77)		2.6% (5;201)
	Bakersfield Memorial Hospital			0.0% (0;43)	**14.7% (12;68) Worse**	2.2% (7;326)	0.0% (0;66)	6.2% (21;325)	2.8% (12;438)	12.7% (33;231)	2.3% (5;215)	0.7% (1;108)	3.9% (16;410)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Delano Regional Medical Center							8.7% (1;8)	1.6% (1;86)	18.5% (2;24)	5.1% (1;34)	**14.6% (3;19) Worse**	**12.0% (15;146) Worse**
	Good Samaritan Hospital – Bakersfield								0.0% (0;29)		0.0% (0;8)		0.0% (0;72)
	Kern Medical Center				0.0% (0;32)			14.0% (1;8)	4.4% (2;132)	7.1% (4;53)	3.7% (2;100)	7.7% (1;15)	1.4% (1;121)
	Kern Valley Healthcare District							11.9% (2;8)	0.0% (0;42)	0.0% (0;3)	0.0% (0;4)		5.4% (3;83)
	Mercy Hospital – Bakersfield			0.0% (0;10)	12.2% (7;32)		0.0% (0;42)	**13.0% (9;27) Worse**	3.9% (8;199)	10.3% (23;173)	2.2% (5;215)	1.6% (2;133)	4.1% (16;487)
	Ridgecrest Regional Hospital								3.8% (2;82)	27.0% (3;20)	6.3% (2;45)		**14.3% (10;123) Worse**
	San Joaquin Community Hospital				**11.0% (16;90) Worse**	3.1% (10;383)	0.0% (0;28)	7.3% (17;309)	2.9% (16;574)	9.6% (51;525)	2.3% (6;309)	1.4% (3;162)	3.5% (10;486)
	Tehachapi Hospital								0.0% (0;3)				0.0% (0;13)
Kings	Adventist Medical Center							7.5% (3;31)	5.0% (16;430)	13.9% (14;138)	2.2% (4;204)	0.0% (0;98)	**7.8% (27;568) Worse**
	Corcoran District Hospital								0.0% (0;5)				**52.4% (2;23) Worse**
Lake	Saint Helena Hospital – Clearlake								0.0% (0;20)	18.0% (2;7)	0.0% (0;40)		1.6% (1;120)
	Sutter Lakeside Hospital							0.0% (0;9)	3.8% (2;60)	0.0% (0;35)	4.2% (2;39)	0.0% (0;17)	1.3% (1;90)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
Lassen	Banner Lassen Medical Center								8.8% (2;26)	**74.6% (2;7) Worse**	0.0% (0;21)		5.2% (2;67)
Los Angeles	Alhambra Hospital				13.3% (1;4)			8.0% (8;40)	1.4% (3;140)	3.8% (3;76)	0.6% (1;111)	0.0% (0;43)	**1.5% (5;207) Better**
	Antelope Valley Hospital			0.0% (0;10)	11.2% (11;86)	3.3% (6;290)	0.0% (0;23)	6.5% (22;383)	1.8% (8;482)	10.8% (24;309)	1.3% (4;297)	2.8% (3;169)	**7.1% (36;571) Worse**
	Bellflower Medical Center							0.0% (0;8)	4.2% (2;72)	11.4% (1;12)	2.7% (1;53)	0.0% (0;5)	4.2% (3;98)
	Beverly Hospital			0.0% (0;3)	13.1% (1;6)	1.6% (3;115)		**2.9% (5;142) Better**	**1.0% (4;389) Better**	7.0% (6;112)	2.1% (5;173)	0.0% (0;54)	4.7% (15;276)
	Brotman Medical Center			0.0% (0;8)		5.2% (1;48)	0.0% (0;18)	5.0% (4;65)	2.4% (6;238)	7.6% (5;91)	1.7% (2;108)	0.0% (0;36)	**1.7% (5;256) Better**
	California Hospital Medical Center – Los Angeles		0.0% (0;3)		4.7% (2;21)		0.0% (0;3)	12.4% (8;44)	**0.8% (3;543) Better**	5.6% (8;153)	0.8% (1;143)	0.0% (0;27)	3.4% (4;181)
	Catalina Island Medical Center												70.1% (1;4)
	Cedars Sinai Medical Center (View Comment Letter)	0.0% (0;14)	0.0% (0;29)	2.0% (1;46)	**2.8% (16;603) Better**	3.1% (30;742)	0.0% (0;66)	8.1% (41;477)	**4.2% (61;1,284) Worse**	**7.0% (65;734) Better**	2.3% (11;560)	3.9% (8;225)	4.2% (31;767)
	Centinela Hospital Medical Center (View Comment Letter)			0.0% (0;4)	8.3% (13;42)	1.7% (3;236)	6.7% (1;16)	5.2% (22;304)	**0.6% (7;1,178) Better**	**5.3% (28;404) Better**	1.7% (9;406)	0.8% (1;54)	**0.7% (3;302) Better**
	Citrus Valley Medical Center – Inter Community Campus			0.0% (0;3)	6.4% (1;10)	2.0% (5;289)	0.0% (0;61)	6.7% (20;392)	3.1% (9;317)	7.9% (10;123)	2.8% (5;167)	5.3% (3;66)	3.1% (12;266)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Citrus Valley Medical Center – Queen of the Valley Campus			0.0% (0;12)	11.8% (3;30)		0.0% (0;14)	4.7% (5;62)	2.2% (9;373)	9.4% (15;173)	2.8% (6;224)	3.2% (3;77)	4.3% (11;273)
	City of Hope Helford Clinical Research Hospital	0.0% (0;11)	0.0% (0;13)		4.7% (2;82)				9.2% (1;11)	17.6% (1;10)	**14.3% (3;29) Worse**		**15.8% (12;100) Worse**
	Coast Plaza Doctors Hospital							7.9% (5;33)	2.7% (4;139)	3.4% (1;20)	2.4% (1;40)	0.0% (0;7)	3.8% (5;129)
	Community Hospital of Long Beach							11.8% (10;36)	0.0% (0;82)	15.4% (5;44)	3.0% (4;77)	4.8% (2;27)	6.2% (13;138)
	Community and Mission Hospital of Huntington Park – Slauson							12.0% (1;12)	1.1% (1;149)	0.0% (0;54)	0.0% (0;38)		0.0% (0;99)
	Downey Regional Medical Center			0.0% (0;3)	10.6% (7;65)	1.3% (3;168)	0.0% (0;13)	6.3% (18;205)	2.5% (11;477)	8.3% (18;206)	1.9% (5;241)	0.8% (1;104)	**1.6% (4;282) Better**
	East Los Angeles Doctors Hospital							**0.0% (0;37) Better**	4.1% (5;136)	0.0% (0;36)	3.6% (2;69)	16.0% (1;9)	6.8% (12;113)
	East Valley Hospital Medical Center							0.0% (0;14)	0.0% (0;33)	0.0% (0;9)	0.0% (0;17)	27.2% (1;5)	**0.8% (1;109) Better**
	Encino Hospital Medical Center							0.0% (0;10)	1.9% (2;46)	0.0% (0;19)	0.0% (0;57)	0.0% (0;9)	0.0% (0;26)
	Foothill Presbyterian Hospital – Johnston Memorial				5.3% (1;16)		0.0% (0;6)	1.7% (1;26)	2.8% (4;163)	5.4% (4;92)	0.0% (0;90)	0.0% (0;66)	7.1% (12;180)
	Garfield Medical Center			0.0% (0;5)	10.4% (11;59)	2.9% (8;227)	0.0% (0;17)	7.1% (16;234)	3.0% (15;447)	8.8% (24;267)	4.2% (8;180)	1.7% (1;74)	5.0% (26;356)
	Glendale Adventist Medical Center – Wilson Terrace		0.0% (0;5)	0.0% (0;14)	7.9% (14;109)	2.1% (15;650)	2.9% (1;23)	5.2% (21;378)	2.0% (15;477)	8.4% (48;346)	**4.2% (14;271) Worse**	1.4% (2;130)	3.1% (24;483)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Glendale Memorial Hospital and Medical Center			0.0% (0;12)	12.6% (2;10)	2.2% (5;197)	0.0% (0;24)	6.7% (16;233)	1.7% (10;470)	7.9% (9;144)	3.1% (7;212)	0.0% (0;72)	4.9% (22;349)
	Good Samaritan Hospital – Los Angeles		0.0% (0;6)	5.2% (1;8)	10.8% (3;36)	2.3% (13;421)	0.0% (0;12)	7.5% (30;312)	3.4% (15;463)	9.1% (21;198)	2.0% (3;174)	4.4% (4;89)	**6.5% (20;236) Worse**
	Greater El Monte Community Hospital							9.8% (2;14)	1.3% (1;101)	9.6% (1;18)	0.0% (0;40)		0.0% (0;68)
	Henry Mayo Newhall Memorial Hospital				14.9% (5;28)		0.0% (0;10)	5.0% (8;102)	2.8% (11;287)	10.4% (14;162)	**0.0% (0;191) Better**	1.1% (1;94)	2.3% (7;318)
	Hollywood Community Hospital							2.3% (1;30)	2.0% (1;69)	0.0% (0;13)	6.3% (3;48)		1.8% (2;118)
	Hollywood Presbyterian Medical Center			0.0% (0;4)	3.9% (5;57)	1.1% (2;148)	0.0% (0;7)	4.1% (6;143)	3.0% (15;414)	**5.0% (19;256) Better**	3.7% (7;197)	1.4% (1;87)	3.3% (10;256)
	Huntington Memorial Hospital		0.0% (0;10)	0.0% (0;23)	7.1% (9;177)	2.2% (4;294)	0.0% (0;36)	5.3% (16;277)	3.3% (16;525)	7.4% (32;443)	1.4% (5;359)	1.9% (3;172)	2.9% (11;412)
	Kaiser Foundation Hospital – Baldwin Park			0.0% (0;16)			2.0% (1;56)	7.9% (9;80)	1.5% (6;487)	**4.5% (6;225) Better**	1.8% (4;293)	0.0% (0;112)	4.7% (21;462)
	Kaiser Foundation Hospital – Downey		0.0% (0;4)	0.0% (0;22)			0.0% (0;30)	3.6% (7;136)	3.1% (13;521)	6.3% (9;229)	2.6% (6;348)	4.6% (4;97)	4.8% (17;409)
	Kaiser Foundation Hospital – South Bay*	0.0% (0;3)	0.0% (0;7)	0.0% (0;15)			0.0% (0;44)	3.7% (4;85)	3.4% (13;527)	10.1% (15;213)	3.7% (8;311)	1.2% (1;75)	4.1% (13;345)
	Kaiser Foundation Hospital – Panorama City						0.0% (0;36)	7.0% (6;81)	3.0% (12;392)	**2.6% (3;219) Better**	2.2% (5;285)	2.0% (2;118)	3.9% (16;453)
	Kaiser Foundation Hospital – Sunset	0.0% (0;5)	9.8% (2;27)	6.3% (1;34)	8.0% (25;429)	1.4% (9;979)	0.0% (0;18)	**4.4% (32;1,168) Better**	4.6% (22;556)	9.2% (66;607)	2.9% (8;225)	0.0% (0;51)	5.4% (14;261)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Kaiser Foundation Hospital – West Los Angeles		0.0% (0;5)	0.0% (0;16)			0.0% (0;14)	5.5% (6;96)	3.9% (14;425)	9.3% (14;245)	2.1% (5;300)	0.0% (0;26)	2.6% (7;241)
	Kaiser Foundation Hospital – Woodland Hills			0.0% (0;22)	7.8% (5;65)		0.0% (0;63)	**3.0% (5;103) Better**	**5.3% (28;352) Worse**	7.1% (18;276)	**0.4% (1;241) Better**	2.1% (4;167)	3.9% (13;271)
	Keck Hospital of University of Southern California*	6.7% (2;49)	0.0% (0;31)	4.9% (2;52)	4.7% (9;251)	3.7% (6;82)	0.0% (0;21)	**15.8% (8;60) Worse**	6.0% (9;153)	12.5% (22;148)	2.9% (2;59)	0.0% (0;13)	4.2% (4;73)
	Lakewood Regional Medical Center			0.0% (0;11)	10.6% (4;33)	1.8% (5;242)	0.0% (0;17)	6.2% (16;296)	3.2% (11;422)	8.8% (18;214)	2.6% (4;157)	3.3% (2;102)	3.2% (7;244)
	Long Beach Memorial Medical Center			2.9% (2;42)	**12.2% (17;141) Worse**	2.8% (11;375)	0.0% (0;89)	**10.8% (32;319) Worse**	1.9% (8;612)	10.7% (54;525)	2.1% (5;357)	3.0% (4;144)	2.4% (11;490)
	Los Angeles Community Hospital							6.8% (2;23)	3.2% (3;158)	**0.0% (0;59) Better**	2.7% (2;62)	0.0% (0;6)	5.8% (17;164)
	Los Angeles County/Harbor – UCLA Medical Center	0.0% (0;5)	0.0% (0;6)	0.0% (0;9)	13.5% (9;136)	**4.1% (14;371) Worse**	0.0% (0;20)	8.4% (17;321)	1.7% (4;552)	11.8% (25;284)	3.8% (7;226)	3.3% (2;37)	1.8% (3;249)
	Los Angeles County/Olive View – UCLA Medical Center		0.0% (0;5)			0.0% (0;6)	0.0% (0;5)	2.7% (1;68)	1.1% (2;362)	2.9% (1;128)	2.5% (3;168)		3.4% (5;278)
	Los Angeles County/University of Southern California Medical Center		0.0% (0;8)	0.0% (0;4)	**11.3% (17;249) Worse**	**4.9% (12;343) Worse**	0.0% (0;15)	**13.4% (20;285) Worse**	**5.4% (17;763) Worse**	**16.1% (42;256) Worse**	2.2% (4;367)	5.7% (1;33)	6.3% (11;486)
	Los Angeles Metropolitan Medical Center							0.0% (0;4)	0.0% (0;79)	0.0% (0;7)	0.0% (0;15)	0.0% (0;8)	5.4% (8;121)
	Marina Del Rey Hospital						0.0% (0;5)	2.8% (2;45)	1.6% (3;136)	4.6% (2;52)	1.0% (1;110)	0.0% (0;45)	1.6% (2;91)
	Memorial Hospital of Gardena							6.3% (5;50)	**0.0% (0;277) Better**	6.8% (4;74)	2.9% (7;177)	6.1% (2;20)	1.1% (1;120)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Methodist Hospital of Southern California			0.0% (0;8)	6.9% (2;29)	2.1% (8;284)	0.0% (0;22)	8.6% (33;332)	3.4% (15;452)	7.7% (25;382)	1.8% (4;267)	2.4% (4;213)	5.3% (22;383)
	Mission Community Hospital – Panorama Campus							5.5% (4;40)	0.9% (2;134)	11.1% (3;32)	0.0% (0;86)	0.0% (0;29)	2.4% (5;115)
	Monterey Park Hospital							4.1% (1;21)	1.0% (1;121)	0.0% (0;47)	4.3% (3;87)	0.0% (0;29)	3.7% (4;140)
	Motion Picture and Television Hospital (View Comment Letter)								0.0% (0;11)	**100% (2;4) Worse**	0.0% (0;11)		9.5% (1;19)
	Northridge Hospital Medical Center			0.0% (0;13)	6.8% (3;39)	1.9% (6;265)	0.0% (0;23)	5.7% (20;307)	2.1% (13;486)	8.6% (27;300)	1.4% (3;195)	0.0% (0;105)	**2.2% (9;360) Better**
	Norwalk Community Hospital							6.0% (2;23)	3.4% (3;96)	8.0% (3;20)	5.0% (3;58)	0.0% (0;13)	1.4% (2;88)
	Olympia Medical Center							3.8% (3;44)	**0.8% (3;310) Better**	3.9% (3;86)	4.1% (7;110)	0.0% (0;47)	3.1% (8;157)
	Pacific Alliance Medical Center, Inc.				0.0% (0;9)		0.0% (0;4)	13.2% (5;18)	1.8% (3;176)	5.1% (3;75)	1.1% (2;119)	0.0% (0;24)	2.4% (4;137)
	Pacific Hospital of Long Beach							3.1% (1;12)	2.1% (2;93)	8.5% (2;28)	0.0% (0;58)	0.0% (0;14)	1.9% (2;97)
	Pacifica Hospital of the Valley							**19.5% (7;13) Worse**	3.7% (2;97)	8.0% (1;27)	**9.2% (5;56) Worse**	13.0% (1;14)	6.2% (8;113)
	Palmdale Regional Medical Center			0.0% (0;6)	7.2% (4;37)	2.5% (3;190)	0.0% (0;3)	5.9% (8;201)	3.3% (10;398)	10.0% (13;150)	2.7% (4;166)	4.4% (3;84)	6.7% (16;278)
	Pomona Valley Hospital Medical Center			0.0% (0;19)	**14.5% (15;79) Worse**	1.8% (5;251)	0.0% (0;16)	4.8% (14;302)	3.6% (22;583)	12.0% (43;410)	1.3% (5;362)	0.9% (1;143)	2.4% (8;282)
	Presbyterian Intercommunity Hospital			0.0% (0;7)	6.0% (4;53)	1.4% (7;321)	0.0% (0;20)	**3.3% (27;642) Better**	**1.2% (7;550) Better**	8.3% (45;419)	1.2% (4;336)	0.7% (1;185)	**2.0% (8;349) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Providence Holy Cross Medical Center		46.8% (1;3)	0.0% (0;13)	14.2% (5;31)	2.9% (14;427)	0.0% (0;50)	7.9% (17;283)	1.7% (9;441)	9.6% (29;281)	2.7% (7;298)	0.9% (1;99)	3.3% (17;396)
	Providence Little Company of Mary Medical Center – San Pedro				5.4% (2;17)		0.0% (0;12)	0.0% (0;20)	2.8% (4;140)	7.4% (11;149)	2.2% (3;122)	0.0% (0;57)	4.9% (9;176)
	Providence Little Company of Mary Medical Center – Torrance		0.0% (0;6)	0.0% (0;11)	8.7% (5;30)	2.3% (12;409)	0.0% (0;20)	6.6% (23;353)	1.9% (12;534)	9.4% (39;380)	1.7% (6;335)	1.5% (3;160)	2.5% (11;413)
	Providence Saint Joseph Medical Center			0.0% (0;13)	10.3% (11;115)	2.1% (6;318)	0.0% (0;83)	5.2% (9;248)	2.6% (19;571)	7.3% (30;456)	1.0% (3;273)	4.4% (10;226)	**2.0% (11;359) Better**
	Providence Tarzana Medical Center			2.7% (1;21)	3.7% (1;16)	1.1% (2;242)	0.0% (0;93)	5.9% (13;171)	3.2% (16;339)	8.8% (19;210)	1.0% (2;176)	2.6% (5;110)	3.3% (17;342)
	Ronald Reagan UCLA Medical Center	0.0% (0;20)	2.6% (1;51)	0.0% (0;54)	**4.5% (29;678) Better**	**3.9% (15;184) Worse**	0.0% (0;43)	7.0% (15;200)	**4.7% (23;406) Worse**	7.8% (53;487)	3.1% (7;185)	4.1% (3;39)	**1.7% (4;240) Better**
	Saint Francis Medical Center			0.0% (0;6)	6.8% (3;24)	0.0% (0;101)	5.5% (1;11)	5.3% (9;143)	**1.4% (8;554) Better**	8.1% (21;194)	2.6% (6;237)	1.8% (1;39)	3.3% (9;234)
	Saint John's Health Center	0.0% (0;3)	0.0% (0;8)	0.0% (0;10)	**1.7% (2;91) Better**	**0.4% (1;250) Better**	0.0% (0;42)	3.9% (8;173)	2.4% (10;313)	14.1% (15;121)	1.1% (2;205)	3.0% (4;170)	4.0% (19;382)
	Saint Mary Medical Center				11.2% (2;17)	2.1% (2;155)	0.0% (0;9)	6.7% (8;141)	2.1% (5;283)	8.2% (17;186)	3.1% (4;155)	0.0% (0;52)	3.6% (10;263)
	Saint Vincent Medical Center		0.0% (0;6)	0.0% (0;20)	2.1% (1;262)	3.4% (4;128)	0.0% (0;20)	6.8% (10;136)	**0.9% (4;366) Better**	**2.6% (2;130) Better**	0.8% (1;127)	0.0% (0;56)	3.6% (11;309)
	San Dimas Community Hospital							6.2% (3;28)	1.0% (1;101)	8.6% (3;47)	0.0% (0;78)	3.3% (1;32)	2.8% (2;74)
	San Gabriel Valley Medical Center				6.9% (2;25)		0.0% (0;3)	6.6% (4;35)	2.1% (9;329)	8.7% (11;126)	1.5% (2;133)	1.4% (1;66)	4.7% (19;259)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital				0.0% (0;18)	**5.0% (9;100) Worse**		6.8% (11;142)	1.6% (6;334)	4.6% (4;106)	2.3% (4;183)	4.2% (5;133)	3.2% (13;371)
	Sherman Oaks Hospital							**3.3% (9;128) Better**	1.0% (2;112)	**1.8% (1;35) Better**	1.2% (2;88)	0.0% (0;47)	**1.2% (2;81) Better**
	Silver Lake Medical Center – Downtown Campus							0.0% (0;15)	0.0% (0;71)	0.0% (0;7)	1.8% (1;51)	7.7% (1;4)	7.1% (5;87)
	Temple Community Hospital							7.8% (3;39)	0.0% (0;94)	0.0% (0;22)	**8.9% (4;47) Worse**	0.0% (0;4)	5.0% (8;88)
	Torrance Memorial Medical Center	0.0% (0;3)		4.9% (1;26)	9.6% (5;47)	2.1% (11;642)	0.0% (0;67)	6.7% (29;427)	2.0% (12;680)	8.5% (42;489)	3.1% (11;401)	2.8% (8;266)	4.8% (23;487)
	Tri-City Regional Medical Center – Hawaiian Gardens							10.2% (5;31)	0.9% (1;112)	0.0% (0;14)	1.9% (3;88)	0.0% (0;12)	3.6% (3;94)
	Valley Presbyterian Hospital			10.8% (1;5)	**20.4% (5;16) Worse**	2.7% (8;229)	0.0% (0;12)	8.9% (27;288)	2.3% (10;340)	**14.5% (30;165) Worse**	3.5% (5;148)	6.3% (5;73)	5.7% (19;223)
	Verdugo Hills Hospital				0.0% (0;8)		0.0% (0;8)	11.1% (6;34)	2.8% (4;130)	**1.7% (1;74) Better**	2.9% (3;84)	0.0% (0;71)	3.7% (6;167)
	West Hills Hospital and Medical Center				15.1% (3;19)	1.5% (3;169)	0.0% (0;28)	8.5% (18;176)	3.9% (10;186)	**18.0% (20;141) Worse**	4.2% (6;169)	3.2% (5;132)	5.8% (21;250)
	White Memorial Medical Center				10.1% (5;35)	2.2% (10;291)	4.2% (1;22)	6.0% (16;252)	3.2% (13;485)	10.1% (37;337)	2.8% (10;251)	0.0% (0;60)	3.7% (10;257)
	Whittier Hospital Medical Center							4.7% (6;60)	1.6% (2;157)	13.1% (5;61)	2.3% (5;176)	4.0% (1;33)	2.5% (3;143)
Madera	Madera Community Hospital (View Comment Letter)							9.1% (7;54)	**11.6% (11;145) Worse**	**28.0% (6;36) Worse**	2.0% (1;62)	0.0% (0;23)	7.8% (8;145)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
Marin	Kaiser Foundation Hospital – San Rafael			0.0% (0;3)		8.7% (3;31)	0.0% (0;23)	10.7% (11;89)	3.0% (7;208)	7.4% (10;151)	3.1% (4;118)	4.4% (4;95)	8.0% (9;100)
	Marin General Hospital			0.0% (0;5)	3.2% (3;47)	1.3% (2;183)	0.0% (0;57)	6.2% (10;169)	2.7% (5;177)	8.2% (20;203)	2.0% (3;141)	4.2% (4;116)	2.1% (5;224)
	Novato Community Hospital						0.0% (0;5)	10.4% (1;5)	1.3% (1;56)	5.7% (1;27)	3.4% (2;45)	0.0% (0;29)	3.3% (2;47)
Mariposa	John C. Fremont Healthcare District								9.2% (1;22)				0.0% (0;23)
Mendocino	Frank R. Howard Memorial Hospital								0.0% (0;21)	0.0% (0;15)	0.0% (0;8)	0.0% (0;32)	6.7% (2;40)
	Mendocino Coast District Hospital							12.8% (2;9)	0.0% (0;22)	12.9% (3;35)	0.0% (0;14)	0.0% (0;21)	4.9% (3;77)
	Ukiah Valley Medical Center						0.0% (0;6)	0.0% (0;7)	2.3% (4;121)	9.3% (3;58)	3.5% (2;55)	4.3% (1;37)	2.5% (6;158)
Merced	Memorial Hospital Los Banos							**22.4% (3;4) Worse**	7.5% (2;30)	10.7% (2;13)			8.4% (8;76)
	Mercy Medical Center – Merced							7.3% (13;96)	3.3% (21;449)	11.9% (16;169)	4.2% (9;223)	1.9% (2;101)	4.4% (26;443)
Modoc	Modoc Medical Center								0.0% (0;3)	50.7% (1;4)			18.2% (2;19)
	Surprise Valley Community Hospital												0.0% (0;3)
Mono	Mammoth Hospital (View Comment Letter)										0.0% (0;5)	0.0% (0;10)	0.0% (0;13)
Monterey	Community Hospital Monterey Peninsula		0.0% (0;5)		10.9% (3;30)	2.5% (5;194)	2.3% (1;33)	7.8% (11;160)	5.6% (12;241)	12.3% (23;208)	2.0% (4;218)	1.0% (1;130)	6.1% (18;336)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	George L. Mee Memorial Hospital								0.0% (0;22)	13.7% (2;13)	0.0% (0;8)	0.0% (0;9)	0.0% (0;42)
	Natividad Medical Center						0.0% (0;3)	0.0% (0;21)	1.7% (1;91)	10.6% (1;34)	2.7% (1;76)	0.0% (0;17)	**9.2% (13;130) Worse**
	Salinas Valley Memorial Hospital		14.3% (1;3)	8.8% (1;10)	6.8% (3;34)	4.3% (8;201)	3.9% (1;34)	8.8% (19;234)	**6.2% (18;288) Worse**	9.3% (20;217)	2.4% (5;214)	2.0% (2;85)	5.0% (13;236)
Napa	Queen of the Valley Hospital – Napa			0.0% (0;4)	7.8% (2;16)	3.4% (6;116)	0.0% (0;16)	**11.3% (16;124) Worse**	3.8% (13;299)	**15.5% (23;136) Worse**	4.7% (7;157)	1.4% (2;74)	3.0% (7;207)
	Saint Helena Hospital		0.0% (0;3)	0.0% (0;7)		2.5% (5;284)	0.0% (0;50)	9.4% (9;94)	3.5% (6;145)	8.4% (4;60)	0.7% (1;97)	15.2% (2;20)	2.1% (2;81)
Nevada	Sierra Nevada Memorial Hospital							4.9% (5;50)	3.9% (6;149)	10.0% (7;110)	3.2% (4;105)	2.4% (3;114)	2.7% (5;248)
	Tahoe Forest Hospital (View Comment Letter)						0.0% (0;3)	0.0% (0;5)	0.0% (0;13)	0.0% (0;12)	0.0% (0;24)	0.0% (0;38)	10.2% (4;44)
Orange	AHMC Anaheim Regional Medical Center			0.0% (0;22)	4.1% (1;31)	1.4% (3;287)	1.4% (1;46)	5.9% (15;289)	2.5% (11;471)	7.3% (12;200)	1.7% (3;206)	0.9% (1;95)	3.2% (10;376)
	Anaheim General Hospital							0.0% (0;7)	0.0% (0;14)	0.0% (0;6)	0.0% (0;12)		0.0% (0;57)
	Chapman Medical Center								2.7% (1;32)	10.3% (2;13)	5.6% (2;23)	0.0% (0;12)	4.8% (2;53)
	Coastal Communities Hospital							5.7% (1;13)	1.5% (1;94)	12.2% (2;25)	2.1% (1;74)	0.0% (0;10)	5.7% (5;130)
	College Hospital Costa Mesa												0.0% (0;3)
	Fountain Valley Regional Hospital and Medical Center – Euclid	0.0% (0;4)	0.0% (0;6)	0.0% (0;17)	8.4% (8;68)	1.0% (2;219)	0.0% (0;36)	6.3% (16;269)	3.7% (16;455)	10.1% (41;337)	2.3% (5;247)	1.9% (1;89)	4.7% (20;357)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Garden Grove Hospital and Medical Center				0.0% (0;13)			9.5% (11;58)	2.2% (2;78)	4.2% (3;72)	0.0% (0;102)	1.7% (1;41)	2.9% (6;117)
	Hoag Memorial Hospital Presbyterian	0.0% (0;4)	22.9% (1;6)	0.0% (0;33)	**3.7% (15;363) Better**	3.1% (14;275)	0.0% (0;97)	5.6% (16;319)	2.5% (14;432)	8.4% (45;576)	1.8% (9;482)	2.0% (4;184)	3.4% (20;620)
	Hoag Orthopedic Institute											0.0% (0;119)	
	Huntington Beach Hospital							8.4% (5;22)	1.7% (4;124)	4.4% (2;40)	3.7% (4;51)	0.0% (0;13)	**0.0% (0;74) Better**
	Kaiser Foundation Hospital – Anaheim		0.0% (0;7)	11.1% (1;21)	9.1% (10;183)	0.0% (0;17)	0.0% (0;35)	4.6% (11;160)	3.4% (18;490)	8.2% (30;378)	0.8% (2;293)	2.0% (4;205)	4.5% (28;583)
	La Palma Intercommunity Hospital							6.9% (6;46)	2.0% (3;128)	4.4% (1;40)	2.9% (2;62)	0.0% (0;28)	5.8% (8;100)
	Los Alamitos Medical Center			0.0% (0;7)	9.1% (4;26)	5.2% (7;123)	0.0% (0;46)	8.6% (13;169)	4.5% (13;352)	10.2% (30;346)	2.5% (4;215)	**6.4% (7;163) Worse**	3.3% (11;348)
	Mission Hospital Laguna Beach						0.0% (0;3)	0.0% (0;8)	0.0% (0;36)	0.0% (0;5)	0.0% (0;59)	0.0% (0;45)	2.7% (1;49)
	Mission Hospital Regional Medical Center			0.0% (0;6)	**10.6% (19;158) Worse**	1.4% (7;368)	4.6% (1;23)	5.5% (18;295)	2.9% (14;354)	11.3% (46;408)	1.5% (4;267)	2.7% (4;145)	2.8% (10;353)
	Orange Coast Memorial Medical Center		9.5% (1;12)		13.6% (2;43)	0.8% (1;133)	0.0% (0;15)	6.7% (11;146)	**0.9% (3;348) Better**	9.4% (11;149)	1.5% (3;209)	0.9% (1;123)	4.6% (15;258)
	Placentia Linda Hospital							3.8% (2;31)	2.4% (2;119)	9.4% (2;44)	3.2% (1;67)	0.0% (0;77)	4.4% (5;173)
	Saddleback Memorial Medical Center			0.0% (0;23)	0.0% (0;34)	1.9% (8;345)	0.0% (0;43)	5.4% (24;322)	**1.4% (10;541) Better**	7.5% (21;326)	1.4% (5;308)	1.8% (5;238)	3.9% (19;402)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Saint Joseph Hospital – Orange	15.6% (1;3)	0.0% (0;4)	1.6% (1;44)	4.3% (9;189)	1.9% (7;218)	0.0% (0;95)	4.2% (11;241)	2.0% (12;466)	**6.1% (22;360) Better**	1.5% (7;331)	1.3% (2;171)	3.8% (18;355)
	Saint Jude Medical Center			0.0% (0;9)	6.7% (9;88)	2.3% (11;300)	0.0% (0;62)	8.0% (28;359)	4.0% (22;508)	8.5% (35;395)	2.9% (9;259)	1.5% (3;209)	4.6% (17;341)
	UC Irvine Medical Center	0.0% (0;13)	7.2% (2;24)	0.0% (0;21)	9.2% (28;192)	3.7% (5;138)	0.0% (0;30)	6.8% (6;113)	3.9% (7;228)	**11.7% (67;368) Worse**	2.0% (4;175)	1.9% (1;33)	4.2% (5;161)
	West Anaheim Medical Center					0.0% (0;108)	0.0% (0;4)	5.8% (10;148)	2.8% (10;276)	**2.3% (2;88) Better**	3.6% (7;143)	1.5% (1;41)	**2.2% (10;224) Better**
	Western Medical Center – Anaheim					0.0% (0;56)	0.0% (0;14)	6.4% (4;95)	0.0% (0;43)	0.0% (0;12)	9.4% (2;32)	0.0% (0;6)	7.6% (3;62)
	Western Medical Center – Santa Ana (View Comment Letter)				5.1% (2;41)	2.4% (8;206)	3.3% (1;14)	6.7% (12;225)	1.2% (2;183)	12.4% (31;172)	3.0% (3;69)	0.0% (0;37)	2.7% (4;150)
Placer	Kaiser Foundation Hospital – Roseville*	8.2% (1;8)	0.0% (0;3)	0.0% (0;24)		1.9% (3;139)	0.0% (0;46)	5.9% (18;327)	4.2% (18;439)	10.8% (30;325)	2.4% (6;266)	**5.1% (9;235) Worse**	**7.9% (19;222) Worse**
	Sutter Auburn Faith Hospital			**36.3% (2;5) Worse**			0.0% (0;16)	4.6% (2;18)	6.3% (8;107)	5.5% (4;99)	1.1% (1;76)	2.7% (2;70)	2.3% (4;179)
	Sutter Roseville Medical Center		0.0% (0;4)	0.0% (0;8)	13.4% (8;55)	1.9% (5;205)	3.6% (1;41)	3.9% (11;257)	**0.9% (4;362) Better**	11.3% (38;328)	1.9% (7;276)	2.6% (7;182)	**1.7% (5;304) Better**
Plumas	Eastern Plumas Hospital – Portola Campus								14.3% (1;10)	0.0% (0;3)	0.0% (0;6)		0.0% (0;33)
	Plumas District Hospital								11.5% (1;15)		0.0% (0;13)		7.4% (2;52)
	Seneca Healthcare District								0.0% (0;14)		0.0% (0;3)		0.0% (0;27)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
Riverside	Corona Regional Medical Center – Main			0.0% (0;3)			0.0% (0;9)	5.6% (5;54)	3.0% (10;293)	8.8% (5;98)	1.0% (2;161)	1.1% (1;76)	3.9% (13;283)
	Desert Regional Medical Center			5.1% (1;13)	**15.5% (13;49) Worse**	3.3% (18;476)	0.0% (0;39)	8.0% (25;402)	3.0% (8;321)	12.0% (46;326)	**5.4% (14;266) Worse**	1.9% (3;164)	5.0% (11;304)
	Eisenhower Medical Center			61.1% (1;10)	6.3% (2;53)	1.8% (8;552)	0.0% (0;112)	5.6% (24;510)	3.0% (16;549)	8.6% (36;585)	1.9% (7;449)	3.0% (9;283)	2.9% (19;641)
	Hemet Valley Medical Center			0.0% (0;3)			3.1% (1;38)	6.8% (24;164)	2.6% (14;513)	10.3% (21;249)	2.1% (8;295)	1.0% (2;192)	4.2% (24;382)
	John F. Kennedy Memorial Hospital					2.2% (1;45)	0.0% (0;15)	7.0% (7;98)	4.6% (5;130)	6.8% (3;68)	2.6% (2;94)	1.5% (1;87)	1.9% (4;200)
	Kaiser Foundation Hospital – Moreno Valley						0.0% (0;3)	7.3% (5;37)	1.7% (2;130)	7.6% (3;60)	0.0% (0;70)	0.0% (0;12)	5.1% (6;105)
	Kaiser Foundation Hospital – Riverside	0.0% (0;8)	6.7% (1;11)	0.0% (0;9)			0.0% (0;60)	9.9% (17;101)	3.6% (12;363)	8.8% (10;151)	1.0% (2;229)	3.1% (2;86)	2.6% (6;264)
	Loma Linda University Medical Center – Murrieta** (View Comment Letter)												
	Menifee Valley Medical Center						0.0% (0;21)	5.8% (9;71)	1.8% (3;192)	8.7% (7;84)	0.0% (0;79)	1.2% (1;92)	4.6% (7;149)
	Palo Verde Hospital							18.0% (1;4)	0.0% (0;21)	0.0% (0;14)	12.1% (1;29)		7.1% (2;68)
	Parkview Community Hospital Medical Center						0.0% (0;8)	7.9% (5;29)	1.9% (4;239)	5.0% (2;78)	2.4% (3;123)	0.8% (1;54)	5.4% (16;312)
	Riverside Community Hospital			0.0% (0;34)	4.6% (3;84)	2.9% (38;954)	0.0% (0;46)	**8.6% (57;887) Worse**	4.0% (24;647)	8.4% (34;360)	1.8% (7;337)	3.6% (6;142)	4.6% (26;523)

***Results are not shown because this hospital reported data that were incomplete.*

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Riverside County Regional Medical Center		0.0% (0;4)	0.0% (0;3)	17.5% (5;30)		0.0% (0;7)	5.1% (3;55)	2.6% (7;441)	**15.1% (30;241) Worse**	2.7% (3;174)	4.1% (2;50)	3.8% (7;269)
	San Gorgonio Memorial Hospital							4.6% (6;83)	3.0% (6;180)	10.8% (4;69)	1.1% (1;73)	0.0% (0;30)	4.7% (10;236)
	Southwest Healthcare System – Murrieta			0.0% (0;22)	6.7% (3;49)		0.0% (0;42)	10.4% (16;99)	1.6% (5;410)	12.5% (26;295)	2.7% (5;237)	2.5% (4;174)	4.6% (15;394)
Sacramento	Kaiser Foundation Hospital – Sacramento*		0.0% (0;4)	10.6% (1;12)	**1.5% (6;317) Better**		0.0% (0;35)	10.1% (17;135)	**5.6% (15;267) Worse**	**6.7% (63;491) Better**	2.3% (4;185)	3.6% (6;163)	3.5% (5;125)
	Kaiser Foundation Hospital – South Sacramento		0.0% (0;7)	0.0% (0;20)	0.0% (0;3)		0.0% (0;32)	5.5% (11;153)	**4.9% (19;411) Worse**	9.5% (22;270)	2.7% (4;226)	2.4% (4;122)	3.0% (5;166)
	Mercy General Hospital			2.7% (1;32)	9.0% (12;118)	2.5% (28;1,577)	0.0% (0;84)	6.4% (42;1,153)	2.8% (13;453)	9.4% (34;356)	1.8% (4;198)	0.7% (1;116)	2.8% (9;280)
	Mercy Hospital – Folsom							3.7% (1;16)	3.8% (6;112)	8.9% (4;70)	3.0% (3;94)	3.0% (3;65)	5.5% (4;103)
	Mercy San Juan Hospital	0.0% (0;6)		5.6% (3;30)	9.2% (10;76)	2.3% (7;227)	1.2% (2;126)	**9.2% (34;331) Worse**	3.2% (25;550)	11.6% (66;485)	2.0% (7;284)	1.2% (2;188)	3.1% (11;376)
	Methodist Hospital of Sacramento							7.0% (4;31)	2.4% (6;285)	7.2% (10;193)	2.6% (5;211)	2.4% (2;77)	6.5% (12;228)
	Sutter General Hospital	0.0% (0;8)	0.0% (0;16)	0.0% (0;10)	7.4% (9;143)		0.0% (0;50)	6.3% (4;25)	2.3% (7;257)	8.9% (32;294)	1.0% (3;232)	2.5% (3;140)	2.5% (5;236)
	Sutter Memorial Hospital			2.2% (1;40)	1.9% (1;103)	2.5% (11;436)	0.0% (0;101)	6.2% (22;456)	1.3% (5;369)	6.9% (8;119)	2.6% (3;70)	0.0% (0;3)	2.2% (2;99)
	UC Davis Medical Center	0.0% (0;18)	0.0% (0;15)	0.0% (0;31)	10.2% (20;257)	2.1% (14;451)	3.9% (1;31)	4.3% (17;399)	1.8% (10;691)	11.1% (49;372)	1.8% (6;299)	1.0% (1;78)	3.5% (12;378)
San Benito	Hazel Hawkins Memorial Hospital							16.0% (3;9)	**11.5% (5;63) Worse**	14.8% (4;26)	0.0% (0;50)	0.0% (0;23)	5.4% (4;113)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
San Bernardino	Arrowhead Regional Medical Center			0.0% (0;3)	**16.5% (13;78) Worse**	0.0% (0;53)	0.0% (0;12)	8.7% (6;111)	4.0% (8;538)	**14.1% (54;418) Worse**	3.2% (4;168)	1.9% (1;54)	4.0% (7;343)
	Barstow Community Hospital							0.0% (0;21)	**0.0% (0;144) Better**	0.0% (0;32)	0.0% (0;39)	0.0% (0;3)	0.0% (0;106)
	Bear Valley Community Hospital								0.0% (0;6)		0.0% (0;9)		0.0% (0;37)
	Chino Valley Medical Center							2.8% (3;55)	3.4% (5;117)	2.6% (1;54)	0.0% (0;55)	0.0% (0;27)	1.4% (1;79)
	Colorado River Medical Center									0.0% (0;5)	0.0% (0;7)		58.9% (1;10)
	Community Hospital of San Bernardino						0.0% (0;11)	5.2% (3;31)	0.9% (1;172)	6.3% (2;59)	4.1% (4;98)	0.0% (0;24)	3.0% (4;169)
	Desert Valley Hospital			0.0% (0;8)	0.0% (0;3)	2.6% (3;100)		4.8% (9;123)	2.7% (8;318)	**2.5% (3;127) Better**	1.2% (2;129)	2.7% (3;47)	**1.7% (6;246) Better**
	Hi-Desert Medical Center						0.0% (0;3)	13.1% (4;23)	5.0% (4;126)	6.6% (2;71)	1.8% (1;67)	2.7% (1;53)	7.0% (6;155)
	Kaiser Foundation Hospital – Fontana	13.8% (2;14)	0.0% (0;4)	0.0% (0;38)	8.4% (7;141)		0.0% (0;47)	5.9% (20;214)	2.5% (21;706)	10.0% (42;466)	2.0% (8;457)	1.9% (3;174)	4.4% (28;563)
	Loma Linda University Medical Center	0.0% (0;8)	35.5% (1;4)	0.0% (0;16)	**9.5% (32;384) Worse**	2.2% (5;264)	0.0% (0;35)	5.2% (20;422)	3.5% (17;603)	10.1% (83;587)	2.2% (4;194)	1.1% (1;87)	2.9% (8;275)
	Montclair Hospital Medical Center							**0.0% (0;39) Better**	1.0% (1;85)	4.7% (1;24)	1.6% (1;43)	0.0% (0;13)	1.8% (2;122)
	Mountains Community Hospital								0.0% (0;3)				0.0% (0;33)
	Redlands Community Hospital			0.0% (0;18)			0.0% (0;31)	6.6% (10;88)	3.5% (9;245)	11.3% (10;139)	3.0% (4;188)	**5.3% (10;173) Worse**	5.0% (30;521)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Saint Bernadine Medical Center			0.0% (0;17)	7.4% (3;44)	2.1% (14;1,474)	0.0% (0;37)	5.9% (36;975)	1.3% (5;478)	8.1% (18;233)	3.9% (5;182)	0.0% (0;94)	4.8% (17;350)
	Saint Mary Regional Medical Center			5.7% (1;14)	0.0% (0;6)	1.9% (6;464)	0.0% (0;30)	6.9% (27;505)	1.7% (8;567)	4.6% (5;228)	3.7% (8;230)	0.9% (1;110)	**0.9% (3;414) Better**
	San Antonio Community Hospital			0.0% (0;10)	10.7% (8;60)	**4.8% (15;247) Worse**	0.0% (0;48)	6.4% (29;473)	2.1% (12;483)	8.9% (29;339)	2.7% (9;254)	0.6% (1;176)	**2.0% (12;500) Better**
	Victor Valley Community Hospital							4.2% (2;40)	2.8% (3;138)	4.4% (1;48)	4.4% (2;63)	0.0% (0;34)	7.5% (9;139)
San Diego	Alvarado Hospital			0.0% (0;4)		1.4% (5;444)	0.0% (0;28)	4.7% (10;143)	2.8% (7;242)	10.7% (9;131)	1.5% (3;142)	2.1% (1;58)	**1.7% (5;272) Better**
	Fallbrook Hospital District							**23.5% (4;10) Worse**	4.2% (1;32)	8.8% (1;12)	2.8% (1;60)	2.5% (1;39)	6.5% (5;113)
	Grossmont Hospital (View Comment Letter)			0.0% (0;19)	8.4% (14;117)	1.6% (10;504)	0.0% (0;95)	7.0% (24;385)	**4.5% (32;832) Worse**	**12.3% (75;604) Worse**	3.1% (12;433)	3.4% (7;233)	5.4% (27;636)
	Kaiser Foundation Hospital – San Diego	0.0% (0;10)	0.0% (0;15)	2.7% (1;47)	4.2% (3;169)		0.0% (0;88)	5.1% (12;155)	3.8% (26;855)	8.2% (31;471)	2.2% (9;461)	3.2% (9;301)	5.3% (34;797)
	Palomar Medical Center			0.0% (0;39)	**14.3% (10;77) Worse**	2.3% (12;375)	0.0% (0;43)	8.5% (30;383)	3.7% (20;477)	11.4% (50;473)	2.8% (7;302)	2.7% (4;170)	4.2% (20;482)
	Paradise Valley Hospital					0.0% (0;5)		**1.0% (1;55) Better**	**0.7% (3;353) Better**	6.6% (6;87)	1.6% (2;109)	1.9% (1;29)	**1.0% (2;163) Better**
	Pomerado Hospital			0.0% (0;7)	0.0% (0;3)		0.0% (0;4)	**13.8% (13;52) Worse**	3.7% (12;229)	12.4% (15;138)	1.6% (2;156)	3.2% (3;114)	3.1% (9;190)
	Scripps Green Hospital		0.0% (0;6)	7.5% (1;21)	**1.7% (2;117) Better**	1.6% (9;1,291)	0.0% (0;24)	4.8% (7;202)	2.8% (10;328)	**4.9% (12;224) Better**	0.8% (1;154)	0.9% (1;94)	3.7% (7;163)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Scripps Memorial Hospital – Encinitas			0.0% (0;10)	7.1% (3;19)	1.5% (3;185)	0.0% (0;18)	7.8% (10;154)	3.6% (13;308)	6.0% (11;209)	1.5% (3;188)	1.1% (2;174)	2.6% (6;202)
	Scripps Memorial Hospital – La Jolla (View Comment Letters)		0.0% (0;3)	0.0% (0;14)	7.9% (11;186)	3.5% (21;1,123)	4.3% (1;21)	7.8% (24;478)	**5.2% (17;256) Worse**	10.2% (36;280)	2.9% (6;177)	3.1% (4;148)	2.7% (9;219)
	Scripps Mercy Hospital (View Comment Letter)		0.0% (0;6)	5.0% (1;22)	**13.2% (9;42) Worse**	1.9% (9;419)	0.0% (0;40)	5.0% (24;387)	2.1% (19;864)	9.4% (61;589)	2.0% (10;501)	1.0% (3;232)	**2.3% (15;627) Better**
	Sharp Chula Vista Medical Center			0.0% (0;11)	4.4% (2;44)	1.0% (3;327)	0.0% (0;34)	6.0% (15;244)	2.9% (18;687)	**5.7% (13;236) Better**	3.2% (9;229)	0.9% (1;98)	4.4% (17;369)
	Sharp Coronado Hospital and Healthcare Center							0.0% (0;5)	5.9% (5;85)	10.4% (2;28)	0.0% (0;39)	5.5% (1;22)	0.0% (0;29)
	Sharp Memorial Hospital (View Comment Letter)	0.0% (0;3)	0.0% (0;10)	0.0% (0;30)	11.2% (7;93)	**4.4% (13;277) Worse**	0.0% (0;32)	6.1% (15;324)	**5.2% (35;672) Worse**	**12.3% (46;424) Worse**	1.3% (4;348)	3.3% (7;250)	5.7% (26;586)
	Tri-City Medical Center – Oceanside			4.4% (1;17)	**23.0% (10;49) Worse**	3.0% (3;211)	0.0% (0;60)	5.3% (14;303)	3.4% (11;382)	**13.8% (55;407) Worse**	4.2% (7;272)	3.1% (5;212)	3.8% (16;435)
	UC San Diego Medical Center	30.7% (1;5)	3.1% (1;27)	0.0% (0;5)	**3.5% (16;332) Better**	1.7% (6;487)	0.0% (0;23)	3.4% (7;281)	2.1% (8;428)	7.1% (31;316)	1.4% (4;268)	6.2% (3;75)	2.2% (8;378)
San Francisco	California Pacific Medical Center – Pacific Campus	0.0% (0;5)	4.7% (3;43)	0.0% (0;16)	6.1% (15;194)	2.7% (9;269)	0.0% (0;39)	6.5% (13;195)	4.3% (24;443)	9.9% (58;517)	1.8% (7;308)	2.2% (3;130)	3.4% (13;323)
	California Pacific Medical Center – St. Luke's Campus							4.7% (1;8)	2.9% (3;137)	11.6% (5;32)	0.0% (0;76)	4.0% (1;22)	5.6% (6;107)
	Chinese Hospital							10.2% (3;19)	2.6% (3;100)	10.3% (2;54)	0.0% (0;96)	0.0% (0;37)	**8.9% (10;135) Worse**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Kaiser Foundation Hospital – San Francisco		0.0% (0;17)	2.2% (1;39)		1.6% (14;983)	0.0% (0;34)	**2.8% (14;904) Better**	1.9% (9;393)	**6.6% (23;249) Better**	0.6% (1;179)	0.0% (0;66)	4.1% (6;129)
	Laguna Honda Hospital and Rehabilitation Center												0.0% (0;14)
	Saint Francis Memorial Hospital				12.8% (8;24)			12.3% (4;15)	5.5% (6;132)	13.4% (23;150)	3.9% (2;102)	2.4% (1;50)	3.8% (8;246)
	Saint Mary's Medical Center, San Francisco			3.3% (1;6)	16.8% (2;8)	3.4% (8;172)	0.0% (0;12)	10.3% (12;136)	3.6% (9;204)	10.0% (10;104)	1.6% (2;124)	2.0% (1;63)	3.5% (10;214)
	San Francisco General Hospital				10.7% (11;71)	4.9% (4;71)		8.8% (8;128)	**8.3% (16;372) Worse**	12.7% (31;258)	2.6% (4;185)	4.2% (2;51)	**0.7% (1;313) Better**
	UC San Francisco Medical Center	6.0% (1;20)	3.1% (1;36)	0.0% (0;26)	5.6% (40;1,225)	2.4% (4;123)	2.6% (1;33)	4.8% (7;146)	2.4% (7;274)	**11.4% (78;499) Worse**	1.0% (2;206)	4.8% (4;55)	3.4% (12;412)
San Joaquin	Dameron Hospital					5.4% (5;181)	0.0% (0;8)	**10.8% (16;245) Worse**	6.1% (9;212)	4.6% (2;107)	3.0% (3;131)	3.3% (2;58)	6.7% (17;282)
	Doctors Hospital of Manteca							5.1% (1;16)	4.8% (4;129)	3.9% (1;57)	6.4% (3;86)	6.7% (1;24)	2.1% (2;157)
	Kaiser Foundation Hospital – Manteca	10.7% (1;7)	0.0% (0;3)	0.0% (0;12)			2.8% (1;45)	2.4% (2;84)	2.6% (6;218)	5.3% (4;89)	1.7% (2;98)	3.0% (2;86)	3.7% (5;131)
	Lodi Memorial Hospital			0.0% (0;6)			0.0% (0;17)	9.6% (11;67)	2.8% (8;271)	9.0% (9;119)	5.7% (6;115)	0.0% (0;76)	3.6% (9;234)
	Saint Joseph's Medical Center of Stockton			4.4% (1;30)	3.2% (2;61)	3.4% (10;356)	0.0% (0;106)	9.0% (26;390)	2.7% (15;523)	**12.4% (44;305) Worse**	2.1% (7;287)	2.8% (4;128)	5.1% (29;516)
	San Joaquin General Hospital		34.9% (1;3)		18.7% (2;4)		0.0% (0;8)	11.1% (4;42)	4.4% (6;259)	12.1% (12;111)	2.3% (3;173)	3.1% (1;21)	4.6% (6;183)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Sutter Tracy Community Hospital							14.7% (3;17)	5.7% (4;86)	7.3% (4;60)	0.0% (0;69)	0.0% (0;25)	2.0% (2;148)
San Luis Obispo	Arroyo Grande Community Hospital						17.5% (1;13)	8.3% (2;8)	4.1% (3;115)	**20.5% (10;58) Worse**	**7.0% (5;79) Worse**	0.0% (0;57)	2.4% (1;73)
	French Hospital Medical Center					3.5% (10;373)	0.0% (0;41)	7.1% (9;218)	3.2% (8;175)	12.4% (4;66)	3.2% (3;83)	1.7% (1;44)	1.5% (2;111)
	Sierra Vista Regional Medical Center			0.0% (0;22)	3.1% (1;68)		0.0% (0;11)	3.8% (1;21)	5.1% (4;75)	13.5% (11;124)	3.0% (2;74)	6.6% (2;47)	7.4% (6;98)
	Twin Cities Community Hospital						0.0% (0;3)	**15.5% (7;30) Worse**	**10.2% (11;157) Worse**	**18.4% (10;91) Worse**	2.5% (2;143)	2.8% (2;96)	7.5% (12;278)
San Mateo	Kaiser Foundation Hospital – Redwood City		13.9% (1;3)		**3.8% (21;600) Better**	3.9% (1;22)		7.8% (5;62)	1.8% (4;157)	**5.8% (42;360) Better**	2.0% (2;96)	4.9% (3;73)	6.8% (9;113)
	Kaiser Foundation Hospital – South San Francisco	0.0% (0;4)						4.4% (3;32)	2.3% (8;266)	7.2% (16;159)	4.0% (7;147)	1.8% (2;92)	2.1% (6;179)
	Peninsula Medical Center			0.0% (0;13)	0.0% (0;14)	1.9% (6;175)	1.7% (1;52)	5.6% (12;195)	3.0% (16;352)	10.6% (35;265)	2.4% (9;228)	1.1% (2;151)	3.7% (11;263)
	San Mateo Medical Center				49.3% (1;10)			7.1% (2;23)	6.2% (4;96)	12.9% (2;41)	**11.1% (4;82) Worse**	0.0% (0;19)	**10.8% (8;94) Worse**
	Sequoia Hospital	0.0% (0;3)		0.0% (0;12)	0.0% (0;3)	1.2% (2;132)	0.0% (0;50)	5.9% (5;79)	2.7% (6;244)	**20.1% (17;98) Worse**	3.8% (3;78)	0.0% (0;71)	4.0% (6;154)
	Seton Medical Center			0.0% (0;8)	9.1% (3;19)	1.6% (7;253)	0.0% (0;21)	9.1% (17;165)	2.7% (12;408)	8.3% (22;220)	1.3% (2;174)	2.5% (2;68)	4.5% (15;239)
Santa Barbara	Goleta Valley Cottage Hospital								0.0% (0;26)	44.0% (1;3)	0.0% (0;9)	4.6% (2;83)	10.7% (3;49)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Lompoc Valley Medical Center						0.0% (0;7)	42.0% (2;5)	5.3% (3;48)	**22.8% (6;43) Worse**	3.7% (1;42)	0.0% (0;38)	5.6% (5;110)
	Marian Medical Center			0.0% (0;7)	7.3% (1;17)	4.0% (8;164)	0.0% (0;55)	9.9% (11;137)	3.2% (7;150)	12.4% (19;166)	2.1% (4;155)	0.9% (1;99)	4.0% (8;140)
	Santa Barbara Cottage Hospital	0.0% (0;5)	0.0% (0;4)	10.8% (1;11)	**10.6% (23;241) Worse**	2.0% (6;354)	0.0% (0;71)	10.0% (19;239)	2.6% (12;382)	11.4% (54;508)	1.4% (3;248)	4.4% (5;147)	5.4% (15;347)
	Santa Ynez Valley Cottage Hospital								0.0% (0;29)	13.3% (1;4)	0.0% (0;4)		6.0% (1;32)
Santa Clara	El Camino Hospital	0.0% (0;3)	0.0% (0;5)	2.0% (1;54)	3.0% (1;35)	2.4% (6;196)	0.0% (0;32)	7.8% (15;201)	**5.1% (25;385) Worse**	9.2% (27;308)	2.4% (9;301)	1.0% (2;209)	2.3% (8;325)
	Good Samaritan Hospital – San Jose			0.0% (0;3)	6.9% (10;123)	3.4% (13;282)	0.0% (0;30)	7.7% (19;274)	**4.8% (23;358) Worse**	10.2% (36;381)	3.5% (6;205)	5.0% (7;151)	6.1% (19;281)
	Kaiser Foundation Hospital – San Jose			8.3% (1;4)		0.9% (1;68)	0.0% (0;29)	6.8% (13;167)	**5.5% (17;333) Worse**	**5.5% (14;286) Better**	3.5% (8;250)	5.3% (5;111)	4.7% (9;224)
	Kaiser Foundation Hospital – Santa Clara	0.0% (0;8)	0.0% (0;3)	3.6% (1;23)	0.0% (0;3)	1.9% (18;1,395)	0.0% (0;31)	6.0% (31;855)	4.1% (29;712)	8.1% (26;307)	3.2% (7;272)	2.9% (5;162)	4.7% (12;254)
	O'Connor Hospital – San Jose		8.3% (1;6)	0.0% (0;25)	10.1% (3;22)	1.4% (5;204)	0.0% (0;18)	5.7% (12;185)	4.4% (19;358)	9.0% (11;154)	3.1% (7;195)	1.8% (2;129)	**7.1% (19;255) Worse**
	Regional Medical of San Jose			0.0% (0;3)	5.5% (7;59)	1.4% (7;202)	0.0% (0;6)	6.8% (23;236)	2.7% (15;442)	10.6% (49;341)	1.2% (3;227)	1.0% (1;67)	4.9% (19;347)
	Saint Louise Regional Hospital							7.5% (1;15)	2.0% (3;122)	14.7% (6;57)	0.0% (0;44)	8.2% (3;42)	**0.0% (0;100) Better**
	Santa Clara Valley Medical Center		0.0% (0;5)	0.0% (0;10)	10.7% (8;80)	2.2% (3;158)	0.0% (0;5)	6.3% (9;215)	2.5% (7;422)	11.4% (27;310)	2.4% (5;247)	6.3% (3;49)	4.5% (9;265)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Stanford Hospital	0.0% (0;19)	0.0% (0;50)	2.4% (1;68)	**3.4% (23;762) Better**	1.0% (4;295)	1.6% (1;72)	5.5% (14;222)	3.1% (20;516)	8.6% (53;484)	3.7% (10;296)	3.3% (5;147)	3.4% (13;422)
Santa Cruz	Dominican Hospital – Santa Cruz/Soquel			0.0% (0;3)	8.8% (5;54)	2.4% (8;304)	0.0% (0;24)	**10.7% (19;200) Worse**	**5.6% (13;276) Worse**	10.1% (15;234)	2.7% (4;195)	1.6% (2;121)	5.6% (16;293)
	Watsonville Community Hospital							9.4% (2;20)	4.9% (5;150)	17.3% (7;57)	1.9% (1;73)	5.8% (2;45)	**7.7% (12;182) Worse**
Shasta	Mayers Memorial Hospital								0.0% (0;19)	0.0% (0;3)	0.0% (0;4)		21.0% (2;25)
	Mercy Medical Center – Redding			3.7% (1;28)	6.6% (11;101)	2.2% (10;335)	0.0% (0;118)	6.7% (25;357)	3.8% (17;318)	11.3% (43;324)	2.6% (8;189)	3.5% (7;179)	3.5% (16;391)
	Shasta Regional Medical Center					2.0% (5;179)	0.0% (0;44)	**3.0% (8;197) Better**	1.8% (7;293)	6.4% (6;155)	2.2% (6;188)	**0.0% (0;76) Better**	3.9% (14;283)
Siskiyou	Fairchild Medical Center						0.0% (0;7)	7.1% (1;6)	0.0% (0;43)	20.1% (2;22)	0.0% (0;34)	0.0% (0;29)	0.0% (0;113)
	Mercy Medical Center Mt. Shasta						0.0% (0;3)	98.2% (1;3)	0.0% (0;26)	17.0% (2;16)	18.7% (1;13)	0.0% (0;17)	**16.1% (4;66) Worse**
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	0.0% (0;4)		0.0% (0;11)		0.0% (0;5)	0.0% (0;16)	4.7% (5;81)	2.3% (9;341)	**5.4% (12;222) Better**	2.7% (5;202)	5.2% (3;90)	2.7% (7;230)
	Kaiser Foundation Hospital – Vacaville							6.5% (4;48)	4.8% (6;119)	7.1% (5;107)	1.4% (1;86)	**10.2% (5;58) Worse**	6.6% (12;188)
	North Bay Medical Center			0.0% (0;9)		2.5% (7;128)	0.0% (0;10)	7.8% (12;124)	1.6% (2;182)	12.5% (7;68)	1.5% (2;97)	2.2% (1;46)	3.4% (4;153)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	North Bay VacaValley Hospital							11.2% (5;17)	4.0% (4;107)	8.3% (3;35)	4.4% (2;55)	0.0% (0;33)	5.7% (6;105)
	Sutter Solano Medical Center							6.1% (4;29)	1.8% (2;135)	3.5% (2;71)	0.8% (1;105)	0.0% (0;40)	1.9% (2;101)
Sonoma	Healdsburg District Hospital								0.0% (0;37)	9.4% (2;32)	0.0% (0;13)	0.0% (0;19)	2.0% (1;51)
	Kaiser Foundation Hospital – Santa Rosa						0.0% (0;32)	5.5% (5;83)	4.5% (8;186)	6.3% (13;202)	1.0% (1;159)	3.3% (3;131)	3.0% (4;167)
	Palm Drive Hospital							0.0% (0;5)	3.1% (1;36)	0.0% (0;32)	2.4% (1;42)	0.0% (0;28)	5.4% (3;62)
	Petaluma Valley Hospital							7.9% (6;45)	3.7% (3;61)	**18.8% (8;51) Worse**	2.8% (2;65)	4.4% (1;42)	7.2% (9;126)
	Santa Rosa Memorial Hospital – Montgomery			0.0% (0;25)	10.8% (5;31)	2.5% (3;235)	0.0% (0;34)	8.9% (21;252)	4.5% (15;292)	**15.1% (35;228) Worse**	4.0% (10;224)	4.1% (5;153)	6.1% (16;230)
	Sonoma Valley Hospital							0.0% (0;13)	1.7% (1;52)	10.4% (2;30)	4.6% (2;37)	0.0% (0;29)	2.1% (1;40)
	Sutter Medical Center of Santa Rosa			0.0% (0;7)		1.4% (2;192)	2.7% (1;21)	6.1% (7;150)	3.2% (3;130)	13.5% (3;43)	2.5% (1;54)	4.5% (1;36)	8.2% (5;72)
Stanislaus	Doctors Medical Center			0.0% (0;13)	**0.0% (0;53) Better**	2.0% (12;465)	1.8% (3;107)	5.8% (25;502)	3.1% (12;379)	**12.5% (51;368) Worse**	1.9% (3;186)	4.2% (4;110)	**7.7% (22;392) Worse**
	Emanuel Medical Center, Inc.					3.1% (2;108)	0.0% (0;30)	8.3% (9;122)	2.7% (5;254)	8.9% (5;105)	4.7% (8;180)	0.0% (0;76)	6.5% (18;364)
	Memorial Hospital Medical Center – Modesto		0.0% (0;3)	2.6% (1;30)	8.5% (3;34)	2.9% (20;488)	0.8% (1;131)	8.3% (31;445)	2.2% (13;570)	8.3% (25;326)	2.9% (7;277)	2.6% (8;212)	4.7% (26;586)
	Oak Valley District Hospital						0.0% (0;6)	0.0% (0;6)	3.5% (1;35)	0.0% (0;23)	0.0% (0;24)	0.0% (0;19)	**16.5% (5;43) Worse**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
Tehama	Saint Elizabeth Community Hospital							9.9% (1;6)	2.9% (2;96)	12.5% (3;52)	2.3% (1;64)	4.7% (3;47)	1.1% (1;124)
Trinity	Trinity Hospital							0.0% (0;11)	19.7% (2;11)	0.0% (0;3)	0.0% (0;5)		4.1% (1;44)
Tulare	Kaweah Delta Medical Center			0.0% (0;15)		3.0% (24;673)	1.8% (1;81)	8.5% (33;453)	4.3% (19;549)	**17.6% (30;307) Worse**	2.0% (5;334)	**6.3% (9;167) Worse**	**5.9% (33;721) Worse**
	Sierra View District Hospital							8.0% (6;74)	**9.4% (22;259) Worse**	14.1% (15;153)	**9.7% (6;67) Worse**	3.6% (2;61)	**12.8% (34;359) Worse**
	Tulare Regional Medical Center							**16.2% (6;30) Worse**	5.5% (5;153)	0.0% (0;75)	3.8% (2;104)	2.6% (1;28)	**12.6% (16;241) Worse**
Tuolumne	Sonora Regional Medical Center – Greenley						0.0% (0;22)	7.8% (8;35)	3.7% (8;107)	8.6% (9;92)	0.0% (0;70)	3.8% (3;64)	2.3% (8;204)
Ventura	Community Memorial Hospital – San Buenaventura			9.4% (1;14)	13.8% (1;14)	2.0% (8;375)	0.0% (0;49)	6.6% (18;282)	2.8% (9;346)	8.0% (14;215)	1.4% (3;196)	1.6% (2;124)	5.7% (19;308)
	Los Robles Hospital and Medical Center			0.0% (0;13)	**22.4% (4;28) Worse**	1.3% (5;467)	0.0% (0;16)	5.6% (19;380)	4.1% (14;293)	11.0% (21;214)	3.9% (6;229)	2.8% (4;151)	5.9% (17;305)
	Ojai Valley Community Hospital								0.0% (0;16)	16.5% (2;12)	4.7% (1;17)	4.8% (1;29)	9.3% (3;52)
	Saint John's Pleasant Valley Hospital							0.0% (0;23)	**7.0% (11;129) Worse**	5.8% (4;96)	1.4% (2;95)	3.6% (2;71)	7.0% (9;140)
	Saint John's Regional Medical Center			2.3% (1;23)	3.0% (1;24)	**1.1% (5;293) Better**	0.0% (0;53)	4.9% (11;213)	1.5% (6;341)	10.1% (43;284)	2.0% (6;199)	0.0% (0;78)	3.5% (15;338)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2011

County	Hospital Name	Esophageal Resection	Pancreatic Resection	Abdominal Aortic Aneurism Repair	Craniotomy	Percutaneous Coronary Intervention	Carotid Endarterectomy	Acute Myocardial Infarction	Heart Failure	Acute Stroke	Gastro-Intestinal Hemorrhage	Hip Fracture	Pneumonia
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.											
	STATEWIDE	3.8% (15;391)	3.1% (23;750)	1.9% (46;2,478)	6.8% (980;14,331)	2.3% (1,051;44,775)	0.5% (34;6,660)	6.5% (3,005;46,278)	3% (2,538;85,338)	9.4% (5,100;54,088)	2.2% (1,084;48,347)	2.3% (560;23,955)	4.1% (2,993;73,002)
	Simi Valley Hospital and Healthcare Services – Sycamore				0.0% (0;3)			5.0% (5;58)	1.9% (3;143)	11.5% (10;85)	4.1% (4;110)	1.7% (1;60)	3.9% (4;131)
	Thousand Oaks Surgical Hospital				0.0% (0;37)								
	Ventura County Medical Center				2.7% (1;20)		0.0% (0;5)	2.4% (1;30)	**7.2% (7;101) Worse**	11.7% (9;115)	3.3% (2;73)	2.1% (1;55)	6.7% (8;153)
Yolo	Sutter Davis Hospital						0.0% (0;8)	4.3% (1;8)	2.9% (2;38)	10.0% (5;62)	2.9% (2;68)	2.7% (2;38)	3.1% (2;85)
	Woodland Memorial Hospital						8.8% (1;16)	9.1% (2;16)	3.9% (4;71)	15.3% (10;76)	1.8% (1;61)	1.9% (1;49)	4.1% (7;123)
Yuba	Rideout Memorial Hospital			5.8% (1;18)	5.3% (1;32)	3.7% (7;209)	0.0% (0;57)	8.9% (21;243)	3.2% (12;406)	10.6% (20;212)	2.4% (4;218)	4.8% (4;111)	4.0% (16;543)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.4, and OSHPD hospital patient discharge data, 2011. See Technical Note for details about methodology.

****Hospital consolidated or changed name from 2010 to 2011, see OSHPD Implementation of AHRQ Inpatient Mortality Indicators, 2010 and 2011 data, Technical Note.***

Note: Blank cells indicate that fewer than three procedures were performed or conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure or with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APD-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.