California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Alameda	Alameda Hospital	16.1% (3;17)	**23.6% (9;74) Worse**	**48.9% (5;9) Worse**	15.2% (4;65)		4.6% (5;83)	2.1% (2;111)	0.0% (0;31)	3.0% (2;76)
	Alta Bates Summit Medical Center	4.9% (19;454)	9.0% (17;303)	13.9% (3;24)	5.5% (13;278)		1.7% (4;301)	2.2% (15;613)	1.3% (2;119)	2.4% (5;186)
	Alta Bates Summit Medical Center – Alta Bates Campus	4.6% (1;18)	9.0% (24;216)	22.2% (20;85)	1.6% (1;126)	34.1% (3;5)	4.7% (8;233)	1.3% (3;268)	0.0% (0;90)	0.9% (1;99)
	Eden Medical Center	4.9% (2;37)	7.8% (61;533)	**13.9% (18;118) Better**	4.5% (24;342)	25.7% (19;73)	2.0% (4;189)	**0.8% (2;235) Better**	2.2% (3;109)	3.7% (6;128)
	Highland Hospital	10.5% (12;158)	10.6% (17;147)	29.4% (10;36)	5.8% (6;106)	10.2% (1;5)	4.4% (4;147)	0.7% (1;317)	3.6% (1;38)	0.0% (0;127)
	Kaiser Foundation Hospital – Fremont	5.2% (3;56)	7.3% (9;115)	18.3% (4;27)	4.5% (4;84)	10.3% (1;4)	3.0% (3;101)	4.0% (9;152)	0.0% (0;83)	1.0% (1;93)
	Kaiser Foundation Hospital – Oakland/Richmond	4.6% (11;182)	8.1% (30;502)	16.0% (11;92)	4.9% (17;406)	21.4% (2;4)	2.6% (8;313)	2.5% (23;836)	2.9% (3;148)	4.7% (9;179)
	Kaiser Foundation Hospital – San Leandro	9.4% (11;80)	8.8% (15;205)	14.2% (4;38)	5.6% (10;164)	29.8% (1;3)	**7.8% (8;147) Worse**	**5.2% (14;284) Worse**	5.1% (5;119)	3.2% (5;141)
	Saint Rose Hospital	8.3% (11;221)	23.3% (4;60)		11.0% (3;58)		4.0% (6;137)	3.4% (6;219)	0.0% (0;22)	6.7% (7;170)
	San Leandro Hospital	0.0% (0;15)	12.9% (3;36)		7.0% (2;34)		4.7% (3;91)	2.2% (4;255)	0.0% (0;19)	2.4% (1;113)
	Valleycare Medical Center	**10.8% (13;141) Worse**	16.6% (7;77)	**96.4% (4;5) Worse**	1.9% (1;70)		3.3% (4;150)	1.6% (5;291)	0.0% (0;79)	3.6% (9;224)
	Washington Hospital – Fremont	5.1% (9;211)	9.6% (23;283)	21.5% (12;67)	5.3% (8;196)	27.5% (3;20)	2.1% (5;314)	4.4% (15;395)	5.1% (2;79)	5.2% (13;300)
	Sutter Amador Hospital	11.0% (2;9)	14.3% (5;70)	44.1% (2;6)	6.7% (3;64)		0.0% (0;63)	**8.0% (6;62) Worse**	0.0% (0;43)	2.2% (1;78)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Butte	Enloe Medical Center – Esplanade	**10.2% (31;389) Worse**	11.0% (33;350)	25.6% (19;71)	6.0% (13;277)		2.3% (7;416)	3.5% (21;583)	1.7% (4;209)	4.2% (14;394)
	Feather River Hospital	0.0% (0;31)	8.0% (3;76)	46.9% (2;4)	2.0% (1;72)		0.7% (1;112)	3.3% (9;171)	1.5% (2;76)	**0.6% (2;204) Better**
	Orchard Hospital	0.0% (0;6)					0.0% (0;7)	3.8% (1;36)		0.0% (0;32)
	Oroville Hospital	6.5% (5;46)	4.4% (5;181)	13.4% (2;10)	2.1% (3;171)		0.7% (1;206)	**0.8% (3;424) Better**	0.6% (1;71)	10.7% (2;24)
Calaveras	Mark Twain Medical Center	0.0% (0;4)	19.7% (2;19)		11.7% (2;18)		0.0% (0;4)	0.0% (0;35)	0.0% (0;30)	2.5% (1;45)
Colusa	Colusa Regional Medical Center	12.2% (1;4)						0.0% (0;3)		
Contra Costa	Contra Costa Regional Medical Center	0.0% (0;45)	0.0% (0;52)	0.0% (0;3)	0.0% (0;49)		0.0% (0;92)	**0.0% (0;335) Better**	4.5% (1;23)	2.1% (1;130)
	John Muir Medical Center – Concord Campus	5.2% (20;419)	11.9% (12;175)	14.3% (1;6)	7.4% (11;168)		4.0% (11;260)	**4.4% (26;597) Worse**	2.2% (2;89)	2.4% (3;173)
	John Muir Medical Center – Walnut Creek Campus	4.5% (7;139)	10.4% (96;528)	23.7% (53;163)	6.5% (32;326)	20.9% (11;39)	**5.1% (18;369) Worse**	2.3% (15;476)	1.1% (3;232)	3.1% (12;287)
	Kaiser Foundation Hospital – Antioch	2.1% (2;61)	8.4% (13;167)	16.6% (5;31)	5.5% (6;131)	19.2% (2;5)	3.0% (4;151)	2.6% (7;231)	3.3% (4;95)	1.7% (2;109)
	Kaiser Foundation Hospital – Walnut Creek	7.3% (15;216)	**3.8% (6;194) Better**	12.0% (4;40)	**1.5% (2;149) Better**	0.0% (0;5)	2.4% (6;234)	2.2% (11;368)	**0.4% (1;222) Better**	**7.1% (13;161) Worse**
	San Ramon Regional Medical Center	4.6% (2;77)	13.9% (14;135)	**38.0% (6;6) Worse**	6.9% (8;129)		0.0% (0;111)	3.5% (6;179)	1.4% (1;57)	1.9% (3;202)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Contra Costa (continued)	Sutter Delta Medical Center	7.4% (12;219)	**0.0% (0;101) Better**		**0.0% (0;100) Better**		3.5% (3;69)	2.4% (8;352)	1.2% (1;71)	**0.0% (0;159) Better**
Del Norte	Sutter Coast Hospital	3.2% (1;25)	8.5% (2;40)		4.7% (2;40)		2.3% (1;47)	3.8% (5;87)	0.0% (0;24)	1.7% (1;58)
El Dorado	Barton Memorial Hospital		61.2% (1;18)		33.6% (1;18)		0.0% (0;9)	4.4% (1;49)	11.7% (1;19)	6.7% (3;68)
	Marshall Medical Center	13.1% (4;18)	5.5% (4;90)	12.7% (2;8)	3.3% (2;81)		2.7% (4;161)	4.2% (8;170)	0.0% (0;84)	4.3% (9;180)
Fresno	Adventist Medical Center – Reedley	0.0% (0;11)	0.0% (0;20)		0.0% (0;20)			0.0% (0;13)		0.0% (0;24)
	Clovis Community Medical Center	5.6% (7;150)	9.6% (11;205)	24.7% (4;9)	5.0% (7;196)		2.7% (7;355)	4.3% (17;440)	1.1% (1;167)	2.7% (9;385)
	Coalinga Regional Medical Center							38.8% (1;5)		0.0% (0;23)
	Community Regional Medical Center – Fresno	7.5% (38;731)	**10.4% (153;1,147) Worse**	23.5% (76;366)	6.0% (49;658)	26.0% (28;123)	**4.3% (21;600) Worse**	3.4% (24;1,182)	0.9% (1;130)	3.0% (12;689)
	Kaiser Foundation Hospital – Fresno	7.4% (10;128)	7.6% (14;246)	20.3% (9;56)	3.0% (4;187)	26.7% (1;3)	3.3% (4;137)	1.8% (7;313)	2.4% (2;128)	2.1% (3;158)
	Saint Agnes Medical Center	7.5% (28;448)	12.1% (29;425)	29.0% (8;19)	6.6% (21;405)		3.2% (21;641)	2.8% (27;945)	2.6% (6;273)	**4.9% (31;652) Worse**
Glenn	Glenn Medical Center							0.0% (0;5)		0.0% (0;27)
Humboldt	Jerold Phelps Community Hospital									0.0% (0;6)
	Mad River Community Hospital		**31.0% (3;12) Worse**	**80.4% (3;3) Worse**	0.0% (0;9)		**14.4% (3;23) Worse**	0.0% (0;23)	0.0% (0;19)	3.1% (1;58)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Humboldt (continued)	Redwood Memorial Hospital		11.7% (2;17)	30.5% (1;3)	5.8% (1;14)		**61.5% (2;13) Worse**	**18.9% (3;16) Worse**	5.1% (1;12)	0.0% (0;23)
	Saint Joseph Hospital – Eureka	3.9% (10;282)	10.5% (8;96)	0.0% (0;5)	5.9% (6;88)	31.1% (2;3)	2.8% (6;170)	**5.5% (16;272) Worse**	2.2% (2;86)	4.2% (5;101)
Imperial	El Centro Regional Medical Center	5.1% (2;28)	8.2% (4;114)		3.4% (3;113)		5.4% (5;120)	3.6% (7;178)	2.6% (1;51)	3.8% (9;209)
	Pioneers Memorial Healthcare District	2.3% (1;27)	11.8% (6;105)	19.4% (2;11)	9.2% (4;92)		4.0% (4;151)	4.1% (6;157)	0.0% (0;28)	2.7% (5;200)
Inyo	Northern Inyo Hospital	19.3% (3;11)	**56.9% (3;11) Worse**	100.0% (2;3)	29.6% (1;8)		0.0% (0;17)	0.0% (0;11)	**9.5% (3;22) Worse**	0.0% (0;27)
Kern	Adventist Health Medical Center Tehachapi Valley**									0.0% (0;11)
	Bakersfield Heart Hospital	4.9% (9;191)	5.6% (1;43)	0.0% (0;3)	3.7% (1;40)		2.8% (2;73)	1.8% (5;322)		0.0% (0;120)
	Bakersfield Memorial Hospital	8.5% (25;381)	**12.3% (33;276) Worse**	30.5% (14;47)	6.1% (11;202)	32.5% (8;27)	**5.3% (9;212) Worse**	3.6% (15;508)	**5.4% (5;164) Worse**	3.2% (6;324)
	Delano Regional Medical Center	3.8% (1;9)	0.0% (0;8)		0.0% (0;8)		0.0% (0;32)	4.1% (4;80)	0.0% (0;13)	1.5% (1;75)
	Good Samaritan Hospital – Bakersfield		0.0% (0;3)		0.0% (0;3)		0.0% (0;10)	0.0% (0;66)		3.0% (1;98)
	Kern Medical Center	0.0% (0;23)	8.7% (4;66)	38.5% (4;20)	0.0% (0;42)	0.0% (0;4)	2.9% (4;90)	1.8% (1;104)	0.0% (0;56)	8.1% (3;112)
	Kern Valley Healthcare District						0.0% (0;5)	7.3% (1;26)		8.1% (2;77)
	Mercy Hospital – Bakersfield	12.0% (5;18)	9.7% (15;176)	25.6% (10;32)	3.9% (4;141)	36.3% (1;3)	3.6% (4;208)	**0.5% (1;246) Better**	0.0% (0;122)	2.1% (4;349)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Kern (continued)	Ridgecrest Regional Hospital	47.6% (1;3)	**36.1% (4;19) Worse**		16.9% (3;18)		0.0% (0;28)	**12.0% (5;70) Worse**	0.0% (0;11)	**12.3% (7;77) Worse**
	San Joaquin Community Hospital	7.2% (37;551)	**12.5% (67;536) Worse**	**30.5% (38;124) Worse**	6.7% (22;401)	26.1% (7;11)	2.4% (7;377)	3.6% (25;740)	0.9% (1;97)	3.7% (12;431)
Kings	Adventist Medical Center	**2.5% (4;141) Better**	10.1% (7;163)	25.7% (1;4)	5.5% (6;159)		1.1% (2;189)	**5.0% (21;441) Worse**	2.5% (2;92)	5.0% (14;364)
Lake	Saint Helena Hospital – Clearlake		11.2% (1;6)		0.0% (0;5)		0.0% (0;28)	2.8% (1;78)		5.9% (2;70)
	Sutter Lakeside Hospital	0.0% (0;3)	0.0% (0;34)		0.0% (0;32)		0.0% (0;35)	0.0% (0;58)	6.3% (1;29)	5.2% (2;58)
Lassen	Banner Lassen Medical Center						0.0% (0;10)	0.0% (0;20)		4.4% (1;44)
Los Angeles	Alhambra Hospital Medical Center	3.7% (3;35)	3.3% (1;78)	0.0% (0;14)	2.8% (1;63)		0.0% (0;152)	2.2% (5;220)	4.0% (1;36)	3.1% (7;215)
	Antelope Valley Hospital	8.4% (18;301)	12.1% (32;400)	25.3% (15;71)	7.3% (15;325)	36.8% (2;4)	**6.9% (15;274) Worse**	**6.2% (15;398) Worse**	4.1% (4;135)	**8.1% (30;438) Worse**
	Beverly Hospital	**10.7% (16;154) Worse**	9.4% (8;113)	17.9% (4;30)	7.2% (4;81)		3.8% (6;212)	1.6% (3;272)	5.0% (2;50)	3.7% (7;223)
	California Hospital Medical Center – Los Angeles	2.2% (2;146)	11.1% (26;288)	25.2% (17;66)	6.1% (8;219)	47.8% (1;3)	0.7% (1;206)	2.8% (8;484)	4.6% (1;30)	1.8% (2;202)
	Casa Colina Hospital**	0.0% (0;3)	0.0% (0;12)		0.0% (0;12)		0.0% (0;8)	0.0% (0;18)	0.0% (0;4)	0.0% (0;18)
	Cedars Sinai Medical Center	5.8% (44;741)	8.2% (99;851)	21.1% (49;210)	4.3% (32;552)	17.7% (18;89)	2.0% (15;713)	3.6% (65;1,513)	0.8% (4;315)	2.2% (12;533)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Los Angeles (continued)	Centinela Hospital Medical Center	**2.2% (7;248) Better**	6.0% (12;277)	20.5% (8;43)	2.1% (4;230)	0.0% (0;4)	1.3% (5;383)	**0.9% (9;1,195) Better**	1.1% (1;42)	**0.5% (1;261) Better**
	Citrus Valley Medical Center – Inter Community Campus	**9.4% (26;447) Worse**	5.0% (2;72)	0.0% (0;14)	4.5% (1;57)		**6.5% (9;163) Worse**	2.8% (7;306)	2.2% (1;87)	1.7% (3;192)
	Citrus Valley Medical Center – Queen of the Valley Campus	10.1% (7;46)	8.9% (26;414)	22.7% (14;64)	5.0% (10;343)	12.4% (2;7)	3.6% (9;279)	1.0% (2;301)	2.1% (1;85)	**6.0% (15;294) Worse**
	City of Hope Helford Clinical Research Hospital	0.0% (0;3)	5.3% (1;8)	15.1% (1;4)	0.0% (0;4)		6.9% (3;43)	10.7% (1;8)		**9.4% (10;142) Worse**
	Coast Plaza Hospital	7.4% (2;32)	19.3% (3;21)		9.0% (2;19)		3.9% (2;71)	1.2% (1;111)	0.0% (0;14)	4.8% (2;67)
	College Medical Center	8.6% (2;22)	13.9% (3;14)	29.8% (2;4)	9.2% (1;10)		6.9% (5;60)	6.3% (3;81)	0.0% (0;19)	4.8% (2;39)
	Community Hospital Long Beach	7.3% (3;31)	8.4% (1;33)	31.9% (1;3)	0.0% (0;30)		6.2% (6;81)	1.9% (2;118)	0.0% (0;43)	6.1% (6;95)
	Community and Mission Hospital of Huntington Park – Slauson	1.8% (1;64)	28.8% (2;20)		16.7% (2;19)		7.7% (3;66)	2.8% (5;201)	0.0% (0;8)	0.0% (0;96)
	East Los Angeles Doctors Hospital	3.4% (2;37)	0.0% (0;9)		0.0% (0;9)		1.7% (1;56)	3.7% (3;102)	0.0% (0;10)	2.5% (3;97)
	Encino Hospital Medical Center	**0.0% (0;42) Better**	18.3% (3;11)		0.0% (0;8)		1.5% (2;50)	**0.0% (0;83) Better**	0.0% (0;28)	0.0% (0;28)
	Foothill Presbyterian Hospital – Johnston Memorial	7.1% (3;33)	6.1% (4;63)	15.9% (4;22)	0.0% (0;41)		4.6% (5;127)	0.7% (1;166)	1.8% (1;64)	2.9% (4;151)
	Gardens Regional Hospital and Medical Center	6.5% (1;19)	17.2% (1;6)		11.0% (1;5)		6.9% (3;58)	3.8% (2;64)	0.0% (0;9)	3.6% (2;63)
	Garfield Medical Center	5.4% (15;265)	8.3% (23;309)	16.3% (9;63)	5.1% (11;235)	23.9% (3;11)	3.6% (6;203)	3.6% (16;429)	1.1% (1;66)	4.1% (14;286)
	Glendale Adventist Medical Center	4.2% (15;404)	9.1% (39;412)	22.8% (21;98)	4.9% (12;281)	18.8% (6;33)	2.0% (6;295)	3.1% (25;624)	1.0% (2;134)	3.3% (26;571)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Los Angeles (continued)	Glendale Memorial Hospital and Medical Center	6.8% (16;232)	**1.7% (2;150) Better**	**0.0% (0;24) Better**	2.0% (2;122)	0.0% (0;4)	2.9% (5;172)	2.3% (11;462)	1.1% (1;77)	2.8% (9;292)
	Glendora Community Hospital	0.0% (0;8)	0.0% (0;6)		0.0% (0;6)		0.0% (0;30)	0.0% (0;17)	0.0% (0;7)	1.1% (1;81)
	Good Samaritan Hospital – Los Angeles	**9.5% (33;307) Worse**	8.8% (18;277)	15.5% (6;40)	5.8% (11;230)	23.6% (1;7)	4.0% (8;189)	2.7% (10;471)	1.7% (1;53)	3.8% (7;186)
	Greater El Monte Community Hospital	6.9% (1;22)	8.3% (1;17)		4.9% (1;16)		0.0% (0;49)	4.2% (2;62)		6.4% (9;140)
	Henry Mayo Newhall Hospital	6.0% (14;223)	**12.8% (31;218) Worse**	26.8% (15;45)	7.0% (10;162)	42.8% (6;11)	1.9% (4;206)	2.7% (11;326)	2.7% (5;116)	**1.6% (7;298) Better**
	Hollywood Presbyterian Medical Center	**11.6% (30;262) Worse**	7.7% (15;218)	15.5% (7;49)	4.6% (6;165)	30.1% (2;4)	4.0% (5;178)	2.1% (4;311)	2.7% (2;73)	3.6% (6;196)
	Huntington Memorial Hospital	7.9% (19;289)	9.0% (41;524)	21.8% (19;117)	5.5% (20;372)	9.4% (2;35)	3.7% (13;459)	1.7% (11;580)	2.2% (5;223)	1.8% (9;454)
	Kaiser Foundation Hospital – Baldwin Park	8.4% (8;119)	6.3% (9;237)	8.8% (2;32)	4.1% (6;201)	27.0% (1;4)	1.9% (3;191)	3.0% (9;423)	1.1% (1;135)	3.2% (6;188)
	Kaiser Foundation Hospital – Downey	6.5% (9;159)	9.6% (21;328)	19.4% (8;44)	5.9% (13;280)	0.0% (0;4)	1.3% (2;254)	2.4% (7;376)	0.0% (0;125)	4.3% (12;304)
	Kaiser Foundation Hospital – Panorama City	**1.6% (2;119) Better**	7.8% (11;162)	23.2% (4;31)	4.2% (7;130)		4.3% (8;175)	4.3% (9;167)	2.4% (3;134)	2.5% (3;124)
	Kaiser Foundation Hospital – South Bay	5.1% (6;80)	8.0% (9;163)	13.3% (3;26)	5.6% (6;135)		2.4% (3;147)	4.4% (15;320)	3.6% (3;103)	2.3% (4;136)
	Kaiser Foundation Hospital – Sunset	**3.7% (34;1,226) Better**	8.5% (85;839)	**16.6% (41;294) Better**	**7.2% (30;427) Worse**	17.8% (14;118)	2.5% (5;239)	**4.7% (27;589) Worse**	1.7% (2;108)	3.1% (4;163)
	Kaiser Foundation Hospital – West Los Angeles	3.4% (3;86)	6.8% (12;175)	22.0% (5;25)	3.3% (7;149)		3.4% (4;123)	3.0% (8;186)	2.6% (3;105)	5.7% (5;60)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Los Angeles (continued)	Kaiser Foundation Hospital – Woodland Hills	3.6% (5;126)	**4.8% (7;201) Better**	7.3% (1;18)	2.9% (6;181)		2.4% (4;174)	2.2% (13;344)	0.6% (1;192)	3.0% (8;169)
	Keck Hospital of University of Southern California	3.2% (4;87)	8.6% (93;485)	19.6% (36;159)	5.0% (29;209)	20.9% (28;117)	5.0% (8;95)	5.1% (10;176)	0.0% (0;8)	4.0% (1;36)
	Lakewood Regional Medical Center	6.6% (20;325)	12.2% (30;274)	24.9% (12;62)	7.5% (16;209)	32.3% (2;3)	3.3% (5;206)	3.3% (10;382)	3.9% (3;89)	4.3% (7;171)
	Long Beach Memorial Medical Center	4.6% (18;421)	9.0% (62;639)	20.2% (24;121)	4.8% (25;463)	25.1% (13;55)	3.8% (14;369)	2.3% (10;588)	3.3% (3;103)	3.5% (9;310)
	Los Angeles Community Hospital	4.3% (1;15)	0.0% (0;33)		0.0% (0;32)		0.0% (0;74)	**0.5% (1;139) Better**	0.0% (0;13)	1.1% (2;121)
	Los Angeles County/Harbor – UCLA Medical Center	7.8% (12;293)	12.0% (20;193)	**35.9% (14;45) Worse**	3.5% (4;140)	36.5% (2;8)	3.4% (6;205)	3.2% (8;469)	0.0% (0;37)	7.2% (4;99)
	Los Angeles County/Olive View – UCLA Medical Center	0.0% (0;101)	11.0% (2;85)	48.6% (2;6)	0.0% (0;79)		1.0% (1;160)	2.6% (4;364)		0.0% (0;139)
	Los Angeles County/University of Southern California Medical Center	7.6% (9;209)	**14.5% (46;278) Worse**	**32.4% (28;97) Worse**	8.4% (11;159)	39.6% (7;22)	3.0% (9;400)	3.0% (13;832)	3.4% (1;54)	4.8% (7;239)
	Marina Del Rey Hospital	3.2% (2;35)	12.2% (2;32)		7.5% (1;30)		1.1% (1;91)	1.0% (1;110)	1.6% (1;53)	1.8% (2;109)
	Memorial Hospital of Gardena	5.6% (3;58)	4.0% (1;68)	0.0% (0;3)	2.5% (1;64)		3.2% (4;144)	0.6% (1;275)	0.0% (0;27)	0.0% (0;104)
	Methodist Hospital of Southern California	**9.7% (31;243) Worse**	9.2% (43;421)	24.0% (24;92)	4.1% (13;317)	25.6% (6;12)	3.0% (10;308)	1.7% (11;466)	1.9% (4;200)	2.3% (9;303)
	Mission Community Hospital – Panorama Campus	0.0% (0;24)	0.0% (0;37)	0.0% (0;4)	0.0% (0;33)		4.1% (3;103)	1.7% (5;206)	3.6% (2;34)	1.2% (3;174)
	Monterey Park Hospital	13.1% (2;21)	4.7% (1;43)	0.0% (0;5)	4.8% (1;38)		1.1% (1;112)	0.0% (0;151)	4.0% (1;30)	3.3% (2;100)
	Northridge Hospital Medical Center	4.6% (21;456)	8.6% (27;297)	20.5% (15;70)	3.6% (7;215)	31.0% (5;12)	2.8% (5;200)	2.7% (15;443)	1.1% (2;134)	1.7% (6;234)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Los Angeles (continued)	Norwalk Community Hospital	0.0% (0;18)	0.0% (0;21)		0.0% (0;21)		0.0% (0;64)	0.0% (0;92)	3.3% (1;14)	0.0% (0;43)
	Olympia Medical Center	6.0% (3;32)	7.0% (3;52)	13.5% (1;4)	4.2% (2;48)		2.9% (5;137)	2.0% (4;219)	1.6% (1;36)	3.3% (7;142)
	PIH Hospital – Downey	3.7% (8;228)	6.1% (5;138)	15.8% (4;35)	2.4% (1;102)		3.8% (9;173)	2.7% (9;361)	1.5% (2;104)	4.2% (8;242)
	Pacific Alliance Medical Center	16.1% (2;14)	0.0% (0;68)	0.0% (0;6)	0.0% (0;62)		3.4% (2;93)	1.4% (2;231)	0.0% (0;27)	0.9% (1;134)
	Pacifica Hospital of the Valley	0.0% (0;6)	12.3% (1;11)		0.0% (0;9)		5.1% (2;58)	0.0% (0;73)	0.0% (0;6)	2.9% (3;91)
	Palmdale Regional Medical Center	6.3% (14;285)	9.8% (12;145)	24.3% (7;28)	4.8% (3;111)	23.0% (2;6)	4.1% (8;201)	3.9% (15;539)	1.5% (1;103)	4.2% (9;270)
	Pomona Valley Hospital Medical Center (Right click to view comment letter)	7.7% (30;413)	10.3% (71;621)	22.0% (26;121)	6.3% (34;464)	24.0% (11;36)	1.8% (5;336)	2.7% (15;619)	2.4% (3;151)	4.5% (12;273)
	Presbyterian Intercommunity Hospital	6.2% (40;619)	7.7% (35;441)	23.3% (23;91)	3.4% (12;330)	**0.0% (0;20) Better**	2.6% (10;330)	2.6% (19;693)	1.9% (3;189)	2.9% (11;342)
	Providence Holy Cross Medical Center	7.1% (25;269)	9.7% (32;297)	24.4% (21;76)	3.9% (7;215)	32.3% (4;6)	1.8% (6;298)	**1.5% (12;570) Better**	0.5% (1;132)	1.6% (6;301)
	Providence Little Company of Mary Medical Center – San Pedro	8.1% (2;16)	6.9% (7;123)	**4.3% (1;24) Better**	5.7% (4;96)	56.1% (2;3)	1.5% (2;122)	0.7% (1;152)	0.0% (0;58)	3.5% (3;107)
	Providence Little Company of Mary Medical Center – Torrance	6.4% (28;411)	7.8% (40;487)	20.7% (26;109)	3.5% (13;372)	13.0% (1;6)	2.9% (10;379)	2.1% (13;684)	2.4% (5;177)	3.3% (16;427)
	Providence Saint John's Health Center	5.2% (10;171)	8.0% (17;193)	11.4% (4;34)	4.7% (9;144)	36.0% (4;15)	3.1% (5;199)	3.5% (9;209)	3.2% (5;134)	2.6% (8;260)
	Providence Saint Joseph Medical Center	8.4% (19;248)	8.8% (46;521)	18.4% (14;96)	5.0% (25;390)	24.1% (7;35)	2.5% (10;319)	3.0% (22;499)	0.7% (2;164)	2.1% (9;324)
	Providence Tarzana Medical Center	4.4% (9;171)	8.8% (12;173)	27.0% (8;30)	3.3% (4;142)		1.7% (4;192)	2.9% (18;395)	0.0% (0;126)	1.6% (4;202)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Los Angeles (continued)	Ronald Reagan UCLA Medical Center	7.8% (21;268)	**5.6% (44;525) Better**	**14.0% (22;126) Better**	**2.7% (16;351) Better**	15.4% (6;48)	4.2% (11;249)	3.8% (15;407)	1.5% (1;26)	5.3% (6;132)
	Saint Francis Medical Center	8.0% (24;308)	10.8% (29;319)	25.6% (12;68)	5.1% (11;244)	35.9% (6;7)	1.4% (3;288)	**1.3% (6;599) Better**	0.0% (0;74)	**0.9% (2;225) Better**
	Saint Mary Medical Center – Long Beach	6.5% (9;192)	9.9% (22;169)	23.5% (15;55)	5.1% (5;110)	23.0% (2;4)	2.8% (6;195)	3.4% (9;363)	0.0% (0;45)	4.6% (9;202)
	Saint Vincent Medical Center	**3.3% (17;353) Better**	**4.4% (7;178) Better**	13.5% (4;38)	2.0% (3;137)	0.0% (0;3)	2.0% (6;208)	1.7% (7;471)	2.1% (2;89)	2.1% (7;279)
	San Dimas Community Hospital	7.0% (2;19)	0.0% (0;33)		0.0% (0;32)		0.0% (0;63)	2.9% (2;59)	0.0% (0;45)	1.4% (1;66)
	San Gabriel Valley Medical Center	4.3% (5;72)	9.4% (13;174)	16.2% (5;37)	6.9% (7;132)	23.2% (1;5)	3.8% (7;178)	2.9% (12;323)	2.6% (1;75)	3.2% (12;293)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	4.4% (10;208)	4.8% (4;116)	0.0% (0;14)	3.8% (4;102)		1.0% (3;276)	2.1% (10;416)	1.6% (5;204)	1.2% (3;224)
	Sherman Oaks Hospital	**3.1% (7;148) Better**	4.6% (4;65)	17.1% (1;4)	2.2% (3;61)		1.7% (5;132)	**0.4% (2;215) Better**	0.0% (0;66)	1.5% (5;154)
	Silver Lake Medical Center – Downtown Campus	0.0% (0;6)	37.2% (1;5)		0.0% (0;4)		1.2% (1;49)	7.8% (4;58)	0.0% (0;9)	4.3% (4;112)
	Southern California Hospital at Culver City	5.0% (3;69)	6.0% (2;73)	95.2% (1;3)	1.8% (1;70)		1.7% (3;147)	1.5% (3;239)	3.3% (1;30)	3.6% (7;188)
	Southern California Hospital at Hollywood	5.4% (1;16)	0.0% (0;28)		0.0% (0;26)		3.4% (3;93)	5.8% (4;104)	0.0% (0;12)	2.4% (3;102)
	Torrance Memorial Medical Center	5.6% (29;446)	8.5% (35;537)	24.3% (17;83)	4.3% (17;441)	7.3% (1;13)	1.4% (6;503)	**4.4% (37;801) Worse**	1.5% (5;246)	3.9% (19;425)
	University of Southern California Verdugo Hills Hospital	**14.0% (8;38) Worse**	7.8% (3;74)	28.4% (2;4)	2.5% (1;69)		1.9% (2;92)	2.7% (4;130)	0.0% (0;93)	2.2% (3;142)
	Valley Presbyterian Hospital	5.4% (14;270)	8.6% (12;154)	25.0% (7;35)	3.0% (3;113)	24.8% (2;6)	2.3% (4;193)	1.6% (7;425)	1.2% (1;47)	2.9% (4;138)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Los Angeles (continued)	West Covina Medical Center**		0.0% (0;3)		0.0% (0;3)		0.0% (0;3)	0.0% (0;8)		0.0% (0;19)
	West Hills Hospital and Medical Center	6.7% (18;231)	10.6% (9;130)	27.0% (5;18)	5.3% (4;112)		**5.5% (12;231) Worse**	4.2% (14;278)	2.7% (2;118)	**7.1% (10;137) Worse**
	White Memorial Medical Center	6.5% (16;236)	7.9% (16;279)	21.1% (10;62)	3.6% (6;214)	0.0% (0;3)	2.6% (7;315)	**1.0% (3;445) Better**	3.7% (2;50)	3.1% (5;215)
	Whittier Hospital Medical Center	**13.7% (13;48) Worse**	18.1% (4;44)		11.1% (3;42)		2.5% (3;167)	3.6% (5;169)	1.6% (1;46)	2.0% (2;157)
Madera	Madera Community Hospital	10.5% (7;66)	0.0% (0;31)		0.0% (0;29)		5.3% (4;88)	2.5% (2;116)	0.0% (0;10)	10.3% (4;72)
Marin	Kaiser Foundation Hospital – San Rafael	4.3% (5;83)	6.6% (9;161)	8.6% (2;32)	5.4% (7;126)	0.0% (0;3)	3.4% (4;96)	2.5% (5;172)	1.3% (1;113)	3.9% (4;72)
	Marin General Hospital	10.0% (11;199)	10.0% (24;201)	26.6% (16;45)	4.0% (6;151)	30.0% (2;5)	1.2% (2;217)	3.7% (8;229)	3.0% (3;135)	1.9% (3;210)
	Novato Community Hospital	0.0% (0;11)	12.3% (2;31)		3.6% (1;29)		5.6% (1;43)	3.9% (4;79)	0.0% (0;40)	5.7% (3;56)
Mariposa	John C. Fremont Healthcare District	44.1% (1;3)						0.0% (0;9)		13.7% (1;21)
Mendocino	Frank R. Howard Memorial Hospital		8.1% (1;19)		0.0% (0;17)		0.0% (0;20)	**22.3% (3;26) Worse**	0.0% (0;47)	0.0% (0;44)
	Mendocino Coast District Hospital	0.0% (0;3)	30.0% (1;14)		16.5% (1;14)		**39.6% (2;20) Worse**	4.1% (1;26)	2.6% (1;24)	3.9% (1;42)
	Ukiah Valley Medical Center	11.4% (3;8)	16.4% (2;54)		9.7% (2;53)		4.2% (3;81)	4.4% (5;108)	2.7% (3;43)	4.3% (5;113)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Merced	Memorial Hospital Los Banos	0.0% (0;3)					0.0% (0;7)	2.6% (2;61)		0.0% (0;56)
	Mercy Medical Center – Merced	**0.0% (0;54) Better**	8.7% (7;192)	34.9% (2;7)	4.2% (5;184)		1.7% (3;250)	2.9% (19;618)	3.2% (4;92)	4.0% (15;474)
Modoc	Modoc Medical Center							0.0% (0;9)		19.3% (1;13)
Mono	Mammoth Hospital						0.0% (0;5)	0.0% (0;5)	0.0% (0;7)	0.0% (0;10)
Monterey	Community Hospital of The Monterey Peninsula	5.4% (7;186)	**13.3% (36;295) Worse**	**31.1% (21;54) Worse**	7.5% (14;238)	22.0% (1;3)	2.2% (5;233)	4.0% (12;290)	3.2% (4;135)	**6.6% (16;262) Worse**
	George L. Mee Memorial Hospital		0.0% (0;3)		0.0% (0;3)			0.0% (0;16)	0.0% (0;4)	0.0% (0;32)
	Natividad Medical Center	0.0% (0;4)	0.0% (0;57)	0.0% (0;8)	0.0% (0;49)		3.0% (1;110)	0.0% (0;100)	11.0% (2;31)	5.8% (2;95)
	Salinas Valley Memorial Hospital	7.1% (13;250)	11.1% (28;242)	23.7% (16;53)	6.7% (9;185)	33.4% (3;4)	3.7% (8;254)	3.3% (12;332)	3.3% (2;85)	5.9% (10;145)
Napa	Queen of the Valley Medical Center	8.6% (15;162)	11.1% (21;210)	27.3% (7;29)	6.8% (14;177)	0.0% (0;4)	2.1% (4;160)	5.1% (12;188)	0.0% (0;70)	4.1% (5;127)
	Saint Helena Hospital	7.9% (14;201)	16.1% (3;14)		0.0% (0;10)		0.0% (0;79)	1.0% (2;183)	1.6% (1;46)	4.8% (3;76)
Nevada	Sierra Nevada Memorial Hospital	4.0% (3;39)	9.5% (7;107)	30.0% (2;5)	4.8% (5;101)		3.2% (3;118)	1.6% (6;203)	1.0% (2;99)	2.3% (4;159)
	Tahoe Forest Hospital		0.0% (0;6)		0.0% (0;5)		0.0% (0;9)	4.5% (1;31)	2.5% (1;28)	3.2% (1;43)
Orange	AHMC Anaheim Regional Medical Center	7.6% (14;218)	7.8% (6;135)	21.4% (5;29)	2.4% (1;106)		**5.1% (11;207) Worse**	2.4% (9;428)	0.0% (0;70)	3.2% (7;253)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Orange (continued)	Anaheim Global Medical Center	10.5% (7;71)	0.0% (0;13)		0.0% (0;13)		0.0% (0;29)	4.4% (1;39)	**13.7% (2;15) Worse**	7.1% (2;40)
	Chapman Global Medical Center	16.8% (2;4)	10.6% (1;10)		0.0% (0;9)		0.0% (0;12)	11.2% (1;19)	0.0% (0;8)	12.6% (3;47)
	Fountain Valley Regional Hospital and Medical Center – Euclid	6.7% (28;341)	8.4% (34;390)	16.9% (14;78)	4.9% (16;304)	31.3% (4;8)	4.0% (12;263)	2.2% (13;503)	3.4% (3;100)	2.1% (9;378)
	Garden Grove Hospital and Medical Center	6.4% (5;37)	3.5% (1;43)	11.1% (1;8)	0.0% (0;34)		0.0% (0;94)	**0.0% (0;136) Better**	0.0% (0;33)	3.6% (2;61)
	Hoag Memorial Hospital Presbyterian	7.3% (37;457)	**6.9% (45;708) Better**	15.8% (21;119)	3.8% (20;570)	17.9% (4;19)	2.3% (16;718)	2.4% (24;647)	2.5% (4;60)	**1.0% (4;416) Better**
	Hoag Orthopedic Institute								0.0% (0;329)	
	Huntington Beach Hospital	5.7% (4;32)	0.0% (0;15)		0.0% (0;15)		0.0% (0;54)	1.7% (2;98)	0.0% (0;25)	3.8% (3;67)
	Kaiser Foundation Hospital – Orange County – Anaheim	4.7% (11;215)	**6.2% (39;637) Better**	15.9% (21;188)	3.9% (13;385)	**9.3% (5;64) Better**	1.4% (3;314)	2.1% (16;646)	3.0% (9;268)	**1.0% (3;259) Better**
	La Palma Intercommunity Hospital	3.0% (3;61)	6.5% (1;34)		0.0% (0;32)		0.0% (0;72)	3.2% (3;109)	0.0% (0;31)	3.5% (4;90)
	Los Alamitos Medical Center	7.7% (15;192)	8.1% (27;349)	14.1% (7;66)	4.9% (16;268)	25.2% (4;15)	3.8% (8;186)	1.7% (6;323)	2.7% (4;166)	5.1% (12;207)
	Mission Hospital Laguna Beach						6.5% (1;43)	0.0% (0;39)	0.0% (0;43)	0.0% (0;43)
	Mission Hospital Regional Medical Center	**4.0% (17;364) Better**	9.6% (45;393)	23.4% (18;71)	5.4% (22;300)	18.8% (5;22)	2.4% (8;291)	1.7% (11;394)	1.1% (3;220)	**1.4% (5;291) Better**
	Orange Coast Memorial Medical Center	4.9% (12;205)	**3.8% (4;157) Better**	**4.6% (1;23) Better**	3.2% (3;129)	0.0% (0;5)	0.7% (1;208)	1.8% (6;314)	1.1% (1;120)	4.9% (14;234)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.
*****Hospital name changed from 2015 to 2016, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Orange (continued)	Orange County Global Medical Center	**11.3% (14;187) Worse**	11.4% (30;229)	29.7% (16;59)	4.4% (7;152)	34.1% (7;18)	**7.6% (8;91) Worse**	3.3% (4;167)	0.0% (0;46)	5.4% (8;136)
	Placentia Linda Hospital	6.3% (3;31)	15.4% (2;33)		4.5% (1;32)		1.9% (1;77)	3.8% (4;151)	4.4% (4;87)	4.5% (6;163)
	Saddleback Memorial Medical Center	6.2% (21;279)	9.7% (29;323)	27.2% (17;57)	4.4% (12;260)	0.0% (0;6)	2.6% (5;286)	2.8% (19;485)	1.3% (2;190)	3.0% (10;266)
	Saint Joseph Hospital – Orange	4.4% (15;339)	7.9% (31;405)	21.2% (15;74)	3.6% (13;319)	28.8% (3;12)	3.3% (9;340)	2.9% (19;519)	0.6% (1;169)	3.0% (10;303)
	Saint Jude Medical Center	5.9% (24;390)	**5.8% (44;546) Better**	**12.2% (19;132) Better**	**3.0% (16;381) Better**	21.3% (9;33)	3.0% (11;324)	2.0% (15;492)	2.1% (5;234)	2.0% (5;205)
	South Coast Global Medical Center	17.1% (1;7)	0.0% (0;16)		0.0% (0;16)		**10.6% (4;41) Worse**	9.0% (3;55)	0.0% (0;9)	5.0% (3;85)
	UC Irvine Medical Center	10.1% (14;195)	8.1% (61;489)	16.8% (25;161)	4.9% (23;274)	21.0% (13;54)	4.0% (9;270)	1.7% (4;334)	1.6% (2;60)	2.2% (2;107)
	West Anaheim Medical Center	5.2% (9;142)	3.0% (1;49)		1.7% (1;48)		1.5% (3;135)	2.9% (9;260)	1.0% (1;54)	3.2% (7;169)
Placer	Kaiser Foundation Hospital – Roseville	4.7% (15;458)	**16.1% (29;335) Worse**	24.4% (5;33)	**10.2% (23;300) Worse**		3.5% (7;329)	**5.3% (29;547) Worse**	2.0% (8;306)	3.2% (7;207)
	Sutter Auburn Faith Hospital	12.6% (3;13)	10.9% (6;94)	30.6% (3;11)	5.1% (3;83)		7.0% (5;104)	2.3% (3;135)	3.2% (2;72)	1.2% (1;106)
	Sutter Roseville Medical Center	4.4% (15;398)	11.4% (44;408)	26.6% (18;55)	7.0% (25;338)	7.8% (1;15)	2.2% (8;410)	3.8% (26;540)	2.2% (9;278)	2.0% (7;371)
Plumas	Eastern Plumas Hospital – Portola Campus									9.8% (1;31)
	Plumas District Hospital						86.0% (1;12)	12.5% (1;12)		7.2% (1;34)
	Seneca District Hospital							0.0% (0;10)		10.2% (1;25)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Riverside	Corona Regional Medical Center – Main	1.3% (1;50)	7.2% (5;104)		3.2% (3;101)		0.6% (1;161)	**0.9% (3;316) Better**	1.9% (2;76)	1.3% (3;168)
	Desert Regional Medical Center	8.0% (31;481)	9.5% (55;586)	20.2% (21;120)	6.2% (25;408)	19.3% (9;58)	4.6% (13;441)	3.8% (15;462)	3.1% (6;213)	**6.3% (16;290) Worse**
	Eisenhower Medical Center	7.2% (29;494)	7.7% (34;589)	20.1% (20;111)	3.4% (11;467)	24.0% (3;11)	2.7% (10;427)	3.2% (19;616)	0.9% (3;330)	4.1% (23;583)
	Hemet Valley Medical Center	7.5% (16;135)	14.3% (11;101)	23.7% (2;8)	9.0% (8;92)		**6.4% (15;246) Worse**	3.8% (16;460)	1.2% (2;150)	**5.9% (20;325) Worse**
	John F. Kennedy Memorial Hospital	**10.9% (16;120) Worse**	4.8% (1;44)		2.7% (1;44)		3.6% (2;64)	1.4% (1;112)	3.4% (2;101)	1.9% (1;109)
	Kaiser Foundation Hospital – Moreno Valley	3.7% (3;89)	6.7% (6;85)	16.9% (3;11)	2.7% (2;73)		5.8% (3;71)	2.2% (3;137)	0.0% (0;28)	0.9% (1;89)
	Kaiser Foundation Hospital – Riverside	2.0% (2;135)	7.7% (8;137)	9.5% (2;16)	5.9% (6;121)		2.1% (2;148)	3.2% (7;214)	2.5% (3;115)	2.1% (3;131)
	Loma Linda University Medical Center – Murrieta	7.6% (24;345)	6.1% (5;146)	6.1% (1;19)	4.9% (4;127)		3.4% (4;153)	3.1% (9;365)	1.7% (1;77)	2.1% (4;176)
	Menifee Valley Medical Center	13.4% (6;35)	0.0% (0;17)		0.0% (0;17)		6.9% (5;81)	4.8% (5;134)	5.2% (2;62)	6.3% (6;110)
	Palo Verde Hospital	9.2% (1;7)					5.4% (1;21)	0.0% (0;9)		0.0% (0;37)
	Parkview Community Hospital Medical Center	16.5% (4;26)	18.1% (4;69)	**74.5% (3;3) Worse**	4.3% (1;66)		2.4% (3;150)	3.2% (7;236)	3.1% (2;37)	1.0% (2;192)
	Riverside Community Hospital	6.7% (48;804)	10.2% (38;384)	22.7% (23;104)	5.9% (11;272)	30.1% (4;8)	3.4% (10;427)	3.8% (19;650)	0.7% (1;151)	3.6% (12;418)
	Riverside University Health System – Medical Center**	12.5% (5;45)	10.4% (36;319)	**29.7% (25;71) Worse**	3.8% (10;245)	26.0% (1;3)	1.7% (3;181)	3.6% (11;412)	1.7% (2;71)	2.6% (3;119)
	San Gorgonio Memorial Hospital	8.0% (3;24)	0.0% (0;7)		0.0% (0;7)		5.0% (4;104)	2.1% (4;241)	0.0% (0;35)	4.5% (8;216)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Riverside (continued)	Southwest Healthcare System – Murrieta	4.8% (5;73)	7.5% (18;330)	16.9% (10;64)	4.5% (8;263)	0.0% (0;3)	2.9% (6;248)	3.0% (11;313)	1.9% (3;175)	4.2% (12;359)
	Temecula Valley Hospital	5.7% (31;681)	8.4% (13;203)	20.1% (8;46)	4.6% (5;153)	0.0% (0;4)	0.8% (1;168)	**1.4% (6;446) Better**	0.0% (0;81)	1.6% (3;182)
Sacramento	Kaiser Foundation Hospital – Sacramento	9.0% (16;157)	7.6% (70;666)	**14.8% (36;233) Better**	5.6% (22;357)	21.7% (12;76)	4.0% (8;244)	3.7% (11;279)	1.3% (2;144)	5.3% (6;119)
	Kaiser Foundation Hospital – South Sacramento	5.9% (15;384)	10.7% (20;236)	22.4% (7;33)	6.2% (12;200)	26.9% (1;3)	3.3% (7;201)	3.6% (21;519)	0.8% (1;162)	4.2% (8;148)
	Mercy General Hospital	5.8% (51;1,156)	7.9% (20;269)	23.9% (12;61)	3.0% (7;207)		1.0% (2;240)	2.2% (17;689)	2.1% (2;98)	2.2% (4;172)
	Mercy Hospital of Folsom	8.5% (4;29)	3.6% (2;117)	10.8% (1;9)	1.6% (1;108)		2.4% (3;195)	2.4% (8;252)	2.7% (3;103)	1.0% (1;103)
	Mercy San Juan Hospital	6.2% (31;390)	**12.3% (147;833) Worse**	23.2% (56;222)	**9.1% (70;535) Worse**	24.9% (21;76)	3.2% (12;329)	2.8% (33;898)	1.3% (4;189)	2.3% (7;262)
	Methodist Hospital of Sacramento	9.7% (9;57)	9.8% (13;215)	24.3% (6;22)	4.8% (6;192)		3.5% (7;234)	1.8% (8;363)	2.2% (2;67)	3.6% (6;153)
	Sutter Medical Center, Sacramento	7.9% (43;619)	8.5% (38;436)	17.7% (17;103)	5.0% (16;316)	24.5% (5;17)	2.8% (8;376)	3.6% (22;690)	1.5% (3;165)	3.1% (8;326)
	UC Davis Medical Center	4.1% (10;368)	9.3% (48;431)	20.3% (23;103)	6.1% (18;287)	18.6% (7;41)	2.5% (10;428)	3.7% (26;796)	0.5% (1;118)	4.1% (7;180)
San Benito	Hazel Hawkins Memorial Hospital	13.0% (2;9)	**35.2% (5;29) Worse**	**79.9% (3;3) Worse**	20.0% (2;26)		6.4% (1;34)	7.6% (4;93)	10.7% (2;24)	7.1% (3;80)
San Bernardino	Arrowhead Regional Medical Center	8.3% (7;102)	**14.0% (34;344) Worse**	**33.4% (19;109) Worse**	7.4% (9;213)	33.8% (6;22)	2.0% (3;231)	2.8% (5;422)	3.8% (2;86)	4.2% (7;271)
	Barstow Community Hospital	2.5% (1;40)	0.0% (0;54)		0.0% (0;54)		0.0% (0;32)	2.1% (2;120)	2.4% (1;27)	0.0% (0;111)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
San Bernardino (continued)	Bear Valley Community Hospital							0.0% (0;9)		0.0% (0;14)
	Chino Valley Medical Center	2.4% (2;39)	4.4% (2;36)	0.0% (0;3)	2.9% (2;33)		**0.3% (1;125) Better**	3.1% (7;120)	**0.0% (0;44) Better**	0.0% (0;50)
	Colorado River Medical Center						0.0% (0;10)	0.0% (0;16)		9.8% (1;33)
	Community Hospital of San Bernardino	3.8% (1;31)	13.9% (3;52)		5.3% (2;51)		2.4% (1;68)	0.7% (1;188)	0.0% (0;32)	4.0% (6;139)
	Desert Valley Hospital	**3.1% (9;258) Better**	**1.1% (1;160) Better**		**0.6% (1;159) Better**		2.8% (4;170)	**0.9% (4;526) Better**	0.0% (0;62)	1.7% (3;216)
	Hi-Desert Medical Center	0.0% (0;5)	30.8% (1;11)		16.9% (1;11)		0.0% (0;6)	3.3% (2;106)	7.1% (1;21)	**9.4% (6;97) Worse**
	Kaiser Foundation Hospital – Fontana	5.7% (28;634)	7.4% (53;733)	19.0% (32;223)	4.1% (20;465)	**4.3% (1;45) Better**	1.4% (5;437)	3.2% (29;772)	1.3% (4;299)	2.8% (18;526)
	Loma Linda University Medical Center	**8.3% (42;559) Worse**	9.1% (96;628)	17.3% (34;161)	5.5% (41;390)	27.3% (21;77)	2.5% (11;348)	4.1% (24;770)	0.0% (0;96)	4.6% (13;230)
	Montclair Hospital Medical Center	0.0% (0;19)	0.0% (0;7)		0.0% (0;7)		2.5% (1;33)	1.3% (1;52)	0.0% (0;9)	0.0% (0;30)
	Mountains Community Hospital							0.0% (0;4)		0.0% (0;24)
	Redlands Community Hospital	4.1% (3;36)	10.1% (13;184)	24.5% (6;38)	5.7% (6;139)	17.7% (1;7)	1.9% (2;173)	4.1% (10;232)	1.7% (2;143)	4.4% (9;245)
	Saint Bernardine Medical Center	**11.1% (42;566) Worse**	**14.2% (43;321) Worse**	29.3% (18;72)	**10.3% (18;237) Worse**	26.8% (7;12)	**6.2% (11;203) Worse**	3.2% (11;490)	2.9% (1;85)	**6.3% (18;262) Worse**
	Saint Mary Medical Center – Apple Valley	5.3% (23;539)	**3.2% (3;183) Better**	23.8% (1;4)	**1.3% (2;179) Better**		1.1% (3;264)	**1.5% (10;678) Better**	0.0% (0;87)	3.3% (9;300)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
San Bernardino (continued)	San Antonio Regional Hospital**	6.2% (26;530)	7.5% (26;413)	16.6% (10;76)	3.8% (11;325)	25.6% (5;12)	3.0% (7;309)	3.0% (17;540)	1.6% (3;164)	2.2% (11;468)
	Victor Valley Global Medical Center	6.5% (3;38)	23.2% (3;44)		12.7% (3;44)		1.5% (1;84)	3.2% (4;221)	6.0% (2;22)	3.0% (3;127)
San Diego	Alvarado Hospital	4.4% (5;121)	8.1% (8;91)	24.8% (4;16)	2.4% (2;73)		1.9% (2;105)	1.4% (2;191)	0.0% (0;33)	1.4% (1;80)
	Grossmont Hospital	5.6% (20;406)	10.2% (72;683)	22.6% (28;113)	5.0% (31;545)	**40.0% (13;25) Worse**	2.3% (14;486)	**1.2% (8;887) Better**	1.4% (4;243)	2.2% (9;420)
	Kaiser Foundation Hospital – San Diego	3.6% (7;152)	9.1% (44;465)	17.7% (18;120)	6.9% (23;306)	11.6% (3;39)	4.2% (9;294)	**5.8% (40;770) Worse**	2.2% (9;401)	3.9% (10;338)
	Palomar Health Downtown Campus	7.3% (40;508)	9.8% (76;634)	23.4% (40;141)	5.5% (30;460)	17.8% (6;33)	3.2% (12;382)	3.3% (33;801)	**0.4% (1;233) Better**	2.2% (11;552)
	Paradise Valley Hospital	3.4% (3;82)	13.6% (11;77)	33.2% (7;20)	7.0% (3;55)		3.6% (4;111)	0.6% (1;247)	0.0% (0;14)	1.9% (1;77)
	Pomerado Hospital	6.7% (7;33)	9.4% (7;78)	33.2% (5;5)	1.7% (1;72)		**8.0% (10;124) Worse**	4.3% (12;171)	2.4% (3;85)	**0.8% (2;165) Better**
	Scripps Green Hospital	3.2% (3;90)	5.8% (11;157)	10.4% (4;54)	5.5% (5;83)	9.7% (2;20)	2.3% (5;173)	1.9% (6;221)	0.0% (0;84)	2.3% (3;70)
	Scripps Memorial Hospital – Encinitas	5.1% (10;214)	7.3% (16;217)	28.8% (12;37)	**1.8% (4;179) Better**		3.6% (11;252)	2.4% (14;415)	1.5% (6;190)	2.6% (8;222)
	Scripps Memorial Hospital – La Jolla	6.8% (31;486)	9.9% (69;466)	25.1% (30;100)	4.9% (30;319)	27.2% (9;47)	3.0% (7;218)	3.6% (25;515)	2.7% (7;184)	2.4% (8;215)
	Scripps Mercy Hospital	8.0% (35;460)	9.7% (52;566)	25.1% (29;102)	4.3% (18;456)	35.3% (5;8)	3.3% (12;497)	2.8% (27;1,087)	2.4% (6;249)	2.2% (13;636)
	Sharp Chula Vista Medical Center	6.0% (13;220)	9.6% (36;315)	24.1% (20;64)	4.3% (10;232)	28.2% (6;19)	2.5% (7;301)	2.0% (14;734)	1.8% (2;109)	2.6% (8;313)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
San Diego (continued)	Sharp Coronado Hospital and Healthcare Center		0.0% (0;11)		0.0% (0;10)		3.5% (1;54)	2.0% (1;42)	3.1% (2;29)	0.0% (0;42)
	Sharp Memorial Hospital	4.6% (12;302)	8.7% (41;487)	19.0% (18;86)	4.9% (16;370)	25.3% (7;31)	3.3% (9;366)	3.5% (25;687)	0.9% (2;266)	4.4% (22;491)
	Tri-City Medical Center – Oceanside	**9.5% (21;275) Worse**	10.9% (40;387)	23.8% (16;66)	6.4% (20;306)	23.8% (4;15)	3.2% (8;254)	**5.4% (17;358) Worse**	**4.7% (7;166) Worse**	4.7% (8;215)
	UC San Diego Health System – Hillcrest Medical Center	6.4% (22;355)	7.5% (43;436)	16.1% (20;116)	4.8% (19;284)	14.5% (4;36)	3.0% (16;458)	3.0% (21;906)	1.0% (2;147)	2.8% (7;317)
San Francisco	California Pacific Medical Center – Davies Campus	0.0% (0;3)	7.6% (54;496)	**13.0% (15;124) Better**	5.3% (30;323)	17.5% (9;49)	6.3% (2;56)	6.4% (3;69)	0.0% (0;12)	4.4% (2;79)
	California Pacific Medical Center – Pacific Campus	**10.7% (28;259) Worse**	9.6% (31;344)	26.5% (15;62)	4.1% (12;274)	29.8% (4;8)	2.6% (9;301)	**6.5% (30;437) Worse**	1.3% (2;112)	5.5% (10;206)
	California Pacific Medical Center – St. Luke's Campus	7.9% (1;12)	4.6% (1;31)		3.6% (1;29)		3.4% (3;83)	1.2% (2;164)	0.0% (0;23)	2.2% (2;103)
	Chinese Hospital	3.6% (1;13)	0.0% (0;37)		0.0% (0;36)		2.3% (1;55)	2.3% (2;83)	3.2% (1;24)	1.0% (1;105)
	Kaiser Foundation Hospital – San Francisco	6.9% (24;484)	6.3% (13;209)	**7.2% (3;43) Better**	5.1% (9;162)	21.6% (1;4)	4.1% (5;150)	3.8% (17;330)	0.0% (0;80)	1.8% (2;80)
	Laguna Honda Hospital and Rehabilitation Center									0.0% (0;5)
	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center**	9.5% (14;155)	**12.0% (38;295) Worse**	**29.7% (23;68) Worse**	5.1% (10;217)	40.8% (5;10)	3.2% (6;228)	4.2% (10;506)	2.5% (2;62)	2.2% (2;196)
	Saint Francis Memorial Hospital	3.0% (1;20)	8.1% (8;105)	24.4% (6;28)	2.8% (2;74)	0.0% (0;3)	4.1% (5;136)	1.1% (2;193)	0.0% (0;43)	3.6% (5;191)
	Saint Mary's Medical Center, San Francisco	2.9% (3;89)	9.1% (10;118)	20.7% (4;21)	4.9% (5;94)	28.8% (1;3)	4.4% (7;126)	4.2% (14;218)	1.7% (1;66)	3.6% (3;86)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
San Francisco (continued)	UC San Francisco Medical Center	8.4% (9;147)	**6.9% (46;443) Better**	16.3% (24;148)	4.1% (11;207)	15.2% (11;88)	2.7% (8;278)	**5.0% (21;471) Worse**	1.7% (2;82)	1.6% (3;232)
San Joaquin	Dameron Hospital	**13.0% (17;134) Worse**	14.1% (7;68)	25.4% (1;5)	8.4% (5;62)		2.1% (2;108)	5.1% (8;167)	0.0% (0;34)	4.5% (3;92)
	Doctors Hospital of Manteca	17.8% (4;18)	15.9% (4;54)	54.0% (3;7)	4.5% (1;47)		3.6% (1;91)	3.2% (4;180)	4.9% (1;33)	4.5% (3;94)
	Kaiser Foundation Hospital – Manteca	3.4% (6;137)	7.3% (8;130)	8.3% (2;22)	5.7% (5;105)	55.7% (1;3)	2.7% (5;147)	3.5% (16;382)	1.9% (3;152)	5.1% (8;150)
	Lodi Memorial Hospital	12.6% (6;47)	**17.8% (10;94) Worse**	34.5% (3;5)	10.7% (7;89)		4.0% (4;163)	3.5% (9;324)	2.7% (2;73)	5.1% (11;212)
	Saint Joseph's Medical Center of Stockton	7.6% (44;756)	10.1% (38;400)	24.3% (27;94)	6.1% (11;298)	0.0% (0;8)	3.9% (15;410)	3.3% (21;687)	2.1% (3;115)	4.4% (13;223)
	San Joaquin General Hospital	3.2% (1;26)	6.6% (4;108)	11.9% (2;22)	5.0% (2;86)		4.9% (4;118)	1.2% (3;335)	0.0% (0;32)	0.0% (0;59)
	Sutter Tracy Community Hospital	12.0% (3;17)	0.0% (0;58)		0.0% (0;57)		0.0% (0;98)	1.2% (2;135)	0.0% (0;34)	1.0% (1;107)
San Luis Obispo	French Hospital Medical Center	7.3% (14;289)	7.8% (2;48)		2.9% (1;46)		0.8% (1;113)	2.2% (6;150)	3.3% (2;56)	2.8% (3;77)
	Marian Regional Medical Center – Arroyo Grande	8.2% (2;10)	6.6% (2;68)	96.8% (1;3)	2.0% (1;65)		0.0% (0;102)	1.7% (2;85)	4.1% (3;64)	3.5% (3;70)
	Sierra Vista Regional Medical Center		11.3% (13;124)	25.3% (9;52)	6.9% (4;71)		0.0% (0;86)	3.8% (2;61)	0.0% (0;65)	3.4% (2;78)
	Twin Cities Community Hospital	3.2% (1;20)	18.0% (8;117)	**77.4% (4;7) Worse**	6.8% (4;110)		3.9% (5;127)	3.7% (3;92)	1.6% (1;98)	4.4% (5;188)
San Mateo	Kaiser Foundation Hospital – Redwood City	6.8% (3;58)	**11.9% (79;528) Worse**	24.1% (35;181)	**9.6% (33;254) Worse**	19.9% (11;93)	1.6% (1;89)	4.5% (8;118)	0.0% (0;71)	3.0% (2;75)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
San Mateo (continued)	Kaiser Foundation Hospital – South San Francisco	5.7% (3;53)	5.9% (11;157)	13.0% (6;45)	3.2% (4;110)		0.5% (1;153)	1.7% (6;308)	2.1% (2;92)	1.6% (1;70)
	Peninsula Medical Center	4.6% (10;230)	9.8% (25;218)	23.1% (14;46)	5.3% (11;171)		2.3% (6;239)	**0.8% (5;387) Better**	2.4% (5;151)	1.9% (2;87)
	San Mateo Medical Center	0.0% (0;12)	0.0% (0;37)		0.0% (0;35)		2.9% (1;63)	0.0% (0;93)	0.0% (0;11)	0.0% (0;79)
	Sequoia Hospital	8.1% (5;69)	11.8% (6;80)	38.5% (3;14)	4.4% (2;64)		3.1% (3;66)	2.1% (4;223)	1.1% (1;54)	0.7% (1;110)
	Seton Medical Center	**10.7% (27;202) Worse**	7.5% (16;183)	16.2% (9;48)	4.3% (6;134)		2.5% (4;163)	1.5% (7;359)	0.0% (0;66)	2.4% (6;198)
Santa Barbara	Goleta Valley Cottage Hospital							0.0% (0;14)	0.0% (0;60)	0.0% (0;24)
	Lompoc Valley Medical Center	11.5% (1;11)	9.4% (1;29)	0.0% (0;3)	6.7% (1;26)		0.0% (0;80)	1.4% (1;91)	0.0% (0;26)	4.0% (2;64)
	Marian Regional Medical Center	6.2% (10;173)	10.4% (23;216)	23.6% (17;61)	6.1% (6;155)		1.2% (2;210)	2.8% (11;280)	0.9% (1;128)	6.0% (8;115)
	Santa Barbara Cottage Hospital	7.0% (13;263)	10.6% (58;567)	24.8% (20;105)	5.7% (26;404)	27.2% (12;58)	2.9% (9;306)	**4.6% (24;364) Worse**	1.2% (2;183)	3.3% (10;262)
	Santa Ynez Valley Cottage Hospital		33.1% (1;4)		49.4% (1;3)			7.0% (1;17)		18.3% (2;27)
Santa Clara	El Camino Hospital	6.4% (15;238)	10.4% (32;335)	28.8% (18;68)	4.6% (12;263)	29.0% (2;4)	1.3% (3;333)	3.0% (15;468)	2.1% (4;192)	3.8% (10;333)
	Good Samaritan Hospital – San Jose	6.4% (14;237)	**12.6% (41;373) Worse**	26.5% (17;75)	7.5% (19;281)	32.1% (5;17)	2.8% (6;271)	**4.6% (23;406) Worse**	2.7% (4;148)	**7.6% (13;182) Worse**
	Kaiser Foundation Hospital – San Jose	6.2% (16;174)	7.7% (16;239)	19.5% (7;37)	5.0% (9;196)	**0.0% (0;6) Better**	1.2% (2;181)	3.2% (13;291)	3.4% (7;139)	1.2% (2;111)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Santa Clara (continued)	Kaiser Foundation Hospital – Santa Clara	8.2% (39;636)	9.2% (25;315)	23.1% (12;59)	5.0% (11;245)	16.9% (2;11)	4.2% (12;305)	2.5% (23;824)	1.8% (2;163)	3.1% (7;172)
	O'Connor Hospital	7.7% (13;232)	8.3% (12;180)	18.7% (6;38)	5.6% (6;138)	0.0% (0;4)	1.3% (2;176)	2.8% (10;349)	2.2% (2;88)	3.3% (6;196)
	Regional Medical of San Jose	**8.9% (34;342) Worse**	10.7% (87;644)	26.6% (42;141)	5.1% (23;441)	27.6% (22;62)	3.6% (11;292)	2.7% (23;828)	3.3% (4;111)	4.6% (15;401)
	Saint Louise Regional Hospital	5.4% (1;8)	10.4% (3;55)	52.2% (1;4)	4.5% (2;51)		7.5% (2;43)	3.9% (4;102)	5.8% (2;36)	2.1% (2;116)
	Santa Clara Valley Medical Center	10.4% (10;181)	**13.5% (25;309) Worse**	29.3% (16;81)	9.2% (8;218)	23.9% (1;10)	1.7% (4;405)	2.9% (10;711)	3.4% (1;56)	3.8% (4;184)
	Stanford Health Care**	9.4% (17;244)	8.7% (62;442)	18.4% (17;89)	4.6% (29;279)	26.3% (16;74)	2.2% (5;291)	3.6% (16;468)	2.3% (4;155)	4.0% (6;265)
Santa Cruz	Dominican Hospital	4.6% (8;235)	7.4% (11;229)	12.5% (4;50)	5.4% (5;172)	20.9% (2;7)	1.3% (2;261)	3.3% (12;384)	1.5% (2;136)	2.6% (6;216)
	Watsonville Community Hospital	9.0% (1;9)	4.2% (1;65)	0.0% (0;4)	3.9% (1;61)		2.2% (2;101)	2.9% (2;91)	4.7% (1;36)	3.7% (2;86)
Shasta	Mayers Memorial Hospital	21.8% (1;4)					0.0% (0;3)	0.0% (0;11)		9.2% (1;29)
	Mercy Medical Center – Redding	**10.1% (26;347) Worse**	**12.7% (45;336) Worse**	25.8% (23;82)	**8.5% (21;249) Worse**	21.9% (1;5)	**5.9% (15;298) Worse**	**4.5% (23;438) Worse**	2.5% (6;173)	4.9% (13;270)
	Shasta Regional Medical Center	5.6% (15;297)	12.8% (7;153)	70.2% (2;6)	5.7% (5;147)		1.5% (2;182)	2.1% (9;359)	1.4% (1;83)	4.3% (9;159)
Siskiyou	Fairchild Medical Center	0.0% (0;7)	7.5% (1;36)	0.0% (0;4)	5.8% (1;32)		6.0% (3;36)	1.4% (1;39)	0.0% (0;15)	3.4% (3;96)
	Mercy Medical Center Mt. Shasta	45.3% (1;3)	0.0% (0;11)		0.0% (0;10)		0.0% (0;24)	6.9% (1;25)	9.2% (2;16)	6.8% (2;56)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	4.8% (11;325)	11.0% (20;260)	31.8% (6;32)	6.0% (13;223)	13.1% (1;5)	2.2% (4;279)	3.5% (18;441)	0.9% (1;103)	1.8% (3;127)
	Kaiser Foundation Hospital – Vacaville	10.8% (4;47)	10.6% (25;187)	27.0% (17;67)	4.6% (6;114)	27.5% (2;6)	5.6% (3;93)	4.5% (7;154)	3.7% (3;86)	2.4% (2;123)
	North Bay Medical Center	8.0% (13;192)	9.9% (21;192)	21.3% (12;40)	6.3% (8;148)	22.7% (1;4)	1.1% (2;161)	2.2% (8;397)	2.0% (3;97)	5.2% (14;232)
	Sutter Solano Medical Center	5.7% (1;17)	7.7% (2;77)		2.9% (1;75)		4.0% (3;72)	4.9% (8;229)	0.0% (0;35)	2.7% (2;107)
Sonoma	Healdsburg District Hospital		**48.8% (3;20) Worse**	100.0% (2;3)	20.7% (1;17)		0.0% (0;3)	**20.2% (3;26) Worse**	0.0% (0;18)	6.4% (2;60)
	Kaiser Foundation Hospital – Santa Rosa	3.1% (3;74)	10.8% (16;152)	20.2% (6;34)	7.8% (9;116)		**0.0% (0;248) Better**	4.4% (12;245)	0.8% (1;137)	6.1% (8;154)
	Palm Drive Hospital		12.3% (1;6)		0.0% (0;5)		0.0% (0;21)	0.0% (0;28)	5.7% (2;12)	0.0% (0;63)
	Petaluma Valley Hospital	14.7% (5;20)	10.3% (4;39)	20.7% (2;3)	6.7% (2;36)		3.4% (2;46)	4.2% (5;91)	3.8% (1;32)	3.4% (4;91)
	Santa Rosa Memorial Hospital – Montgomery	5.8% (22;383)	10.1% (37;282)	21.3% (20;65)	6.1% (16;216)		4.2% (13;277)	2.4% (9;306)	1.4% (3;150)	4.6% (9;167)
	Sonoma Valley Hospital		14.6% (2;16)		7.6% (1;15)		8.1% (1;19)	1.6% (1;39)	0.0% (0;40)	4.4% (1;27)
	Sutter Santa Rosa Regional Hospital	2.8% (3;152)	9.1% (4;72)	26.9% (1;3)	4.7% (3;69)		1.7% (2;135)	2.9% (4;122)	0.0% (0;62)	4.1% (3;51)
Stanislaus	Doctors Medical Center	**11.6% (30;413) Worse**	10.8% (53;471)	24.7% (34;133)	6.3% (17;329)	22.3% (2;9)	3.4% (12;421)	3.6% (14;574)	2.3% (3;196)	5.3% (16;464)
	Emanuel Medical Center	6.6% (16;388)	14.5% (5;78)	59.4% (1;3)	7.0% (3;74)		5.2% (4;117)	4.7% (14;382)	0.0% (0;18)	3.1% (7;316)
	Memorial Hospital Medical Center – Modesto	7.1% (22;424)	7.3% (33;450)	15.9% (19;103)	4.0% (12;341)	35.8% (2;6)	2.4% (13;524)	2.6% (18;629)	2.8% (6;187)	4.0% (12;298)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Stanislaus (continued)	Oak Valley District Hospital		13.4% (2;18)		0.0% (0;16)		0.0% (0;16)	6.9% (1;29)	0.0% (0;9)	4.4% (1;60)
Tehama	Saint Elizabeth Community Hospital	0.0% (0;12)	**23.4% (7;56) Worse**	**100.0% (4;5) Worse**	6.6% (2;50)		5.7% (3;71)	2.6% (3;91)	7.1% (2;47)	0.0% (0;59)
Trinity	Trinity Hospital	17.2% (1;3)					0.0% (0;7)	0.0% (0;20)		0.0% (0;36)
Tulare	Kaweah Delta Medical Center	7.5% (57;637)	9.6% (35;442)	23.3% (20;67)	4.5% (12;370)	44.1% (3;5)	**4.0% (22;488) Worse**	3.1% (35;940)	1.9% (6;213)	3.5% (27;656)
	Sierra View Medical Center	10.3% (7;83)	7.9% (3;92)	14.8% (1;4)	4.9% (2;88)		2.0% (1;93)	1.2% (2;176)	2.8% (3;71)	5.7% (9;207)
	Tulare Regional Medical Center	5.9% (1;14)	32.0% (1;22)		0.0% (0;21)		4.6% (9;160)	3.6% (3;86)	0.0% (0;27)	**8.4% (19;154) Worse**
Tuolumne	Sonora Regional Medical Center – Greenley	**16.6% (5;24) Worse**	15.8% (10;90)	27.8% (3;6)	10.1% (7;84)		3.7% (4;94)	4.1% (9;174)	0.0% (0;85)	4.2% (7;143)
Ventura	Community Memorial Hospital – San Buenaventura	8.9% (22;298)	6.5% (10;248)	12.2% (5;60)	4.4% (4;185)	28.2% (1;3)	3.6% (5;243)	3.4% (9;305)	1.8% (3;169)	3.5% (8;240)
	Los Robles Hospital and Medical Center	4.4% (10;297)	**15.0% (61;340) Worse**	**36.9% (22;62) Worse**	**9.0% (32;245) Worse**	23.7% (7;33)	2.4% (4;262)	2.9% (15;398)	1.7% (3;161)	**6.8% (17;201) Worse**
	Ojai Valley Community Hospital	0.0% (0;4)	36.6% (1;10)		0.0% (0;9)		5.4% (1;17)	0.0% (0;16)	0.0% (0;11)	0.0% (0;26)
	Saint John's Pleasant Valley Hospital	7.8% (3;28)	5.8% (5;95)	18.2% (2;7)	2.5% (2;86)		1.0% (1;106)	2.1% (7;200)	0.0% (0;62)	3.1% (4;98)
	Saint John's Regional Medical Center	5.7% (20;282)	8.3% (19;228)	17.8% (10;51)	4.7% (7;171)	27.8% (2;6)	1.9% (4;248)	2.2% (12;498)	1.6% (2;91)	2.3% (5;214)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (3,178;52,167)	9.1% (5,482;60,184)	21.1% (2,580;12,210)	5.0% (2,258;45,141)	22.7% (644;2,833)	2.6% (1,412;54,011)	2.9% (2,763;95,205)	1.9% (497;26,404)	3.2% (1,759;55,142)
Ventura (continued)	Simi Valley Hospital and Healthcare Services – Sycamore	5.0% (4;109)	12.2% (13;143)	33.0% (9;21)	5.4% (4;120)		4.4% (6;150)	2.4% (6;189)	1.6% (1;76)	1.0% (2;156)
	Ventura County Medical Center	8.2% (3;54)	13.7% (10;105)	26.3% (4;20)	7.3% (4;83)		3.1% (3;146)	**9.2% (7;145) Worse**	0.0% (0;50)	2.9% (2;116)
Yolo	Sutter Davis Hospital	0.0% (0;13)	3.3% (1;53)	0.0% (0;4)	3.0% (1;48)		0.0% (0;75)	4.8% (4;76)	**6.4% (4;45) Worse**	0.0% (0;55)
	Woodland Memorial Hospital	5.7% (3;15)	13.3% (7;72)	**41.2% (5;6) Worse**	4.5% (2;66)		7.3% (4;65)	3.5% (5;89)	2.7% (1;52)	1.5% (1;71)
Yuba	Rideout Memorial Hospital	5.6% (23;327)	9.2% (21;232)	20.5% (10;40)	5.1% (10;190)		1.6% (4;280)	3.3% (19;556)	1.4% (2;131)	4.0% (17;449)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.