California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Alameda	Alameda Hospital	0.0% (0;10)	11.6% (5;107)	29.3% (2;5)	6.1% (3;102)		0.0% (0;85)	3.4% (5;137)	0.0% (0;31)	6.1% (5;98)
	Alta Bates Summit Medical Center	5.7% (25;451)	**3.3% (8;325) Better**	21.4% (4;15)	**1.1% (4;309) Better**		2.6% (9;341)	2.9% (27;675)	1.8% (2;95)	2.8% (4;109)
	Alta Bates Summit Medical Center – Alta Bates Campus	2.3% (1;26)	**5.8% (14;213) Better**	16.2% (13;95)	1.1% (1;115)	0.0% (0;3)	1.4% (3;206)	3.3% (12;306)	2.7% (2;89)	4.6% (5;82)
	Eden Medical Center	7.3% (5;40)	8.7% (88;569)	20.4% (32;118)	4.9% (36;373)	21.2% (20;78)	2.8% (6;180)	2.8% (9;267)	2.6% (5;126)	1.8% (3;105)
	Highland Hospital	9.5% (13;154)	10.0% (13;118)	21.5% (9;40)	4.9% (2;75)	54.3% (2;3)	3.2% (5;148)	1.5% (4;379)	0.0% (0;45)	2.1% (1;99)
	Kaiser Foundation Hospital – Fremont	4.8% (4;68)	8.1% (11;107)	16.1% (3;17)	5.2% (6;84)	17.7% (2;6)	5.7% (4;82)	2.1% (5;140)	1.5% (1;68)	2.8% (3;76)
	Kaiser Foundation Hospital – Oakland/Richmond	6.5% (19;236)	8.9% (46;509)	25.7% (25;98)	4.1% (19;403)	13.8% (2;8)	2.2% (7;356)	2.0% (20;866)	1.8% (2;173)	3.0% (8;189)
	Kaiser Foundation Hospital – San Leandro	6.3% (6;47)	8.6% (17;217)	16.8% (5;44)	5.6% (12;170)	0.0% (0;3)	2.0% (3;157)	3.5% (15;309)	1.0% (1;116)	1.9% (4;129)
	Saint Rose Hospital	**10.2% (13;207) Worse**	5.9% (3;67)	14.8% (1;3)	2.1% (1;62)		1.2% (1;114)	4.0% (6;219)	3.8% (1;26)	3.2% (4;147)
	San Leandro Hospital	8.0% (1;12)	0.0% (0;40)		0.0% (0;39)		1.0% (1;73)	1.6% (3;226)	0.0% (0;25)	0.0% (0;98)
	Valleycare Medical Center	9.1% (15;160)	11.5% (3;63)	49.6% (1;3)	5.5% (2;59)		1.3% (2;143)	1.7% (6;285)	0.0% (0;87)	3.8% (6;157)
	Washington Hospital – Fremont	6.2% (18;302)	**15.3% (44;323) Worse**	**33.5% (20;65) Worse**	**9.8% (18;235) Worse**	33.4% (6;23)	**5.1% (13;305) Worse**	1.8% (8;478)	4.8% (5;93)	**4.6% (19;351) Worse**
Amador	Sutter Amador Hospital	7.6% (2;6)	5.9% (4;73)	23.1% (2;8)	2.4% (2;64)		0.0% (0;60)	3.0% (3;109)	1.6% (1;48)	3.7% (2;55)
Butte	Adventist Health Feather River**	7.0% (5;32)	6.3% (4;94)	29.4% (2;4)	2.3% (2;90)		4.5% (6;116)	1.7% (5;180)	0.0% (0;68)	0.9% (2;159)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Butte (continued)	Enloe Medical Center – Esplanade	5.5% (18;398)	9.3% (35;373)	23.5% (19;81)	4.5% (14;289)	28.9% (2;3)	1.5% (5;376)	3.1% (26;700)	1.7% (3;188)	3.4% (11;358)
	Orchard Hospital						0.0% (0;3)	0.0% (0;17)		0.0% (0;21)
	Oroville Hospital	1.8% (1;32)	5.1% (7;171)	25.2% (3;6)	**2.0% (4;165) Better**		1.4% (3;186)	**0.8% (4;475) Better**	1.3% (2;73)	0.0% (0;11)
Calaveras	Mark Twain Medical Center	0.0% (0;3)	22.9% (1;22)		0.0% (0;21)		0.0% (0;8)	2.7% (2;39)	0.0% (0;25)	0.0% (0;50)
Contra Costa	Contra Costa Regional Medical Center	0.0% (0;33)	7.5% (1;80)	71.2% (1;5)	0.0% (0;75)		2.2% (1;118)	1.3% (2;293)	0.0% (0;16)	2.1% (1;94)
	John Muir Medical Center – Concord Campus	3.9% (16;403)	6.4% (9;204)	31.2% (3;5)	2.8% (6;198)		2.5% (8;291)	2.2% (20;742)	1.5% (2;81)	1.8% (4;184)
	John Muir Medical Center – Walnut Creek Campus	6.8% (14;160)	8.1% (81;533)	17.6% (42;176)	4.8% (31;326)	25.1% (8;31)	2.3% (14;472)	2.9% (27;576)	1.4% (4;216)	1.9% (10;339)
	Kaiser Foundation Hospital – Antioch	4.7% (4;60)	9.7% (16;143)	22.0% (6;32)	6.7% (10;108)	0.0% (0;3)	3.4% (6;111)	2.6% (9;258)	0.0% (0;85)	3.0% (3;100)
	Kaiser Foundation Hospital – Walnut Creek	4.4% (9;216)	6.0% (9;210)	13.9% (4;50)	3.4% (5;159)		2.2% (5;208)	2.4% (13;396)	1.2% (2;215)	2.4% (4;132)
	San Ramon Regional Medical Center	7.0% (5;82)	14.5% (10;122)	28.1% (3;8)	11.1% (7;113)		2.2% (1;111)	1.9% (4;162)	**7.8% (5;53) Worse**	1.2% (3;188)
	Sutter Delta Medical Center	5.4% (10;214)	4.2% (3;85)	17.6% (1;3)	1.1% (1;81)		1.1% (1;88)	1.9% (10;524)	3.0% (3;57)	4.5% (5;110)
Del Norte	Sutter Coast Hospital	4.1% (2;21)	17.0% (8;51)		9.7% (7;50)		3.9% (2;55)	2.8% (4;115)	5.3% (2;21)	3.8% (2;48)
El Dorado	Barton Memorial Hospital		33.6% (1;19)		18.6% (1;19)		0.0% (0;24)	4.1% (2;66)	0.0% (0;33)	5.5% (3;75)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
El Dorado (continued)	Marshall Medical Center	**21.5% (4;21) Worse**	7.4% (5;103)	25.7% (3;8)	3.0% (2;94)		1.3% (3;182)	2.3% (8;270)	0.0% (0;75)	0.8% (1;126)
Fresno	Adventist Health Reedley**	0.0% (0;8)	0.0% (0;13)		0.0% (0;13)			5.0% (1;17)		0.0% (0;23)
	Clovis Community Medical Center	**11.5% (18;173) Worse**	12.5% (16;196)	44.1% (4;9)	6.2% (12;187)		1.9% (5;328)	4.1% (20;449)	1.7% (2;159)	3.6% (18;403)
	Coalinga Regional Medical Center							0.0% (0;3)		0.0% (0;26)
	Community Regional Medical Center – Fresno	**8.0% (48;716) Worse**	**10.7% (154;1,032) Worse**	**24.8% (94;371) Worse**	**6.6% (51;603) Worse**	18.4% (9;58)	2.7% (15;607)	3.4% (27;1,143)	2.4% (4;146)	1.9% (8;573)
	Kaiser Foundation Hospital – Fresno	5.1% (9;156)	9.2% (20;269)	24.9% (12;51)	4.8% (8;213)	0.0% (0;5)	5.2% (6;183)	4.5% (17;339)	2.4% (3;155)	3.1% (7;158)
	Saint Agnes Medical Center	5.9% (28;510)	8.6% (23;426)	35.1% (8;18)	3.8% (14;407)		2.4% (16;610)	2.3% (31;1,163)	2.3% (9;269)	2.6% (14;519)
Glenn	Glenn Medical Center							0.0% (0;4)		0.0% (0;14)
Humboldt	Jerold Phelps Community Hospital									39.3% (1;3)
	Mad River Community Hospital		0.0% (0;21)		0.0% (0;21)		12.6% (2;23)	0.0% (0;36)	0.0% (0;4)	2.0% (1;63)
	Redwood Memorial Hospital	18.9% (1;7)	6.8% (2;14)	31.1% (2;3)	0.0% (0;11)		0.0% (0;30)	3.8% (1;20)	3.1% (1;13)	0.0% (0;18)
	Saint Joseph Hospital – Eureka	5.0% (15;286)	6.9% (7;115)	9.4% (1;10)	4.4% (6;104)		3.4% (6;128)	3.6% (12;261)	1.1% (2;95)	3.2% (4;99)
Imperial	El Centro Regional Medical Center	1.9% (1;25)	10.6% (8;103)	33.6% (3;5)	3.7% (3;96)		1.6% (2;139)	**0.8% (2;210) Better**	0.0% (0;37)	1.3% (4;209)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Imperial (continued)	Pioneers Memorial Healthcare District	4.8% (2;24)	10.1% (3;73)	27.9% (2;8)	4.7% (1;64)		4.5% (3;96)	2.4% (3;128)	2.4% (1;33)	2.0% (4;183)
Inyo	Northern Inyo Hospital	0.0% (0;7)	**31.4% (4;22) Worse**	56.0% (2;3)	25.8% (2;19)		0.0% (0;14)	0.0% (0;17)	0.0% (0;10)	0.0% (0;30)
Kern	Adventist Health Bakersfield**	6.3% (32;560)	**12.1% (64;538) Worse**	25.6% (28;116)	**7.2% (30;412) Worse**	35.7% (6;10)	2.2% (8;382)	3.1% (24;780)	2.1% (3;152)	4.1% (18;416)
	Adventist Health Medical Center Tehachapi Valley**									0.0% (0;12)
	Bakersfield Heart Hospital	5.3% (10;232)	0.0% (0;26)		0.0% (0;26)		2.8% (2;67)	2.2% (8;333)		1.6% (1;76)
	Bakersfield Memorial Hospital	6.0% (23;451)	10.1% (31;331)	19.9% (9;51)	7.1% (13;249)	22.2% (9;31)	2.6% (5;209)	2.6% (14;623)	2.2% (2;150)	4.5% (10;304)
	Delano Regional Medical Center	6.0% (1;8)	16.0% (4;13)		9.9% (2;11)		4.9% (2;34)	3.5% (5;100)	0.0% (0;6)	2.8% (3;65)
	Good Samaritan Hospital – Bakersfield						0.0% (0;18)	2.3% (1;65)		2.1% (1;102)
	Kern Medical Center	0.0% (0;13)	12.9% (11;84)	40.7% (5;14)	6.2% (3;63)	24.7% (3;7)	2.8% (2;87)	3.6% (3;169)	0.0% (0;53)	3.0% (1;81)
	Kern Valley Healthcare District		0.0% (0;3)		0.0% (0;3)		0.0% (0;4)	5.7% (1;31)		0.0% (0;43)
	Mercy Hospital – Bakersfield	4.4% (3;33)	7.0% (8;217)	20.4% (5;35)	2.3% (2;178)	26.5% (1;4)	2.7% (5;176)	1.6% (4;287)	0.7% (1;136)	2.9% (11;455)
	Ridgecrest Regional Hospital		**84.2% (3;18) Worse**		**48.2% (2;17) Worse**		0.0% (0;43)	3.0% (2;69)	4.9% (1;12)	0.0% (0;41)
Kings	Adventist Health Hanford**	4.7% (12;162)	14.3% (11;157)	48.9% (4;7)	6.6% (6;149)		1.0% (1;144)	3.1% (12;463)	5.2% (5;112)	1.6% (5;312)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Lake	Adventist Health Clearlake**						0.0% (0;22)	4.9% (4;83)		0.0% (0;61)
	Sutter Lakeside Hospital	0.0% (0;4)	0.0% (0;37)		0.0% (0;37)		7.1% (1;22)	0.0% (0;51)	0.0% (0;30)	0.0% (0;29)
Lassen	Banner Lassen Medical Center		17.2% (2;3)				0.0% (0;9)	5.6% (1;20)		2.6% (1;38)
Los Angeles	Adventist Health Glendale**	6.1% (29;438)	7.4% (41;420)	16.8% (15;85)	3.9% (18;295)	23.1% (8;40)	**1.0% (4;284) Better**	2.5% (27;711)	1.7% (4;160)	**1.6% (11;487) Better**
	Adventist Health White Memorial**	4.9% (14;313)	9.3% (17;236)	24.9% (9;44)	3.7% (6;189)	52.3% (2;3)	2.6% (8;294)	2.5% (11;447)	1.1% (1;65)	1.3% (3;215)
	Alhambra Hospital Medical Center	4.1% (2;25)	3.2% (1;68)	0.0% (0;8)	2.9% (1;59)		1.8% (3;126)	2.0% (6;232)	4.3% (1;27)	1.6% (4;164)
	Antelope Valley Hospital	**11.2% (28;352) Worse**	11.2% (43;476)	**29.4% (25;103) Worse**	5.4% (16;366)	26.7% (2;7)	**6.3% (18;337) Worse**	**5.3% (18;448) Worse**	2.2% (3;131)	**5.7% (22;296) Worse**
	Beverly Hospital	6.9% (14;196)	7.6% (9;139)	18.3% (5;36)	4.3% (4;101)		3.5% (5;235)	1.5% (4;314)	1.7% (1;74)	2.5% (5;183)
	California Hospital Medical Center – Los Angeles	4.1% (8;176)	8.7% (24;298)	24.5% (16;58)	3.3% (6;231)	25.8% (2;9)	2.0% (4;228)	**0.6% (4;642) Better**	0.0% (0;36)	0.7% (1;211)
	Casa Colina Hospital	0.0% (0;8)	2.2% (1;45)	7.6% (1;12)	0.0% (0;33)		0.0% (0;18)	0.0% (0;38)	0.0% (0;11)	0.0% (0;26)
	Cedars Sinai Medical Center	5.8% (54;832)	7.7% (84;774)	**13.6% (30;187) Better**	4.7% (29;505)	26.1% (25;82)	1.7% (18;831)	2.3% (54;1,698)	1.2% (5;288)	2.8% (18;526)
	Centinela Hospital Medical Center	**1.4% (5;226) Better**	**4.3% (9;255) Better**	22.7% (6;26)	**0.8% (2;225) Better**	27.4% (1;4)	1.8% (7;387)	**0.4% (6;1,330) Better**	2.0% (2;64)	2.0% (3;137)
	Citrus Valley Medical Center – Inter Community Campus	**9.8% (27;449) Worse**	8.7% (9;78)	22.1% (6;24)	3.5% (2;52)		2.8% (4;184)	2.9% (8;326)	3.6% (3;72)	4.6% (9;168)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Los Angeles (continued)	Citrus Valley Medical Center – Queen of the Valley Campus	9.2% (8;48)	8.5% (28;431)	27.1% (18;76)	2.8% (6;346)	18.6% (4;9)	1.7% (4;267)	3.0% (8;337)	0.0% (0;84)	2.1% (5;224)
	City of Hope Helford Clinical Research Hospital	0.0% (0;3)	9.6% (2;10)	27.2% (2;8)			2.1% (1;39)	0.0% (0;6)		**6.5% (18;197) Worse**
	Coast Plaza Hospital	3.9% (1;32)	3.3% (1;42)		0.0% (0;40)		2.5% (1;64)	1.2% (2;198)	0.0% (0;10)	5.3% (2;56)
	College Medical Center	8.8% (1;11)	8.6% (2;19)		0.0% (0;17)		2.1% (3;119)	0.0% (0;87)	0.0% (0;21)	0.0% (0;52)
	Community Hospital Long Beach	2.2% (1;32)	0.0% (0;36)		0.0% (0;36)		4.4% (5;114)	3.3% (3;114)	0.0% (0;51)	4.9% (5;90)
	Community and Mission Hospital of Huntington Park – Slauson	1.9% (2;103)	5.7% (1;39)		3.5% (1;38)		2.5% (2;88)	2.2% (4;204)	0.0% (0;18)	1.8% (2;113)
	East Los Angeles Doctors Hospital	4.4% (2;35)	0.0% (0;16)		0.0% (0;16)		1.2% (1;61)	0.0% (0;117)	0.0% (0;10)	1.4% (1;89)
	Encino Hospital Medical Center	**0.0% (0;48) Better**	3.7% (1;13)	15.2% (1;3)	0.0% (0;10)		0.0% (0;42)	**0.0% (0;107) Better**	0.0% (0;16)	1.0% (1;42)
	Foothill Presbyterian Hospital – Johnston Memorial	6.8% (4;32)	8.1% (6;75)	18.9% (5;20)	4.8% (1;55)		1.8% (2;132)	4.0% (8;196)	2.5% (2;76)	2.8% (3;131)
	Gardens Regional Hospital and Medical Center	0.0% (0;6)						0.0% (0;7)		0.0% (0;5)
	Garfield Medical Center	7.1% (19;260)	9.6% (25;301)	24.5% (13;65)	5.8% (11;226)	8.1% (1;10)	4.0% (6;184)	1.8% (10;442)	2.6% (1;64)	2.9% (6;159)
	Glendale Memorial Hospital and Medical Center	5.1% (11;236)	**1.8% (2;137) Better**	4.9% (1;19)	**0.9% (1;118) Better**		1.8% (3;196)	2.3% (13;487)	1.0% (1;76)	2.7% (10;267)
	Glendora Community Hospital	0.0% (0;11)	0.0% (0;6)		0.0% (0;5)		0.0% (0;34)	2.2% (1;40)	0.0% (0;5)	6.4% (2;35)
	Good Samaritan Hospital – Los Angeles	**9.6% (34;288) Worse**	8.7% (37;385)	20.1% (17;75)	4.8% (15;289)	22.9% (5;21)	3.8% (8;231)	3.4% (16;529)	1.5% (1;67)	4.3% (8;150)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Los Angeles (continued)	Greater El Monte Community Hospital	9.0% (2;17)	7.7% (2;26)		0.0% (0;23)		3.4% (2;70)	1.4% (1;115)		3.8% (4;78)
	Henry Mayo Newhall Hospital	4.9% (9;203)	9.0% (16;210)	28.5% (10;43)	2.3% (3;162)	31.5% (3;5)	2.6% (7;245)	2.1% (11;380)	0.7% (1;115)	**0.5% (2;311) Better**
	Hollywood Presbyterian Medical Center	5.0% (13;285)	8.7% (13;182)	21.1% (6;39)	2.9% (3;137)	38.4% (4;6)	2.1% (4;162)	2.8% (9;344)	0.0% (0;68)	2.4% (3;130)
	Huntington Memorial Hospital	**3.2% (11;301) Better**	7.1% (36;502)	17.7% (17;108)	3.4% (13;371)	22.4% (6;23)	1.6% (6;461)	1.8% (12;565)	2.3% (4;204)	2.7% (15;484)
	Kaiser Foundation Hospital – Baldwin Park	3.6% (4;102)	**2.2% (4;217) Better**	7.1% (2;41)	**1.1% (2;173) Better**	0.0% (0;3)	1.2% (3;183)	1.6% (7;380)	1.2% (1;127)	3.7% (6;121)
	Kaiser Foundation Hospital – Downey	4.0% (7;174)	6.0% (17;335)	21.0% (7;47)	**2.5% (9;286) Better**		1.0% (2;202)	3.6% (13;351)	0.9% (1;127)	3.6% (7;160)
	Kaiser Foundation Hospital – Panorama City	**1.0% (1;89) Better**	8.0% (9;119)	17.6% (2;17)	4.6% (7;100)		4.5% (5;141)	3.2% (9;170)	2.2% (3;149)	2.4% (4;104)
	Kaiser Foundation Hospital – South Bay	5.5% (6;86)	**4.5% (8;174) Better**	11.5% (3;31)	2.6% (5;141)		1.6% (3;122)	2.8% (12;287)	0.0% (0;120)	3.4% (6;87)
	Kaiser Foundation Hospital – Sunset	**3.8% (40;1,310) Better**	**6.8% (60;745) Better**	**15.2% (26;207) Better**	4.5% (31;474)	**7.7% (3;64) Better**	2.0% (6;263)	2.6% (23;657)	2.5% (3;114)	2.6% (4;121)
	Kaiser Foundation Hospital – West Los Angeles	2.4% (3;116)	**5.4% (12;171) Better**	16.0% (8;36)	2.3% (4;132)	0.0% (0;3)	1.6% (3;115)	3.1% (10;196)	0.0% (0;93)	0.0% (0;50)
	Kaiser Foundation Hospital – Woodland Hills	4.3% (10;159)	6.7% (10;162)	12.9% (2;21)	4.0% (8;139)		2.8% (5;157)	1.7% (11;307)	2.4% (7;199)	2.9% (6;98)
	Keck Hospital of University of Southern California	7.1% (12;110)	**6.8% (69;479) Better**	22.1% (38;173)	3.8% (17;176)	**9.7% (14;130) Better**	3.2% (5;91)	4.0% (12;187)	0.0% (0;6)	0.0% (0;36)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.
*****Hospital name changed from 2016 to 2017, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Los Angeles (continued)	Lakewood Regional Medical Center	4.9% (17;328)	7.5% (13;240)	19.4% (8;36)	3.3% (4;201)	27.6% (1;3)	2.6% (4;193)	1.9% (8;454)	0.0% (0;90)	3.3% (4;147)
	Long Beach Memorial Medical Center	7.6% (28;413)	7.6% (52;592)	20.3% (27;110)	3.3% (17;444)	23.5% (8;38)	2.5% (7;329)	1.5% (10;744)	0.0% (0;115)	2.4% (6;240)
	Los Angeles Community Hospital	0.0% (0;23)	0.0% (0;52)		0.0% (0;50)		1.4% (2;109)	**0.0% (0;173) Better**	0.0% (0;17)	**0.0% (0;144) Better**
	Los Angeles County/Harbor – UCLA Medical Center	**10.5% (22;318) Worse**	**12.7% (29;255) Worse**	32.1% (14;56)	5.6% (8;181)	37.1% (7;18)	3.0% (6;199)	2.6% (9;533)	2.0% (1;43)	4.6% (3;77)
	Los Angeles County/Olive View – UCLA Medical Center	7.4% (5;123)	10.0% (3;113)	0.0% (0;6)	6.3% (3;107)		2.8% (4;168)	1.9% (4;464)	0.0% (0;3)	1.8% (1;127)
	Los Angeles County/University of Southern California Medical Center	5.3% (11;229)	**12.2% (51;317) Worse**	26.3% (27;111)	**10.0% (18;176) Worse**	19.3% (6;30)	2.3% (10;411)	2.9% (22;1,054)	0.9% (1;74)	1.3% (3;282)
	Marina Del Rey Hospital	0.0% (0;16)	8.7% (3;46)		2.8% (1;44)		2.0% (2;112)	0.6% (1;116)	0.0% (0;54)	3.5% (4;88)
	Memorial Hospital of Gardena	1.8% (1;59)	5.5% (3;103)	0.0% (0;5)	3.3% (3;98)		2.7% (4;120)	0.9% (2;314)	0.0% (0;15)	1.0% (1;121)
	Methodist Hospital of Southern California	5.8% (24;272)	8.0% (41;411)	17.8% (15;75)	4.7% (23;324)	15.6% (3;12)	3.2% (16;305)	**1.2% (10;563) Better**	2.8% (9;203)	2.0% (8;256)
	Mission Community Hospital – Panorama Campus	4.5% (2;24)	0.0% (0;31)	0.0% (0;4)	0.0% (0;27)		1.7% (4;111)	**0.2% (1;220) Better**	0.0% (0;37)	1.0% (2;91)
	Monterey Park Hospital	5.6% (1;17)	6.4% (1;46)	0.0% (0;5)	4.6% (1;41)		5.5% (4;62)	1.8% (2;117)	0.0% (0;23)	2.1% (2;110)
	Northridge Hospital Medical Center	4.8% (31;490)	8.7% (27;268)	23.6% (19;74)	4.0% (7;184)	10.5% (1;10)	2.1% (6;236)	**1.4% (11;517) Better**	1.0% (3;145)	0.5% (1;150)
	Norwalk Community Hospital	1.5% (1;41)	**0.0% (0;32) Better**		0.0% (0;30)		**0.0% (0;78) Better**	1.4% (2;111)	0.0% (0;7)	0.0% (0;37)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Los Angeles (continued)	Olympia Medical Center	7.8% (5;38)	13.0% (3;38)		5.1% (2;37)		2.6% (5;113)	1.2% (3;205)	1.4% (1;40)	2.0% (4;127)
	PIH Hospital – Downey	3.6% (7;204)	3.7% (3;133)	10.1% (2;25)	1.8% (1;106)		1.4% (3;211)	**0.8% (4;392) Better**	0.0% (0;99)	2.2% (6;200)
	Pacific Alliance Medical Center	19.1% (1;7)	0.0% (0;46)	0.0% (0;3)	0.0% (0;43)		1.8% (1;63)	3.8% (5;179)	0.0% (0;17)	0.0% (0;111)
	Pacifica Hospital of the Valley		9.2% (1;26)		0.0% (0;25)		6.5% (4;46)	2.7% (1;71)	0.0% (0;5)	2.6% (3;88)
	Palmdale Regional Medical Center	4.7% (10;293)	8.1% (9;164)	17.8% (3;25)	4.7% (5;134)	18.8% (1;5)	3.0% (7;221)	1.8% (8;499)	0.8% (1;95)	3.3% (8;199)
	Pomona Valley Hospital Medical Center Right click to view comment letter)	6.3% (30;455)	9.8% (56;584)	22.4% (29;127)	5.8% (22;430)	22.2% (5;27)	3.4% (12;323)	1.7% (12;632)	3.0% (5;167)	1.6% (5;252)
	Presbyterian Intercommunity Hospital	5.3% (37;627)	8.3% (40;493)	24.7% (20;93)	**2.9% (11;370) Better**	28.1% (9;30)	1.7% (7;388)	1.6% (14;760)	1.8% (3;188)	**0.9% (3;275) Better**
	Promise Hospital of East Los Angeles – Suburban Campus									8.9% (2;4)
	Providence Holy Cross Medical Center	**3.0% (8;262) Better**	8.4% (27;317)	20.7% (15;88)	4.1% (9;223)	25.7% (3;6)	**0.8% (3;349) Better**	**1.6% (17;703) Better**	3.2% (7;149)	1.4% (5;257)
	Providence Little Company of Mary Medical Center – San Pedro	5.7% (1;9)	9.8% (7;100)	15.9% (2;10)	6.7% (5;90)		1.8% (2;133)	2.5% (6;211)	1.7% (1;46)	0.9% (1;107)
	Providence Little Company of Mary Medical Center – Torrance	6.2% (29;442)	9.3% (44;438)	22.5% (18;87)	5.5% (25;340)	6.7% (1;11)	1.8% (7;402)	2.4% (20;710)	2.1% (3;166)	3.4% (14;331)
	Providence Saint John's Health Center	3.3% (7;148)	9.2% (27;274)	18.4% (12;61)	6.4% (13;200)	18.6% (2;13)	2.4% (6;197)	1.9% (6;262)	1.1% (2;122)	2.9% (9;222)
	Providence Saint Joseph Medical Center	4.4% (12;283)	7.7% (51;521)	17.5% (17;94)	3.9% (22;385)	24.7% (12;42)	2.1% (11;333)	**1.3% (15;629) Better**	2.0% (4;190)	1.5% (7;330)
	Providence Tarzana Medical Center	3.8% (8;177)	6.4% (8;193)	15.1% (3;25)	3.0% (4;165)	64.4% (1;3)	0.5% (1;210)	**1.4% (13;473) Better**	1.7% (3;122)	1.5% (4;181)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Los Angeles (continued)	Ronald Reagan UCLA Medical Center	4.8% (13;285)	**5.4% (40;426) Better**	**14.6% (18;98) Better**	**2.4% (13;272) Better**	15.1% (9;56)	1.4% (5;251)	2.1% (11;439)	0.0% (0;22)	**6.5% (10;173) Worse**
	Saint Francis Medical Center	6.7% (24;316)	8.0% (31;376)	18.7% (18;77)	4.5% (9;287)	20.7% (4;12)	3.4% (7;268)	2.1% (11;697)	1.7% (1;61)	1.5% (3;198)
	Saint Mary Medical Center – Long Beach	5.3% (16;298)	9.3% (19;161)	21.2% (9;38)	5.6% (8;118)	19.1% (2;5)	3.7% (8;193)	1.4% (5;363)	4.4% (4;43)	3.4% (5;144)
	Saint Vincent Medical Center	**2.4% (9;294) Better**	11.4% (19;147)	25.4% (8;19)	7.4% (10;122)	14.4% (1;6)	2.3% (6;231)	1.8% (11;533)	3.7% (5;87)	1.9% (7;282)
	San Dimas Community Hospital	1.7% (1;32)	0.0% (0;23)		0.0% (0;21)		2.2% (2;53)	1.9% (2;90)	0.0% (0;30)	0.0% (0;42)
	San Gabriel Valley Medical Center	7.0% (7;60)	**4.1% (6;153) Better**	**7.2% (2;35) Better**	2.5% (3;113)	17.0% (1;5)	4.1% (9;203)	3.0% (15;351)	0.0% (0;87)	4.4% (10;204)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	4.2% (8;185)	**3.3% (4;138) Better**	**7.5% (2;24) Better**	1.9% (2;113)		2.3% (8;269)	**1.2% (7;428) Better**	0.9% (2;197)	1.5% (5;216)
	Sherman Oaks Hospital	**0.4% (1;126) Better**	5.1% (4;61)	13.5% (2;13)	3.1% (2;47)		**0.0% (0;104) Better**	**0.8% (5;301) Better**	**0.0% (0;67) Better**	**0.9% (3;140) Better**
	Silver Lake Medical Center – Downtown Campus	0.0% (0;4)	32.0% (1;8)		17.7% (1;8)		0.0% (0;47)	0.0% (0;32)	0.0% (0;6)	2.5% (3;114)
	Southern California Hospital at Culver City	4.5% (4;101)	**1.7% (1;95) Better**	0.0% (0;8)	1.6% (1;87)		1.8% (2;117)	2.3% (7;293)	2.5% (2;36)	2.2% (4;143)
	Southern California Hospital at Hollywood	5.2% (1;7)	0.0% (0;19)		0.0% (0;19)		1.5% (2;84)	0.0% (0;62)	15.0% (1;12)	0.8% (1;97)
	Torrance Memorial Medical Center	6.9% (41;458)	11.3% (38;439)	22.3% (16;80)	7.1% (19;353)	37.0% (3;6)	1.7% (7;540)	3.3% (33;896)	1.9% (6;265)	2.7% (16;470)
	University of Southern California Verdugo Hills Hospital	8.3% (5;30)	8.7% (4;93)	0.0% (0;3)	1.8% (1;87)	**59.6% (3;3) Worse**	0.0% (0;103)	**0.7% (2;168) Better**	0.0% (0;90)	**0.0% (0;139) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Los Angeles (continued)	Valley Presbyterian Hospital	4.9% (12;256)	10.2% (13;162)	33.7% (11;32)	1.3% (1;129)		3.9% (7;156)	**1.2% (7;450) Better**	0.0% (0;55)	1.5% (3;121)
	West Covina Medical Center						0.0% (0;5)	0.0% (0;10)		0.0% (0;18)
	West Hills Hospital and Medical Center	7.9% (16;256)	8.0% (12;155)	13.1% (4;27)	5.4% (6;123)	27.7% (2;5)	2.3% (5;191)	**4.6% (18;323) Worse**	0.0% (0;135)	1.4% (2;114)
	Whittier Hospital Medical Center	11.6% (5;33)	5.8% (1;50)		3.6% (1;49)		2.9% (4;160)	3.8% (9;226)	0.0% (0;47)	4.2% (9;151)
Madera	Madera Community Hospital	**16.7% (7;37) Worse**	0.0% (0;42)		0.0% (0;42)		2.4% (2;88)	0.8% (1;128)	0.0% (0;28)	5.1% (4;73)
Marin	Kaiser Foundation Hospital – San Rafael	9.7% (7;72)	**15.4% (15;142) Worse**	33.9% (7;20)	9.1% (8;122)		4.5% (6;131)	2.1% (5;171)	3.1% (3;129)	4.7% (7;124)
	Marin General Hospital	1.7% (2;180)	8.2% (21;223)	19.1% (11;45)	4.7% (9;171)	18.5% (1;7)	0.9% (2;204)	2.1% (6;218)	2.3% (4;128)	2.4% (6;184)
	Novato Community Hospital	0.0% (0;8)	8.1% (3;37)		2.4% (1;35)		0.0% (0;52)	0.9% (1;84)	0.0% (0;38)	0.0% (0;37)
Mariposa	John C. Fremont Healthcare District							10.3% (1;21)		0.0% (0;18)
Mendocino	Adventist Health Howard Memorial		12.8% (4;28)	22.0% (2;5)	11.1% (2;23)		0.0% (0;9)	4.6% (2;54)	0.0% (0;42)	0.0% (0;56)
	Adventist Health Ukiah Valley**	3.5% (1;9)	17.0% (7;57)	22.3% (1;4)	10.9% (6;53)		1.4% (1;61)	4.1% (8;134)	0.0% (0;29)	3.6% (4;91)
	Mendocino Coast District Hospital	0.0% (0;4)	22.7% (2;10)		12.6% (2;10)		8.2% (1;12)	11.3% (3;21)	6.4% (1;31)	0.0% (0;35)
Merced	Memorial Hospital Los Banos		0.0% (0;3)				0.0% (0;10)	2.8% (2;59)	0.0% (0;15)	0.0% (0;59)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Merced (continued)	Mercy Medical Center – Merced	4.6% (4;59)	**1.8% (1;169) Better**	24.8% (1;5)	**0.0% (0;162) Better**		2.4% (6;313)	**0.8% (6;729) Better**	1.5% (1;80)	1.6% (4;345)
Modoc	Modoc Medical Center		0.0% (0;3)		0.0% (0;3)			15.0% (1;12)		0.0% (0;22)
Mono	Mammoth Hospital							0.0% (0;4)	0.0% (0;8)	0.0% (0;17)
Monterey	Community Hospital of The Monterey Peninsula	7.4% (11;178)	10.0% (22;275)	22.0% (9;42)	5.7% (10;230)	28.5% (3;3)	3.4% (8;275)	3.6% (15;359)	3.0% (3;130)	**5.4% (15;266) Worse**
	George L. Mee Memorial Hospital							0.0% (0;20)	0.0% (0;3)	0.0% (0;23)
	Natividad Medical Center	15.9% (2;12)	7.2% (2;52)	22.9% (2;10)	0.0% (0;42)		1.9% (1;87)	7.3% (5;117)	6.6% (1;42)	3.8% (2;104)
	Salinas Valley Memorial Hospital	6.2% (15;264)	9.6% (26;280)	22.3% (12;53)	5.2% (13;226)		0.5% (1;237)	4.1% (18;342)	5.6% (4;70)	0.9% (2;187)
Napa	Adventist Health Saint Helena**	4.7% (9;211)	9.9% (2;7)		0.0% (0;4)		1.6% (2;118)	1.2% (4;158)	2.3% (1;50)	1.5% (3;82)
	Queen of the Valley Medical Center	7.7% (15;157)	6.8% (18;201)	14.9% (6;29)	3.9% (11;169)	20.3% (1;3)	3.1% (9;220)	4.1% (17;287)	2.7% (3;65)	3.6% (4;90)
Nevada	Sierra Nevada Memorial Hospital	4.4% (1;22)	11.9% (9;83)	32.1% (3;4)	5.8% (4;77)		2.6% (4;146)	1.8% (7;211)	1.2% (2;103)	0.7% (1;94)
	Tahoe Forest Hospital		0.0% (0;4)		0.0% (0;4)		0.0% (0;17)	0.0% (0;36)	0.0% (0;33)	2.1% (1;55)
Orange	AHMC Anaheim Regional Medical Center	5.4% (11;255)	**3.2% (3;138) Better**	9.3% (2;38)	1.3% (1;100)		**0.0% (0;186) Better**	3.0% (14;507)	0.0% (0;63)	3.0% (5;172)
	Anaheim Global Medical Center	4.9% (5;137)	10.0% (1;11)		0.0% (0;10)		2.7% (1;40)	4.5% (2;43)	15.4% (1;13)	4.1% (1;34)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Orange (continued)	Chapman Global Medical Center	**34.0% (3;6) Worse**	0.0% (0;8)		0.0% (0;8)		4.5% (1;15)	0.0% (0;25)	0.0% (0;7)	5.5% (1;38)
	Fountain Valley Regional Hospital and Medical Center – Euclid	6.6% (29;348)	8.0% (43;368)	23.2% (30;96)	**2.5% (8;262) Better**	22.4% (5;10)	2.2% (8;339)	**1.3% (8;556) Better**	1.4% (1;67)	2.6% (10;365)
	Garden Grove Hospital and Medical Center	11.6% (5;23)	2.8% (1;31)	24.4% (1;4)	0.0% (0;25)		2.1% (4;117)	0.0% (0;146)	1.7% (1;39)	0.0% (0;52)
	Hoag Memorial Hospital Presbyterian	3.9% (17;479)	**5.9% (54;729) Better**	17.3% (29;135)	**2.2% (18;570) Better**	26.9% (7;24)	2.0% (13;678)	**0.9% (12;783) Better**	1.7% (6;300)	1.5% (7;408)
	Hoag Orthopedic Institute								0.0% (0;114)	
	Huntington Beach Hospital	5.8% (3;32)	0.0% (0;12)		0.0% (0;12)		1.0% (1;69)	0.6% (1;119)	4.3% (1;17)	2.0% (2;48)
	Kaiser Foundation Hospital – Orange County – Anaheim	5.6% (18;320)	**5.4% (31;556) Better**	**13.0% (17;172) Better**	3.4% (13;345)	4.9% (1;39)	1.1% (3;307)	1.7% (13;549)	**4.1% (12;252) Worse**	3.0% (10;225)
	La Palma Intercommunity Hospital	6.9% (5;44)	0.0% (0;39)		0.0% (0;39)		1.2% (2;91)	1.6% (3;161)	3.2% (2;42)	0.0% (0;70)
	Los Alamitos Medical Center	7.6% (17;201)	9.3% (36;355)	25.6% (16;65)	4.7% (16;269)	18.5% (4;21)	3.5% (6;166)	3.5% (11;258)	1.9% (2;152)	2.8% (4;159)
	Mission Hospital Laguna Beach	0.0% (0;3)	0.0% (0;4)		0.0% (0;4)		0.0% (0;34)	3.4% (3;54)	2.8% (1;51)	0.0% (0;45)
	Mission Hospital Regional Medical Center	6.3% (31;408)	7.7% (35;403)	18.9% (13;70)	4.0% (17;309)	22.8% (5;24)	2.2% (13;360)	1.9% (15;438)	3.1% (9;235)	2.0% (7;211)
	Orange Coast Memorial Medical Center	5.5% (14;224)	6.3% (8;160)	17.7% (4;28)	3.2% (4;128)	0.0% (0;4)	2.2% (6;239)	1.8% (10;359)	2.0% (2;102)	3.0% (7;192)
	Orange County Global Medical Center	8.0% (13;154)	6.9% (23;244)	19.2% (13;64)	**1.9% (4;162) Better**	26.5% (6;18)	1.3% (2;120)	1.7% (4;212)	0.0% (0;36)	2.2% (2;77)
	Placentia Linda Hospital	0.0% (0;15)	15.1% (2;27)		8.4% (2;27)		3.2% (2;72)	3.1% (3;113)	0.0% (0;75)	3.4% (4;145)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Orange (continued)	Saddleback Memorial Medical Center	5.5% (19;264)	11.4% (35;339)	28.9% (16;56)	5.9% (16;273)	27.6% (3;10)	1.2% (3;246)	2.7% (22;518)	1.2% (2;193)	3.2% (8;176)
	Saint Joseph Hospital – Orange	5.7% (22;325)	**6.1% (22;340) Better**	15.9% (11;71)	2.8% (8;257)	18.6% (3;12)	2.9% (11;310)	**1.6% (14;529) Better**	1.6% (3;185)	**5.9% (16;204) Worse**
	Saint Jude Medical Center	5.3% (22;348)	**6.5% (60;579) Better**	16.6% (28;119)	**3.5% (27;425) Better**	11.8% (5;35)	2.7% (11;313)	1.7% (15;571)	**0.0% (0;246) Better**	1.5% (4;184)
	South Coast Global Medical Center	0.0% (0;8)	0.0% (0;22)		0.0% (0;20)		0.0% (0;31)	0.0% (0;55)	0.0% (0;3)	**7.8% (6;80) Worse**
	UC Irvine Medical Center	8.0% (13;181)	8.2% (84;576)	21.5% (50;175)	5.0% (28;347)	**8.9% (6;54) Better**	**0.8% (3;315) Better**	2.4% (10;465)	0.9% (1;57)	3.9% (3;89)
	West Anaheim Medical Center	3.3% (6;151)	8.8% (4;48)	34.5% (2;3)	2.4% (1;44)		2.2% (4;120)	**1.0% (4;314) Better**	1.5% (1;51)	1.6% (3;107)
Placer	Kaiser Foundation Hospital – Roseville	5.3% (26;608)	11.8% (27;442)	29.4% (7;34)	6.7% (20;403)	0.0% (0;5)	2.5% (9;380)	3.0% (28;720)	2.8% (6;321)	3.7% (9;224)
	Sutter Auburn Faith Hospital	0.0% (0;15)	6.5% (4;78)	20.5% (1;5)	2.6% (2;72)		0.0% (0;26)	0.9% (1;102)	2.9% (2;78)	1.7% (1;59)
	Sutter Roseville Medical Center	**3.9% (22;521) Better**	7.4% (32;404)	17.2% (13;80)	4.2% (15;310)	18.8% (4;14)	2.0% (11;451)	3.3% (31;561)	1.9% (5;254)	1.9% (7;267)
Plumas	Eastern Plumas Hospital – Portola Campus									0.0% (0;16)
	Plumas District Hospital						0.0% (0;5)	0.0% (0;17)		15.2% (1;15)
	Seneca District Hospital		31.7% (1;4)		0.0% (0;3)		0.0% (0;5)	0.0% (0;7)		9.0% (1;22)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Riverside	Corona Regional Medical Center – Main	5.2% (6;59)	5.9% (3;80)	29.3% (2;5)	1.6% (1;75)		2.2% (6;198)	**1.2% (6;380) Better**	1.2% (2;95)	1.1% (2;132)
	Desert Regional Medical Center	7.0% (33;491)	8.3% (52;511)	22.3% (26;118)	3.6% (17;366)	26.0% (9;27)	4.3% (14;372)	3.6% (17;476)	3.2% (4;205)	1.8% (4;225)
	Eisenhower Medical Center	4.6% (21;561)	7.0% (33;627)	16.2% (16;105)	3.3% (12;501)	32.1% (5;21)	2.8% (11;458)	2.0% (20;888)	0.4% (1;322)	2.8% (10;402)
	Hemet Valley Medical Center	9.1% (12;90)	9.2% (9;115)	29.3% (4;6)	3.8% (4;108)		2.1% (7;276)	2.3% (15;501)	**5.3% (6;130) Worse**	2.5% (10;205)
	John F. Kennedy Memorial Hospital	8.1% (16;175)	0.0% (0;8)		0.0% (0;8)		3.6% (3;81)	5.5% (5;123)	2.2% (1;83)	3.1% (3;129)
	Kaiser Foundation Hospital – Moreno Valley	3.1% (4;96)	**3.4% (3;105) Better**	10.7% (2;20)	1.6% (1;84)		0.0% (0;49)	1.9% (4;113)	2.3% (1;21)	1.6% (1;37)
	Kaiser Foundation Hospital – Riverside	6.3% (7;96)	**4.3% (5;121) Better**	8.8% (2;22)	2.0% (2;97)		**0.0% (0;131) Better**	1.3% (4;224)	2.2% (1;92)	2.3% (2;64)
	Loma Linda University Medical Center – Murrieta	**8.9% (32;363) Worse**	11.0% (20;229)	25.5% (11;38)	6.8% (7;185)	20.9% (2;6)	1.3% (1;148)	1.5% (5;329)	0.0% (0;62)	0.7% (1;180)
	Menifee Valley Medical Center	12.4% (7;34)	0.0% (0;5)		0.0% (0;4)		7.3% (3;63)	4.8% (6;147)	0.0% (0;57)	2.2% (2;117)
	Palo Verde Hospital	0.0% (0;3)					0.0% (0;34)	**21.8% (3;14) Worse**		14.0% (1;13)
	Parkview Community Hospital Medical Center	8.9% (1;16)	4.7% (1;80)		2.7% (1;78)		1.4% (1;95)	5.0% (11;207)	4.0% (3;53)	2.1% (5;199)
	Riverside Community Hospital	5.4% (47;861)	8.6% (51;488)	20.4% (27;113)	4.4% (17;349)	24.7% (7;26)	3.2% (15;407)	2.2% (20;743)	2.3% (4;163)	4.1% (14;300)
	Riverside University Health System – Medical Center	6.9% (4;48)	7.5% (26;274)	17.0% (14;67)	4.2% (10;204)	26.0% (2;3)	2.7% (6;196)	**0.9% (4;490) Better**	1.9% (1;64)	0.0% (0;122)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Riverside (continued)	San Gorgonio Memorial Hospital	9.9% (3;16)	0.0% (0;5)		0.0% (0;4)		1.5% (1;85)	1.8% (3;193)	2.8% (1;44)	4.7% (5;143)
	Southwest Healthcare System – Murrieta	7.6% (8;72)	11.1% (29;301)	20.9% (10;66)	**9.2% (16;224) Worse**	14.3% (3;11)	3.1% (4;149)	2.1% (10;422)	3.1% (7;212)	1.7% (6;303)
	Temecula Valley Hospital	4.0% (22;647)	8.8% (14;176)	22.9% (7;36)	4.6% (5;133)	18.7% (2;7)	2.7% (7;270)	1.8% (10;468)	1.2% (1;101)	0.7% (1;168)
Sacramento	Kaiser Foundation Hospital – Sacramento	3.0% (6;148)	8.2% (78;731)	19.1% (42;240)	4.7% (24;417)	19.5% (12;74)	2.2% (7;273)	2.6% (12;459)	1.6% (1;129)	2.9% (2;84)
	Kaiser Foundation Hospital – South Sacramento	5.5% (20;466)	9.6% (25;365)	26.6% (11;45)	5.1% (14;318)		**5.0% (12;232) Worse**	2.6% (18;683)	1.0% (2;186)	3.2% (8;196)
	Mercy General Hospital	5.0% (48;1,105)	9.4% (12;215)	26.6% (5;26)	4.7% (7;187)		0.7% (2;251)	3.0% (27;698)	2.1% (2;100)	2.6% (6;162)
	Mercy Hospital of Folsom	6.3% (6;38)	3.8% (2;119)	19.5% (1;5)	1.4% (1;114)		2.0% (3;185)	2.7% (12;315)	1.6% (2;105)	1.6% (2;99)
	Mercy San Juan Hospital	6.5% (31;398)	**11.3% (167;880) Worse**	21.8% (73;284)	**8.8% (72;518) Worse**	22.8% (22;78)	3.4% (14;305)	1.9% (23;893)	2.4% (6;183)	2.7% (7;214)
	Methodist Hospital of Sacramento	8.4% (5;39)	8.6% (11;219)	35.5% (4;13)	3.5% (6;205)		2.8% (8;258)	1.8% (9;471)	3.1% (2;84)	3.0% (5;155)
	Sutter Medical Center, Sacramento	6.0% (28;567)	**5.8% (27;396) Better**	13.8% (11;80)	**3.1% (14;303) Better**	16.2% (2;13)	2.5% (11;396)	3.3% (26;776)	1.6% (3;173)	1.5% (4;278)
	UC Davis Medical Center	4.6% (16;395)	8.3% (62;437)	19.6% (31;123)	4.8% (22;277)	18.8% (9;37)	2.5% (13;403)	2.6% (26;896)	1.8% (5;127)	2.6% (6;223)
San Benito	Hazel Hawkins Memorial Hospital	8.9% (1;15)	**42.9% (7;32) Worse**		**22.1% (6;31) Worse**		3.0% (1;37)	8.4% (3;74)	11.3% (1;25)	3.0% (1;65)
San Bernardino	Arrowhead Regional Medical Center	0.0% (0;93)	**15.7% (42;319) Worse**	**38.3% (29;105) Worse**	8.6% (10;202)	31.3% (3;12)	4.5% (11;250)	3.2% (6;386)	2.7% (1;58)	2.8% (4;242)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
San Bernardino (continued)	Barstow Community Hospital	0.0% (0;49)	0.0% (0;41)		0.0% (0;39)		0.0% (0;24)	2.9% (4;188)	2.3% (1;41)	3.7% (3;74)
	Bear Valley Community Hospital							0.0% (0;10)		0.0% (0;18)
	Chino Valley Medical Center	2.0% (2;32)	3.3% (1;20)		0.0% (0;18)		1.3% (4;98)	1.2% (4;159)	**0.0% (0;39) Better**	0.0% (0;30)
	Colorado River Medical Center						0.0% (0;7)	0.0% (0;16)		0.0% (0;15)
	Community Hospital of San Bernardino	9.4% (2;32)	8.9% (2;45)	58.1% (2;4)	0.0% (0;41)		3.5% (3;86)	1.0% (3;285)	0.0% (0;25)	1.2% (1;93)
	Desert Valley Hospital	**1.6% (6;368) Better**	**1.4% (1;145) Better**		**0.8% (1;143) Better**		1.0% (2;197)	2.0% (11;703)	0.0% (0;69)	2.9% (4;156)
	Hi-Desert Medical Center	0.0% (0;3)	**66.3% (2;13) Worse**		33.2% (1;12)			1.6% (1;112)	5.7% (1;33)	0.0% (0;56)
	Kaiser Foundation Hospital – Fontana	4.9% (29;631)	**7.0% (56;749) Better**	**15.1% (25;225) Better**	4.8% (24;463)	12.7% (7;61)	2.1% (11;511)	1.8% (22;773)	0.4% (1;280)	1.9% (12;418)
	Loma Linda University Medical Center	7.5% (41;589)	8.1% (92;688)	16.8% (38;214)	5.5% (44;420)	15.1% (10;54)	3.2% (17;326)	2.7% (22;746)	1.9% (2;110)	2.5% (6;180)
	Montclair Hospital Medical Center	1.9% (1;20)	0.0% (0;8)		0.0% (0;8)		1.4% (1;35)	1.3% (1;63)	0.0% (0;10)	0.0% (0;17)
	Mountains Community Hospital							0.0% (0;3)		0.0% (0;35)
	Redlands Community Hospital	2.2% (1;44)	11.5% (22;206)	25.9% (8;46)	6.1% (10;145)	35.4% (4;15)	1.2% (2;208)	2.3% (8;279)	2.2% (4;189)	2.5% (10;272)
	Saint Bernardine Medical Center	5.9% (29;548)	8.0% (35;438)	21.0% (27;112)	2.7% (5;308)	22.5% (3;18)	4.2% (9;230)	1.8% (9;575)	2.7% (2;86)	1.6% (5;248)
	Saint Mary Medical Center – Apple Valley	4.4% (21;478)	**1.1% (1;204) Better**		**0.6% (1;202) Better**		1.7% (4;258)	1.6% (12;742)	1.4% (2;106)	1.6% (3;219)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
San Bernardino (continued)	San Antonio Regional Hospital	**3.1% (20;624) Better**	9.5% (39;462)	23.8% (17;82)	5.0% (20;372)	25.0% (2;8)	2.7% (10;314)	2.4% (18;645)	1.6% (4;164)	2.2% (10;400)
	Victor Valley Global Medical Center	16.0% (4;20)	17.1% (2;41)		11.6% (2;39)		5.8% (4;85)	1.6% (2;189)	0.0% (0;31)	2.5% (2;133)
San Diego	Alvarado Hospital	6.0% (11;134)	5.3% (4;85)	13.4% (3;15)	2.5% (1;69)		3.1% (5;99)	1.8% (3;206)	4.2% (2;22)	0.0% (0;57)
	Grossmont Hospital	5.7% (24;384)	8.1% (57;638)	23.4% (23;82)	3.6% (28;537)	34.2% (6;19)	2.0% (14;530)	**1.5% (11;897) Better**	**4.7% (8;197) Worse**	1.6% (8;425)
	Kaiser Foundation Hospital – San Diego – Zion**	3.3% (7;126)	8.2% (40;491)	20.1% (17;122)	5.2% (20;345)	**10.1% (3;24) Better**	2.7% (12;357)	2.7% (29;860)	1.8% (5;400)	3.6% (9;227)
	Palomar Health Downtown Campus	6.2% (40;503)	**6.0% (53;573) Better**	20.6% (25;107)	**2.5% (23;438) Better**	13.7% (5;28)	1.7% (7;398)	2.6% (32;811)	2.6% (7;248)	**1.3% (6;403) Better**
	Paradise Valley Hospital	**1.0% (1;80) Better**	7.0% (5;103)	10.9% (2;19)	4.2% (2;83)		1.6% (2;110)	2.0% (6;326)	0.0% (0;24)	0.0% (0;55)
	Pomerado Hospital	5.4% (4;28)	**3.7% (4;74) Better**	19.1% (3;6)	**0.8% (1;68) Better**		4.1% (9;132)	2.0% (9;223)	0.0% (0;93)	2.5% (5;112)
	Scripps Green Hospital	0.0% (0;6)	**1.0% (1;113) Better**	**0.0% (0;35) Better**	1.2% (1;68)	0.0% (0;10)	2.5% (4;181)	0.0% (0;64)	**0.0% (0;87) Better**	2.0% (7;195)
	Scripps Memorial Hospital – Encinitas	5.9% (15;223)	6.4% (15;229)	18.4% (9;39)	3.1% (6;187)	0.0% (0;3)	2.3% (6;254)	1.8% (13;431)	**0.6% (2;191) Better**	**1.4% (7;314) Better**
	Scripps Memorial Hospital – La Jolla	**7.7% (47;652) Worse**	10.5% (80;528)	24.1% (30;102)	6.3% (40;369)	20.9% (10;57)	1.5% (5;250)	**0.6% (8;755) Better**	1.4% (4;186)	2.3% (15;316)
	Scripps Mercy Hospital	7.6% (32;443)	8.7% (45;520)	23.3% (28;105)	3.3% (12;407)	36.5% (5;8)	3.2% (16;563)	**1.6% (19;1,029) Better**	2.7% (8;270)	**1.2% (10;648) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
San Diego (continued)	Sharp Chula Vista Medical Center	5.2% (13;243)	8.7% (33;335)	19.0% (15;69)	5.0% (15;251)	26.6% (3;15)	3.1% (9;294)	2.7% (23;817)	4.6% (4;103)	1.3% (5;312)
	Sharp Coronado Hospital and Healthcare Center	0.0% (0;8)	21.8% (4;19)		11.0% (2;17)		3.1% (2;70)	5.7% (4;55)	0.0% (0;39)	0.0% (0;58)
	Sharp Memorial Hospital	4.4% (14;320)	7.0% (28;485)	22.7% (16;75)	**2.8% (10;394) Better**	14.6% (2;16)	2.5% (9;373)	2.3% (23;813)	1.2% (5;259)	1.8% (11;476)
	Tri-City Medical Center – Oceanside	5.1% (12;274)	10.6% (35;364)	25.0% (16;65)	5.3% (15;284)	38.9% (4;15)	1.8% (4;186)	2.1% (10;411)	2.3% (3;147)	2.6% (5;193)
	UC San Diego Health System – Hillcrest Medical Center	6.1% (26;408)	**5.0% (35;474) Better**	15.6% (18;108)	**2.0% (11;319) Better**	**11.5% (6;47) Better**	1.8% (10;474)	**4.2% (35;900) Worse**	0.5% (1;141)	2.4% (6;286)
San Francisco	California Pacific Medical Center – Davies Campus	12.1% (1;3)	9.1% (84;494)	17.2% (19;95)	5.4% (48;341)	25.6% (17;58)	1.7% (1;49)	**9.3% (6;61) Worse**	3.0% (1;8)	5.4% (3;52)
	California Pacific Medical Center – Pacific Campus	4.8% (14;264)	7.6% (33;325)	17.9% (17;76)	4.3% (16;247)		1.8% (8;299)	**4.8% (31;494) Worse**	1.0% (2;131)	2.7% (6;192)
	California Pacific Medical Center – St. Luke's Campus	8.4% (1;17)	7.6% (1;33)	0.0% (0;3)	4.8% (1;30)		1.4% (1;73)	1.0% (2;176)	0.0% (0;16)	7.0% (5;80)
	Chinese Hospital	3.6% (1;13)	0.0% (0;37)	0.0% (0;3)	0.0% (0;34)		1.9% (1;45)	0.8% (1;104)	4.9% (1;23)	1.2% (1;55)
	Kaiser Foundation Hospital – San Francisco	4.2% (15;520)	7.7% (12;215)	9.2% (3;44)	6.4% (9;169)		1.9% (4;167)	1.7% (9;404)	3.6% (1;73)	2.0% (3;101)
	Laguna Honda Hospital and Rehabilitation Center									0.0% (0;8)
	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center	9.6% (13;161)	9.3% (33;283)	18.3% (13;59)	6.7% (17;209)	16.2% (3;15)	3.4% (7;227)	2.2% (8;636)	1.8% (2;82)	0.9% (1;205)
	Saint Francis Memorial Hospital	1.6% (1;31)	**14.6% (17;108) Worse**	25.3% (6;32)	**10.1% (11;76) Worse**		1.8% (3;111)	1.8% (4;171)	3.5% (1;46)	0.0% (0;123)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
San Francisco (continued)	Saint Mary's Medical Center, San Francisco	5.7% (8;114)	**13.2% (18;102) Worse**	26.7% (8;26)	9.7% (7;73)	28.9% (3;3)	2.1% (3;125)	1.2% (4;203)	0.0% (0;46)	2.6% (3;78)
	UC San Francisco Medical Center	7.7% (15;170)	**6.6% (44;440) Better**	**9.2% (11;130) Better**	5.2% (16;223)	19.7% (17;87)	1.6% (8;329)	2.9% (21;610)	2.9% (2;71)	2.3% (6;253)
San Joaquin	Adventist Health Lodi Memorial**	5.4% (3;51)	7.9% (5;145)	29.7% (3;9)	2.8% (2;136)		4.0% (4;161)	3.2% (15;515)	1.2% (1;102)	4.4% (9;205)
	Dameron Hospital	9.3% (11;172)	8.5% (4;47)	32.3% (3;5)	0.0% (0;41)		0.0% (0;122)	3.2% (5;169)	0.0% (0;42)	3.8% (2;75)
	Doctors Hospital of Manteca	0.0% (0;24)	27.5% (3;54)		12.0% (2;52)		0.0% (0;79)	3.3% (4;165)	3.2% (1;36)	3.1% (2;94)
	Kaiser Foundation Hospital – Manteca	3.2% (4;131)	7.5% (9;116)	9.7% (1;14)	4.6% (7;99)	22.1% (1;3)	2.8% (3;124)	2.9% (13;370)	0.0% (0;176)	0.6% (1;137)
	Saint Joseph's Medical Center of Stockton	4.7% (29;751)	9.8% (26;358)	26.2% (7;19)	5.1% (17;336)	30.6% (2;3)	2.1% (7;349)	2.6% (21;786)	0.6% (1;122)	2.4% (6;246)
	San Joaquin General Hospital	9.5% (4;27)	8.5% (8;105)	19.9% (5;25)	3.2% (2;79)		0.9% (1;129)	1.8% (8;341)	3.2% (1;50)	1.0% (1;64)
	Sutter Tracy Community Hospital	6.2% (2;22)	2.8% (1;67)		1.9% (1;66)		0.0% (0;103)	2.2% (4;124)	0.0% (0;39)	0.0% (0;92)
San Luis Obispo	French Hospital Medical Center	7.0% (20;304)	4.4% (1;52)		0.0% (0;51)		2.7% (3;97)	2.6% (8;155)	0.0% (0;47)	1.3% (2;86)
	Marian Regional Medical Center – Arroyo Grande	6.0% (2;18)	11.0% (4;78)	25.3% (1;4)	6.2% (3;74)		1.7% (1;56)	4.5% (6;95)	3.7% (3;67)	5.2% (3;43)
	Sierra Vista Regional Medical Center	16.3% (2;5)	11.0% (13;120)	22.1% (8;46)	8.9% (4;72)		0.0% (0;77)	2.7% (2;59)	3.8% (2;81)	3.0% (2;63)
	Twin Cities Community Hospital	0.0% (0;6)	11.1% (5;96)	14.8% (1;3)	7.6% (4;93)		3.1% (2;107)	1.8% (2;110)	1.4% (1;74)	1.7% (3;186)
San Mateo	Kaiser Foundation Hospital – Redwood City	8.3% (4;61)	10.6% (77;579)	21.6% (34;230)	**7.9% (25;249) Worse**	24.5% (18;100)	2.1% (2;128)	1.2% (3;190)	1.3% (1;80)	**0.0% (0;96) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
San Mateo (continued)	Kaiser Foundation Hospital – South San Francisco	3.6% (5;77)	**4.1%** **(10;189)** **Better**	16.2% (10;45)	**0.0%** **(0;140)** **Better**	0.0% (0;4)	1.9% (4;163)	1.7% (7;279)	2.0% (2;95)	3.1% (5;112)
	Peninsula Medical Center	**2.8%** **(8;270)** **Better**	**3.4%** **(10;255)** **Better**	**9.6%** **(4;42)** **Better**	**1.5%** **(5;210)** **Better**	24.7% (1;3)	2.1% (6;261)	**0.9%** **(7;425)** **Better**	0.6% (1;145)	0.5% (1;131)
	San Mateo Medical Center	8.2% (1;11)	0.0% (0;44)	0.0% (0;6)	0.0% (0;38)		0.0% (0;69)	1.2% (1;118)	4.2% (1;16)	1.6% (1;84)
	Sequoia Hospital	7.9% (6;82)	5.9% (4;85)	16.1% (3;26)	2.4% (1;59)		0.0% (0;63)	**0.9%** **(3;218)** **Better**	2.3% (3;74)	3.7% (3;72)
	Seton Medical Center	**8.9%** **(22;197)** **Worse**	10.4% (18;156)	28.2% (14;51)	3.9% (4;105)		3.7% (7;178)	2.6% (15;411)	0.0% (0;69)	2.1% (6;174)
Santa Barbara	Goleta Valley Cottage Hospital							0.0% (0;14)	0.0% (0;60)	3.9% (1;20)
	Lompoc Valley Medical Center	6.3% (1;7)	**39.3%** **(4;41)** **Worse**		**22.8%** **(4;40)** **Worse**		3.1% (1;61)	2.0% (2;100)	9.1% (1;19)	3.1% (1;47)
	Marian Regional Medical Center	5.0% (11;200)	**12.7%** **(31;205)** **Worse**	26.6% (17;54)	8.4% (13;150)		2.1% (4;201)	2.6% (14;333)	1.3% (2;135)	1.7% (2;116)
	Santa Barbara Cottage Hospital	6.5% (20;294)	7.5% (50;548)	21.7% (18;97)	4.5% (24;365)	**11.2%** **(8;86)** **Better**	2.0% (7;347)	1.9% (17;445)	3.0% (6;180)	2.2% (9;270)
	Santa Ynez Valley Cottage Hospital		0.0% (0;10)		0.0% (0;9)			0.0% (0;5)		5.8% (1;36)
Santa Clara	El Camino Hospital	7.6% (21;285)	8.3% (26;395)	17.2% (8;64)	4.9% (16;326)	24.7% (2;5)	2.0% (8;380)	1.9% (14;571)	4.5% (7;187)	1.6% (6;289)
	Good Samaritan Hospital – San Jose	3.9% (10;281)	**12.4%** **(49;407)** **Worse**	29.3% (22;70)	7.3% (21;319)	24.2% (6;18)	3.3% (11;294)	3.1% (25;526)	0.6% (1;166)	2.1% (6;183)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Santa Clara (continued)	Kaiser Foundation Hospital – San Jose	6.6% (16;177)	**5.5% (12;282) Better**	15.6% (6;51)	2.9% (6;223)	0.0% (0;8)	2.1% (4;216)	3.0% (19;412)	2.6% (4;131)	2.5% (6;154)
	Kaiser Foundation Hospital – Santa Clara	5.6% (27;649)	7.7% (20;295)	15.3% (8;70)	6.0% (11;211)	6.9% (1;14)	2.5% (8;240)	2.5% (28;870)	2.6% (3;160)	3.9% (9;181)
	O'Connor Hospital	4.2% (7;226)	7.3% (6;136)	**4.9% (1;25) Better**	9.4% (4;109)		1.7% (3;208)	3.9% (16;364)	1.9% (2;96)	2.8% (7;199)
	Regional Medical of San Jose	4.6% (19;354)	**10.5% (103;657) Worse**	24.8% (51;184)	6.6% (35;411)	20.3% (17;62)	2.8% (12;315)	1.7% (15;914)	2.9% (3;101)	4.3% (12;312)
	Saint Louise Regional Hospital	**16.3% (5;16) Worse**	4.3% (1;58)	14.9% (1;5)	0.0% (0;53)		1.9% (1;88)	3.0% (3;128)	0.0% (0;45)	3.5% (3;88)
	Santa Clara Valley Medical Center	9.0% (13;206)	10.2% (24;284)	28.9% (17;73)	3.7% (5;197)	24.6% (2;14)	2.6% (8;363)	3.2% (15;808)	4.5% (2;68)	1.3% (2;189)
	Stanford Health Care	6.5% (21;294)	**6.6% (60;507) Better**	16.5% (21;117)	3.9% (28;316)	**12.6% (11;74) Better**	2.0% (11;353)	3.7% (24;585)	1.4% (3;165)	3.9% (11;279)
Santa Cruz	Dominican Hospital	4.8% (10;261)	11.4% (22;244)	25.9% (12;53)	6.6% (9;185)	30.7% (1;6)	3.2% (7;308)	2.2% (10;464)	0.0% (0;143)	1.7% (3;213)
	Watsonville Community Hospital	0.0% (0;7)	8.1% (2;73)	27.5% (1;3)	3.4% (1;70)		1.8% (1;76)	2.8% (3;134)	3.0% (1;41)	3.1% (4;115)
Shasta	Mayers Memorial Hospital							20.0% (1;13)		16.8% (2;27)
	Mercy Medical Center – Redding	7.5% (28;322)	**14.6% (59;417) Worse**	27.7% (20;75)	**9.6% (37;331) Worse**	22.8% (2;11)	2.4% (8;274)	**4.1% (29;511) Worse**	2.9% (9;195)	4.0% (9;155)
	Shasta Regional Medical Center	3.5% (11;242)	5.4% (2;105)		3.0% (2;105)		1.3% (4;241)	1.6% (10;434)	2.9% (4;85)	1.3% (1;66)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Siskiyou	Fairchild Medical Center	**43.6% (2;5) Worse**	16.1% (2;18)		9.6% (1;17)		7.6% (1;26)	2.0% (1;41)	0.0% (0;27)	3.9% (3;107)
	Mercy Medical Center Mt. Shasta		27.0% (2;10)		8.5% (1;9)		0.0% (0;23)	0.0% (0;31)	0.0% (0;19)	4.7% (1;33)
Solano	Kaiser Foundation Hospital & Rehabilitation Center – Vallejo**	3.7% (10;316)	8.9% (19;246)	33.7% (10;27)	3.6% (9;217)		2.1% (5;250)	2.8% (20;423)	1.2% (1;109)	1.5% (5;162)
	Kaiser Foundation Hospital – Vacaville	6.3% (4;49)	10.9% (25;205)	26.3% (16;64)	6.7% (9;137)	0.0% (0;4)	4.0% (6;111)	4.2% (11;181)	4.4% (4;89)	5.2% (7;107)
	North Bay Medical Center	4.9% (13;233)	10.8% (26;187)	24.6% (12;36)	5.8% (10;146)	31.9% (4;5)	2.2% (5;190)	2.2% (10;371)	2.4% (2;92)	2.5% (5;157)
	Sutter Solano Medical Center	2.8% (1;21)	1.9% (1;70)		1.3% (1;68)		2.8% (2;76)	2.9% (7;262)	2.7% (1;38)	1.7% (2;102)
Sonoma	Healdsburg District Hospital	0.0% (0;4)	16.6% (5;19)	**63.2% (5;8) Worse**	0.0% (0;11)			4.0% (1;21)	0.0% (0;14)	4.1% (2;54)
	Kaiser Foundation Hospital – Santa Rosa	2.9% (3;84)	9.5% (12;184)	19.8% (6;39)	6.2% (6;144)		1.5% (3;272)	1.6% (7;339)	1.3% (2;142)	2.6% (6;193)
	Palm Drive Hospital		7.4% (1;7)		4.1% (1;7)		0.0% (0;11)	2.9% (1;22)	29.9% (1;6)	2.5% (2;49)
	Petaluma Valley Hospital	2.0% (1;26)	9.4% (5;42)		3.5% (2;39)		0.0% (0;43)	1.7% (3;97)	1.0% (1;41)	0.0% (0;62)
	Santa Rosa Memorial Hospital – Montgomery	3.8% (16;374)	**5.9% (19;280) Better**	18.7% (15;72)	**1.8% (4;207) Better**		2.6% (6;203)	1.4% (7;322)	1.9% (3;138)	2.0% (3;140)
	Sonoma Valley Hospital		4.3% (1;25)		3.3% (1;24)		3.2% (1;23)	1.4% (1;44)	0.0% (0;33)	0.0% (0;29)
	Sutter Santa Rosa Regional Hospital	5.7% (8;168)	6.4% (3;76)	32.5% (2;3)	1.7% (1;73)		1.6% (3;155)	2.8% (5;141)	1.3% (1;69)	3.5% (2;37)
Stanislaus	Doctors Medical Center	**9.0% (32;440) Worse**	9.8% (69;592)	22.6% (46;190)	5.5% (18;385)	28.8% (5;17)	2.2% (11;401)	3.5% (18;610)	2.3% (7;241)	3.7% (11;311)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Stanislaus (continued)	Emanuel Medical Center	4.9% (16;407)	2.5% (1;111)	0.0% (0;7)	1.7% (1;104)		5.4% (5;163)	4.7% (13;452)	0.0% (0;33)	2.2% (7;327)
	Memorial Medical Center – Modesto**	4.9% (17;395)	**6.2% (21;430) Better**	13.1% (10;77)	3.9% (11;351)		2.2% (13;584)	2.0% (16;674)	2.2% (5;195)	2.4% (6;242)
	Oak Valley District Hospital	**69.1% (3;4) Worse**	61.1% (1;14)		64.1% (1;13)		0.0% (0;10)	2.9% (1;43)	0.0% (0;6)	0.0% (0;38)
Tehama	Saint Elizabeth Community Hospital	0.0% (0;9)	12.7% (5;44)		5.9% (2;41)		1.6% (1;51)	3.7% (5;93)	1.7% (1;64)	1.7% (1;40)
Trinity	Trinity Hospital		0.0% (0;3)		0.0% (0;3)		0.0% (0;9)	6.1% (1;16)		0.0% (0;39)
Tulare	Kaweah Delta Medical Center	**7.7% (61;664) Worse**	11.0% (38;438)	23.5% (12;41)	6.3% (23;392)	31.1% (3;5)	**3.7% (27;591) Worse**	2.7% (34;1,008)	2.4% (5;190)	2.4% (22;660)
	Sierra View Medical Center	5.5% (5;83)	11.7% (8;99)	30.5% (4;8)	5.9% (4;91)		2.4% (2;93)	2.4% (5;226)	1.9% (1;77)	3.5% (7;227)
	Tulare Regional Medical Center	11.6% (2;10)	13.3% (2;19)	23.8% (1;3)	10.9% (1;16)		4.6% (2;58)	**9.2% (7;73) Worse**	**38.3% (2;17) Worse**	3.3% (5;124)
Tuolumne	Adventist Health Sonora – Greenley**	0.0% (0;35)	15.4% (6;70)	0.0% (0;3)	9.4% (6;67)		4.3% (4;75)	4.8% (10;155)	3.0% (4;80)	2.3% (2;85)
Ventura	Adventist Health Simi Valley**	4.7% (7;130)	12.2% (9;120)	32.6% (6;21)	5.8% (3;98)		0.7% (1;160)	2.3% (8;213)	1.1% (1;68)	0.5% (1;183)
	Community Memorial Hospital – San Buenaventura	7.5% (17;250)	7.2% (12;232)	23.3% (7;40)	3.0% (5;190)		2.6% (6;220)	3.8% (18;374)	1.3% (2;169)	5.0% (11;195)
	Los Robles Hospital and Medical Center	4.5% (10;277)	**11.2% (57;425) Worse**	**29.3% (27;92) Worse**	5.7% (23;303)	25.2% (7;30)	2.7% (5;217)	3.4% (22;421)	4.2% (7;178)	2.4% (4;140)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.

*****Hospital name changed from 2016 to 2017, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2017

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.7% (3,106;54,344)	8.9% (5,436;61,077)	21% (2,563;12,196)	4.9% (2,274;46,119)	21.7% (599;2,762)	2.5% (1,365;54,923)	2.7% (2,843;106,068)	2% (529;26,850)	2.8% (1,351;48,507)
Ventura (continued)	Ojai Valley Community Hospital		0.0% (0;3)				37.4% (1;9)	3.9% (1;16)		3.6% (1;21)
	Saint John's Pleasant Valley Hospital	5.4% (1;9)	**20.4%** **(11;89)** **Worse**	27.1% (3;8)	**16.0%** **(8;81)** **Worse**		0.0% (0;83)	2.2% (7;208)	0.0% (0;76)	2.8% (4;105)
	Saint John's Regional Medical Center	5.2% (18;287)	**5.8%** **(17;249)** **Better**	13.8% (7;44)	3.2% (9;202)	13.8% (1;3)	1.7% (6;248)	**1.3%** **(9;543)** **Better**	3.0% (3;103)	1.2% (4;213)
	Ventura County Medical Center	11.8% (7;59)	7.6% (4;101)	17.0% (2;14)	3.2% (1;86)		2.4% (2;129)	2.6% (3;177)	2.3% (1;53)	2.1% (2;143)
Yolo	Sutter Davis Hospital	0.0% (0;12)	4.3% (1;41)		2.4% (1;41)		1.0% (1;107)	2.0% (3;104)	0.0% (0;48)	1.7% (1;57)
	Woodland Memorial Hospital	0.0% (0;20)	11.2% (5;59)		5.9% (4;57)		4.8% (3;71)	3.5% (5;98)	0.0% (0;45)	2.8% (2;63)
Yuba	Rideout Memorial Hospital	5.7% (18;253)	9.6% (19;234)	28.1% (14;41)	3.5% (5;192)		3.8% (10;240)	3.3% (21;602)	2.9% (5;131)	3.0% (10;301)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2017. See Technical Note for details about methodology.
*****Hospital name changed from 2016 to 2017, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.