California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Alameda	Alameda Hospital	13.1% (1;12)	8.1% (6;102)	20.2% (2;12)	5.3% (4;88)		1.4% (1;63)	2.8% (6;203)	4.1% (1;28)	0.9% (1;110)
	Alta Bates Summit Medical Center	3.9% (17;420)	**4.4% (11;314) Better**	31.8% (4;8)	**1.9% (7;303) Better**	0.0% (0;3)	1.7% (7;322)	**1.2% (13;812) Better**	2.3% (4;112)	2.7% (5;137)
	Alta Bates Summit Medical Center – Alta Bates Campus	4.5% (1;22)	6.8% (26;202)	18.3% (24;101)	**0.8% (1;98) Better**	24.0% (1;3)	1.4% (3;195)	2.2% (10;324)	0.8% (1;92)	1.3% (1;74)
	Eden Medical Center	5.5% (5;47)	**6.8% (59;519) Better**	16.2% (23;112)	**3.5% (27;361) Better**	20.4% (9;46)	1.1% (3;193)	2.2% (9;337)	0.9% (1;114)	2.7% (3;113)
	Highland Hospital	8.4% (11;163)	10.7% (22;158)	24.0% (12;44)	6.4% (7;107)	26.4% (3;7)	0.8% (2;133)	2.5% (7;355)	1.3% (1;48)	2.0% (2;134)
	Kaiser Foundation Hospital – Fremont	9.1% (10;77)	7.8% (10;110)	19.5% (6;33)	4.1% (4;74)	0.0% (0;3)	0.9% (1;85)	3.3% (9;176)	0.0% (0;67)	4.0% (5;100)
	Kaiser Foundation Hospital – Oakland/Richmond	5.6% (16;267)	11.4% (44;481)	21.0% (17;93)	7.3% (24;379)	46.1% (3;9)	1.6% (6;305)	3.5% (34;859)	2.5% (5;181)	1.6% (4;221)
	Kaiser Foundation Hospital – San Leandro	3.0% (3;61)	**5.5% (14;244) Better**	**2.4% (1;66) Better**	4.9% (11;167)	16.9% (2;11)	1.5% (3;172)	2.7% (15;344)	0.0% (0;101)	2.0% (3;119)
	Saint Rose Hospital	8.8% (12;185)	7.5% (3;59)	26.8% (2;6)	2.4% (1;53)		2.6% (3;100)	2.8% (7;259)	0.0% (0;25)	3.2% (5;170)
	San Leandro Hospital	0.0% (0;6)	8.9% (2;27)		0.0% (0;24)		2.2% (3;82)	1.7% (3;207)	0.0% (0;18)	1.3% (1;92)
	Stanford Health Care – Valleycare**	4.8% (8;151)	6.5% (3;70)		2.9% (2;68)		0.8% (1;116)	4.4% (17;294)	1.7% (2;83)	4.4% (5;113)
	Washington Hospital – Fremont	6.9% (17;257)	10.9% (31;312)	23.9% (17;74)	8.4% (13;220)	7.7% (1;18)	3.2% (8;323)	**4.9% (22;519) Worse**	2.5% (2;108)	3.5% (12;347)
Amador	Sutter Amador Hospital	8.4% (1;9)	10.4% (9;100)	27.9% (2;7)	5.4% (6;91)		2.0% (1;56)	0.0% (0;105)	2.8% (3;53)	2.4% (2;80)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Butte	Adventist Health Feather River	4.8% (2;26)	6.0% (4;72)	19.9% (2;5)	2.6% (2;67)		**0.0% (0;102) Better**	1.7% (4;156)	0.0% (0;80)	**0.3% (1;169) Better**
	Enloe Medical Center – Esplanade	6.8% (27;433)	9.6% (44;400)	20.4% (19;82)	5.6% (22;312)	32.6% (3;6)	2.1% (11;441)	3.6% (26;702)	2.4% (10;214)	3.9% (23;519)
	Orchard Hospital	10.5% (1;3)	0.0% (0;4)		0.0% (0;4)			0.0% (0;14)		0.0% (0;32)
	Oroville Hospital	4.1% (2;39)	4.5% (5;157)	22.5% (1;6)	2.2% (4;151)		**0.7% (2;196) Better**	1.6% (7;457)	1.3% (2;72)	0.0% (0;14)
Calaveras	Mark Twain Medical Center		13.8% (1;18)		7.6% (1;18)		0.0% (0;4)	3.3% (2;39)	0.0% (0;21)	4.8% (2;40)
Colusa	Colusa Medical Center**	0.0% (0;6)					0.0% (0;13)	0.0% (0;41)		0.0% (0;27)
Contra Costa	Contra Costa Regional Medical Center	0.0% (0;29)	0.0% (0;57)		0.0% (0;57)		4.6% (2;85)	1.2% (2;296)	0.0% (0;24)	0.0% (0;94)
	John Muir Medical Center – Concord Campus	5.4% (22;398)	6.5% (9;185)	23.0% (3;6)	3.1% (6;179)		2.1% (6;309)	2.4% (22;773)	0.0% (0;80)	2.5% (7;234)
	John Muir Medical Center – Walnut Creek Campus	5.0% (6;113)	10.3% (99;577)	21.5% (41;164)	6.3% (47;371)	25.0% (11;42)	2.1% (11;392)	2.8% (29;596)	1.8% (5;242)	1.9% (9;313)
	Kaiser Foundation Hospital – Antioch	2.5% (2;59)	9.1% (14;134)	25.2% (8;31)	4.1% (6;103)		2.2% (3;114)	3.4% (13;316)	1.1% (1;86)	2.3% (3;101)
	Kaiser Foundation Hospital – Walnut Creek	3.7% (9;261)	5.5% (9;210)	7.1% (2;42)	4.7% (7;162)	0.0% (0;6)	2.7% (6;189)	2.4% (15;377)	1.8% (6;264)	5.3% (13;180)
	San Ramon Regional Medical Center	4.9% (4;99)	14.4% (8;116)	100.0% (2;3)	6.4% (6;113)		1.7% (2;149)	2.9% (6;145)	0.0% (0;44)	3.1% (7;179)
	Sutter Delta Medical Center	4.5% (8;210)	5.5% (6;91)	23.9% (2;3)	2.0% (3;87)		2.3% (5;218)	**1.0% (6;518) Better**	1.0% (1;60)	1.2% (2;153)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Del Norte	Sutter Coast Hospital	0.0% (0;10)	13.5% (4;29)		9.4% (4;28)		0.0% (0;35)	**0.0% (0;100) Better**	2.6% (2;44)	1.4% (1;52)
El Dorado	Barton Memorial Hospital		15.5% (3;10)		0.0% (0;7)		0.0% (0;24)	0.0% (0;59)	0.0% (0;18)	4.1% (2;69)
	Marshall Medical Center	8.2% (4;24)	11.1% (8;90)	23.4% (3;5)	6.5% (5;85)		1.6% (3;158)	2.3% (6;241)	0.7% (1;87)	2.9% (4;167)
Fresno	Adventist Health Reedley	0.0% (0;7)	11.6% (1;12)		0.0% (0;11)			6.4% (1;18)		0.0% (0;34)
	Clovis Community Medical Center	6.6% (10;173)	11.8% (10;212)	37.8% (3;6)	4.4% (5;204)		1.8% (7;379)	2.4% (13;448)	2.3% (4;169)	2.7% (9;305)
	Coalinga Regional Medical Center									0.0% (0;9)
	Community Regional Medical Center – Fresno	7.7% (38;680)	**10.8% (128;887) Worse**	23.1% (81;317)	**7.2% (39;540) Worse**	26.1% (8;30)	2.0% (14;637)	3.5% (30;1,326)	1.0% (2;157)	4.0% (15;567)
	Kaiser Foundation Hospital – Fresno	4.5% (7;160)	8.8% (13;245)	23.2% (8;47)	4.2% (5;195)	0.0% (0;3)	2.5% (3;149)	3.1% (10;283)	2.9% (3;141)	3.0% (6;183)
	Saint Agnes Medical Center	5.4% (29;532)	11.0% (25;415)	**39.9% (9;25) Worse**	4.9% (15;385)	47.3% (1;5)	2.0% (19;694)	3.1% (45;1,302)	1.1% (3;234)	4.3% (22;518)
Glenn	Glenn Medical Center							0.0% (0;8)		5.8% (1;28)
Humboldt	Jerold Phelps Community Hospital									0.0% (0;6)
	Mad River Community Hospital	10.0% (1;5)	19.5% (1;13)		10.8% (1;13)		0.0% (0;30)	6.8% (2;48)	0.0% (0;9)	8.6% (3;53)
	Redwood Memorial Hospital		12.0% (2;12)		5.9% (1;11)		3.1% (1;29)	0.0% (0;43)	0.0% (0;3)	2.5% (1;34)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.
*****Hospital name changed from 2017 to 2018, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Humboldt (continued)	Saint Joseph Hospital – Eureka	8.0% (17;210)	**3.7% (5;126) Better**	**0.0% (0;10) Better**	2.8% (5;114)		1.7% (5;159)	3.6% (16;296)	1.5% (3;101)	3.0% (7;168)
Imperial	El Centro Regional Medical Center	**13.5% (7;37) Worse**	10.0% (11;135)	**33.9% (9;12) Worse**	2.3% (2;123)		2.5% (5;173)	1.9% (7;235)	2.9% (2;36)	2.8% (8;195)
	Pioneers Memorial Healthcare District	2.1% (1;44)	7.8% (5;102)	27.9% (5;18)	0.0% (0;84)		0.0% (0;91)	3.1% (6;172)	0.0% (0;12)	3.4% (7;228)
Inyo	Northern Inyo Hospital	9.5% (1;9)	34.8% (2;14)		12.1% (1;13)		0.0% (0;11)	0.0% (0;22)	0.0% (0;25)	5.1% (1;27)
	Southern Inyo Hospital							0.0% (0;3)		44.2% (1;3)
Kern	Adventist Health Bakersfield	7.1% (38;625)	8.9% (41;501)	24.9% (23;108)	4.0% (17;385)	14.6% (1;8)	1.4% (8;459)	2.4% (18;747)	0.8% (1;126)	3.3% (15;432)
	Adventist Health Tehachapi Valley							0.0% (0;5)		0.0% (0;14)
	Bakersfield Heart Hospital	4.3% (14;294)	8.5% (1;25)		5.2% (1;24)		2.2% (2;78)	**1.0% (4;360) Better**		1.2% (1;76)
	Bakersfield Memorial Hospital	7.2% (31;467)	7.8% (30;351)	22.1% (18;77)	3.2% (8;244)	17.3% (4;30)	2.4% (5;237)	3.7% (22;721)	0.0% (0;141)	5.0% (17;399)
	Delano Regional Medical Center	8.2% (1;5)	11.4% (1;15)		0.0% (0;14)		8.6% (1;23)	2.6% (3;88)	0.0% (0;15)	4.0% (3;91)
	Good Samaritan Hospital – Bakersfield	0.0% (0;6)					0.0% (0;7)	3.5% (1;49)		0.0% (0;66)
	Kern Medical Center	0.0% (0;25)	**15.4% (18;91) Worse**	35.7% (9;20)	**10.5% (9;66) Worse**	0.0% (0;5)	6.0% (5;74)	6.3% (6;154)	7.3% (2;45)	4.3% (2;67)
	Kern Valley Healthcare District						0.0% (0;6)	0.0% (0;21)		0.0% (0;56)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.
*****Hospital name changed from 2017 to 2018, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Kern (continued)	Mercy Hospital – Bakersfield	4.6% (4;29)	9.3% (16;190)	15.4% (5;29)	5.5% (7;156)	39.8% (4;5)	2.4% (4;164)	**0.7% (2;265) Better**	1.3% (2;135)	3.7% (10;330)
	Ridgecrest Regional Hospital	0.0% (0;5)	**93.0% (2;10) Worse**		**51.5% (2;10) Worse**		9.5% (2;33)	7.0% (4;57)	0.0% (0;5)	1.9% (1;59)
Kings	Adventist Health Hanford	4.3% (9;157)	12.6% (11;154)		6.9% (9;151)		0.8% (1;141)	3.5% (16;402)	1.6% (1;78)	3.1% (11;336)
Lake	Adventist Health Clearlake	0.0% (0;3)	6.8% (1;9)		0.0% (0;7)		15.8% (1;17)	3.5% (3;87)		1.2% (1;93)
	Sutter Lakeside Hospital	0.0% (0;3)	0.0% (0;35)		0.0% (0;35)		0.0% (0;29)	0.0% (0;69)	0.0% (0;33)	0.0% (0;41)
Lassen	Banner Lassen Medical Center	6.4% (1;5)					0.0% (0;14)	6.8% (1;25)		2.4% (1;39)
Los Angeles	Adventist Health Glendale	6.3% (27;438)	7.7% (47;440)	18.2% (25;99)	**2.4% (9;304) Better**	**37.1% (13;37) Worse**	2.2% (8;289)	**1.5% (17;711) Better**	1.1% (3;164)	2.5% (20;515)
	Adventist Health White Memorial	6.8% (22;351)	8.6% (19;228)	16.0% (7;44)	5.2% (9;179)	33.3% (3;5)	2.1% (6;280)	1.5% (8;537)	1.9% (1;50)	3.1% (5;207)
	Alhambra Hospital Medical Center	5.0% (4;26)	**1.2% (1;83) Better**	7.3% (1;17)	**0.0% (0;63) Better**	0.0% (0;3)	**0.0% (0;111) Better**	1.6% (5;231)	5.0% (1;32)	1.6% (5;247)
	Antelope Valley Hospital	6.4% (15;319)	10.2% (37;412)	21.5% (18;92)	6.1% (18;319)		**4.1% (17;380) Worse**	**5.1% (18;440) Worse**	0.9% (1;173)	**6.7% (30;406) Worse**
	Beverly Hospital	7.0% (12;191)	7.7% (7;144)	14.6% (3;29)	7.0% (4;110)	0.0% (0;5)	1.3% (3;290)	1.7% (5;388)	0.0% (0;61)	2.2% (5;219)
	California Hospital Medical Center – Los Angeles	4.9% (13;226)	8.6% (15;258)	19.2% (9;49)	5.0% (6;208)		1.4% (5;252)	**0.5% (4;818) Better**	1.5% (1;39)	**0.0% (0;196) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.
*****Hospital name changed from 2017 to 2018, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Los Angeles (continued)	Casa Colina Hospital	0.0% (0;8)	0.0% (0;23)	0.0% (0;6)	0.0% (0;17)		0.0% (0;24)	0.0% (0;52)	0.0% (0;13)	0.0% (0;20)
	Cedars Sinai Medical Center	5.8% (57;845)	7.7% (70;771)	18.8% (31;176)	3.6% (24;530)	23.2% (15;65)	**1.4% (15;933) Better**	2.2% (63;1,850)	1.0% (4;290)	2.1% (12;515)
	Cedars-Sinai Marina Del Rey Hospital**	0.0% (0;12)	0.0% (0;32)		0.0% (0;32)		2.0% (3;119)	0.5% (1;154)	0.0% (0;79)	0.0% (0;85)
	Centinela Hospital Medical Center	**1.0% (5;282) Better**	**4.4% (9;256) Better**	16.3% (5;29)	**1.3% (3;224) Better**	35.4% (1;3)	2.0% (9;379)	**0.8% (9;1,138) Better**	1.7% (2;50)	1.0% (2;182)
	City of Hope Helford Clinical Research Hospital		13.9% (2;11)	0.0% (0;3)	10.3% (2;7)		5.1% (3;33)	5.0% (1;18)		**6.9% (14;176) Worse**
	Coast Plaza Hospital	3.2% (1;28)	9.6% (2;31)		5.3% (2;31)		4.4% (4;69)	2.6% (4;188)	12.5% (1;16)	6.1% (4;50)
	College Medical Center	10.2% (3;15)	0.0% (0;11)		0.0% (0;10)		4.4% (4;84)	5.3% (4;92)	0.0% (0;12)	3.1% (1;54)
	Community Hospital Long Beach	8.6% (1;5)	0.0% (0;14)		0.0% (0;14)		1.2% (1;42)	5.6% (2;51)	0.0% (0;16)	9.9% (4;44)
	Community and Mission Hospital of Huntington Park – Slauson	**1.4% (2;126) Better**	0.0% (0;31)		0.0% (0;31)		0.0% (0;86)	2.2% (5;323)	0.0% (0;9)	3.1% (2;72)
	East Los Angeles Doctors Hospital	6.1% (2;30)	0.0% (0;15)		0.0% (0;13)		0.0% (0;57)	2.8% (2;92)	0.0% (0;7)	1.1% (1;89)
	Emanate Health Foothill Presbyterian Hospital**	**15.0% (7;28) Worse**	**1.5% (1;63) Better**	7.8% (1;15)	0.0% (0;45)	0.0% (0;3)	3.4% (5;148)	2.9% (5;208)	0.9% (1;85)	4.6% (7;148)
	Emanate Health Inter - Community Hospital**	6.8% (20;472)	5.9% (3;51)	21.5% (2;11)	2.8% (1;39)		2.1% (4;203)	2.1% (6;402)	1.2% (1;76)	5.5% (13;222)
	Emanate Health Queen of the Valley Hospital**	9.2% (4;33)	7.5% (20;407)	18.9% (10;60)	3.7% (9;344)	23.8% (1;3)	1.6% (5;262)	2.1% (6;402)	4.0% (4;83)	4.4% (14;301)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.
*****Hospital name changed from 2017 to 2018, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Los Angeles (continued)	Encino Hospital Medical Center	0.0% (0;23)	3.9% (1;17)		3.0% (1;15)		0.0% (0;35)	**0.7% (2;127) Better**	0.0% (0;21)	0.8% (1;57)
	Garfield Medical Center	**10.5% (26;278) Worse**	6.3% (20;338)	12.3% (8;88)	2.9% (6;238)	31.5% (6;12)	1.2% (2;192)	2.9% (14;416)	0.0% (0;66)	3.7% (11;226)
	Glendale Memorial Hospital and Medical Center	5.1% (10;205)	6.6% (4;123)	12.8% (1;20)	3.9% (3;102)		1.5% (2;137)	2.0% (11;432)	1.3% (2;96)	2.6% (7;239)
	Glendora Community Hospital	0.0% (0;7)	0.0% (0;7)		0.0% (0;6)		0.0% (0;45)	0.0% (0;43)	0.0% (0;4)	2.5% (1;39)
	Good Samaritan Hospital – Los Angeles	6.7% (19;225)	7.5% (58;497)	20.0% (29;112)	**3.3% (22;370) Better**	27.5% (7;15)	2.1% (6;220)	1.4% (7;474)	1.6% (1;54)	1.0% (2;170)
	Greater El Monte Community Hospital	5.1% (1;26)	5.7% (1;23)		0.0% (0;22)		2.7% (2;61)	0.0% (0;75)		3.9% (4;100)
	Henry Mayo Newhall Hospital	6.1% (16;226)	11.2% (20;217)	24.2% (9;41)	6.6% (8;169)	30.4% (3;7)	2.6% (8;246)	1.6% (9;407)	0.0% (0;111)	2.0% (8;332)
	Hollywood Presbyterian Medical Center	**10.2% (27;253) Worse**	8.8% (12;176)	16.4% (4;32)	5.6% (8;143)		2.7% (4;162)	2.2% (6;353)	0.6% (1;85)	1.8% (3;143)
	Huntington Memorial Hospital	**3.5% (13;331) Better**	**6.1% (40;491) Better**	15.2% (15;99)	**3.0% (19;357) Better**	20.4% (6;35)	1.5% (8;500)	2.7% (21;598)	1.2% (3;209)	3.2% (21;484)
	Kaiser Foundation Hospital – Baldwin Park	6.1% (8;101)	**5.5% (12;211) Better**	8.5% (3;42)	4.2% (9;165)	0.0% (0;4)	1.8% (4;164)	1.7% (8;400)	0.0% (0;124)	3.1% (4;119)
	Kaiser Foundation Hospital – Downey	**1.7% (3;156) Better**	7.8% (16;327)	21.5% (6;41)	3.8% (9;284)		1.6% (4;255)	3.0% (15;460)	3.8% (4;93)	2.0% (4;160)
	Kaiser Foundation Hospital – Panorama City	2.3% (2;98)	**2.7% (3;136) Better**	9.6% (1;24)	**1.4% (2;109) Better**	0.0% (0;3)	2.4% (4;121)	4.0% (14;210)	2.1% (3;140)	2.2% (4;88)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.
*****Hospital name changed from 2017 to 2018, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Los Angeles (continued)	Kaiser Foundation Hospital – South Bay	**1.9% (3;106) Better**	6.2% (13;210)	9.3% (2;34)	3.8% (11;174)		4.1% (7;149)	3.4% (16;346)	1.5% (2;120)	3.3% (5;100)
	Kaiser Foundation Hospital – Sunset	**3.4% (39;1,305) Better**	**6.0% (63;815) Better**	**14.2% (29;250) Better**	3.6% (27;486)	**12.0% (7;79) Better**	2.3% (8;320)	2.3% (22;649)	3.7% (6;122)	2.8% (5;116)
	Kaiser Foundation Hospital – West Los Angeles	**1.9% (3;127) Better**	8.7% (17;211)	13.0% (3;31)	5.4% (13;178)		2.2% (4;128)	1.8% (6;208)	0.6% (1;128)	3.2% (3;53)
	Kaiser Foundation Hospital – Woodland Hills	**1.9% (4;122) Better**	8.2% (14;200)	15.6% (3;30)	4.9% (11;168)		1.6% (2;141)	1.7% (13;340)	0.4% (1;176)	1.3% (3;100)
	Keck Hospital of University of Southern California	8.0% (16;119)	**6.3% (70;494) Better**	16.1% (32;157)	**2.8% (11;181) Better**	**15.7% (27;156) Better**	2.6% (6;104)	4.2% (16;215)	0.0% (0;12)	4.9% (4;51)
	Lakewood Regional Medical Center	7.1% (26;316)	8.1% (19;242)	19.2% (8;39)	3.9% (8;192)	31.9% (3;11)	3.2% (10;240)	2.5% (11;454)	2.1% (1;93)	3.8% (7;221)
	Los Angeles Community Hospital	3.2% (1;31)	4.9% (1;51)		2.7% (1;51)		1.3% (2;154)	**0.5% (2;269) Better**	0.0% (0;12)	**0.0% (0;166) Better**
	Los Angeles County/Harbor – UCLA Medical Center	6.7% (19;325)	**11.7% (37;225) Worse**	26.4% (21;54)	7.3% (13;159)	22.9% (3;12)	1.9% (4;179)	3.3% (11;523)	1.6% (1;44)	6.1% (5;94)
	Los Angeles County/Olive View – UCLA Medical Center	**0.0% (0;150) Better**	6.8% (3;112)	35.9% (2;10)	1.8% (1;102)		**0.0% (0;152) Better**	**0.6% (2;527) Better**		1.5% (1;132)
	Los Angeles County/University of Southern California Medical Center	6.4% (17;253)	8.9% (46;301)	17.8% (22;105)	5.7% (17;177)	27.0% (7;19)	1.4% (8;408)	2.2% (21;1,134)	3.1% (3;62)	3.0% (7;249)
	Memorial Hospital of Gardena	3.6% (2;43)	6.5% (2;83)	0.0% (0;4)	3.9% (2;79)		6.4% (5;123)	1.0% (3;367)	0.0% (0;24)	2.4% (1;69)
	Memorialcare Long Beach Medical Center**	6.3% (23;417)	9.8% (73;656)	24.2% (32;126)	5.3% (35;500)	22.1% (6;30)	2.7% (10;398)	2.0% (13;770)	0.9% (2;148)	3.8% (11;260)
	Methodist Hospital of Southern California	7.0% (32;280)	9.5% (72;456)	25.2% (41;104)	3.9% (20;331)	27.7% (11;21)	1.8% (8;354)	2.9% (30;613)	2.6% (6;194)	3.0% (18;356)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Los Angeles (continued)	Mission Community Hospital – Panorama Campus	2.4% (1;23)	0.0% (0;56)	0.0% (0;8)	0.0% (0;48)		**0.0% (0;148) Better**	**0.8% (3;259) Better**	0.0% (0;36)	**0.6% (1;137) Better**
	Monterey Park Hospital	8.2% (2;13)	6.5% (2;47)	11.6% (1;9)	5.0% (1;38)		5.5% (4;86)	2.2% (2;123)	0.0% (0;24)	1.4% (1;93)
	Northridge Hospital Medical Center	4.9% (30;437)	8.6% (53;382)	18.7% (22;89)	5.1% (27;279)	19.2% (4;14)	**0.7% (2;250) Better**	1.8% (14;456)	0.6% (2;155)	2.4% (6;162)
	Norwalk Community Hospital	0.0% (0;32)	0.0% (0;13)		0.0% (0;12)		1.0% (1;84)	1.4% (3;166)	0.0% (0;10)	0.0% (0;50)
	Olympia Medical Center	3.7% (3;61)	3.5% (1;33)		2.0% (1;32)		3.5% (9;139)	1.3% (4;230)	0.0% (0;33)	3.0% (5;114)
	PIH Health Hospital – Whittier**	5.2% (33;626)	8.4% (59;601)	24.2% (27;105)	3.6% (24;465)	25.3% (8;31)	**0.9% (5;352) Better**	1.8% (16;761)	0.5% (1;198)	2.4% (7;238)
	PIH Health Hospital – Downey**	3.2% (7;212)	6.7% (6;130)	12.5% (3;30)	4.9% (3;100)		**0.4% (1;235) Better**	**0.8% (4;456) Better**	1.2% (1;98)	1.7% (3;165)
	Pacifica Hospital of the Valley	26.7% (1;3)	0.0% (0;10)		0.0% (0;10)		0.0% (0;51)	4.8% (2;50)	0.0% (0;7)	3.8% (3;94)
	Palmdale Regional Medical Center	5.9% (13;232)	6.9% (8;138)	13.4% (4;35)	4.7% (3;98)	22.6% (1;5)	2.7% (8;219)	1.7% (8;471)	2.9% (3;84)	3.5% (10;268)
	Pomona Valley Hospital Medical Center (Right click to view comment letter)	4.8% (29;563)	8.7% (93;792)	22.0% (40;157)	4.0% (36;584)	27.3% (17;51)	**1.2% (6;332) Better**	2.0% (21;697)	0.7% (2;186)	3.3% (12;210)
	Promise Hospital of East Los Angeles – Suburban Campus							11.3% (2;6)		3.5% (2;17)
	Providence Holy Cross Medical Center	5.1% (21;303)	7.4% (22;247)	21.4% (16;69)	**1.2% (2;174) Better**	32.8% (4;4)	2.0% (9;366)	**1.8% (22;786) Better**	2.0% (7;163)	1.8% (7;255)
	Providence Little Company of Mary Medical Center – San Pedro	5.3% (2;21)	11.1% (3;78)		6.4% (3;77)		1.7% (3;145)	1.9% (5;224)	0.0% (0;66)	2.5% (4;109)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Los Angeles (continued)	Providence Little Company of Mary Medical Center – Torrance	6.3% (34;475)	**6.7%** **(58;629)** **Better**	**13.6%** **(24;124)** **Better**	3.8% (24;474)	22.8% (10;31)	2.3% (13;438)	2.8% (22;720)	0.5% (1;170)	3.7% (17;335)
	Providence Saint John's Health Center	5.7% (10;187)	7.9% (20;263)	23.0% (10;51)	3.1% (7;204)	26.3% (3;8)	2.2% (7;227)	2.6% (10;284)	0.7% (1;139)	3.4% (12;239)
	Providence Saint Joseph Medical Center	4.9% (17;279)	10.6% (68;581)	24.3% (21;95)	5.8% (36;444)	29.7% (11;42)	2.0% (10;328)	**1.6%** **(16;620)** **Better**	1.1% (3;185)	1.8% (10;344)
	Providence Tarzana Medical Center	3.6% (7;163)	**3.6%** **(5;168)** **Better**	15.2% (5;31)	**0.0%** **(0;136)** **Better**		1.2% (3;228)	**1.1%** **(10;516)** **Better**	2.2% (3;89)	3.5% (15;237)
	Ronald Reagan UCLA Medical Center	**8.4%** **(34;259)** **Worse**	**4.0%** **(30;380)** **Better**	**10.9%** **(17;119)** **Better**	**1.6%** **(9;225)** **Better**	12.2% (4;36)	1.6% (9;249)	1.6% (10;453)	3.5% (1;12)	3.7% (8;155)
	Saint Francis Medical Center	7.7% (22;310)	8.3% (26;293)	20.7% (15;59)	3.4% (7;227)	31.2% (4;7)	1.4% (4;350)	1.6% (8;654)	0.8% (1;77)	4.0% (7;206)
	Saint Mary Medical Center – Long Beach	6.9% (22;336)	9.7% (21;183)	19.8% (12;44)	6.8% (8;135)	23.5% (1;4)	1.5% (7;254)	1.9% (8;391)	0.0% (0;62)	2.6% (5;166)
	Saint Vincent Medical Center	5.5% (20;290)	**3.8%** **(6;154)** **Better**	7.9% (2;30)	2.1% (3;121)	12.3% (1;3)	2.0% (5;222)	**1.1%** **(6;505)** **Better**	2.0% (2;82)	2.0% (4;180)
	San Dimas Community Hospital	2.3% (2;53)	0.0% (0;24)		0.0% (0;21)		0.0% (0;56)	2.1% (2;77)	3.0% (1;22)	1.8% (1;54)
	San Gabriel Valley Medical Center	3.5% (4;57)	**2.7%** **(5;142)** **Better**	**7.6%** **(3;34)** **Better**	**0.7%** **(1;103)** **Better**	14.1% (1;5)	4.3% (7;171)	4.1% (14;281)	0.0% (0;101)	3.0% (11;269)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	3.2% (6;153)	**4.3%** **(6;126)** **Better**	17.0% (4;15)	**0.7%** **(1;109)** **Better**		**0.7%** **(2;219)** **Better**	**1.1%** **(9;449)** **Better**	0.8% (3;187)	1.6% (5;223)
	Sherman Oaks Hospital	**1.6%** **(4;119)** **Better**	**4.3%** **(5;78)** **Better**	9.6% (2;13)	1.9% (2;63)		1.1% (3;108)	**0.2%** **(1;263)** **Better**	0.5% (1;60)	**1.5%** **(7;193)** **Better**
	Silver Lake Medical Center – Downtown Campus	0.0% (0;5)	0.0% (0;10)		0.0% (0;9)		0.0% (0;50)	0.0% (0;51)	16.6% (1;5)	1.1% (1;83)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Los Angeles (continued)	Southern California Hospital at Culver City	**0.8% (1;150) Better**	**0.0% (0;69) Better**	0.0% (0;4)	0.0% (0;65)		1.1% (2;121)	2.3% (11;326)	1.9% (2;36)	**0.5% (1;171) Better**
	Southern California Hospital at Hollywood	14.4% (2;16)	0.0% (0;19)		0.0% (0;19)		1.1% (1;88)	3.6% (4;104)	0.0% (0;10)	0.8% (1;123)
	Torrance Memorial Medical Center	5.8% (31;479)	8.1% (36;528)	21.2% (17;84)	4.0% (17;432)	21.4% (2;12)	2.4% (15;592)	2.3% (28;1,025)	2.2% (7;242)	2.8% (16;452)
	University of Southern California Verdugo Hills Hospital	1.3% (1;33)	4.8% (2;91)	0.0% (0;5)	3.2% (2;85)		2.0% (4;122)	**0.9% (3;165) Better**	0.0% (0;86)	2.3% (5;162)
	Valley Presbyterian Hospital	5.1% (13;214)	7.7% (9;135)	18.6% (4;31)	4.1% (5;104)		2.4% (7;214)	**1.3% (7;455) Better**	2.4% (4;57)	3.7% (5;105)
	West Covina Medical Center						0.0% (0;15)	0.0% (0;14)	0.0% (0;8)	0.0% (0;7)
	West Hills Hospital and Medical Center	7.5% (14;200)	**4.1% (5;165) Better**	12.3% (4;26)	1.2% (1;138)		2.9% (8;203)	1.4% (6;319)	2.0% (2;112)	3.3% (6;165)
	Whittier Hospital Medical Center	7.8% (4;35)	15.4% (3;45)		9.1% (2;44)		2.9% (4;143)	2.9% (6;210)	0.0% (0;40)	2.4% (4;167)
Madera	Madera Community Hospital	0.0% (0;31)	5.6% (1;34)		0.0% (0;33)		5.4% (4;92)	2.4% (4;157)	0.0% (0;37)	2.0% (1;62)
Marin	Kaiser Foundation Hospital – San Rafael	1.9% (1;54)	4.7% (5;139)	**0.0% (0;23) Better**	4.7% (5;115)		0.0% (0;133)	3.3% (8;168)	1.7% (2;101)	0.9% (1;100)
	Marin General Hospital	**1.7% (2;177) Better**	11.1% (23;209)	29.0% (11;45)	5.2% (10;162)		1.8% (4;181)	1.7% (6;269)	1.5% (3;124)	2.5% (6;188)
	Novato Community Hospital	9.3% (1;10)	7.1% (2;41)	0.0% (0;3)	5.7% (2;38)		0.0% (0;48)	2.3% (3;86)	0.0% (0;37)	0.0% (0;57)
Mariposa	John C. Fremont Healthcare District							0.0% (0;18)		5.0% (1;27)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Mendocino	Adventist Health Howard Memorial		26.7% (2;27)		14.8% (2;27)		8.3% (1;23)	5.8% (6;58)	0.0% (0;42)	1.8% (1;64)
	Adventist Health Ukiah Valley	0.0% (0;6)	10.9% (5;59)		4.3% (3;57)		3.4% (2;69)	1.2% (2;110)	0.0% (0;22)	2.4% (3;97)
	Mendocino Coast District Hospital		14.4% (1;10)		8.0% (1;10)		6.1% (1;15)	4.1% (1;28)	0.0% (0;16)	3.7% (2;47)
Merced	Memorial Hospital Los Banos		10.4% (1;6)		0.0% (0;5)			5.0% (4;71)	5.6% (1;23)	1.9% (1;40)
	Mercy Medical Center – Merced	2.5% (2;70)	6.5% (8;221)	25.9% (2;4)	3.1% (6;217)		**0.6% (2;323) Better**	**1.1% (8;723) Better**	1.8% (2;95)	3.6% (14;498)
Modoc	Modoc Medical Center	0.0% (0;3)						7.6% (1;9)		10.8% (1;18)
Mono	Mammoth Hospital						0.0% (0;15)	0.0% (0;8)	0.0% (0;8)	0.0% (0;10)
Monterey	Community Hospital of The Monterey Peninsula	3.7% (7;188)	10.7% (22;271)	26.2% (8;35)	4.4% (8;230)	**46.0% (6;6) Worse**	2.0% (7;276)	2.5% (16;496)	2.6% (4;154)	3.3% (10;310)
	George L. Mee Memorial Hospital							0.0% (0;19)		10.0% (1;23)
	Natividad Medical Center	0.0% (0;6)	**18.1% (7;50) Worse**	**58.2% (3;5) Worse**	8.6% (3;44)		2.0% (1;107)	5.0% (5;149)	4.1% (1;36)	2.6% (1;84)
	Salinas Valley Memorial Hospital	7.6% (17;264)	6.4% (18;251)	20.3% (12;47)	**1.9% (5;202) Better**		2.1% (5;264)	2.3% (11;424)	2.8% (3;87)	3.4% (8;225)
Napa	Adventist Health Saint Helena	6.1% (10;233)	20.2% (1;9)		13.8% (1;8)		5.0% (6;73)	2.4% (8;182)	0.0% (0;45)	3.2% (4;68)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Napa (continued)	Queen of the Valley Medical Center	7.7% (12;160)	6.8% (14;211)	18.9% (7;33)	3.2% (7;178)		**0.8% (3;241) Better**	4.0% (16;293)	0.6% (1;72)	1.1% (1;91)
Nevada	Sierra Nevada Memorial Hospital	2.4% (2;37)	9.6% (7;112)	25.6% (3;11)	3.9% (3;99)		1.4% (2;126)	2.0% (8;233)	1.7% (3;95)	2.7% (4;132)
	Tahoe Forest Hospital		0.0% (0;7)		0.0% (0;6)		0.0% (0;29)	5.8% (1;16)	0.0% (0;34)	1.9% (1;55)
Orange	AHMC Anaheim Regional Medical Center	5.3% (9;188)	**1.8% (2;112) Better**	**3.2% (1;32) Better**	1.5% (1;79)		2.1% (4;189)	3.2% (13;498)	0.0% (0;59)	2.0% (7;271)
	Anaheim Global Medical Center	8.1% (8;121)	0.0% (0;12)		0.0% (0;12)		2.7% (1;34)	3.7% (1;41)	0.0% (0;8)	9.9% (3;41)
	Chapman Global Medical Center		**58.1% (4;11) Worse**		**32.1% (4;11) Worse**		4.0% (1;17)	0.0% (0;29)	0.0% (0;9)	4.0% (1;50)
	Fountain Valley Regional Hospital and Medical Center – Euclid	**9.3% (37;308) Worse**	10.3% (58;438)	22.9% (28;103)	5.6% (20;312)	31.8% (10;23)	2.0% (5;287)	2.4% (17;597)	1.3% (1;72)	2.6% (12;406)
	Garden Grove Hospital and Medical Center	4.7% (3;28)	4.4% (1;39)	24.0% (1;4)	0.0% (0;35)		1.1% (2;112)	0.6% (1;135)	3.5% (1;31)	**0.0% (0;67) Better**
	Hoag Memorial Hospital Presbyterian	5.9% (26;451)	**5.2% (44;729) Better**	**14.7% (22;127) Better**	**2.1% (15;563) Better**	18.9% (7;39)	2.4% (20;718)	**1.6% (24;889) Better**	1.2% (5;404)	**1.1% (6;467) Better**
	Hoag Orthopedic Institute								0.0% (0;41)	
	Huntington Beach Hospital	1.5% (1;29)	0.0% (0;16)		0.0% (0;16)		1.3% (1;69)	1.0% (1;97)	2.4% (2;22)	1.4% (2;85)
	Kaiser Foundation Hospital – Orange County – Anaheim	4.7% (14;245)	**5.2% (29;528) Better**	**11.7% (15;156) Better**	3.1% (12;327)	9.9% (2;45)	1.9% (9;302)	3.2% (27;562)	1.1% (3;267)	2.1% (8;249)
	La Palma Intercommunity Hospital	2.1% (2;60)	0.0% (0;34)		0.0% (0;33)		1.0% (2;86)	2.8% (4;138)	1.7% (1;26)	0.0% (0;57)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Orange (continued)	Los Alamitos Medical Center	5.9% (16;227)	9.8% (46;390)	20.9% (16;77)	5.4% (22;293)	31.7% (8;20)	3.0% (7;221)	3.4% (12;274)	2.8% (5;176)	2.2% (5;201)
	Memorialcare Orange Coast Medical Center**	4.4% (11;179)	7.6% (11;173)	23.2% (7;26)	3.1% (4;143)	0.0% (0;4)	1.6% (5;240)	2.0% (12;414)	1.3% (3;108)	3.2% (10;236)
	Memorialcare Saddleback Medical Center**	6.4% (17;273)	11.9% (37;319)	23.6% (14;65)	7.5% (21;243)	26.0% (2;11)	1.8% (6;250)	2.3% (17;504)	0.0% (0;186)	4.2% (13;199)
	Mission Hospital Laguna Beach		0.0% (0;6)		0.0% (0;5)		0.0% (0;25)	1.2% (1;45)	0.0% (0;39)	0.0% (0;54)
	Mission Hospital Regional Medical Center	3.6% (14;366)	7.5% (52;450)	16.9% (24;95)	3.6% (20;334)	34.1% (8;21)	2.5% (16;336)	1.8% (17;447)	1.3% (4;247)	1.9% (6;214)
	Orange County Global Medical Center	4.3% (10;188)	**12.4% (50;245) Worse**	24.2% (21;80)	**8.4% (21;143) Worse**	31.3% (8;22)	0.0% (0;100)	0.7% (1;195)	0.0% (0;45)	2.6% (2;102)
	Placentia Linda Hospital	12.5% (4;25)	6.3% (1;33)		3.5% (1;33)		2.6% (2;76)	0.8% (1;134)	2.5% (1;85)	3.9% (5;168)
	Saint Joseph Hospital – Orange	6.1% (26;385)	**5.9% (28;379) Better**	14.0% (13;81)	3.2% (12;283)	15.5% (3;15)	2.5% (10;270)	1.8% (13;484)	1.4% (4;182)	3.6% (13;281)
	Saint Jude Medical Center	5.6% (26;348)	**6.7% (60;598) Better**	16.9% (28;133)	**3.4% (25;426) Better**	16.9% (7;39)	1.7% (10;342)	2.2% (19;504)	0.8% (2;253)	3.6% (13;230)
	South Coast Global Medical Center	74.1% (1;4)	21.6% (1;20)		12.0% (1;20)		0.0% (0;48)	0.0% (0;72)	0.0% (0;13)	3.9% (2;57)
	UC Irvine Medical Center	6.2% (12;203)	**6.0% (49;500) Better**	**15.5% (28;150) Better**	**3.1% (19;323) Better**	8.1% (2;27)	2.2% (8;312)	4.1% (17;448)	0.8% (1;75)	2.7% (3;114)
	West Anaheim Medical Center	4.1% (8;193)	5.9% (2;43)	0.0% (0;4)	2.6% (1;38)		**0.4% (1;135) Better**	1.3% (5;312)	0.6% (1;55)	1.0% (2;130)
Placer	Kaiser Foundation Hospital – Roseville	5.3% (21;563)	11.7% (30;464)	31.8% (9;39)	6.5% (21;421)	0.0% (0;4)	**0.7% (3;424) Better**	3.3% (32;716)	1.8% (6;337)	2.0% (6;266)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Placer (continued)	Sutter Auburn Faith Hospital	0.0% (0;13)	2.1% (1;84)		1.2% (1;83)		4.0% (2;63)	2.8% (3;89)	0.0% (0;69)	2.7% (3;85)
	Sutter Roseville Medical Center	**3.3% (16;471) Better**	7.2% (35;443)	16.0% (13;77)	4.0% (20;361)	23.5% (2;5)	**1.1% (6;425) Better**	**1.3% (13;624) Better**	**0.3% (1;271) Better**	2.0% (7;276)
Plumas	Eastern Plumas Hospital – Portola Campus									0.0% (0;26)
	Plumas District Hospital						54.9% (1;6)	0.0% (0;27)		0.0% (0;11)
	Seneca District Hospital						0.0% (0;4)	0.0% (0;11)		0.0% (0;12)
Riverside	Corona Regional Medical Center – Main	6.7% (6;71)	4.6% (3;113)		2.5% (3;113)		1.3% (4;196)	**1.4% (8;423) Better**	0.0% (0;94)	2.4% (6;192)
	Desert Regional Medical Center	5.4% (31;501)	10.9% (63;480)	26.1% (29;115)	6.0% (28;341)	23.0% (6;24)	3.0% (15;411)	3.2% (14;467)	2.9% (6;241)	3.1% (8;295)
	Eisenhower Medical Center	4.1% (18;537)	8.2% (42;615)	25.0% (26;94)	**2.7% (12;507) Better**	31.9% (4;14)	**1.2% (7;561) Better**	**1.3% (11;848) Better**	0.8% (2;315)	2.0% (9;432)
	Hemet Valley Medical Center	4.3% (5;73)	13.8% (7;106)	58.5% (1;4)	7.0% (5;101)		1.9% (6;245)	**1.3% (8;539) Better**	0.9% (1;146)	2.2% (8;255)
	John F. Kennedy Memorial Hospital	5.6% (9;157)	0.0% (0;15)		0.0% (0;15)		2.2% (2;92)	1.7% (2;139)	0.0% (0;92)	4.3% (4;108)
	Kaiser Foundation Hospital – Moreno Valley	4.7% (5;87)	**3.7% (5;115) Better**	8.6% (1;13)	**2.1% (4;101) Better**		0.0% (0;81)	3.4% (9;150)	0.0% (0;44)	3.7% (3;55)
	Kaiser Foundation Hospital – Riverside	5.2% (6;95)	4.8% (7;169)	**4.2% (1;26) Better**	3.7% (6;141)		1.2% (2;149)	3.7% (12;246)	2.2% (2;105)	0.6% (1;94)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.
*****Hospital name changed from 2017 to 2018, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Riverside (continued)	Loma Linda University Medical Center – Murrieta	**9.4% (28;384) Worse**	9.7% (17;261)	29.6% (13;46)	2.6% (3;211)	23.6% (1;4)	2.9% (4;171)	1.8% (6;359)	3.2% (2;82)	3.1% (6;189)
	Menifee Valley Medical Center	6.8% (1;15)	0.0% (0;4)				5.2% (2;50)	2.6% (4;148)	2.7% (1;38)	1.2% (1;81)
	Palo Verde Hospital	14.0% (1;9)					5.9% (1;25)	**14.3% (3;21) Worse**		8.2% (1;17)
	Parkview Community Hospital Medical Center	0.0% (0;6)	11.3% (1;48)	0.0% (0;3)	7.6% (1;45)		2.4% (3;100)	1.5% (4;236)	0.0% (0;41)	2.4% (6;201)
	Riverside Community Hospital	**7.7% (71;948) Worse**	8.6% (68;624)	23.1% (33;132)	4.3% (26;447)	17.9% (9;45)	2.0% (13;396)	**1.6% (14;729) Better**	1.2% (3;190)	3.4% (16;374)
	Riverside University Health System – Medical Center	9.8% (4;49)	7.4% (28;272)	20.6% (22;71)	2.6% (6;199)		2.6% (10;246)	1.4% (8;557)	2.7% (4;91)	0.9% (1;118)
	San Gorgonio Memorial Hospital	16.3% (2;8)					2.3% (2;88)	2.0% (2;168)	0.0% (0;30)	1.6% (2;143)
	Southwest Healthcare System – Murrieta	5.4% (6;72)	7.2% (22;288)	15.6% (10;60)	3.7% (9;223)	33.6% (3;5)	1.9% (5;190)	**1.1% (6;443) Better**	1.5% (5;211)	2.7% (11;358)
	Temecula Valley Hospital	5.8% (26;590)	9.2% (25;210)	23.1% (15;52)	3.5% (5;145)	29.4% (5;13)	2.8% (10;240)	**1.5% (11;595) Better**	2.2% (2;102)	2.9% (10;271)
Sacramento	Kaiser Foundation Hospital – Sacramento	3.1% (6;142)	7.6% (81;741)	**15.1% (39;243) Better**	5.0% (30;423)	22.2% (12;75)	3.4% (11;264)	2.4% (15;527)	0.0% (0;153)	4.7% (3;83)
	Kaiser Foundation Hospital – South Sacramento	5.0% (17;444)	8.8% (25;359)	26.2% (12;55)	4.2% (11;298)	15.7% (2;6)	2.4% (7;224)	2.7% (23;699)	1.3% (2;167)	1.5% (3;183)
	Mercy General Hospital	5.7% (55;1,070)	7.0% (14;254)	19.6% (9;72)	3.1% (5;179)	0.0% (0;3)	1.5% (4;254)	**1.2% (13;828) Better**	1.7% (2;91)	1.9% (6;227)
	Mercy Hospital of Folsom	2.5% (3;51)	6.5% (5;145)	26.9% (3;7)	2.1% (2;138)		1.9% (4;202)	1.4% (5;320)	0.8% (1;86)	**0.0% (0;151) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Sacramento (continued)	Mercy San Juan Hospital	6.7% (39;410)	**10.6%** **(153;877)** **Worse**	22.2% (75;282)	**7.0%** **(54;507)** **Worse**	26.6% (24;88)	2.9% (15;382)	1.9% (20;886)	2.6% (6;176)	2.5% (10;315)
	Methodist Hospital of Sacramento	**1.6%** **(2;66)** **Better**	7.1% (13;257)	29.2% (6;20)	3.1% (7;234)	0.0% (0;3)	2.6% (6;217)	1.9% (12;519)	1.0% (1;75)	1.7% (3;152)
	Sutter Medical Center, Sacramento	6.8% (46;684)	**6.7%** **(36;418)** **Better**	13.5% (12;90)	4.1% (22;313)	16.8% (2;15)	1.9% (9;383)	3.0% (25;702)	0.5% (1;147)	2.8% (8;235)
	UC Davis Medical Center	7.0% (19;291)	**6.1%** **(56;482)** **Better**	**14.4%** **(32;149)** **Better**	**3.0%** **(15;284)** **Better**	18.0% (9;49)	1.9% (13;418)	**1.4%** **(16;981)** **Better**	1.1% (3;131)	3.8% (8;192)
San Benito	Hazel Hawkins Memorial Hospital	0.0% (0;9)	14.3% (4;20)	26.8% (1;4)	10.6% (2;15)		4.6% (1;38)	0.0% (0;59)	6.5% (1;20)	6.8% (5;82)
San Bernardino	Arrowhead Regional Medical Center	4.3% (4;105)	11.0% (29;319)	28.0% (18;88)	6.3% (10;217)	9.3% (1;14)	2.5% (4;222)	2.4% (7;555)	1.4% (1;78)	4.3% (6;222)
	Barstow Community Hospital	0.0% (0;27)	0.0% (0;19)		0.0% (0;18)		2.1% (1;55)	1.0% (1;147)	5.4% (1;17)	0.0% (0;61)
	Bear Valley Community Hospital							0.0% (0;5)		0.0% (0;11)
	Chino Valley Medical Center	2.8% (5;71)	0.0% (0;8)		0.0% (0;8)		**0.4%** **(1;89)** **Better**	0.8% (2;146)	0.0% (0;24)	2.2% (2;68)
	Colorado River Medical Center						6.3% (1;15)	**31.3%** **(2;10)** **Worse**		12.9% (2;25)
	Community Hospital of San Bernardino	3.5% (1;23)	0.0% (0;47)		0.0% (0;44)		**0.0%** **(0;111)** **Better**	**0.4%** **(1;245)** **Better**	0.0% (0;23)	0.7% (1;118)
	Desert Valley Hospital	**1.2%** **(6;387)** **Better**	4.7% (4;132)	23.1% (2;8)	1.7% (2;124)		0.7% (2;254)	**0.5%** **(3;742)** **Better**	0.0% (0;54)	**0.6%** **(1;189)** **Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.
*****Hospital name changed from 2017 to 2018, see Technical Note for details.***
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
San Bernardino (continued)	Hi-Desert Medical Center		38.1% (1;14)		21.1% (1;14)		80.1% (1;3)	0.0% (0;70)	4.3% (1;27)	4.8% (4;83)
	Kaiser Foundation Hospital – Fontana	**2.9% (16;589) Better**	7.7% (67;839)	18.3% (35;225)	4.3% (22;529)	17.6% (10;85)	1.4% (8;486)	2.3% (30;881)	2.3% (7;258)	**1.2% (6;370) Better**
	Loma Linda University Medical Center	7.0% (51;637)	**6.9% (77;659) Better**	**13.1% (24;174) Better**	3.8% (31;422)	23.0% (22;63)	2.6% (14;305)	2.0% (19;886)	0.7% (1;110)	2.8% (6;177)
	Montclair Hospital Medical Center	**0.0% (0;39) Better**	0.0% (0;7)		0.0% (0;7)		0.0% (0;39)	0.0% (0;70)		0.0% (0;27)
	Mountains Community Hospital									0.0% (0;21)
	Redlands Community Hospital	4.7% (4;44)	10.9% (26;211)	27.2% (13;43)	6.1% (9;154)	22.0% (4;14)	1.3% (3;223)	4.2% (13;323)	0.6% (1;153)	2.6% (11;313)
	Saint Bernardine Medical Center	6.3% (35;594)	7.0% (30;408)	18.1% (17;79)	2.9% (7;314)	19.9% (6;15)	1.0% (3;305)	1.8% (13;657)	0.0% (0;79)	3.3% (17;336)
	Saint Mary Medical Center – Apple Valley	5.1% (26;506)	**0.0% (0;156) Better**	0.0% (0;3)	**0.0% (0;153) Better**		**0.3% (1;253) Better**	2.1% (19;850)	0.0% (0;82)	2.3% (10;325)
	San Antonio Regional Hospital	5.3% (34;620)	9.0% (35;437)	21.4% (22;93)	4.2% (10;333)	38.7% (3;11)	2.7% (10;329)	1.9% (15;701)	1.0% (3;181)	2.3% (11;456)
	Victor Valley Global Medical Center	3.7% (1;24)	0.0% (0;44)		0.0% (0;43)		1.5% (1;69)	3.2% (4;204)	0.0% (0;37)	2.2% (2;132)
San Diego	Alvarado Hospital	3.5% (9;180)	**1.6% (1;78) Better**	6.0% (1;13)	0.0% (0;64)		0.9% (2;104)	0.7% (1;196)	0.0% (0;22)	1.6% (2;82)
	Grossmont Hospital	6.9% (22;375)	8.0% (69;740)	22.4% (34;120)	**3.5% (27;595) Better**	25.7% (8;25)	3.0% (22;494)	**1.3% (11;1,025) Better**	1.8% (6;202)	2.9% (18;536)
	Kaiser Foundation Hospital – San Diego – Zion	4.3% (11;132)	8.7% (45;500)	22.9% (21;96)	4.1% (20;372)	29.2% (4;32)	1.3% (5;363)	3.3% (41;939)	1.3% (6;417)	4.7% (19;268)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
San Diego (continued)	Palomar Health Downtown Campus	6.6% (33;461)	**6.5% (71;669) Better**	16.5% (32;130)	**3.3% (33;509) Better**	16.5% (6;30)	1.4% (7;418)	2.6% (31;791)	1.7% (4;241)	2.8% (15;435)
	Paradise Valley Hospital	**0.9% (1;69) Better**	6.7% (2;72)	27.6% (1;4)	2.6% (1;68)		0.0% (0;85)	1.6% (4;290)	0.0% (0;14)	0.0% (0;81)
	Pomerado Hospital	6.8% (5;23)	10.7% (10;99)	24.7% (4;7)	5.9% (6;92)		4.2% (8;125)	2.1% (8;208)	1.1% (1;102)	1.8% (4;164)
	Scripps Green Hospital	0.0% (0;5)	5.8% (3;71)	10.2% (1;16)	3.8% (2;55)		1.9% (3;147)	1.0% (2;99)	0.0% (0;93)	**0.4% (1;159) Better**
	Scripps Memorial Hospital – Encinitas	3.4% (10;290)	**3.0% (7;260) Better**	**10.4% (5;44) Better**	**1.1% (2;207) Better**	0.0% (0;9)	1.1% (3;296)	**1.0% (8;437) Better**	0.8% (3;208)	**0.7% (3;266) Better**
	Scripps Memorial Hospital – La Jolla	6.0% (37;722)	9.8% (97;561)	18.1% (26;104)	6.2% (48;382)	25.8% (23;75)	1.6% (5;238)	3.0% (38;801)	1.0% (3;214)	2.2% (12;251)
	Scripps Mercy Hospital	5.9% (23;426)	10.0% (55;554)	23.8% (31;143)	5.4% (19;396)	22.5% (5;15)	2.2% (17;610)	**1.6% (22;1,163) Better**	1.6% (6;296)	**1.3% (7;490) Better**
	Sharp Chula Vista Medical Center	6.0% (14;233)	9.0% (36;367)	20.5% (16;73)	5.0% (16;281)	24.6% (4;13)	3.0% (11;312)	1.9% (15;813)	2.2% (3;108)	**1.2% (4;306) Better**
	Sharp Coronado Hospital and Healthcare Center	0.0% (0;5)	0.0% (0;25)		0.0% (0;25)		4.2% (3;47)	7.5% (3;42)	6.3% (1;17)	5.3% (3;38)
	Sharp Memorial Hospital	6.8% (26;380)	7.9% (38;507)	21.5% (18;75)	4.0% (18;418)	13.3% (2;14)	1.5% (7;408)	2.2% (23;924)	1.3% (5;311)	**1.4% (8;466) Better**
	Tri-City Medical Center – Oceanside	**8.7% (23;265) Worse**	8.9% (33;363)	**31.7% (19;59) Worse**	3.1% (11;292)	21.7% (3;12)	2.5% (9;268)	2.6% (17;411)	2.2% (3;161)	3.3% (10;230)
	UC San Diego Health System – Hillcrest Medical Center	**8.1% (34;457) Worse**	**5.6% (45;516) Better**	**13.8% (19;115) Better**	**2.6% (16;349) Better**	17.7% (10;52)	**1.3% (10;528) Better**	2.5% (23;950)	0.8% (2;162)	2.4% (8;303)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
San Francisco	California Pacific Medical Center – Davies Campus		8.6% (74;469)	17.8% (21;96)	4.9% (37;323)	24.5% (16;50)	1.7% (1;34)	2.4% (2;66)	0.0% (0;11)	0.0% (0;38)
	California Pacific Medical Center – Pacific Campus	8.1% (25;286)	8.0% (37;305)	18.0% (18;69)	4.5% (19;235)		1.2% (5;311)	**4.3% (32;541) Worse**	2.3% (4;111)	4.5% (9;204)
	California Pacific Medical Center – St. Luke's Campus	0.0% (0;11)	8.2% (2;17)	11.8% (1;5)	11.3% (1;12)		2.8% (1;49)	1.3% (1;106)	0.0% (0;12)	0.0% (0;51)
	Callifornia Pacific Medical Center - Mission Bernal Campus		6.9% (1;12)		0.0% (0;10)		0.0% (0;28)	0.0% (0;57)	0.0% (0;19)	3.0% (1;34)
	Chinese Hospital	4.2% (1;23)	0.0% (0;41)		0.0% (0;39)		1.3% (1;42)	1.6% (2;104)	0.0% (0;20)	1.7% (1;52)
	Kaiser Foundation Hospital – San Francisco	6.8% (24;435)	8.7% (13;211)	33.7% (8;34)	2.9% (5;176)		2.2% (5;185)	2.7% (12;420)	0.0% (0;82)	3.3% (3;89)
	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center	8.5% (11;189)	10.8% (49;314)	23.5% (23;69)	5.8% (18;226)	35.7% (8;19)	3.4% (7;226)	2.7% (12;713)	1.5% (3;120)	3.7% (5;271)
	Saint Francis Memorial Hospital	9.7% (3;14)	6.5% (10;96)	13.4% (6;32)	4.4% (4;64)		4.1% (6;100)	2.7% (5;128)	1.9% (1;48)	2.7% (3;135)
	Saint Mary's Medical Center, San Francisco	4.1% (6;100)	8.1% (10;100)	25.7% (6;21)	3.6% (4;78)		1.4% (3;153)	2.3% (9;245)	1.7% (2;61)	1.7% (2;85)
	UC San Francisco Medical Center	8.2% (26;212)	7.4% (64;522)	17.9% (29;173)	3.8% (15;241)	19.0% (20;108)	**1.0% (6;335) Better**	**4.6% (31;639) Worse**	0.4% (1;94)	3.0% (8;236)
San Joaquin	Adventist Health Lodi Memorial	6.2% (4;51)	11.3% (11;170)	20.8% (1;8)	5.2% (7;159)	**65.5% (3;3) Worse**	3.8% (5;195)	2.8% (17;503)	0.0% (0;96)	4.2% (9;227)
	Dameron Hospital	5.4% (6;162)	6.8% (4;50)	17.1% (1;3)	2.9% (2;46)		5.3% (5;100)	2.7% (5;182)	0.0% (0;32)	2.3% (2;79)
	Doctors Hospital of Manteca	7.0% (3;22)	0.0% (0;49)		0.0% (0;48)		1.7% (1;78)	0.7% (1;196)	0.0% (0;34)	2.7% (3;125)
	Kaiser Foundation Hospital – Manteca	5.2% (5;90)	**3.7% (4;143) Better**	9.0% (2;30)	2.0% (2;110)	0.0% (0;3)	3.1% (8;158)	2.3% (14;420)	0.9% (2;136)	2.4% (3;125)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
San Joaquin (continued)	Saint Joseph's Medical Center of Stockton	6.2% (55;904)	7.4% (24;382)	23.1% (8;20)	3.6% (15;359)	14.3% (1;3)	2.0% (12;463)	1.9% (26;996)	1.2% (1;86)	2.6% (8;247)
	San Joaquin General Hospital	10.1% (4;26)	6.1% (11;148)	19.7% (10;53)	1.3% (1;91)	0.0% (0;4)	3.3% (8;161)	2.0% (6;321)	4.0% (4;106)	2.7% (2;75)
	Sutter Tracy Community Hospital	2.7% (1;21)	4.8% (2;64)		1.4% (1;62)		2.2% (2;86)	2.1% (5;156)	0.0% (0;26)	0.7% (1;116)
San Luis Obispo	French Hospital Medical Center	7.4% (16;279)	6.0% (2;59)	0.0% (0;4)	4.7% (2;55)		3.3% (4;118)	2.2% (9;222)	3.9% (1;52)	3.5% (6;92)
	Marian Regional Medical Center – Arroyo Grande	8.2% (4;19)	0.0% (0;60)		0.0% (0;58)		1.6% (1;73)	2.9% (5;95)	4.5% (2;53)	0.0% (0;35)
	Sierra Vista Regional Medical Center	0.0% (0;4)	6.4% (11;151)	11.5% (6;62)	4.7% (3;83)	33.2% (2;6)	3.2% (2;88)	4.6% (5;70)	0.0% (0;71)	4.7% (7;109)
	Twin Cities Community Hospital	0.0% (0;10)	14.8% (4;81)	47.6% (1;5)	7.5% (3;76)		2.0% (2;113)	3.5% (5;133)	0.0% (0;113)	3.3% (7;207)
San Mateo	Kaiser Foundation Hospital – Redwood City	8.0% (3;56)	10.3% (67;593)	20.0% (29;208)	**8.2% (29;280) Worse**	19.5% (9;105)	1.7% (1;109)	2.6% (8;193)	3.2% (3;92)	1.5% (1;63)
	Kaiser Foundation Hospital – South San Francisco	4.4% (4;67)	6.6% (14;184)	11.3% (6;47)	5.2% (8;134)	0.0% (0;3)	1.5% (3;165)	3.1% (15;364)	0.0% (0;76)	3.6% (4;96)
	Peninsula Medical Center	5.1% (13;256)	**5.6% (18;275) Better**	15.8% (9;55)	**2.5% (8;217) Better**	24.3% (1;3)	**0.9% (4;296) Better**	2.4% (17;434)	0.7% (2;169)	1.9% (3;112)
	San Mateo Medical Center	6.7% (1;10)	0.0% (0;43)	0.0% (0;9)	0.0% (0;33)		2.4% (1;73)	1.6% (2;134)	0.0% (0;11)	3.1% (2;82)
	Sequoia Hospital	10.0% (6;67)	11.6% (8;95)	23.8% (4;19)	5.1% (2;74)		2.6% (2;61)	2.0% (5;196)	0.0% (0;75)	3.2% (3;82)
	Seton Medical Center	7.7% (13;202)	7.7% (17;165)	23.1% (15;42)	1.6% (2;122)		2.3% (5;158)	2.5% (13;372)	1.9% (3;67)	5.0% (9;160)
Santa Barbara	Goleta Valley Cottage Hospital							0.0% (0;16)	2.5% (1;69)	6.1% (3;21)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Santa Barbara (continued)	Lompoc Valley Medical Center	0.0% (0;4)	0.0% (0;23)		0.0% (0;22)		0.0% (0;59)	4.3% (4;87)	0.0% (0;24)	1.6% (1;59)
	Marian Regional Medical Center	5.3% (12;208)	6.3% (13;180)	18.0% (11;55)	1.9% (2;123)		1.9% (4;204)	2.2% (12;319)	2.9% (5;112)	1.1% (2;103)
	Santa Barbara Cottage Hospit9al	4.7% (10;254)	9.4% (76;584)	24.5% (25;108)	5.9% (44;403)	**10.9% (7;73) Better**	1.7% (9;391)	1.9% (13;433)	0.9% (2;173)	2.2% (9;272)
	Santa Ynez Valley Cottage Hospital						0.0% (0;5)	9.6% (1;16)		0.0% (0;21)
Santa Clara	El Camino Hospital	4.6% (9;271)	8.0% (34;394)	20.5% (18;83)	4.1% (13;298)	17.4% (3;13)	2.4% (7;373)	2.5% (19;568)	0.0% (0;208)	1.4% (4;278)
	Good Samaritan Hospital – San Jose	3.8% (9;260)	6.7% (30;421)	15.4% (13;77)	3.5% (14;329)	25.6% (3;15)	3.0% (9;294)	2.3% (21;589)	0.0% (0;143)	3.5% (10;269)
	Kaiser Foundation Hospital – San Jose	7.6% (16;174)	7.2% (15;273)	20.3% (9;50)	3.7% (6;215)	0.0% (0;8)	1.2% (3;250)	2.6% (14;422)	0.9% (2;115)	3.2% (6;166)
	Kaiser Foundation Hospital – Santa Clara	6.9% (34;626)	9.0% (26;290)	23.9% (14;72)	4.1% (11;212)	43.4% (1;6)	3.1% (9;265)	3.4% (35;853)	2.6% (6;187)	2.4% (5;143)
	O'Connor Hospital	3.9% (9;231)	5.2% (5;124)	13.3% (3;23)	2.5% (2;99)		**0.0% (0;181) Better**	2.5% (12;388)	4.9% (4;77)	2.1% (3;146)
	Regional Medical of San Jose	6.2% (24;341)	7.5% (82;648)	17.4% (42;183)	**3.2% (21;408) Better**	29.6% (19;57)	1.5% (8;309)	**1.6% (14;811) Better**	0.9% (1;98)	1.9% (5;329)
	Saint Louise Regional Hospital	12.0% (1;9)	5.7% (2;65)	25.1% (2;5)	0.0% (0;60)		1.8% (1;77)	2.9% (4;157)	0.0% (0;44)	3.2% (2;105)
	Santa Clara Valley Medical Center	8.3% (12;204)	**6.0% (17;318) Better**	12.3% (7;66)	3.1% (6;237)	21.3% (4;15)	1.2% (5;335)	2.6% (15;806)	4.2% (3;77)	3.9% (5;136)
	Stanford Health Care	6.1% (20;376)	**5.1% (48;520) Better**	**9.9% (12;113) Better**	**3.1% (29;346) Better**	**11.8% (7;61) Better**	2.2% (12;365)	3.9% (27;564)	1.6% (4;159)	1.7% (4;251)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Santa Cruz	Dominican Hospital	5.2% (11;266)	6.1% (10;231)	21.2% (8;56)	**1.4% (2;175) Better**		1.0% (3;275)	3.9% (22;472)	1.2% (2;126)	2.3% (6;185)
	Watsonville Community Hospital	0.0% (0;5)	10.0% (3;61)		3.3% (1;59)		1.5% (1;54)	4.4% (5;113)	0.0% (0;36)	2.2% (2;98)
Shasta	Mayers Memorial Hospital		0.0% (0;3)		0.0% (0;3)		0.0% (0;6)	0.0% (0;7)		9.5% (1;21)
	Mercy Medical Center – Redding	4.6% (14;319)	**13.5% (66;462) Worse**	**37.2% (32;84) Worse**	6.2% (24;360)	34.1% (10;18)	2.1% (9;292)	3.3% (24;491)	2.3% (8;204)	**5.4% (18;239) Worse**
	Shasta Regional Medical Center	5.1% (13;241)	10.3% (5;89)		5.3% (4;88)		2.9% (9;201)	2.5% (11;329)	0.9% (1;63)	2.1% (2;120)
Siskiyou	Fairchild Medical Center	0.0% (0;7)	18.5% (2;21)		14.8% (1;19)		14.2% (1;25)	0.0% (0;35)	5.3% (1;26)	1.2% (1;68)
	Mercy Medical Center Mt. Shasta		33.6% (2;13)		18.6% (2;13)		5.8% (1;35)	**13.2% (3;38) Worse**	0.0% (0;20)	0.0% (0;50)
Solano	Kaiser Foundation Hospital & Rehabilitation Center – Vallejo	3.7% (9;319)	7.9% (11;217)	26.8% (6;32)	3.3% (5;181)	0.0% (0;4)	2.2% (7;255)	3.5% (23;442)	0.6% (1;118)	1.9% (3;124)
	Kaiser Foundation Hospital – Vacaville	11.5% (6;43)	8.1% (21;193)	20.1% (15;70)	3.9% (5;118)	16.8% (1;5)	**6.2% (8;96) Worse**	4.0% (14;217)	2.1% (2;106)	5.7% (6;103)
	North Bay Medical Center	7.5% (23;254)	8.3% (18;208)	16.8% (7;44)	5.0% (11;163)		3.1% (9;190)	2.5% (14;470)	2.0% (2;66)	**5.4% (17;270) Worse**
	Sutter Solano Medical Center	8.3% (2;18)	6.9% (3;63)	0.0% (0;4)	7.4% (3;59)		4.3% (5;81)	3.8% (6;184)	0.0% (0;39)	**7.4% (8;117) Worse**
Sonoma	Healdsburg District Hospital	7.1% (1;3)	22.6% (2;18)		12.5% (2;18)		0.0% (0;5)	0.0% (0;26)	0.0% (0;18)	0.0% (0;49)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Sonoma (continued)	Kaiser Foundation Hospital – Santa Rosa	1.4% (1;70)	12.6% (19;173)	22.9% (7;34)	8.5% (12;136)	0.0% (0;3)	1.8% (4;260)	**1.0% (4;316) Better**	2.2% (3;144)	1.7% (3;175)
	Petaluma Valley Hospital	5.2% (2;18)	6.7% (3;43)		1.9% (1;41)		3.3% (1;20)	1.9% (3;92)	2.4% (1;35)	0.7% (1;90)
	Santa Rosa Memorial Hospital – Montgomery	4.8% (18;369)	9.3% (42;299)	22.3% (26;82)	4.5% (14;214)	54.1% (2;3)	2.3% (12;291)	3.1% (20;395)	3.2% (9;163)	**0.4% (1;199) Better**
	Sonoma Specialty Hospital**							46.5% (1;3)		8.0% (1;10)
	Sonoma Valley Hospital		7.6% (4;29)	23.3% (1;3)	2.3% (1;24)		0.0% (0;16)	1.0% (1;49)	0.0% (0;27)	0.0% (0;36)
	Sutter Santa Rosa Regional Hospital	3.8% (6;178)	2.0% (1;69)	0.0% (0;3)	1.3% (1;66)		1.2% (2;171)	1.9% (4;170)	3.5% (2;49)	2.3% (2;57)
Stanislaus	Doctors Medical Center	**8.8% (47;509) Worse**	8.2% (74;619)	18.4% (39;169)	4.2% (23;408)	28.0% (12;42)	2.2% (15;457)	2.8% (21;733)	1.7% (4;212)	3.9% (12;348)
	Emanuel Medical Center	4.8% (12;376)	3.7% (1;84)	0.0% (0;3)	2.3% (1;81)		1.7% (2;178)	1.8% (9;521)	3.3% (3;62)	3.8% (13;368)
	Memorial Medical Center – Modesto	6.0% (24;399)	**3.9% (20;387) Better**	**9.5% (10;87) Better**	**1.6% (7;294) Better**	27.5% (3;6)	1.8% (9;476)	2.7% (23;676)	1.4% (3;192)	2.6% (9;301)
	Oak Valley District Hospital	0.0% (0;4)	67.5% (1;9)		0.0% (0;8)		0.0% (0;6)	0.0% (0;47)	0.0% (0;4)	4.7% (2;64)
Tehama	Saint Elizabeth Community Hospital	0.0% (0;18)	0.0% (0;40)		0.0% (0;38)		1.6% (1;69)	5.0% (8;132)	0.0% (0;51)	1.2% (1;69)
Trinity	Trinity Hospital						0.0% (0;4)	0.0% (0;18)		3.7% (1;44)
Tulare	Kaweah Delta Medical Center	6.6% (48;640)	7.0% (40;559)	19.2% (26;118)	**2.4% (10;433) Better**	29.8% (4;8)	2.3% (19;565)	3.5% (50;1,051)	1.7% (6;226)	2.9% (25;640)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Tulare (continued)	Sierra View Medical Center	4.9% (3;55)	3.8% (2;96)	0.0% (0;4)	2.7% (2;91)		**0.0% (0;116) Better**	4.2% (9;218)	1.3% (1;60)	2.9% (7;246)
	Tulare Regional Medical Center							11.5% (1;8)		0.0% (0;8)
Tuolumne	Adventist Health Sonora – Greenley	3.9% (2;40)	2.1% (1;71)		**0.0% (0;70) Better**		2.6% (4;92)	3.4% (10;173)	2.6% (4;100)	2.2% (2;69)
Ventura	Adventist Health Simi Valley	6.0% (8;136)	**12.7% (21;123) Worse**	22.4% (10;28)	**9.8% (11;95) Worse**		2.4% (4;151)	2.3% (10;277)	0.8% (1;68)	**0.5% (1;190) Better**
	Community Memorial Hospital – San Buenaventura	5.6% (9;208)	7.5% (11;187)	17.6% (5;29)	4.2% (6;157)		2.0% (5;222)	2.6% (14;413)	2.8% (4;151)	3.3% (6;188)
	Los Robles Hospital and Medical Center	4.7% (11;309)	7.8% (42;488)	14.2% (12;71)	4.8% (26;382)	21.9% (4;35)	3.6% (6;209)	1.6% (9;364)	0.6% (1;172)	3.7% (9;214)
	Ojai Valley Community Hospital		0.0% (0;6)		0.0% (0;6)		0.0% (0;4)	0.0% (0;13)		2.8% (1;25)
	Saint John's Pleasant Valley Hospital	3.8% (1;15)	5.8% (3;59)	16.6% (2;10)	2.4% (1;48)		2.4% (2;61)	**0.7% (3;195) Better**	0.7% (1;89)	1.4% (2;108)
	Saint John's Regional Medical Center	3.9% (11;241)	**6.2% (20;250) Better**	15.1% (8;44)	3.4% (12;203)	0.0% (0;3)	**1.2% (8;322) Better**	**1.2% (11;531) Better**	0.7% (1;94)	2.4% (7;198)
	Ventura County Medical Center	0.0% (0;64)	10.6% (7;99)	22.7% (4;24)	7.7% (3;74)		2.2% (2;115)	4.0% (5;187)	1.9% (1;58)	3.6% (2;117)
Yolo	Sutter Davis Hospital	0.0% (0;6)	5.3% (1;46)		3.2% (1;44)		0.0% (0;90)	1.8% (3;118)	0.0% (0;41)	0.0% (0;36)
	Woodland Memorial Hospital	5.8% (2;21)	8.6% (3;44)	33.2% (2;3)	2.6% (1;41)		1.6% (1;82)	4.1% (7;98)	0.0% (0;39)	2.2% (2;72)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2018

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.8% (3,172;54,722)	8.9% (5,568;62,442)	20.6% (2,589;12,584)	4.9% (2,316;46,966)	22.9% (663;2,892)	2.4% (1,348;56,770)	2.7% (3,042;111,237)	1.7% (464;27,092)	3.1% (1,627;52,007)
Yuba	Adventist Health and Rideout**	6.8% (28;334)	8.0% (9;228)	43.5% (1;5)	3.9% (7;221)		1.5% (5;227)	3.3% (28;649)	2.5% (3;126)	**4.9% (23;369) Worse**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2018. See Technical Note for details about methodology.

*****Hospital name changed from 2017 to 2018, see Technical Note for details.***

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.