California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Alameda	Alameda Hospital	0.0% (0;7)	2.6% (1;86)	17.6% (1;6)	0.0% (0;80)		3.6% (2;47)	2.1% (2;118)	**8.0% (3;30) Worse**	8.4% (10;122)
	Alta Bates Summit Medical Center	**4.0% (19;460) Better**	9.1% (19;369)	47.7% (3;4)	4.7% (15;364)		2.5% (6;264)	**1.7% (12;728) Better**	0.0% (0;80)	6.0% (19;279)
	Alta Bates Summit Medical Center – Alta Bates Campus	6.1% (2;13)	6.2% (17;200)	13.6% (12;101)	4.4% (5;94)	0.0% (0;5)	2.1% (5;168)	**0.7% (2;268) Better**	1.4% (1;84)	4.6% (6;106)
	Eden Medical Center	3.3% (1;26)	10.1% (55;440)	22.5% (26;93)	6.1% (17;303)	27.4% (12;44)	2.8% (6;166)	2.4% (8;384)	0.7% (1;108)	5.4% (12;200)
	Highland Hospital	**2.6% (5;125) Better**	11.5% (20;166)	**32.4% (13;42) Worse**	5.1% (5;117)	20.7% (2;7)	4.2% (10;228)	**0.7% (3;553) Better**	1.1% (1;65)	6.0% (14;293)
	Kaiser Foundation Hospital – Fremont	**2.3% (3;86) Better**	8.1% (11;134)	17.9% (4;35)	4.8% (6;94)	20.0% (1;5)	1.6% (3;137)	2.9% (10;243)	1.8% (2;75)	5.7% (10;185)
	Kaiser Foundation Hospital – Oakland/Richmond	**3.0% (9;315) Better**	10.9% (35;467)	**31.4% (21;95) Worse**	4.2% (12;361)	76.8% (2;11)	2.0% (8;351)	2.8% (25;965)	0.7% (1;180)	9.3% (41;470)
	Kaiser Foundation Hospital – San Leandro	7.8% (7;47)	6.6% (11;218)	17.5% (7;60)	3.1% (4;152)	0.0% (0;6)	4.6% (9;165)	2.4% (12;412)	1.0% (1;90)	6.9% (19;262)
	St. Rose Hospital	6.8% (18;184)	11.1% (4;36)		6.1% (2;34)		4.7% (4;116)	3.3% (7;269)	10.1% (2;25)	10.9% (13;138)
	Stanford Health Care Tri-Valley	7.9% (18;136)	13.2% (16;129)	27.3% (6;17)	8.8% (10;110)		1.0% (2;126)	3.0% (12;298)	2.9% (2;64)	7.2% (13;171)
	Washington Hospital – Fremont	6.0% (16;232)	11.4% (28;250)	28.6% (15;49)	6.7% (9;185)	21.6% (4;16)	2.2% (4;236)	3.9% (15;365)	2.3% (2;99)	10.2% (33;342)
Amador	Sutter Amador Hospital	0.0% (0;3)	5.4% (1;55)		3.9% (1;53)		3.0% (1;37)	3.0% (2;85)	0.0% (0;54)	3.6% (3;124)
Butte	Enloe Medical Center – Esplanade	7.1% (28;367)	10.2% (36;366)	21.0% (15;55)	6.4% (20;307)	26.6% (1;4)	2.7% (17;447)	3.3% (34;980)	1.3% (3;191)	7.7% (46;662)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Butte (continued)	Orchard Hospital		0.0% (0;3)		0.0% (0;3)			0.0% (0;17)		0.0% (0;18)
	Oroville Hospital	5.9% (3;50)	9.7% (6;131)	15.7% (1;6)	6.1% (5;125)		2.1% (4;193)	**0.3% (1;467) Better**	5.1% (5;62)	7.0% (37;812)
Calaveras	Mark Twain Medical Center		10.5% (1;24)		0.0% (0;21)		0.0% (0;6)	2.8% (1;48)	0.0% (0;18)	9.6% (4;44)
Colusa	Colusa Medical Center						16.3% (1;3)	0.0% (0;38)		13.0% (5;37)
Contra Costa	Contra Costa Regional Medical Center	0.0% (0;4)	4.1% (1;67)	52.7% (1;3)	0.0% (0;63)		0.0% (0;58)	1.6% (2;344)	0.0% (0;12)	16.1% (5;78)
	John Muir Medical Center – Concord Campus	6.3% (26;380)	13.3% (12;170)	34.2% (4;7)	7.0% (7;162)		4.4% (9;306)	3.0% (21;706)	2.5% (4;113)	8.3% (29;356)
	John Muir Medical Center – Walnut Creek Campus	7.6% (12;102)	**10.8% (116;599) Worse**	**24.8% (56;165) Worse**	**6.6% (43;390) Worse**	25.1% (17;44)	4.6% (15;339)	3.2% (20;492)	1.0% (3;251)	8.8% (53;470)
	Kaiser Foundation Hospital – Antioch	5.9% (4;54)	9.1% (11;203)	30.1% (7;35)	3.1% (3;165)	23.0% (1;3)	3.2% (5;170)	3.9% (14;444)	1.4% (1;103)	5.4% (8;227)
	Kaiser Foundation Hospital – Walnut Creek	5.0% (12;303)	7.7% (15;245)	22.0% (9;46)	3.6% (6;196)	0.0% (0;3)	2.6% (8;259)	1.9% (11;440)	1.9% (6;248)	8.6% (27;382)
	San Ramon Regional Medical Center	**13.0% (11;87) Worse**	5.2% (3;91)	16.7% (2;5)	1.9% (1;86)		1.4% (1;116)	2.1% (5;194)	0.0% (0;34)	7.1% (11;154)
	Sutter Delta Medical Center	4.7% (8;194)	6.5% (2;64)		2.0% (1;63)		1.9% (2;165)	3.8% (14;555)	0.0% (0;66)	8.2% (11;180)
Del Norte	Sutter Coast Hospital	5.6% (1;13)	37.5% (3;22)		15.7% (2;21)		4.3% (1;39)	4.4% (4;82)	**9.6% (4;36) Worse**	8.7% (6;99)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
El Dorado	Barton Memorial Hospital	0.0% (0;3)	36.9% (2;10)		14.4% (1;9)		0.0% (0;20)	7.4% (3;54)	0.0% (0;20)	14.7% (3;46)
	Marshall Medical Center	4.3% (1;14)	7.9% (5;109)	27.9% (2;5)	3.7% (3;104)		0.7% (1;124)	2.3% (5;235)	3.2% (2;83)	3.9% (6;200)
Fresno	Adventist Health Reedley	10.5% (1;4)	0.0% (0;14)		0.0% (0;14)			0.0% (0;22)		0.0% (0;16)
	Clovis Community Medical Center	8.5% (11;147)	9.7% (10;260)	24.7% (3;9)	5.4% (7;250)		4.3% (12;401)	**5.6% (25;448) Worse**	1.8% (3;174)	**15.6% (40;452) Worse**
	Coalinga Regional Medical Center							0.0% (0;14)		0.0% (0;13)
	Community Regional Medical Center – Fresno	**8.2% (37;501) Worse**	**10.3% (117;974) Worse**	22.3% (70;341)	**7.4% (35;570) Worse**	21.6% (12;63)	2.9% (16;695)	**4.4% (36;1,318) Worse**	3.5% (4;145)	10.2% (31;546)
	Fresno Surgical Hospital								0.0% (0;3)	
	Kaiser Foundation Hospital – Fresno	2.3% (3;112)	9.0% (18;223)	13.4% (7;52)	**9.7% (11;164) Worse**	0.0% (0;7)	2.3% (3;151)	**6.0% (19;358) Worse**	1.4% (2;147)	8.4% (14;242)
	Saint Agnes Medical Center	**8.3% (39;441) Worse**	11.4% (19;330)	32.2% (7;16)	5.9% (12;313)		**4.7% (29;718) Worse**	**4.5% (30;1,046) Worse**	2.1% (5;224)	**12.2% (55;706) Worse**
	San Joaquin Valley Rehab Hospital		0.0% (0;5)	0.0% (0;4)						
Glenn	Glenn Medical Center							0.0% (0;8)		13.3% (1;16)
Humboldt	Mad River Community Hospital		41.0% (2;9)		0.0% (0;7)		0.0% (0;22)	3.4% (1;30)	0.0% (0;4)	6.7% (2;53)
	Providence Redwood Memorial Hospital		**100.0% (2;6) Worse**		**59.3% (2;6) Worse**		11.8% (1;19)	5.8% (2;34)		17.9% (5;42)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Humboldt (continued)	Providence St. Joseph Hospital – Eureka**	**10.4% (13;147) Worse**	12.1% (13;110)	14.8% (2;12)	7.8% (9;96)		5.4% (7;107)	3.0% (12;299)	0.6% (1;124)	8.2% (21;253)
Imperial	El Centro Regional Medical Center	**18.7% (6;18) Worse**	11.0% (9;142)	49.7% (2;5)	6.0% (7;136)		3.9% (6;139)	**6.2% (11;203) Worse**	9.0% (2;40)	**15.5% (34;237) Worse**
	Pioneers Memorial Healthcare District	26.2% (2;12)	7.2% (4;83)	42.2% (4;18)	0.0% (0;63)		2.4% (1;33)	3.4% (3;100)	0.0% (0;38)	7.1% (6;106)
Inyo	Northern Inyo Hospital	0.0% (0;3)	11.7% (1;14)		11.6% (1;12)		0.0% (0;6)	0.0% (0;19)	0.0% (0;17)	12.2% (2;29)
Kern	Adventist Health Bakersfield	7.5% (34;418)	8.3% (38;487)	20.8% (20;94)	4.1% (15;386)	34.0% (3;7)	3.3% (14;446)	3.3% (20;547)	2.7% (4;178)	9.2% (51;610)
	Adventist Health Delano	0.0% (0;3)	0.0% (0;11)		0.0% (0;10)		2.9% (2;42)	3.3% (2;78)	5.0% (1;18)	9.8% (8;98)
	Adventist Health Tehachapi Valley	10.2% (1;4)					0.0% (0;20)	3.3% (2;76)	0.0% (0;5)	12.0% (5;53)
	Bakersfield Heart Hospital	7.2% (12;231)	0.0% (0;35)		0.0% (0;35)		6.1% (1;44)	2.0% (7;329)		**15.7% (16;109) Worse**
	Bakersfield Memorial Hospital	**10.8% (26;347) Worse**	9.2% (30;414)	18.9% (13;73)	6.3% (13;315)	21.0% (4;26)	3.8% (9;338)	**5.4% (30;658) Worse**	2.2% (2;125)	7.7% (14;268)
	Good Samaritan Hospital – Bakersfield	6.0% (1;20)					0.0% (0;5)	0.0% (0;40)		0.0% (0;53)
	Kern Medical Center	11.1% (3;37)	**14.5% (17;104) Worse**	**38.2% (12;23) Worse**	6.3% (5;81)		2.1% (1;97)	2.2% (2;211)	2.3% (1;48)	11.1% (2;73)
	Kern Valley Healthcare District	15.8% (1;4)					0.0% (0;3)	0.0% (0;9)		24.0% (1;28)
	Mercy Hospital – Bakersfield	14.2% (3;31)	6.4% (8;188)	10.5% (3;34)	4.4% (4;148)	41.3% (1;6)	3.8% (6;216)	4.3% (10;281)	3.9% (3;124)	10.8% (22;339)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Kern (continued)	Ridgecrest Regional Hospital	0.0% (0;3)	0.0% (0;21)		0.0% (0;21)		6.7% (1;35)	3.6% (2;51)	0.0% (0;20)	11.4% (4;63)
Kings	Adventist Health Hanford	9.8% (5;68)	13.3% (11;162)		8.4% (10;160)		**7.0% (13;152) Worse**	**4.9% (19;365) Worse**	0.0% (0;87)	10.4% (23;307)
Lake	Adventist Health Clearlake		12.0% (1;24)		10.8% (1;23)		0.0% (0;17)	2.7% (1;64)	0.0% (0;9)	9.3% (3;81)
	Sutter Lakeside Hospital		0.0% (0;4)		0.0% (0;4)		0.0% (0;26)	1.6% (1;76)	0.0% (0;28)	3.6% (1;46)
Lassen	Banner Lassen Medical Center		34.6% (1;5)		0.0% (0;4)		0.0% (0;3)	4.8% (1;29)	0.0% (0;14)	**25.5% (6;45) Worse**
Los Angeles	Adventist Health Glendale	5.6% (22;415)	7.3% (39;402)	18.0% (18;95)	3.7% (14;276)	21.1% (7;31)	2.0% (8;308)	2.0% (15;663)	2.4% (3;167)	**5.8% (49;753) Better**
	Adventist Health White Memorial	5.6% (13;253)	8.6% (8;193)	14.5% (2;32)	5.3% (5;159)		3.3% (8;306)	1.9% (7;432)	0.0% (0;62)	6.8% (15;232)
	Alhambra Hospital Medical Center	14.9% (4;17)	6.8% (3;67)	0.0% (0;6)	4.2% (3;61)		2.5% (2;113)	4.2% (4;125)	0.0% (0;29)	8.8% (20;216)
	Antelope Valley Hospital	6.7% (14;333)	**11.4% (44;492) Worse**	23.8% (15;74)	6.2% (22;396)	**48.5% (7;22) Worse**	3.7% (12;478)	3.6% (15;506)	3.0% (3;157)	**14.5% (79;628) Worse**
	Beverly Hospital	8.0% (10;151)	8.5% (9;141)	22.9% (5;32)	2.0% (1;101)	29.6% (3;8)	**6.1% (13;241) Worse**	3.7% (8;283)	2.9% (1;54)	7.5% (12;219)
	California Hospital Medical Center – Los Angeles	5.7% (4;123)	6.4% (8;224)	23.9% (6;29)	1.7% (2;194)		1.8% (4;255)	**0.8% (4;697) Better**	2.7% (1;47)	6.0% (11;223)
	Casa Colina Hospital		0.0% (0;7)		0.0% (0;5)		0.0% (0;37)	0.0% (0;47)	0.0% (0;11)	**2.4% (2;57) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Los Angeles (continued)	Cedars – Sinai Marina Del Rey Hospital	0.0% (0;5)	3.6% (1;47)	25.3% (1;3)	0.0% (0;44)		1.0% (1;110)	0.5% (1;200)	0.0% (0;56)	4.7% (12;185)
	Cedars – Sinai Medical Center	**4.2% (26;629) Better**	8.0% (49;669)	18.5% (25;152)	5.0% (23;482)	6.2% (1;35)	2.4% (21;879)	3.0% (61;1,735)	2.2% (7;284)	7.1% (84;897)
	Centinela Hospital Medical Center	4.5% (12;266)	8.8% (22;324)	21.7% (10;55)	4.7% (11;264)	24.9% (1;5)	2.1% (5;319)	**0.9% (6;840) Better**	2.7% (2;56)	6.7% (52;576)
	City of Hope Helford Clinical Research Hospital	0.0% (0;3)	6.0% (2;33)	20.8% (1;13)	3.4% (1;19)		0.0% (0;38)	8.9% (1;12)		**14.1% (26;177) Worse**
	Coast Plaza Hospital	4.7% (1;37)	9.6% (2;30)		5.7% (2;29)		1.4% (1;49)	3.8% (3;109)	0.0% (0;8)	11.0% (18;169)
	College Medical Center	6.5% (1;11)	26.6% (1;12)		0.0% (0;11)		3.5% (2;86)	1.3% (1;94)	0.0% (0;15)	9.9% (7;102)
	Community Hospital Long Beach	0.0% (0;7)					0.0% (0;19)	6.8% (1;26)		**20.1% (8;65) Worse**
	Community Hospital of Huntington Park	5.3% (1;42)	8.1% (1;27)		8.8% (1;24)		2.1% (1;79)	2.8% (3;211)	0.0% (0;18)	5.4% (6;151)
	East Los Angeles Doctors Hospital	5.7% (1;13)	40.1% (1;5)		26.8% (1;4)		4.1% (1;39)	1.6% (1;103)	0.0% (0;3)	**17.7% (21;98) Worse**
	Emanate Health Foothill Presbyterian Hospital	14.9% (4;28)	5.6% (2;66)	14.7% (1;3)	4.1% (1;60)	0.0% (0;3)	3.0% (3;124)	2.0% (4;211)	4.2% (2;64)	5.6% (11;233)
	Emanate Health Inter – Community Hospital	6.2% (22;404)	10.7% (6;61)	35.0% (2;6)	4.4% (1;50)	27.1% (3;5)	3.3% (4;183)	4.6% (14;345)	0.0% (0;64)	**11.2% (30;247) Worse**
	Emanate Health Queen of the Valley Hospital	**29.3% (9;36) Worse**	**11.6% (39;394) Worse**	24.0% (17;77)	7.5% (19;306)	28.6% (3;11)	3.0% (7;237)	3.1% (7;331)	4.7% (2;69)	10.6% (25;331)
	Encino Hospital Medical Center	0.0% (0;16)	0.0% (0;15)		0.0% (0;13)		0.0% (0;27)	0.9% (1;68)	0.0% (0;13)	4.8% (9;99)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Los Angeles (continued)	Garfield Medical Center	7.8% (15;255)	9.8% (27;315)	16.5% (11;67)	7.7% (11;234)	32.8% (5;14)	1.5% (2;149)	5.1% (12;320)	7.3% (3;61)	**19.1% (47;225) Worse**
	Glendale Memorial Hospital and Health Center	4.3% (7;201)	4.9% (4;117)	15.3% (3;25)	1.7% (1;89)	0.0% (0;3)	3.5% (4;119)	2.2% (6;292)	4.6% (2;61)	6.5% (20;310)
	Greater El Monte Community Hospital	8.0% (3;33)	15.6% (2;17)		0.0% (0;15)		4.6% (4;78)	**12.0% (7;100) Worse**		**14.1% (30;193) Worse**
	Henry Mayo Newhall Hospital	6.4% (12;202)	8.8% (15;195)	25.7% (10;45)	1.2% (1;140)	31.8% (4;10)	1.4% (4;267)	2.4% (9;425)	2.9% (4;128)	10.5% (28;312)
	Hollywood Presbyterian Medical Center	7.0% (17;276)	**4.0% (6;183) Better**	**7.2% (3;35) Better**	3.2% (3;147)		2.0% (4;225)	3.1% (13;533)	2.4% (3;97)	5.9% (37;437)
	Huntington Hospital	6.5% (16;235)	10.5% (36;415)	24.7% (16;83)	5.7% (15;315)	30.4% (5;17)	2.2% (10;432)	3.1% (18;621)	2.0% (4;192)	6.5% (39;530)
	Kaiser Foundation Hospital – Baldwin Park	7.6% (6;60)	4.2% (5;140)	5.1% (1;26)	3.1% (3;108)	13.8% (1;6)	2.7% (6;176)	2.5% (9;403)	0.0% (0;125)	10.7% (12;123)
	Kaiser Foundation Hospital – Downey	7.6% (4;94)	8.0% (13;315)	15.9% (3;41)	5.0% (10;266)	0.0% (0;8)	3.0% (7;297)	3.6% (17;492)	3.2% (3;125)	7.0% (15;239)
	Kaiser Foundation Hospital – Los Angeles	4.9% (30;1,036)	9.6% (49;666)	18.7% (19;175)	6.3% (24;430)	27.9% (6;61)	3.4% (11;327)	**4.7% (37;653) Worse**	2.7% (4;132)	**11.5% (25;211) Worse**
	Kaiser Foundation Hospital – Panorama City	2.6% (2;63)	4.9% (5;111)	9.4% (2;18)	2.2% (2;90)	100.0% (1;3)	2.5% (5;177)	4.6% (14;218)	1.6% (3;159)	8.9% (16;149)
	Kaiser Foundation Hospital – South Bay	7.1% (4;58)	7.9% (13;257)	17.2% (4;27)	4.8% (9;225)	0.0% (0;5)	3.9% (6;230)	**7.7% (28;469) Worse**	0.0% (0;92)	7.0% (14;198)
	Kaiser Foundation Hospital – West LA	4.9% (4;100)	8.0% (10;254)	14.2% (2;31)	5.0% (8;222)		3.6% (9;214)	3.9% (19;343)	0.9% (1;125)	11.0% (17;152)
	Kaiser Foundation Hospital – Woodland Hills	4.1% (5;77)	**4.2% (6;160) Better**	8.2% (1;16)	3.0% (5;140)	0.0% (0;4)	2.1% (4;146)	2.0% (10;313)	2.1% (5;176)	**4.7% (17;206) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Los Angeles (continued)	Keck Hospital of USC	6.0% (21;98)	7.1% (52;339)	16.7% (29;147)	3.7% (8;113)	19.2% (15;79)	0.8% (1;76)	3.6% (23;238)	0.0% (0;19)	5.5% (4;62)
	L.A. Downtown Medical Center	0.0% (0;4)	0.0% (0;12)	0.0% (0;3)	0.0% (0;9)		0.0% (0;44)	3.3% (1;37)	0.0% (0;15)	4.8% (9;186)
	Lakewood Regional Medical Center	6.1% (18;276)	11.2% (29;251)	21.1% (9;49)	6.9% (15;186)	36.9% (5;16)	2.7% (6;201)	3.7% (14;417)	1.3% (1;83)	9.7% (38;322)
	Los Angeles Community Hospital	0.0% (0;7)	0.0% (0;41)		0.0% (0;41)		0.0% (0;125)	**0.5% (1;302) Better**	0.0% (0;18)	**4.0% (17;346) Better**
	Los Angeles County Olive View – UCLA Medical Center	5.9% (2;99)	6.0% (3;113)	19.5% (1;10)	3.2% (2;101)		1.2% (2;168)	1.7% (6;479)	0.0% (0;3)	5.6% (12;166)
	Los Angeles County+USC Medical Center	7.1% (22;253)	8.6% (52;331)	18.5% (27;100)	5.4% (13;202)	24.0% (12;29)	1.7% (9;448)	2.6% (26;1,196)	1.9% (2;77)	8.2% (25;301)
	Los Angeles County/Harbor – UCLA Medical Center	7.2% (20;264)	11.3% (21;232)	19.9% (7;40)	7.9% (10;175)	33.2% (4;17)	2.0% (5;247)	2.3% (9;670)	2.8% (3;82)	8.3% (11;176)
	Los Angeles County/Rancho Los Amigos National Rehab Center		2.1% (1;114)	15.0% (1;8)	0.0% (0;105)		0.0% (0;4)	3.2% (1;21)		15.4% (1;9)
	Memorial Hospital of Gardena	12.5% (4;48)	3.6% (2;110)		2.4% (2;109)		**6.2% (9;119) Worse**	4.4% (11;360)	4.2% (2;22)	**4.1% (16;247) Better**
	MemorialCare Long Beach Medical Center	**8.9% (28;299) Worse**	9.1% (41;557)	19.8% (17;119)	5.8% (20;416)	18.5% (4;22)	1.9% (5;358)	3.1% (20;647)	1.9% (3;141)	**11.2% (31;293) Worse**
	Mission Community Hospital – Panorama Campus	5.5% (1;11)	4.7% (1;33)	60.6% (1;6)	0.0% (0;27)		3.7% (5;96)	1.8% (2;136)	0.0% (0;32)	7.6% (34;350)
	Monterey Park Hospital	0.0% (0;11)	4.8% (1;54)	49.2% (1;5)	0.0% (0;49)		3.4% (2;76)	5.3% (6;148)	0.0% (0;4)	12.0% (10;123)
	Northridge Hospital Medical Center	4.7% (26;498)	7.0% (43;379)	**12.5% (16;96) Better**	4.7% (20;257)	23.8% (7;26)	2.1% (5;269)	**1.5% (9;442) Better**	0.0% (0;119)	**2.6% (12;318) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Los Angeles (continued)	Norwalk Community Hospital	0.0% (0;27)	0.0% (0;12)		0.0% (0;12)		0.0% (0;50)	2.1% (1;76)	0.0% (0;8)	**3.1% (11;210) Better**
	Olympia Medical Center	0.0% (0;6)	0.0% (0;6)		0.0% (0;6)		0.0% (0;11)	4.6% (1;23)	0.0% (0;7)	13.9% (4;32)
	PIH Health Good Samaritan Hospital**	5.3% (14;225)	8.5% (60;519)	22.0% (29;116)	4.6% (25;365)	16.9% (6;38)	2.4% (8;269)	1.9% (10;555)	2.6% (1;61)	7.9% (23;291)
	PIH Health Hospital – Downey	6.9% (7;162)	3.9% (3;179)	12.8% (1;4)	1.9% (2;174)		2.6% (7;317)	3.2% (13;485)	0.0% (0;71)	7.5% (15;265)
	PIH Health Hospital – Whittier	6.6% (29;464)	**11.8% (88;698) Worse**	**26.4% (42;137) Worse**	**6.8% (33;524) Worse**	33.5% (13;37)	1.3% (4;454)	3.0% (20;837)	1.7% (2;149)	7.8% (30;437)
	Pacifica Hospital of the Valley	13.8% (2;4)	0.0% (0;5)		0.0% (0;5)		5.3% (1;33)	0.0% (0;26)		**18.1% (8;59) Worse**
	Palmdale Regional Medical Center	9.1% (14;206)	7.8% (14;248)	18.4% (8;48)	3.4% (4;196)	39.8% (2;4)	5.6% (8;162)	2.5% (8;382)	2.3% (1;52)	**11.6% (30;309) Worse**
	Pomona Valley Hospital Medical Center	6.3% (30;381)	8.2% (100;758)	19.4% (45;149)	4.3% (35;554)	23.7% (20;55)	3.1% (17;327)	2.9% (29;782)	1.5% (4;244)	6.0% (26;270)
	Providence Cedars – Sinai Tarzana Medical Center	6.1% (10;151)	9.8% (12;165)	25.8% (6;30)	4.1% (3;130)	29.3% (3;5)	4.1% (6;165)	2.7% (11;390)	0.0% (0;115)	11.6% (21;198)
	Providence Holy Cross Medical Center	5.5% (12;244)	**12.2% (51;409) Worse**	23.2% (18;94)	**8.6% (27;299) Worse**	27.8% (6;16)	2.1% (9;350)	2.4% (18;744)	2.8% (4;127)	6.5% (17;264)
	Providence Little Company of Mary Medical Center – San Pedro	0.0% (0;8)	0.0% (0;49)		0.0% (0;49)		1.3% (1;105)	5.1% (9;223)	7.4% (3;46)	5.8% (9;141)
	Providence Little Company of Mary Medical Center – Torrance	5.4% (23;402)	9.4% (58;614)	17.6% (26;139)	**7.3% (25;445) Worse**	22.7% (7;30)	3.4% (11;401)	3.5% (30;706)	1.8% (3;126)	9.5% (34;301)
	Providence Saint Joseph Medical Center	6.6% (20;320)	9.3% (62;501)	22.4% (27;103)	5.5% (28;368)	18.9% (7;30)	3.4% (13;339)	2.8% (16;509)	1.0% (1;170)	7.0% (30;441)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Los Angeles (continued)	Ronald Reagan UCLA Medical Center	4.7% (18;208)	**4.3% (27;398) Better**	**10.3% (15;117) Better**	**2.2% (8;254) Better**	**11.1% (4;27) Better**	2.3% (9;222)	3.0% (22;459)	2.2% (1;42)	5.6% (24;297)
	Providence Saint John's Health Center	6.6% (10;175)	**11.8% (32;292) Worse**	**35.3% (13;54) Worse**	5.7% (11;225)	28.3% (8;13)	2.8% (6;203)	3.1% (13;307)	0.0% (0;164)	9.2% (24;252)
	San Dimas Community Hospital	3.8% (1;23)	17.9% (1;23)		10.3% (1;23)		4.2% (2;66)	2.7% (2;76)	4.7% (1;27)	**11.0% (26;196) Worse**
	San Gabriel Valley Medical Center	**13.8% (7;31) Worse**	3.3% (2;116)	0.0% (0;11)	2.6% (2;103)		1.4% (2;148)	2.6% (5;174)	1.3% (1;105)	8.8% (36;311)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	3.5% (3;81)	2.8% (2;92)	15.4% (2;16)	0.0% (0;75)		**0.5% (1;215) Better**	2.5% (12;383)	2.5% (3;155)	**4.2% (23;354) Better**
	Sherman Oaks Hospital	6.0% (2;70)	4.2% (1;40)	16.7% (1;6)	0.0% (0;34)		5.8% (3;54)	1.9% (4;197)	0.0% (0;32)	**5.3% (25;259) Better**
	Southern California Hospital at Culver City	4.2% (5;217)	3.9% (2;99)	0.0% (0;7)	2.5% (2;92)		1.9% (3;175)	2.0% (5;318)	0.0% (0;30)	**4.3% (33;605) Better**
	Southern California Hospital at Hollywood	0.0% (0;21)	19.0% (2;18)		11.4% (2;17)		0.0% (0;81)	1.9% (1;55)	0.0% (0;15)	**3.2% (18;431) Better**
	St. Francis Medical Center	6.3% (18;290)	5.9% (13;271)	17.8% (8;47)	**1.8% (3;216) Better**	25.3% (2;8)	1.5% (4;290)	1.3% (4;483)	3.3% (1;42)	7.5% (30;349)
	St. Mary Medical Center – Long Beach	5.3% (13;195)	9.6% (25;274)	16.7% (8;61)	6.3% (13;192)	33.2% (4;21)	3.4% (9;149)	1.6% (7;349)	0.0% (0;46)	5.8% (15;208)
	Torrance Memorial Medical Center	**8.3% (45;415) Worse**	9.9% (54;611)	22.2% (24;106)	6.4% (22;485)	22.3% (8;20)	2.7% (14;546)	3.1% (44;1,040)	**0.0% (0;254) Better**	8.3% (58;552)
	USC Arcadia Hospital	7.5% (16;186)	10.2% (55;449)	23.9% (28;100)	5.6% (21;334)	29.3% (6;15)	3.5% (11;303)	1.5% (7;456)	0.8% (1;143)	6.7% (42;495)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Los Angeles (continued)	USC Verdugo Hills Hospital	3.4% (1;21)	7.1% (4;80)	17.9% (2;4)	3.7% (2;76)		3.3% (5;103)	2.2% (4;165)	3.3% (3;66)	6.2% (17;214)
	Valley Presbyterian Hospital	7.2% (4;123)	11.5% (7;121)	9.9% (1;14)	9.1% (6;107)		**7.0% (11;177) Worse**	1.9% (5;414)	0.0% (0;58)	**11.1% (33;293) Worse**
	West Covina Medical Center							0.0% (0;7)		0.0% (0;28)
	West Hills Hospital and Medical Center	7.2% (15;218)	**2.8% (5;205) Better**	7.7% (3;48)	**1.4% (2;148) Better**	0.0% (0;9)	1.3% (2;152)	2.1% (6;312)	0.9% (1;121)	7.6% (30;305)
	Whittier Hospital Medical Center	8.8% (2;26)	8.7% (4;51)		3.4% (2;49)		2.7% (2;134)	2.3% (3;187)	6.5% (2;45)	11.1% (21;171)
Madera	Madera Community Hospital	13.4% (6;40)	9.9% (2;37)	16.4% (1;4)	9.1% (1;33)		**11.8% (5;84) Worse**	3.6% (4;131)	4.1% (1;29)	13.4% (7;86)
Marin	Kaiser Foundation Hospital – San Rafael	2.4% (1;55)	7.0% (7;143)	15.0% (3;31)	4.9% (4;108)	0.0% (0;4)	4.9% (8;109)	2.2% (3;133)	0.8% (1;122)	6.4% (10;161)
	MarinHealth Medical Center	3.9% (7;219)	10.6% (20;233)	30.7% (11;46)	4.3% (7;182)	37.1% (2;5)	3.4% (7;185)	3.6% (14;286)	1.2% (2;118)	5.9% (18;220)
	Novato Community Hospital		4.1% (1;36)	0.0% (0;4)	5.7% (1;31)		0.0% (0;41)	1.3% (1;64)	3.0% (1;39)	7.4% (3;64)
Mariposa	John C Fremont Healthcare District	0.0% (0;3)	0.0% (0;4)		0.0% (0;4)			1.8% (1;42)		0.0% (0;22)
Mendocino	Adventist Health Howard Memorial		10.6% (2;25)		3.2% (1;24)		0.0% (0;28)	3.6% (1;32)	0.0% (0;59)	5.6% (2;54)
	Adventist Health Mendocino Coast		0.0% (0;18)		0.0% (0;18)		0.0% (0;10)	0.0% (0;31)		15.6% (3;38)
	Adventist Health Ukiah Valley	0.0% (0;7)	3.0% (1;49)		1.7% (1;49)		2.6% (3;58)	2.2% (3;144)	6.9% (2;18)	5.1% (5;130)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Merced	Memorial Hospital Los Banos		9.4% (2;40)		0.0% (0;38)		0.0% (0;3)	4.2% (3;71)	0.0% (0;28)	9.3% (2;48)
	Mercy Medical Center – Merced	2.5% (1;54)	5.2% (4;191)	20.9% (1;4)	2.6% (3;187)		2.4% (3;222)	3.1% (15;635)	2.7% (2;84)	6.3% (19;403)
Modoc	Modoc Medical Center						0.0% (0;3)	21.7% (1;6)		17.2% (1;19)
Mono	Mammoth Hospital		100.0% (1;3)		100.0% (1;3)		0.0% (0;5)	0.0% (0;13)	0.0% (0;5)	0.0% (0;8)
Monterey	Community Hospital of the Monterey Peninsula	9.0% (15;170)	8.8% (17;288)	20.0% (7;37)	5.1% (10;250)		2.5% (8;297)	2.8% (17;488)	1.1% (2;154)	5.2% (20;357)
	George L. Mee Memorial Hospital							0.0% (0;6)		41.6% (2;17)
	Natividad Medical Center	13.8% (1;9)	12.2% (6;65)	36.6% (6;13)	0.0% (0;50)		3.2% (2;101)	1.9% (1;118)	2.0% (1;60)	8.5% (5;104)
	Salinas Valley Memorial Hospital	6.0% (15;212)	9.4% (24;278)	25.5% (16;50)	3.9% (6;223)	23.7% (2;5)	2.1% (5;284)	3.0% (16;516)	4.3% (4;64)	5.3% (12;208)
Napa	Adventist Health St. Helena	7.9% (12;183)	0.0% (0;21)	0.0% (0;3)	0.0% (0;18)		2.5% (2;48)	3.8% (6;135)	5.5% (3;43)	4.9% (3;69)
	Providence Queen of the Valley Medical Center**	7.5% (10;132)	9.8% (18;177)	5.5% (1;26)	7.0% (15;149)		2.4% (4;123)	3.5% (6;193)	3.3% (3;82)	**13.3% (24;177) Worse**
Nevada	Sierra Nevada Memorial Hospital	0.0% (0;7)	5.0% (3;97)	25.4% (1;4)	2.3% (2;93)		2.4% (3;95)	3.6% (11;243)	1.7% (2;110)	3.8% (6;181)
	Tahoe Forest Hospital						0.0% (0;21)	5.2% (1;32)	0.0% (0;32)	3.6% (1;34)
Orange	AHMC Anaheim Regional Medical Center	8.4% (12;130)	7.0% (2;75)		4.0% (2;75)		1.8% (2;176)	3.2% (6;246)	4.3% (2;55)	5.6% (19;331)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Orange (continued)	Anaheim Global Medical Center	3.3% (1;33)	0.0% (0;6)		0.0% (0;6)		3.7% (2;47)	3.0% (1;46)	0.0% (0;14)	8.5% (10;90)
	Chapman Global Medical Center		0.0% (0;8)		0.0% (0;8)		10.2% (1;19)	7.3% (2;28)	0.0% (0;11)	8.4% (6;58)
	Foothill Regional Medical Center	0.0% (0;11)	0.0% (0;21)	0.0% (0;3)	0.0% (0;17)		0.0% (0;55)	2.6% (1;78)	0.0% (0;21)	**2.5% (6;255) Better**
	Fountain Valley Regional Hospital & Medical Center – Euclid	6.8% (22;264)	7.5% (53;401)	**13.9% (22;94) Better**	4.9% (22;288)	30.0% (9;19)	2.7% (5;290)	2.7% (11;520)	1.2% (1;86)	6.2% (38;440)
	Garden Grove Hospital and Medical Center	8.3% (2;21)	7.0% (1;37)		0.0% (0;35)		3.1% (4;104)	1.2% (1;99)	0.0% (0;19)	7.0% (27;206)
	Hoag Memorial Hospital Presbyterian	6.2% (21;438)	6.2% (28;690)	13.0% (13;121)	3.3% (10;549)	29.2% (5;20)	2.1% (13;760)	3.2% (28;762)	0.8% (2;298)	7.8% (57;795)
	Hoag Orthopedic Institute								0.0% (0;97)	
	Huntington Beach Hospital	11.8% (1;17)	0.0% (0;9)		0.0% (0;9)		3.5% (1;43)	4.0% (4;100)	0.0% (0;22)	7.2% (21;193)
	Kaiser Foundation Hospital – Orange County – Anaheim	4.6% (9;178)	**5.8% (23;460) Better**	13.5% (10;122)	2.7% (8;309)	24.2% (5;29)	3.9% (8;376)	3.5% (26;619)	2.2% (4;259)	8.7% (40;496)
	La Palma Intercommunity Hospital	4.2% (1;25)	0.0% (0;12)		0.0% (0;12)		6.2% (5;66)	1.2% (1;90)	0.0% (0;23)	**3.0% (4;128) Better**
	Los Alamitos Medical Center	**8.5% (29;191) Worse**	8.3% (53;416)	20.4% (29;90)	4.3% (20;310)	21.5% (4;16)	3.5% (9;223)	3.1% (14;361)	1.8% (3;188)	10.4% (34;279)
	MemorialCare Orange Coast Medical Center	**3.6% (11;280) Better**	7.7% (9;186)	24.1% (4;29)	3.6% (5;156)		3.0% (9;280)	2.8% (14;421)	0.0% (0;138)	7.9% (22;277)
	MemorialCare Saddleback Medical Center	**3.6% (9;237) Better**	7.6% (26;330)	16.5% (9;58)	3.7% (11;260)	35.8% (6;12)	2.0% (6;255)	2.6% (12;404)	1.7% (3;170)	**4.3% (10;238) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Orange (continued)	Orange County Global Medical Center	4.3% (6;152)	7.3% (34;271)	16.8% (17;69)	3.9% (10;185)	20.9% (7;17)	3.7% (3;91)	2.3% (2;154)	2.8% (1;42)	4.9% (11;176)
	Placentia Linda Hospital	7.0% (4;55)	16.7% (6;51)		9.2% (4;49)		6.0% (2;79)	3.6% (5;153)	4.6% (2;58)	8.9% (14;183)
	Providence Mission Hospital	7.7% (31;302)	7.0% (35;407)	17.5% (19;83)	3.3% (13;301)	25.1% (3;23)	4.4% (13;293)	1.9% (8;329)	0.4% (1;221)	8.8% (41;392)
	Providence Mission Hospital – Laguna Beach	7.1% (1;3)	7.6% (1;9)		4.5% (1;8)		12.0% (1;25)	1.1% (1;50)	0.0% (0;69)	5.4% (4;78)
	Providence St. Joseph Hospital	5.4% (20;301)	8.2% (36;387)	15.0% (15;104)	6.1% (19;273)	18.5% (2;10)	2.2% (8;310)	2.3% (13;476)	2.0% (5;211)	8.7% (40;449)
	Providence St. Jude Medical Center	**8.0% (37;309) Worse**	7.1% (54;590)	14.5% (19;121)	4.2% (20;417)	21.7% (15;52)	3.6% (10;298)	4.4% (18;423)	1.0% (2;224)	7.2% (63;541)
	South Coast Global Medical Center	14.7% (1;4)	0.0% (0;13)		0.0% (0;13)		4.7% (1;29)	4.6% (1;46)	0.0% (0;4)	9.5% (7;102)
	UC Irvine Medical Center	5.5% (14;227)	**2.4% (17;485) Better**	**6.3% (8;140) Better**	**0.9% (5;307) Better**	12.5% (4;38)	1.8% (7;360)	**1.6% (10;517) Better**	0.0% (0;70)	**3.2% (9;299) Better**
	West Anaheim Medical Center	**1.9% (3;151) Better**	18.5% (2;48)		5.9% (1;46)		1.9% (3;158)	1.8% (5;212)	0.0% (0;61)	6.8% (39;373)
Placer	Kaiser Foundation Hospital – Roseville	4.3% (13;492)	8.8% (15;354)	27.3% (6;32)	4.3% (9;320)		2.5% (8;415)	**5.5% (36;641) Worse**	1.1% (4;335)	8.3% (31;540)
	Sutter Auburn Faith Hospital	4.9% (1;8)	9.4% (3;73)		6.1% (3;72)		0.0% (0;62)	3.4% (5;124)	0.0% (0;81)	8.2% (7;108)
	Sutter Roseville Medical Center	5.8% (27;489)	8.6% (41;567)	21.2% (19;106)	4.9% (21;454)	11.6% (1;7)	**4.9% (25;624) Worse**	2.9% (24;756)	2.5% (9;313)	7.1% (25;462)
Plumas	Eastern Plumas Hospital – Portola Campus									14.4% (1;23)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Plumas (continued)	Plumas District Hospital		20.8% (1;4)				0.0% (0;5)	13.2% (1;12)		23.7% (1;19)
	Seneca District Hospital							6.4% (1;6)		0.0% (0;9)
Riverside	Corona Regional Medical Center – Main	5.9% (5;100)	8.8% (8;164)	38.9% (2;4)	4.4% (6;160)		3.2% (11;209)	2.1% (8;398)	0.0% (0;84)	7.7% (21;248)
	Desert Regional Medical Center	**8.9% (26;358) Worse**	9.9% (68;477)	25.0% (32;121)	5.6% (29;330)	20.0% (7;26)	**4.3% (18;348) Worse**	3.6% (12;411)	2.6% (7;300)	6.0% (28;377)
	Doctors Hospital of Riverside	6.4% (2;24)	4.4% (1;63)	0.0% (0;3)	0.0% (0;59)		3.6% (5;133)	4.6% (6;203)	0.0% (0;43)	**18.6% (29;259) Worse**
	Eisenhower Medical Center	**3.8% (13;433) Better**	**4.8% (17;529) Better**	12.7% (10;87)	**1.8% (5;429) Better**	29.4% (2;13)	2.1% (9;521)	2.4% (20;890)	1.0% (2;245)	5.4% (27;586)
	Hemet Global Medical Center	10.3% (3;36)	0.0% (0;56)		0.0% (0;56)		3.9% (4;211)	1.6% (4;442)	2.5% (2;112)	**11.6% (34;391) Worse**
	John F. Kennedy Memorial Hospital	9.9% (11;97)	6.4% (4;137)		2.8% (3;136)		2.3% (5;145)	2.7% (5;208)	2.3% (1;66)	9.8% (19;206)
	Kaiser Foundation Hospital – Moreno Valley	0.0% (0;58)	9.5% (5;64)	24.6% (1;5)	5.4% (4;58)		0.0% (0;85)	4.6% (11;171)	0.0% (0;40)	7.6% (8;105)
	Kaiser Foundation Hospital – Riverside	9.8% (11;90)	7.9% (10;107)	23.2% (5;24)	3.9% (5;80)	0.0% (0;3)	2.7% (3;109)	5.2% (13;228)	2.1% (2;116)	8.0% (12;147)
	Loma Linda University Medical Center – Murrieta	6.1% (29;441)	7.6% (6;165)	12.4% (2;33)	6.2% (3;127)	18.2% (1;5)	4.2% (7;226)	**6.0% (18;477) Worse**	3.3% (2;90)	**15.6% (25;274) Worse**
	Menifee Global Medical Center	9.0% (1;10)	0.0% (0;9)	0.0% (0;5)	0.0% (0;4)		4.9% (2;49)	0.0% (0;130)	0.0% (0;30)	6.4% (6;114)
	Palo Verde Hospital						0.0% (0;13)	0.0% (0;7)		0.0% (0;11)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Riverside (continued)	Riverside Community Hospital	**3.5% (29;760) Better**	**5.2% (61;878) Better**	**9.7% (19;193) Better**	**3.1% (31;624) Better**	19.2% (11;61)	2.2% (9;336)	**1.3% (10;733) Better**	0.7% (1;158)	**3.4% (22;509) Better**
	Riverside University Health System – Medical Center	7.0% (4;60)	9.2% (30;345)	27.0% (21;77)	3.5% (9;265)	0.0% (0;3)	3.6% (18;278)	2.6% (16;629)	0.7% (1;108)	11.0% (15;169)
	San Gorgonio Memorial Hospital	10.4% (1;12)	0.0% (0;16)		0.0% (0;16)		4.1% (2;75)	0.0% (0;92)	0.0% (0;38)	6.3% (5;97)
	Southwest Healthcare System – Murrieta	5.4% (2;38)	7.1% (40;427)	16.9% (28;115)	4.1% (11;302)	9.3% (1;10)	2.6% (8;299)	2.5% (12;439)	1.9% (3;176)	7.0% (25;443)
	Temecula Valley Hospital	7.4% (24;392)	9.4% (31;319)	17.6% (8;60)	4.6% (11;233)	**35.9% (12;26) Worse**	3.0% (8;230)	2.0% (10;574)	1.0% (1;107)	8.5% (27;342)
	Vibra Rehab Hospital of Rancho Mirage		0.0% (0;4)		0.0% (0;3)					
Sacramento	Kaiser Foundation Hospital – Sacramento	4.6% (6;122)	9.4% (67;678)	17.4% (24;162)	**6.7% (33;468) Worse**	23.5% (10;48)	4.1% (9;232)	2.7% (13;584)	1.0% (2;187)	6.9% (22;355)
	Kaiser Foundation Hospital – South Sacramento	6.8% (20;365)	9.4% (24;316)	20.0% (12;66)	6.5% (12;246)	0.0% (0;4)	3.9% (11;240)	2.0% (15;807)	1.7% (3;168)	6.9% (25;438)
	Mercy General Hospital	5.2% (44;1,061)	8.5% (13;183)	18.9% (5;46)	5.1% (8;135)		3.0% (6;208)	2.8% (33;883)	1.6% (1;82)	8.0% (27;321)
	Mercy Hospital of Folsom	1.5% (1;30)	4.7% (4;147)	10.4% (1;7)	2.3% (2;139)		2.1% (4;163)	2.9% (12;366)	2.6% (2;99)	6.2% (9;201)
	Mercy San Juan Medical Center	5.7% (30;417)	**10.7% (148;886) Worse**	20.2% (70;299)	**8.4% (58;526) Worse**	27.8% (20;61)	2.8% (10;372)	3.0% (32;959)	2.9% (4;158)	**4.8% (23;555) Better**
	Methodist Hospital of Sacramento	8.5% (5;41)	10.1% (13;180)	9.9% (2;14)	8.1% (10;165)		1.3% (3;227)	3.7% (11;400)	0.0% (0;61)	7.2% (14;206)
	Sutter Medical Center – Sacramento	4.9% (32;637)	8.0% (40;486)	15.8% (14;94)	5.2% (22;373)	20.4% (4;19)	3.1% (14;469)	**4.6% (45;886) Worse**	1.3% (3;153)	10.9% (27;288)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Sacramento (continued)	UC Davis Medical Center	5.4% (15;176)	**5.6% (53;493) Better**	16.5% (30;151)	**2.7% (16;285) Better**	**9.9% (7;57) Better**	1.5% (7;363)	2.3% (26;1,087)	1.1% (2;110)	**4.0% (15;330) Better**
San Benito	Hazel Hawkins Memorial Hospital		**30.6% (4;31) Worse**	65.1% (2;3)	19.1% (2;28)		0.0% (0;32)	9.2% (3;68)	11.9% (1;12)	4.2% (1;41)
San Bernardino	Arrowhead Regional Medical Center	5.0% (3;86)	**10.8% (55;347) Worse**	18.8% (23;101)	**8.5% (22;226) Worse**	33.3% (10;20)	3.0% (7;196)	2.4% (11;566)	3.5% (4;95)	8.9% (34;296)
	Barstow Community Hospital	0.0% (0;10)	0.0% (0;25)		0.0% (0;25)		3.7% (1;43)	3.6% (3;131)	0.0% (0;18)	10.0% (6;92)
	Bear Valley Community Hospital							0.0% (0;9)		0.0% (0;13)
	Chino Valley Medical Center	8.0% (5;67)	17.6% (2;27)		10.9% (2;26)		5.3% (5;108)	2.0% (3;211)	2.7% (1;33)	10.2% (22;201)
	Colorado River Medical Center						0.0% (0;6)	0.0% (0;17)		0.0% (0;20)
	Community Hospital of San Bernardino	6.9% (2;38)	0.0% (0;36)		0.0% (0;34)		4.0% (5;102)	0.0% (0;212)	0.0% (0;27)	6.6% (8;141)
	Desert Valley Hospital	4.5% (12;314)	5.7% (2;75)		2.3% (1;72)		2.5% (3;176)	1.3% (5;463)	0.0% (0;78)	**4.5% (19;389) Better**
	Hi-Desert Medical Center	0.0% (0;5)	0.0% (0;28)		0.0% (0;28)			5.0% (2;72)	6.7% (1;25)	5.7% (4;104)
	Kaiser Foundation Hospital – Fontana	7.8% (21;479)	9.6% (51;612)	21.3% (28;183)	6.2% (21;395)	14.0% (2;34)	4.1% (20;559)	**4.2% (31;734) Worse**	0.0% (0;222)	8.9% (50;572)
	Loma Linda University Medical Center	5.8% (43;594)	**11.8% (107;598) Worse**	24.2% (45;182)	**8.0% (40;351) Worse**	30.4% (22;65)	3.4% (13;342)	3.6% (36;999)	0.8% (1;134)	5.5% (19;358)
	Montclair Hospital Medical Center	0.0% (0;14)					0.8% (1;70)	0.8% (1;100)	0.0% (0;4)	6.0% (20;244)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
San Bernardino (continued)	Mountains Community Hospital							0.0% (0;4)		0.0% (0;18)
	Redlands Community Hospital	5.2% (2;28)	11.3% (24;217)	30.2% (9;35)	5.9% (12;170)	28.6% (3;12)	4.5% (6;219)	3.8% (10;232)	0.8% (1;125)	8.5% (37;400)
	San Antonio Regional Hospital	5.7% (33;578)	10.3% (32;444)	25.3% (16;79)	5.2% (12;355)	30.9% (4;10)	3.9% (12;378)	**5.1% (23;570) Worse**	4.9% (5;169)	10.1% (39;559)
	St. Bernardine Medical Center	6.0% (30;496)	9.4% (36;368)	18.5% (19;89)	6.6% (14;273)	31.0% (3;6)	4.1% (15;305)	3.4% (21;746)	0.0% (0;68)	**11.3% (44;419) Worse**
	St. Mary Medical Center – Apple Valley	5.9% (19;457)	5.6% (8;297)	0.0% (0;7)	3.4% (8;289)		4.1% (8;265)	3.2% (15;694)	1.2% (1;113)	9.6% (21;340)
	Victor Valley Global Medical Center	3.6% (1;23)	8.6% (1;26)		5.0% (1;26)		3.4% (1;84)	1.0% (1;147)	0.0% (0;35)	9.4% (16;259)
San Diego	Alvarado Hospital Medical Center	3.3% (4;123)	10.1% (4;59)	39.0% (3;12)	2.7% (1;46)		**0.0% (0;113) Better**	1.0% (2;231)	0.0% (0;28)	**5.2% (17;248) Better**
	Grossmont Hospital	7.8% (28;397)	**11.8% (76;731) Worse**	24.6% (31;115)	**7.1% (32;569) Worse**	36.5% (13;47)	2.7% (11;415)	4.0% (21;880)	0.8% (1;152)	**10.4% (55;618) Worse**
	Kaiser Foundation Hospital – San Diego – Zion	**2.4% (4;118) Better**	6.3% (23;436)	15.0% (11;109)	3.4% (10;309)	18.5% (2;18)	3.4% (8;290)	2.4% (23;937)	1.8% (7;376)	6.8% (26;445)
	Palomar Health Downtown Campus	8.7% (10;174)	**12.8% (34;277) Worse**	26.6% (14;59)	**8.2% (18;206) Worse**	27.3% (2;12)	0.7% (1;203)	1.2% (3;344)	1.9% (2;119)	**11.5% (25;241) Worse**
	Palomar Medical Center	9.6% (15;178)	**12.9% (30;250) Worse**	**33.4% (16;55) Worse**	6.5% (12;190)	31.4% (2;5)	3.6% (7;205)	4.2% (11;312)	2.2% (3;122)	10.4% (28;270)
	Palomar Medical Center Poway	**25.2% (3;6) Worse**	7.6% (5;64)	20.2% (3;4)	4.2% (2;59)		1.9% (3;123)	**5.7% (11;151) Worse**	1.8% (1;72)	8.9% (18;173)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
San Diego (continued)	Paradise Valley Hospital	2.8% (1;65)	11.5% (11;82)	26.8% (7;25)	6.6% (3;54)	27.5% (1;3)	4.4% (2;79)	2.8% (3;193)	0.0% (0;14)	8.1% (17;156)
	Scripps Green Hospital		10.6% (7;73)	36.9% (4;16)	4.5% (3;54)	0.0% (0;3)	1.9% (3;154)	1.8% (2;73)	2.1% (1;57)	5.8% (8;135)
	Scripps Memorial Hospital – Encinitas	**3.0% (6;208) Better**	6.6% (16;259)	26.6% (10;42)	**2.0% (5;213) Better**	18.8% (1;4)	**0.9% (3;319) Better**	**1.6% (11;525) Better**	0.8% (2;216)	**4.3% (18;365) Better**
	Scripps Memorial Hospital – La Jolla	**3.7% (24;772) Better**	7.5% (48;556)	18.6% (18;97)	4.2% (22;412)	18.3% (8;47)	1.3% (5;327)	2.9% (36;906)	2.1% (7;249)	6.1% (27;349)
	Scripps Mercy Hospital	6.7% (25;358)	6.6% (38;582)	16.4% (16;103)	3.4% (17;459)	20.9% (5;20)	2.1% (15;549)	**1.9% (22;1,123) Better**	0.9% (3;269)	**5.4% (35;630) Better**
	Sharp Chula Vista Medical Center	7.4% (23;350)	**12.2% (48;406) Worse**	22.6% (20;72)	**8.7% (23;326) Worse**	33.8% (5;8)	2.2% (7;345)	**4.5% (23;685) Worse**	1.0% (1;108)	6.7% (31;474)
	Sharp Coronado Hospital and Healthcare Center	0.0% (0;7)	6.0% (1;40)		0.0% (0;38)		2.2% (2;90)	1.7% (1;83)	0.0% (0;41)	6.8% (3;70)
	Sharp Memorial Hospital	**8.6% (28;398) Worse**	9.2% (40;499)	23.2% (22;85)	4.1% (13;407)	**36.1% (5;7) Worse**	2.4% (10;418)	1.8% (12;714)	1.6% (7;306)	8.1% (39;505)
	Tri-City Medical Center	5.7% (13;238)	11.1% (33;296)	26.2% (17;45)	6.2% (16;248)	0.0% (0;3)	2.5% (6;170)	2.1% (8;292)	3.5% (5;132)	9.3% (32;333)
	UC San Diego Health Hillcrest – Hillcrest Medical Center	4.9% (28;407)	**3.4% (24;588) Better**	**5.2% (7;143) Better**	**2.5% (11;397) Better**	**11.5% (6;48) Better**	2.0% (14;552)	**1.9% (25;1,065) Better**	3.1% (6;178)	**3.9% (27;700) Better**
San Francisco	California Pacific Medical Center – Davies Campus Hospital	30.5% (1;3)	9.5% (44;360)	18.0% (13;91)	6.1% (22;231)	27.0% (9;38)	6.5% (2;35)	1.7% (1;67)	0.0% (0;4)	12.7% (5;49)
	California Pacific Medical Center – Mission Bernal Campus	0.0% (0;10)	0.0% (0;41)	0.0% (0;6)	0.0% (0;35)		2.7% (2;112)	3.1% (7;240)	2.2% (3;138)	6.4% (7;124)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
San Francisco (continued)	California Pacific Medical Center – Van Ness Campus	4.5% (13;214)	12.1% (21;178)	27.2% (9;31)	7.1% (12;146)		**0.6% (2;248) Better**	2.1% (17;546)	0.0% (0;10)	10.0% (20;184)
	Chinese Hospital	0.0% (0;9)	3.8% (1;51)		2.5% (1;50)		0.0% (0;57)	1.4% (2;99)	2.5% (1;18)	5.6% (5;70)
	Kaiser Foundation Hospital – San Francisco	6.7% (28;579)	5.3% (7;213)	19.2% (4;36)	1.9% (2;167)	11.7% (1;10)	1.8% (6;263)	3.4% (22;459)	3.1% (3;87)	8.7% (13;146)
	Laguna Honda Hospital and Rehab Center							5.8% (1;6)		2.1% (1;42)
	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center	8.4% (12;124)	9.2% (38;350)	21.0% (17;67)	5.0% (18;268)	34.1% (3;15)	1.4% (5;268)	2.4% (11;603)	3.7% (4;84)	6.2% (13;250)
	Saint Francis Memorial Hospital	0.0% (0;8)	9.3% (7;56)	38.2% (6;19)	2.0% (1;35)		0.0% (0;64)	2.8% (5;107)	3.7% (1;29)	5.8% (7;131)
	St. Mary's Medical Center	3.7% (4;81)	3.6% (3;73)	18.1% (2;7)	**1.0% (1;65) Better**		1.3% (2;107)	2.3% (10;259)	1.3% (1;46)	**3.5% (8;115) Better**
	UC San Francisco Medical Center	**3.8% (15;201) Better**	**5.8% (60;535) Better**	**13.0% (27;169) Better**	3.7% (23;292)	**12.6% (10;74) Better**	**1.4% (8;329) Better**	**1.4% (16;691) Better**	0.0% (0;82)	**4.9% (37;466) Better**
San Joaquin	Adventist Health Lodi Memorial	3.6% (1;27)	**0.0% (0;129) Better**		**0.0% (0;127) Better**		0.7% (1;160)	2.8% (11;333)	2.2% (2;93)	6.1% (16;257)
	Dameron Hospital	5.1% (7;121)	3.8% (1;64)		3.0% (1;62)		3.9% (5;125)	4.7% (10;249)	0.0% (0;25)	11.1% (18;183)
	Doctors Hospital of Manteca	11.3% (2;14)	2.6% (1;90)	0.0% (0;3)	1.7% (1;86)		4.1% (2;88)	**7.2% (9;164) Worse**	0.0% (0;33)	**14.5% (15;146) Worse**
	Kaiser Foundation Hospital – Manteca	6.3% (10;141)	9.4% (13;161)	18.6% (6;37)	5.8% (6;122)		3.4% (7;232)	2.2% (10;500)	2.3% (4;170)	6.4% (13;263)
	San Joaquin General Hospital	7.5% (4;37)	12.3% (19;139)	**33.5% (11;37) Worse**	5.7% (7;100)		4.8% (6;131)	3.8% (8;345)	1.8% (2;148)	9.5% (8;162)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
San Joaquin (continued)	St. Joseph's Medical Center of Stockton	**4.7% (51;811) Better**	6.8% (17;349)	17.8% (5;15)	3.7% (10;331)	19.6% (2;3)	2.3% (14;429)	**1.3% (14;960) Better**	1.3% (1;85)	5.9% (33;485)
	Sutter Tracy Community Hospital	0.0% (0;13)	10.2% (6;77)	27.0% (1;4)	5.7% (5;73)		0.7% (1;118)	**0.5% (1;182) Better**	0.0% (0;24)	5.5% (4;97)
San Luis Obispo	French Hospital Medical Center	4.6% (12;272)	4.3% (1;44)		2.6% (1;43)		2.5% (4;110)	1.5% (6;239)	0.0% (0;45)	5.0% (7;127)
	Marian Regional Medical Center – Arroyo Grande	26.9% (1;4)	3.9% (1;50)	32.1% (1;6)	0.0% (0;44)		1.4% (1;71)	0.0% (0;105)	2.2% (1;51)	4.3% (3;78)
	Tenet Health Central Coast Sierra Vista Regional Medical Center	0.0% (0;4)	9.8% (22;133)	21.7% (16;52)	6.2% (6;80)		3.1% (3;86)	2.9% (3;74)	2.6% (2;55)	6.5% (8;102)
	Tenet Health Central Coast Twin Cities Community Hospital	8.8% (1;7)	7.4% (5;86)		4.6% (5;84)		3.7% (5;112)	3.5% (5;134)	4.9% (5;100)	7.6% (10;156)
San Mateo	AHMC Seton Medical Center**	8.9% (14;177)	5.2% (8;126)	11.0% (4;28)	2.6% (3;96)		3.9% (4;100)	3.5% (10;224)	0.0% (0;38)	7.1% (13;142)
	Kaiser Foundation Hospital – Redwood City	2.7% (2;56)	**12.4% (79;603) Worse**	23.9% (35;200)	**9.1% (27;289) Worse**	34.6% (17;114)	6.5% (4;90)	2.7% (7;195)	2.3% (2;72)	5.9% (6;122)
	Kaiser Foundation Hospital – South San Francisco	2.6% (2;34)	9.2% (13;182)	20.3% (7;36)	4.8% (5;141)	100.0% (1;5)	0.6% (1;199)	4.1% (18;420)	0.7% (1;101)	6.6% (15;267)
	Mills-Peninsula Medical Center	6.0% (20;258)	8.3% (41;412)	16.2% (12;67)	5.3% (24;332)	21.1% (5;13)	2.2% (5;265)	3.0% (23;525)	1.9% (4;171)	9.5% (14;129)
	San Mateo Medical Center	0.0% (0;3)	0.0% (0;33)	0.0% (0;9)	0.0% (0;24)		2.7% (2;52)	3.3% (2;113)	0.0% (0;13)	12.2% (3;43)
	Sequoia Hospital	6.2% (6;81)	6.8% (3;80)	11.1% (1;9)	5.0% (2;71)		0.0% (0;60)	2.5% (5;177)	0.0% (0;78)	4.6% (4;100)
Santa Barbara	Goleta Valley Cottage Hospital							0.0% (0;21)	1.6% (1;83)	0.0% (0;23)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Santa Barbara (continued)	Lompoc Valley Medical Center	0.0% (0;4)	2.3% (1;50)	16.2% (1;4)	0.0% (0;46)		1.3% (1;80)	4.2% (2;83)	0.0% (0;28)	9.2% (4;58)
	Marian Regional Medical Center	7.3% (14;170)	8.3% (10;146)	21.1% (5;35)	5.2% (4;106)	12.0% (1;5)	2.7% (6;219)	2.2% (8;338)	1.2% (2;139)	7.0% (14;216)
	Santa Barbara Cottage Hospital	5.9% (15;263)	**6.5% (48;487) Better**	15.2% (20;92)	4.0% (23;357)	12.5% (5;38)	1.8% (9;399)	3.3% (23;434)	2.3% (5;186)	5.4% (21;307)
	Santa Ynez Valley Cottage Hospital		43.1% (1;5)		24.7% (1;5)			0.0% (0;7)		13.2% (1;11)
Santa Clara	El Camino Health	4.9% (9;273)	10.8% (46;418)	**27.0% (23;77) Worse**	5.9% (20;334)	22.7% (3;7)	2.7% (12;405)	2.7% (21;684)	**0.0% (0;214) Better**	7.2% (36;455)
	Good Samaritan Hospital – San Jose	5.0% (14;290)	6.8% (32;455)	13.1% (12;82)	4.3% (16;351)	21.3% (4;22)	1.3% (3;179)	2.0% (12;484)	1.2% (2;150)	6.3% (32;353)
	Kaiser Foundation Hospital – San Jose	**2.7% (5;209) Better**	5.4% (10;260)	18.5% (5;36)	**2.3% (5;223) Better**		1.0% (2;219)	1.9% (11;439)	2.1% (3;116)	7.2% (17;246)
	Kaiser Foundation Hospital – Santa Clara	6.7% (28;609)	9.5% (17;260)	16.8% (6;54)	5.5% (9;200)	100.0% (2;6)	3.0% (10;298)	**4.1% (39;765) Worse**	0.5% (1;175)	7.2% (19;275)
	O'Connor Hospital	5.0% (12;228)	6.3% (5;140)	23.9% (5;22)	0.0% (0;118)		1.6% (3;203)	2.6% (10;557)	0.0% (0;66)	9.0% (23;297)
	Regional Medical Center of San Jose	6.4% (25;317)	**5.6% (53;648) Better**	**12.2% (24;160) Better**	3.7% (22;445)	**12.7% (7;43) Better**	1.3% (3;248)	**0.7% (4;600) Better**	1.7% (2;111)	**5.2% (25;528) Better**
	Santa Clara Valley Medical Center	6.1% (9;175)	8.4% (19;311)	13.7% (7;88)	6.2% (8;209)	29.5% (4;14)	1.7% (6;339)	3.1% (13;670)	0.0% (0;81)	6.0% (14;253)
	St. Louise Regional Hospital	0.0% (0;6)	0.0% (0;61)		0.0% (0;60)		1.3% (1;98)	1.6% (3;160)	0.0% (0;34)	3.8% (5;135)
	Stanford Health Care	6.1% (18;306)	9.3% (74;688)	19.3% (22;166)	5.4% (37;412)	27.5% (15;110)	2.1% (14;469)	2.5% (31;774)	0.5% (1;177)	6.1% (33;435)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Santa Cruz	Dominican Hospital	3.1% (6;213)	9.1% (20;245)	16.7% (8;45)	5.8% (9;195)	37.4% (3;5)	1.4% (4;244)	2.3% (9;366)	0.8% (1;159)	8.9% (20;235)
	Watsonville Community Hospital	0.0% (0;5)	7.8% (3;84)	20.6% (1;4)	4.2% (2;80)		1.5% (2;92)	1.5% (1;111)	0.0% (0;32)	9.7% (13;164)
Shasta	Mayers Memorial Hospital						0.0% (0;5)	0.0% (0;12)		10.2% (1;17)
	Mercy Medical Center – Redding	6.2% (15;241)	**12.6% (62;430) Worse**	22.6% (22;80)	**9.7% (36;330) Worse**	18.8% (4;20)	**4.6% (25;304) Worse**	**5.0% (31;391) Worse**	**5.8% (12;187) Worse**	8.1% (35;392)
	Shasta Regional Medical Center	**14.1% (23;196) Worse**	9.3% (5;126)	35.3% (2;7)	4.2% (3;119)		2.7% (4;191)	3.4% (8;275)	0.0% (0;63)	6.7% (18;306)
Siskiyou	Fairchild Medical Center	22.9% (1;3)	0.0% (0;31)	0.0% (0;3)	0.0% (0;28)		0.0% (0;23)	4.5% (1;42)	8.5% (2;24)	0.0% (0;46)
	Mercy Medical Center Mt. Shasta		28.6% (3;13)		20.3% (2;11)		7.3% (1;10)	**12.0% (4;36) Worse**	0.0% (0;29)	13.9% (3;33)
Solano	Kaiser Foundation Hospital & Rehab Center – Vallejo	4.7% (7;204)	**13.4% (19;176) Worse**	**41.5% (10;34) Worse**	6.5% (9;137)	0.0% (0;5)	3.9% (8;196)	**5.3% (19;336) Worse**	0.8% (1;122)	9.4% (15;172)
	Kaiser Foundation Hospital – Vacaville	5.4% (2;24)	8.7% (12;131)	15.6% (5;45)	5.8% (6;82)	44.5% (1;4)	0.9% (1;90)	2.8% (7;207)	2.1% (2;82)	10.4% (17;173)
	NorthBay Medical Center	5.9% (13;226)	10.6% (26;254)	22.0% (8;34)	6.6% (17;217)	20.5% (1;3)	2.4% (4;188)	3.6% (16;506)	0.0% (0;101)	**11.7% (39;420) Worse**
	Sutter Solano Medical Center	22.0% (3;17)	8.8% (3;93)	0.0% (0;5)	5.5% (3;88)		4.5% (4;99)	4.7% (7;194)	0.0% (0;43)	12.1% (9;102)
Sonoma	Healdsburg Hospital**		0.0% (0;13)		0.0% (0;13)		0.0% (0;3)	0.0% (0;16)	0.0% (0;7)	0.0% (0;39)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Sonoma (continued)	Kaiser Foundation Hospital – Santa Rosa	2.2% (1;50)	**16.2% (19;202) Worse**	42.5% (7;37)	**9.3% (12;159) Worse**	0.0% (0;6)	3.5% (7;246)	2.1% (8;383)	3.9% (6;143)	10.9% (22;302)
	Petaluma Valley Hospital	4.1% (1;10)	4.1% (1;55)		3.0% (1;53)		**11.8% (3;12) Worse**	0.0% (0;80)	1.4% (1;49)	12.1% (7;88)
	Providence Santa Rosa Memorial Hospital – Montgomery**	6.2% (21;323)	**11.9% (38;285) Worse**	26.2% (17;70)	7.0% (18;209)	36.5% (3;6)	3.2% (11;359)	2.4% (10;393)	2.3% (5;161)	8.9% (25;241)
	Sonoma Specialty Hospital		0.0% (0;3)							
	Sonoma Valley Hospital		0.0% (0;28)		0.0% (0;28)			2.6% (2;33)	3.2% (1;27)	6.6% (2;32)
	Sutter Santa Rosa Regional Hospital	4.8% (8;205)	2.2% (1;107)	0.0% (0;4)	1.5% (1;101)		2.6% (4;181)	1.6% (5;239)	3.5% (2;68)	6.9% (6;95)
Stanislaus	Doctors Medical Center	**9.2% (50;536) Worse**	7.7% (113;959)	19.7% (49;193)	**3.9% (52;710) Better**	26.9% (12;56)	**4.6% (16;425) Worse**	4.3% (25;674)	**5.0% (6;161) Worse**	**11.7% (71;600) Worse**
	Emanuel Medical Center	5.6% (16;326)	2.5% (1;110)		1.5% (1;109)		3.3% (7;207)	2.7% (11;515)	1.6% (1;71)	8.1% (39;474)
	Memorial Medical Center – Modesto	4.1% (14;280)	6.3% (17;348)	13.2% (9;62)	4.2% (7;281)	14.5% (1;5)	1.9% (8;555)	2.3% (19;837)	0.6% (1;199)	6.9% (14;381)
	Oak Valley Hospital District		0.0% (0;6)		0.0% (0;6)			0.0% (0;23)	0.0% (0;4)	6.4% (1;23)
Tehama	St. Elizabeth Community Hospital	10.8% (1;9)	7.9% (4;69)		3.2% (2;67)		4.2% (2;62)	1.8% (4;145)	3.3% (2;76)	9.0% (7;106)
Trinity	Trinity Hospital		0.0% (0;4)		0.0% (0;3)			0.0% (0;7)		40.3% (2;7)
Tulare	Adventist Health Tulare	7.5% (1;3)	6.7% (1;26)	0.0% (0;3)	7.9% (1;21)			2.4% (2;88)	0.0% (0;3)	7.8% (3;65)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Tulare (continued)	Kaweah Health Medical Center**	**8.3% (45;480) Worse**	**11.7% (43;500) Worse**	24.0% (17;101)	**8.1% (21;390) Worse**	23.5% (5;9)	2.7% (13;535)	**5.2% (44;1,045) Worse**	3.3% (6;229)	**11.5% (51;569) Worse**
	Sierra View Medical Center	10.2% (7;78)	8.1% (4;106)		3.5% (2;103)		3.6% (4;186)	1.7% (2;175)	0.0% (0;57)	9.3% (19;224)
Tuolumne	Adventist Health Sonora – Greenley	9.8% (4;39)	7.6% (5;62)		3.6% (3;60)		1.0% (1;91)	4.9% (14;183)	3.0% (3;86)	4.8% (9;186)
Ventura	Adventist Health Simi Valley	8.5% (10;116)	5.0% (5;129)	20.8% (5;19)	**0.0% (0;108) Better**		2.5% (4;194)	3.3% (8;254)	1.2% (1;89)	6.4% (18;346)
	Community Memorial Hospital – San Buenaventura	5.7% (14;230)	**3.6% (7;248) Better**	9.4% (3;39)	**1.9% (4;208) Better**		2.3% (7;264)	1.9% (8;381)	0.0% (0;119)	**12.5% (22;228) Worse**
	Los Robles Hospital & Medical Center	**2.9% (7;262) Better**	6.1% (22;361)	22.0% (16;76)	**1.8% (5;256) Better**	7.6% (1;29)	1.7% (2;173)	2.9% (15;396)	2.4% (4;159)	**5.2% (29;447) Better**
	Ojai Valley Community Hospital		0.0% (0;4)		0.0% (0;3)			0.0% (0;7)		12.4% (1;19)
	St. John's Hospital Camarillo	4.9% (1;23)	8.0% (6;69)	24.1% (4;6)	2.6% (1;58)	17.8% (1;5)	5.2% (5;80)	2.3% (4;152)	5.3% (4;92)	8.3% (14;180)
	St. John's Regional Medical Center	5.0% (18;266)	8.5% (51;391)	14.9% (18;91)	6.6% (29;278)	15.2% (4;22)	1.6% (5;265)	2.6% (13;497)	2.5% (3;89)	7.9% (16;234)
	Ventura County Medical Center	2.6% (1;46)	**0.0% (0;96) Better**	**0.0% (0;17) Better**	0.0% (0;77)		1.7% (2;129)	1.2% (2;214)	2.1% (1;61)	14.5% (10;120)
Yolo	Sutter Davis Hospital	14.9% (3;9)	0.0% (0;69)		0.0% (0;67)		0.0% (0;74)	0.7% (1;151)	0.0% (0;54)	7.8% (2;45)
	Woodland Memorial Hospital	11.5% (3;12)	14.5% (5;67)		9.2% (5;65)		2.9% (1;49)	3.2% (3;113)	3.6% (1;35)	9.6% (6;92)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2021

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,844;46,968)	8.5% (5,285;62,303)	19.4% (2,348;12,094)	4.9% (2,308;47,442)	22.7% (629;2,767)	2.7% (1,521;55,864)	2.9% (3,071;106730)	1.7% (456;26,398)	7.6% (5,645;74,489)
Yuba	Adventist Health and Rideout	8.3% (16;211)	8.9% (19;268)	28.6% (3;7)	4.9% (13;257)	21.1% (3;4)	3.8% (8;286)	2.2% (15;799)	3.6% (4;138)	10.4% (28;440)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2022, and HCAI hospital patient discharge data, 2021. See Technical Note for details about methodology.
****Hospital name changed from 2020 to 2021, see Technical Note for details.**
Note: Blank cells indicate that fewer than three conditions were treated.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.
Quality Ratings are risk-adjusted using age, gender, diagnosis, CCSR, and Do Not Resuscitate flag. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.