California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Alameda	Alameda Hospital	8.5% (1;13)	8.2% (8;133)	36.3% (1;5)	4.8% (6;125)	16.2% (1;3)	1.8% (1;63)	0.9% (1;139)	0.0% (0;25)	11.6% (20;179)
	Alta Bates Summit Medical Center	4.2% (16;407)	9.0% (18;360)	27.7% (2;5)	5.3% (15;352)	22.3% (1;3)	2.7% (6;238)	2.3% (15;632)	1.0% (1;95)	7.5% (28;335)
	Alta Bates Summit Medical Center – Alta Bates Campus	6.3% (1;24)	7.1% (19;224)	21.8% (19;107)	**0.0% (0;113) Better**	0.0% (0;4)	1.1% (2;204)	2.3% (7;258)	0.0% (0;78)	**4.8% (12;192) Better**
	Eden Medical Center	9.3% (4;22)	9.9% (43;425)	18.1% (16;99)	7.7% (21;290)	21.5% (6;36)	1.6% (2;124)	4.3% (17;369)	2.2% (2;96)	7.4% (23;246)
	Highland Hospital	5.4% (11;132)	11.0% (13;131)	20.5% (4;26)	7.8% (8;102)	20.9% (1;3)	2.6% (9;215)	1.6% (7;509)	1.5% (1;72)	8.1% (28;380)
	Kaiser Foundation Hospital – Fremont	3.8% (5;102)	8.5% (9;154)	5.9% (1;32)	6.9% (6;113)	34.3% (2;9)	0.7% (1;119)	2.4% (8;261)	1.2% (1;71)	7.3% (20;230)
	Kaiser Foundation Hospital – Oakland/Richmond	7.1% (19;359)	10.7% (37;538)	26.9% (16;86)	6.4% (21;437)	0.0% (0;15)	3.0% (12;376)	3.6% (32;978)	0.6% (1;211)	10.2% (61;661)
	Kaiser Foundation Hospital – San Leandro	5.5% (4;43)	5.9% (12;222)	16.0% (5;47)	3.3% (7;171)	0.0% (0;4)	3.6% (6;203)	3.9% (22;494)	1.1% (1;88)	**11.6% (47;419) Worse**
	St. Rose Hospital	6.4% (12;160)	10.7% (5;44)	32.9% (3;4)	4.6% (2;40)		**8.3% (5;98) Worse**	3.2% (7;240)	7.3% (1;21)	8.4% (17;212)
	Stanford Health Care Tri-Valley	5.8% (11;177)	13.4% (13;141)	34.4% (4;11)	7.4% (8;127)	43.9% (1;3)	3.3% (9;173)	2.4% (11;312)	2.4% (2;102)	8.0% (26;307)
	Washington Hospital – Fremont	6.7% (22;244)	8.9% (30;299)	17.8% (14;65)	5.9% (11;211)	28.0% (5;23)	2.0% (4;268)	2.6% (14;528)	2.2% (2;110)	10.1% (50;501)
Amador	Sutter Amador Hospital	0.0% (0;12)	3.9% (1;51)		2.5% (1;49)		0.0% (0;56)	2.8% (3;104)	0.0% (0;61)	6.1% (9;158)
Butte	Enloe Medical Center – Esplanade	8.0% (33;346)	11.5% (34;419)	26.3% (13;61)	6.9% (21;356)		3.2% (13;446)	2.7% (29;984)	0.4% (1;248)	8.4% (56;793)
	Orchard Hospital	0.0% (0;3)	0.0% (0;6)		0.0% (0;6)			0.0% (0;29)		6.9% (1;42)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Butte (continued)	Oroville Hospital	8.3% (4;56)	6.7% (6;138)	22.3% (3;6)	3.2% (3;131)		2.4% (5;185)	2.4% (6;389)	1.6% (2;84)	**5.3% (40;999) Better**
Calaveras	Mark Twain Medical Center		13.0% (2;26)		7.9% (2;26)			2.7% (1;54)	0.0% (0;18)	6.0% (3;53)
Colusa	Colusa Medical Center							10.9% (2;27)		10.5% (4;57)
Contra Costa	Contra Costa Regional Medical Center	8.7% (1;10)	3.8% (1;68)		2.3% (1;67)		2.7% (1;57)	1.9% (2;259)	0.0% (0;13)	**21.8% (11;139) Worse**
	John Muir Medical Center – Concord Campus Click to view Comment Letter	7.3% (27;379)	**2.7% (3;204) Better**		**1.7% (3;202) Better**		**5.3% (15;268) Worse**	4.4% (28;714)	1.8% (2;98)	8.9% (34;394)
	John Muir Medical Center – Walnut Creek Campus Click to view Comment Letter	6.3% (9;89)	**11.3% (102;587) Worse**	**25.3% (43;150) Worse**	**7.8% (46;394) Worse**	20.6% (13;43)	2.6% (7;316)	3.6% (27;545)	2.2% (5;236)	**12.8% (67;537) Worse**
	Kaiser Foundation Hospital – Antioch	4.2% (3;40)	**13.1% (24;234) Worse**	**31.1% (13;45) Worse**	7.7% (10;183)	24.4% (1;6)	3.1% (4;213)	2.9% (12;452)	1.0% (1;96)	8.3% (24;419)
	Kaiser Foundation Hospital – Walnut Creek	7.3% (13;234)	6.5% (11;227)	10.7% (3;45)	4.3% (7;177)	33.0% (1;5)	2.5% (7;253)	**4.5% (28;501) Worse**	1.8% (4;239)	8.8% (37;530)
	San Ramon Regional Medical Center	2.9% (2;69)	6.1% (2;76)	0.0% (0;4)	4.2% (2;72)		7.0% (3;93)	3.3% (9;174)	0.0% (0;44)	**4.3% (8;189) Better**
	Sutter Delta Medical Center	6.1% (11;200)	9.2% (3;69)	0.0% (0;3)	6.0% (3;65)		1.4% (1;159)	2.2% (7;468)	0.0% (0;43)	7.3% (15;244)
Del Norte	Sutter Coast Hospital	9.5% (2;17)	13.8% (3;36)		7.4% (2;35)		4.3% (2;36)	6.8% (7;88)	**9.1% (4;45) Worse**	9.4% (13;141)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
El Dorado	Barton Memorial Hospital		14.0% (1;18)		8.4% (1;18)		3.6% (1;26)	**12.8% (5;41) Worse**	0.0% (0;43)	8.9% (4;96)
	Marshall Medical Center	4.3% (1;13)	6.2% (6;106)		3.0% (4;103)		4.7% (4;128)	3.6% (9;228)	4.2% (4;94)	5.3% (12;289)
Fresno	Adventist Health Reedley		20.1% (1;15)		12.1% (1;15)			0.0% (0;11)		0.0% (0;29)
	Clovis Community Medical Center	8.7% (14;189)	8.9% (11;282)	29.4% (3;9)	4.8% (8;273)		**5.4% (18;467) Worse**	**6.5% (33;594) Worse**	1.2% (2;201)	**11.9% (52;742) Worse**
	Coalinga Regional Medical Center							0.0% (0;27)		8.5% (1;48)
	Community Regional Medical Center – Fresno	**8.4% (44;588) Worse**	**11.4% (168;1,079) Worse**	**23.8% (95;393) Worse**	**8.2% (56;631) Worse**	26.2% (17;55)	3.9% (23;719)	**4.8% (42;1,436) Worse**	1.9% (4;214)	9.0% (48;864)
	Kaiser Foundation Hospital – Fresno	6.0% (7;120)	6.9% (10;210)	18.0% (5;45)	4.0% (5;161)	0.0% (0;4)	1.7% (2;144)	2.9% (11;344)	3.4% (5;145)	10.3% (30;350)
	Saint Agnes Medical Center	**10.1% (47;537) Worse**	12.3% (20;327)	**59.2% (5;10) Worse**	6.3% (14;316)		3.3% (16;671)	**4.5% (38;1,250) Worse**	1.8% (3;210)	**17.1% (94;915) Worse**
	San Joaquin Valley Rehab Hospital		0.0% (0;19)		0.0% (0;17)			0.0% (0;5)	0.0% (0;6)	
Glenn	Glenn Medical Center		0.0% (0;3)		0.0% (0;3)			0.0% (0;9)		5.5% (1;31)
Humboldt	Jerold Phelps Community Hospital									0.0% (0;4)
	Mad River Community Hospital	4.8% (1;5)	21.8% (2;11)		0.0% (0;9)		0.0% (0;15)	8.0% (2;30)	7.3% (2;27)	13.9% (5;77)
	Providence Redwood Memorial Hospital		10.4% (1;7)		18.0% (1;5)		0.0% (0;19)	5.3% (3;38)		6.5% (4;78)
	Providence St. Joseph Hospital – Eureka	7.1% (8;160)	6.9% (8;99)	11.0% (3;25)	5.6% (4;73)		4.6% (8;137)	3.7% (14;330)	0.6% (1;113)	9.1% (32;380)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Imperial	El Centro Regional Medical Center	5.9% (3;22)	8.7% (6;131)	22.7% (1;3)	4.8% (4;127)		3.6% (4;129)	4.5% (9;212)	6.0% (1;17)	**16.8% (48;329) Worse**
	Pioneers Memorial Healthcare District	21.3% (2;10)	9.3% (4;86)	24.0% (1;5)	4.0% (2;79)		0.0% (0;14)	3.0% (3;104)	0.0% (0;25)	12.7% (19;170)
Inyo	Northern Inyo Hospital	0.0% (0;4)	18.7% (1;8)		11.3% (1;8)		4.9% (1;12)	4.5% (1;24)	0.0% (0;22)	6.2% (1;23)
Kern	Adventist Health Bakersfield	7.6% (33;443)	8.6% (48;551)	17.6% (19;114)	5.5% (26;422)	22.4% (3;15)	2.9% (18;524)	**1.3% (7;560) Better**	1.6% (3;208)	9.3% (80;906)
	Adventist Health Delano	0.0% (0;3)	0.0% (0;17)		0.0% (0;17)		3.4% (1;33)	4.5% (3;81)	0.0% (0;15)	8.7% (10;116)
	Adventist Health Tehachapi Valley		8.7% (1;3)				0.0% (0;29)	3.7% (2;66)		5.7% (6;122)
	Bakersfield Heart Hospital	5.7% (9;208)	0.0% (0;35)		0.0% (0;35)			1.8% (4;312)		10.5% (10;145)
	Bakersfield Memorial Hospital	7.1% (21;331)	**11.8% (47;454) Worse**	**27.8% (23;90) Worse**	**8.1% (20;332) Worse**	16.5% (4;32)	5.1% (11;360)	**5.5% (30;620) Worse**	4.1% (4;138)	8.8% (28;384)
	Good Samaritan Hospital – Bakersfield	0.0% (0;7)						0.0% (0;30)		5.0% (1;32)
	Kern Medical Center	11.5% (3;56)	10.3% (15;136)	25.5% (9;24)	5.2% (5;110)		1.5% (1;126)	4.7% (6;247)	0.0% (0;46)	9.1% (5;101)
	Kern Valley Healthcare District							13.0% (1;16)		**42.8% (3;39) Worse**
	Mercy Hospital – Bakersfield	5.7% (5;50)	8.9% (11;186)	20.7% (7;30)	5.2% (4;155)		**6.5% (10;245) Worse**	3.1% (8;274)	1.7% (2;143)	9.4% (26;413)
	Ridgecrest Regional Hospital		11.6% (1;20)		0.0% (0;17)		2.4% (1;17)	4.0% (2;53)	0.0% (0;8)	15.9% (5;46)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Kings	Adventist Health Hanford	8.8% (9;57)	8.8% (8;189)	19.4% (1;4)	4.5% (5;183)		2.5% (5;122)	3.6% (13;416)	4.9% (3;77)	8.3% (23;424)
Lake	Adventist Health Clearlake		8.4% (2;35)		6.1% (2;33)		0.0% (0;6)	2.3% (1;61)	**14.9% (2;10) Worse**	8.2% (4;87)
	Sutter Lakeside Hospital	8.5% (1;6)	0.0% (0;8)		0.0% (0;8)		0.0% (0;33)	0.0% (0;75)	2.3% (1;35)	2.0% (1;82)
Lassen	Banner Lassen Medical Center		33.2% (2;7)		14.8% (1;6)		0.0% (0;6)	7.4% (4;44)	0.0% (0;9)	**20.2% (8;63) Worse**
Los Angeles	Adventist Health Glendale	5.0% (26;413)	**5.5% (29;443) Better**	14.8% (12;89)	**2.7% (12;323) Better**	16.7% (5;31)	2.9% (10;301)	2.5% (19;611)	1.2% (2;171)	**6.5% (64;914) Better**
	Adventist Health White Memorial	5.8% (13;230)	**3.7% (5;204) Better**	13.8% (3;28)	**0.8% (1;173) Better**	23.8% (1;3)	3.8% (8;319)	3.5% (16;565)	2.0% (1;45)	9.7% (30;362)
	Alhambra Hospital Medical Center	5.9% (2;25)	7.1% (2;59)	0.0% (0;4)	5.9% (2;53)		3.4% (4;121)	4.4% (5;122)	0.0% (0;52)	9.6% (32;304)
	Antelope Valley Hospital	7.8% (20;322)	10.7% (50;581)	**30.7% (21;85) Worse**	6.0% (24;473)	17.9% (5;23)	4.0% (21;528)	**6.2% (21;486) Worse**	4.6% (5;157)	**11.5% (105;848) Worse**
	Beverly Hospital	8.4% (8;102)	8.1% (9;168)	27.1% (8;38)	1.4% (1;128)		4.4% (10;271)	5.1% (12;300)	0.0% (0;68)	8.8% (19;255)
	California Hospital Medical Center – Los Angeles	4.0% (6;164)	4.2% (6;247)	5.8% (1;36)	3.3% (5;209)		2.1% (5;235)	**1.2% (7;730) Better**	0.0% (0;34)	5.4% (12;279)
	Casa Colina Hospital		0.0% (0;6)		0.0% (0;4)		3.6% (1;19)	1.8% (1;31)	0.0% (0;13)	8.6% (3;39)
	Cedars – Sinai Marina Del Rey Hospital	0.0% (0;8)	0.0% (0;59)		0.0% (0;58)		2.7% (3;107)	1.0% (2;223)	1.4% (1;76)	7.7% (27;291)
	Cedars – Sinai Medical Center	**4.2% (33;650) Better**	9.8% (81;766)	16.9% (33;203)	**7.9% (42;525) Worse**	21.7% (6;38)	2.8% (20;867)	3.2% (64;1,585)	2.1% (7;271)	9.1% (164;1,251)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Los Angeles (continued)	Centinela Hospital Medical Center	7.1% (13;282)	7.6% (18;340)	15.2% (9;72)	5.4% (9;263)	0.0% (0;5)	2.7% (7;294)	1.7% (9;877)	0.0% (0;50)	**6.3% (65;742) Better**
	City of Hope Helford Clinical Research Hospital	7.7% (1;3)	15.6% (5;25)	40.2% (1;9)	7.3% (3;14)		6.6% (2;36)	0.0% (0;22)	0.0% (0;3)	8.9% (25;240)
	Coast Plaza Hospital	7.2% (2;35)	14.6% (5;41)	83.8% (2;3)	6.3% (3;38)		5.5% (2;38)	1.9% (2;138)	0.0% (0;14)	**12.6% (37;258) Worse**
	College Medical Center	13.9% (3;14)	15.6% (1;9)		9.4% (1;9)		2.1% (1;83)	6.3% (4;100)	**28.1% (2;8) Worse**	12.4% (13;143)
	Community Hospital of Huntington Park	4.5% (3;75)	0.0% (0;46)		0.0% (0;44)		2.8% (3;86)	2.4% (5;324)	10.3% (1;14)	10.2% (24;199)
	East Los Angeles Doctors Hospital	4.9% (1;25)	30.4% (3;25)		20.1% (3;24)		**8.3% (6;53) Worse**	2.9% (3;161)	0.0% (0;14)	**13.1% (24;143) Worse**
	Emanate Health Foothill Presbyterian Hospital	3.0% (1;31)	6.6% (3;70)	16.8% (1;8)	2.8% (1;61)		4.3% (6;159)	5.2% (9;206)	2.4% (1;63)	9.9% (21;281)
	Emanate Health Inter – Community Hospital	**9.3% (31;453) Worse**	6.1% (3;87)	25.7% (2;9)	0.0% (0;77)		4.2% (6;174)	3.9% (9;333)	7.0% (2;43)	11.4% (25;272)
	Emanate Health Queen of the Valley Hospital	**15.7% (7;35) Worse**	9.8% (41;430)	24.3% (22;89)	5.0% (14;323)	27.4% (5;18)	**5.4% (11;285) Worse**	4.1% (9;308)	1.9% (1;78)	**13.6% (48;501) Worse**
	Encino Hospital Medical Center	18.1% (1;11)	0.0% (0;12)		0.0% (0;12)		0.0% (0;38)	1.0% (1;80)	6.8% (2;31)	**4.5% (10;156) Better**
	Garfield Medical Center	7.6% (15;241)	9.2% (23;280)	15.6% (8;56)	5.9% (10;216)	39.6% (5;8)	**9.6% (16;163) Worse**	5.5% (11;294)	2.1% (1;60)	**17.1% (53;331) Worse**
	Glendale Memorial Hospital and Health Center	4.6% (13;274)	**3.9% (5;163) Better**	9.5% (3;29)	2.1% (2;131)	0.0% (0;3)	1.3% (1;126)	3.9% (14;391)	3.4% (2;61)	8.0% (40;447)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second linendicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Los Angeles (continued)	Greater El Monte Community Hospital	5.6% (5;65)	**21.3% (5;20) Worse**		13.8% (3;18)		2.1% (3;71)	2.7% (2;125)		**14.2% (34;212) Worse**
	Henry Mayo Newhall Hospital	8.9% (16;251)	9.9% (21;216)	18.9% (10;54)	6.7% (6;156)	33.5% (5;6)	4.0% (9;256)	3.9% (12;381)	3.1% (3;121)	10.6% (32;424)
	Hollywood Presbyterian Medical Center	6.5% (11;185)	7.2% (11;155)	11.6% (5;35)	6.8% (6;119)		1.5% (3;194)	2.7% (11;493)	1.2% (1;92)	8.2% (53;467)
	Huntington Hospital	7.3% (22;298)	10.0% (56;537)	21.6% (25;114)	6.5% (28;406)	19.5% (3;17)	1.6% (6;481)	3.5% (28;714)	1.1% (2;174)	8.5% (72;735)
	Kaiser Foundation Hospital – Baldwin Park	1.3% (1;78)	4.8% (7;169)	9.4% (2;45)	3.0% (5;123)		3.0% (4;177)	1.9% (9;486)	**5.8% (6;131) Worse**	9.1% (25;298)
	Kaiser Foundation Hospital – Downey	3.7% (4;122)	**2.7% (5;361) Better**	4.3% (1;37)	**2.0% (4;318) Better**	0.0% (0;6)	2.8% (8;319)	3.6% (19;598)	1.1% (1;101)	9.3% (43;471)
	Kaiser Foundation Hospital – Los Angeles	7.1% (50;1,222)	9.8% (61;656)	19.5% (27;194)	6.6% (28;416)	29.7% (6;46)	4.4% (11;307)	3.7% (29;668)	0.7% (1;149)	10.8% (32;315)
	Kaiser Foundation Hospital – Panorama City	2.1% (2;60)	6.4% (7;130)	12.8% (2;22)	4.3% (5;104)	0.0% (0;4)	1.7% (3;183)	3.6% (12;251)	2.3% (5;180)	9.7% (28;235)
	Kaiser Foundation Hospital – South Bay	8.0% (10;97)	7.1% (17;309)	14.3% (4;45)	4.7% (13;261)	0.0% (0;3)	2.7% (6;321)	4.6% (21;622)	2.6% (2;102)	9.1% (26;330)
	Kaiser Foundation Hospital – West LA	5.6% (7;95)	6.8% (14;283)	12.6% (3;26)	4.1% (10;254)	95.8% (1;3)	3.7% (7;243)	1.6% (6;312)	1.1% (1;119)	9.5% (24;232)
	Kaiser Foundation Hospital – Woodland Hills	5.5% (5;75)	8.5% (13;181)	17.9% (3;30)	5.2% (9;147)	24.9% (1;4)	0.9% (2;170)	3.2% (17;348)	2.0% (4;180)	6.3% (26;352)
	Keck Hospital of USC	5.8% (13;92)	8.9% (74;374)	17.8% (32;163)	**7.5% (23;125) Worse**	20.3% (19;86)	1.4% (3;107)	3.3% (22;205)	0.0% (0;10)	4.5% (3;56)
	L.A. Downtown Medical Center		0.0% (0;3)		0.0% (0;3)		0.0% (0;36)	0.0% (0;28)	0.0% (0;13)	5.6% (5;105)
	Lakewood Regional Medical Center	6.7% (20;237)	**12.1% (43;304) Worse**	21.0% (16;65)	**8.2% (18;221) Worse**	**44. (9;18) Worse**	1.0% (2;209)	2.5% (11;421)	2.8% (2;70)	8.1% (44;395)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Los Angeles (continued)	Los Angeles Community Hospital	0.0% (0;10)	0.0% (0;59)		0.0% (0;57)		1.1% (1;132)	**0.8% (2;342) Better**	0.0% (0;27)	**3.7% (21;417) Better**
	Los Angeles County Olive View – UCLA Medical Center	9.4% (5;95)	0.0% (0;115)	0.0% (0;10)	0.0% (0;105)		1.4% (2;156)	2.5% (10;612)		9.2% (22;213)
	Los Angeles County+USC Medical Center	**3.0% (7;222) Better**	10.1% (63;436)	23.3% (38;130)	6.1% (16;277)	23.5% (9;29)	3.1% (26;549)	**1.7% (18;1,238) Better**	0.9% (1;93)	8.5% (38;463)
	Los Angeles County/Harbor – UCLA Medical Center	**9.0% (28;265) Worse**	9.9% (24;247)	21.0% (11;56)	5.7% (8;177)	31.7% (5;14)	2.3% (8;261)	2.3% (9;721)	2.2% (2;89)	8.5% (23;218)
	Los Angeles County/Rancho Los Amigos National Rehab Center		3.7% (2;128)	14.9% (1;19)	1.6% (1;107)			10.6% (2;22)		0.0% (0;13)
	Memorial Hospital of Gardena	4.3% (2;50)	6.8% (7;145)	23.9% (4;7)	2.8% (3;138)		3.0% (7;156)	1.9% (5;373)	**9.8% (4;34) Worse**	**6.0% (46;449) Better**
	MemorialCare Long Beach Medical Center	**8.9% (37;305) Worse**	10.6% (56;568)	16.9% (16;123)	**8.6% (34;419) Worse**	19.9% (6;26)	**5.4% (18;354) Worse**	1.9% (13;653)	2.4% (4;129)	10.3% (34;322)
	Mission Community Hospital – Panorama Campus	0.0% (0;11)	8.4% (3;45)	14.4% (1;6)	6.5% (2;38)		3.1% (6;119)	3.1% (5;161)	7.8% (2;34)	7.6% (30;359)
	Monterey Park Hospital	16.2% (2;21)	0.0% (0;76)	0.0% (0;7)	0.0% (0;69)		1.7% (1;84)	1.2% (1;138)		12.9% (14;150)
	Northridge Hospital Medical Center	**4.2% (25;510) Better**	**4.4% (24;388) Better**	**9.7% (11;96) Better**	**2.8% (11;275) Better**	10.6% (2;17)	3.6% (10;230)	2.7% (19;507)	0.7% (1;131)	**4.5% (29;457) Better**
	Norwalk Community Hospital	0.0% (0;30)	32.9% (1;6)		19.9% (1;6)		0.0% (0;72)	3.2% (3;107)	0.0% (0;14)	5.6% (20;253)
	PIH Health Good Samaritan Hospital	7.9% (21;231)	**10.5% (80;568) Worse**	19.0% (25;127)	6.7% (37;401)	**35.2% (18;40) Worse**	2.8% (10;270)	2.9% (16;597)	1.4% (1;73)	8.5% (41;392)
	PIH Health Hospital – Downey	7.9% (14;189)	5.8% (4;186)	0.0% (0;4)	4.1% (4;182)		1.2% (3;349)	1.7% (8;584)	4.4% (3;90)	6.7% (23;393)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Los Angeles (continued)	PIH Health Hospital – Whittier	**8.1% (39;524) Worse**	**11.1% (84;721) Worse**	**28.9% (43;139) Worse**	6.0% (30;546)	24.1% (11;36)	3.3% (20;511)	2.5% (16;961)	1.1% (2;216)	**10.8% (64;593) Worse**
	Pacifica Hospital of the Valley	33.1% (1;5)	10.6% (1;5)		6.4% (1;5)		**11.3% (4;37) Worse**	0.0% (0;35)	0.0% (0;3)	**22.7% (6;54) Worse**
	Palmdale Regional Medical Center	**10.5% (18;209) Worse**	**2.8% (5;216) Better**	9.5% (3;38)	**1.2% (2;175) Better**	0.0% (0;3)	3.5% (8;182)	2.5% (10;390)	5.1% (3;74)	10.3% (44;388)
	Pomona Valley Hospital Medical Center	6.3% (30;423)	8.5% (93;776)	19.8% (38;145)	5.1% (40;573)	19.7% (15;58)	**4.5% (25;426) Worse**	2.9% (33;837)	1.2% (4;261)	8.9% (45;424)
	Providence Cedars – Sinai Tarzana Medical Center	5.9% (12;202)	8.2% (13;161)	21.7% (8;31)	2.9% (3;126)	46.0% (2;4)	2.4% (4;250)	2.7% (13;450)	3.1% (3;122)	9.5% (29;244)
	Providence Holy Cross Medical Center	5.9% (13;241)	8.8% (51;479)	22.0% (25;106)	4.5% (20;350)	27.2% (6;23)	**0.9% (3;311) Better**	2.7% (24;807)	0.6% (1;127)	**5.5% (24;366) Better**
	Providence Little Company of Mary Medical Center – San Pedro	0.0% (0;11)	10.6% (5;65)	34.3% (3;4)	3.6% (1;60)		**8.2% (13;128) Worse**	4.1% (8;239)	0.0% (0;41)	12.4% (19;166)
	Providence Little Company of Mary Medical Center – Torrance	6.4% (27;444)	7.7% (45;640)	20.9% (23;148)	3.9% (18;462)	16.5% (4;30)	1.2% (3;345)	2.8% (24;719)	0.5% (1;150)	**12.1% (52;445) Worse**
	Providence Saint John's Health Center	5.8% (13;194)	8.2% (24;369)	16.6% (10;74)	5.4% (13;287)	21.4% (1;8)	2.3% (7;221)	**4.6% (21;303) Worse**	0.7% (1;180)	10.3% (42;372)
	Providence Saint Joseph Medical Center	5.5% (17;379)	7.8% (42;503)	21.6% (16;83)	3.9% (19;393)	22.9% (7;27)	3.8% (14;401)	3.2% (18;586)	2.1% (4;222)	9.2% (61;620)
	Ronald Reagan UCLA Medical Center	6.6% (27;204)	**5.5% (50;397) Better**	**11.4% (25;148) Better**	4.2% (19;222)	**11.4% (6;27) Better**	2.7% (15;249)	**1.7% (13;542) Better**	0.0% (0;45)	6.5% (41;444)
	San Dimas Community Hospital	6.8% (2;30)	4.1% (1;43)		2.8% (1;41)		5.7% (3;78)	1.2% (1;85)	0.0% (0;34)	9.8% (42;325)
	San Gabriel Valley Medical Center	7.4% (3;37)	5.9% (6;130)	0.0% (0;15)	4.1% (6;115)		1.4% (2;168)	2.3% (4;184)	0.0% (0;105)	9.4% (51;452)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Los Angeles (continued)	Santa Monica – UCLA Medical Center and Orthopedic Hospital	5.5% (4;72)	**2.8% (3;124) Better**	5.3% (1;21)	2.0% (2;101)		1.0% (2;203)	2.9% (14;382)	2.6% (3;138)	**5.9% (34;483) Better**
	Sherman Oaks Hospital	0.0% (0;78)	10.0% (1;37)		6.5% (1;35)		2.7% (3;80)	2.0% (7;185)	2.0% (1;59)	7.6% (44;335)
	Southern California Hospital at Culver City	3.4% (3;168)	14.9% (4;74)		9.0% (4;74)		3.8% (3;129)	**0.8% (3;378) Better**	0.0% (0;37)	**5.5% (63;770) Better**
	Southern California Hospital at Hollywood	0.0% (0;14)	0.0% (0;13)		0.0% (0;11)		1.5% (1;59)	0.0% (0;100)	0.0% (0;6)	**3.0% (19;454) Better**
	St. Francis Medical Center	6.4% (24;405)	10.1% (27;288)	21.6% (9;45)	5.9% (13;232)	32.4% (5;11)	2.6% (10;309)	3.2% (14;556)	1.6% (1;62)	9.0% (59;501)
	St. Mary Medical Center – Long Beach	5.8% (16;219)	9.6% (25;240)	17.4% (8;36)	5.9% (13;191)	43.4% (4;13)	4.2% (5;159)	1.4% (5;389)	1.3% (1;57)	6.1% (17;284)
	Torrance Memorial Medical Center	5.8% (24;354)	**11.7% (56;665) Worse**	23.1% (20;105)	**7.5% (33;543) Worse**	38.7% (3;17)	2.4% (11;554)	2.9% (44;1,173)	1.0% (3;300)	8.6% (63;662)
	USC Arcadia Hospital	5.2% (14;200)	**11.6% (51;412) Worse**	24.5% (25;87)	6.9% (21;316)	**46.0% (5;9) Worse**	2.9% (7;272)	1.8% (7;409)	1.3% (2;146)	**12.5% (65;461) Worse**
	USC Verdugo Hills Hospital	3.6% (1;12)	3.0% (1;72)		1.9% (1;70)		3.5% (4;101)	1.2% (3;210)	0.0% (0;64)	5.3% (15;287)
	Valley Presbyterian Hospital	8.0% (10;173)	13.1% (13;169)	**40.0% (10;35) Worse**	3.1% (2;132)		4.8% (10;196)	2.1% (8;465)	4.7% (2;47)	**12.9% (56;446) Worse**
	West Covina Medical Center									0.0% (0;6)
	West Hills Hospital and Medical Center	3.8% (7;265)	**5.5% (15;233) Better**	11.9% (6;44)	3.4% (6;176)	14.0% (3;13)	1.1% (2;134)	2.8% (9;323)	0.0% (0;136)	**5.0% (26;392) Better**
	Whittier Hospital Medical Center	5.8% (2;19)	4.3% (1;64)	0.0% (0;3)	2.9% (1;61)		1.9% (3;125)	0.6% (1;211)	2.8% (1;48)	**12.5% (25;219) Worse**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Madera	Madera Community Hospital	13.7% (2;17)	19.2% (5;71)		11.6% (5;71)		**9.0% (7;97) Worse**	2.5% (2;104)	3.1% (1;39)	13.6% (10;90)
Marin	Kaiser Foundation Hospital – San Rafael	4.5% (4;73)	10.8% (5;98)	22.7% (1;13)	6.7% (4;84)		4.1% (3;95)	2.4% (4;178)	2.4% (3;119)	8.6% (11;173)
	MarinHealth Medical Center	**2.0% (3;199) Better**	10.4% (15;218)	21.5% (6;39)	6.7% (9;179)		2.7% (4;150)	**0.9% (3;315) Better**	2.1% (3;143)	5.4% (15;254)
	Novato Community Hospital	0.0% (0;3)	8.4% (2;45)	74.8% (1;3)	2.9% (1;42)		0.0% (0;54)	5.4% (5;76)	0.0% (0;36)	3.7% (3;80)
Mariposa	John C Fremont Healthcare District		0.0% (0;6)		0.0% (0;6)			0.0% (0;14)		11.1% (1;18)
Mendocino	Adventist Health Howard Memorial		15.2% (4;19)		9.3% (4;18)		0.0% (0;23)	8.1% (3;49)	0.0% (0;37)	2.7% (2;103)
	Adventist Health Mendocino Coast	0.0% (0;3)	7.1% (1;13)		0.0% (0;12)		0.0% (0;13)	0.0% (0;40)		0.0% (0;50)
	Adventist Health Ukiah Valley	0.0% (0;6)	8.4% (5;50)	17.4% (1;5)	5.6% (4;44)		0.0% (0;39)	1.3% (3;159)	2.4% (1;32)	5.3% (10;193)
Merced	Memorial Hospital Los Banos	8.3% (1;5)	4.6% (1;38)		2.8% (1;38)		0.0% (0;4)	4.7% (3;83)	9.5% (1;24)	9.6% (4;71)
	Mercy Medical Center – Merced	6.6% (5;80)	7.7% (6;194)	38.0% (3;6)	3.0% (3;187)		2.1% (3;201)	4.2% (23;648)	1.1% (1;91)	6.6% (33;657)
Modoc	Modoc Medical Center							13.2% (1;10)		32.5% (3;25)
Mono	Mammoth Hospital						0.0% (0;3)	7.4% (1;12)	0.0% (0;12)	0.0% (0;6)
Monterey	Community Hospital of the Monterey Peninsula	4.6% (6;177)	9.5% (26;313)	24.0% (15;43)	4.7% (10;267)	70.7% (1;3)	3.1% (6;251)	**0.9% (5;538) Better**	1.6% (2;134)	**6.0% (37;591) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Monterey (continued)	George L. Mee Memorial Hospital							0.0% (0;12)		0.0% (0;18)
	Natividad Medical Center	28.5% (1;6)	12.0% (6;60)	31.3% (5;12)	5.5% (1;44)	0.0% (0;4)	1.6% (1;111)	1.7% (1;113)	1.5% (1;71)	9.2% (5;117)
	Salinas Valley Health Medical Center**	6.7% (12;222)	9.1% (25;287)	20.7% (11;54)	5.3% (10;227)	24.8% (4;6)	3.6% (7;299)	3.0% (14;580)	2.1% (2;78)	**4.2% (13;367) Better**
Napa	Adventist Health St. Helena	4.7% (9;207)	9.5% (2;31)		5.9% (2;29)		4.2% (3;63)	2.5% (5;163)	0.0% (0;41)	7.0% (6;81)
	Providence Queen of the Valley Medical Center	4.8% (6;167)	9.3% (12;184)	25.4% (4;17)	6.1% (8;164)	0.0% (0;3)	3.1% (8;146)	4.1% (14;260)	1.8% (2;91)	8.6% (17;218)
Nevada	Sierra Nevada Memorial Hospital	6.2% (3;14)	4.7% (3;95)	25.6% (1;4)	2.2% (2;88)	0.0% (0;3)	1.7% (3;109)	3.4% (11;236)	2.5% (4;120)	5.1% (10;181)
	Tahoe Forest Hospital						0.0% (0;10)	3.1% (1;28)	0.0% (0;35)	0.0% (0;36)
Orange	AHMC Anaheim Regional Medical Center	**2.3% (3;138) Better**	5.4% (2;85)	0.0% (0;4)	4.5% (2;80)		0.7% (1;157)	2.4% (4;198)	1.9% (1;54)	**5.7% (29;502) Better**
	Anaheim Global Medical Center	9.3% (1;10)	0.0% (0;17)		0.0% (0;15)		3.7% (2;48)	0.0% (0;53)	0.0% (0;7)	5.3% (4;115)
	Chapman Global Medical Center	0.0% (0;6)	0.0% (0;10)		0.0% (0;9)		7.8% (2;23)	0.0% (0;23)	8.8% (1;19)	8.1% (6;80)
	Foothill Regional Medical Center	0.0% (0;13)	0.0% (0;14)		0.0% (0;14)		1.9% (1;80)	3.8% (2;87)	0.0% (0;28)	5.5% (13;248)
	Fountain Valley Regional Hospital & Medical Center – Euclid	7.4% (19;241)	6.8% (35;359)	16.9% (18;83)	3.4% (12;259)	21.0% (5;17)	4.6% (10;304)	3.3% (16;505)	3.1% (2;77)	8.4% (54;563)
	Garden Grove Hospital and Medical Center	2.7% (1;37)	5.5% (1;32)		3.4% (1;31)		4.6% (5;125)	0.8% (1;132)	2.0% (1;30)	6.7% (46;380)
	Hoag Memorial Hospital Presbyterian	6.5% (34;518)	6.7% (35;757)	15.7% (15;142)	3.3% (14;585)	28.4% (6;30)	2.9% (17;773)	2.3% (21;807)	1.8% (6;364)	7.3% (64;1,012)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Orange (continued)	Hoag Orthopedic Institute								1.2% (1;115)	
	Huntington Beach Hospital	0.0% (0;24)	0.0% (0;22)		0.0% (0;22)		1.7% (1;58)	0.0% (0;117)	0.0% (0;25)	7.5% (33;249)
	Kaiser Foundation Hospital – Orange County – Anaheim	6.6% (10;215)	6.9% (33;505)	18.0% (18;122)	3.3% (11;356)	20.0% (4;27)	3.9% (11;373)	3.9% (29;689)	1.0% (3;297)	8.3% (62;792)
	La Palma Intercommunity Hospital	4.5% (3;61)	0.0% (0;26)		0.0% (0;25)		2.8% (1;60)	0.0% (0;105)	0.0% (0;34)	7.0% (16;185)
	Los Alamitos Medical Center	6.0% (13;188)	**10.8% (53;430) Worse**	21.3% (20;82)	7.2% (28;334)	28.8% (5;14)	4.2% (11;196)	2.1% (11;412)	1.9% (3;182)	9.5% (48;438)
	MemorialCare Orange Coast Medical Center	7.8% (30;287)	5.1% (5;139)	6.7% (1;26)	4.5% (4;111)		1.5% (4;273)	2.4% (13;424)	1.6% (2;119)	**2.9% (9;301) Better**
	MemorialCare Saddleback Medical Center	7.7% (20;272)	6.4% (22;326)	11.8% (7;56)	5.0% (11;249)	13.3% (4;21)	**1.3% (5;278) Better**	2.7% (19;485)	1.1% (2;209)	**4.9% (17;341) Better**
	Orange County Global Medical Center	7.5% (18;197)	7.4% (38;286)	15.6% (17;67)	3.9% (11;199)	25.8% (10;20)	1.3% (3;142)	2.4% (4;180)	2.9% (2;60)	9.5% (25;252)
	Placentia Linda Hospital	4.4% (4;74)	5.8% (1;55)		3.6% (1;54)		4.5% (6;111)	1.4% (3;177)	0.0% (0;59)	7.4% (18;243)
	Providence Mission Hospital	5.9% (19;337)	8.4% (43;443)	16.8% (17;91)	5.2% (18;323)	26.9% (8;29)	2.0% (7;332)	**1.7% (10;379) Better**	1.4% (4;281)	7.3% (45;535)
	Providence Mission Hospital – Laguna Beach	5.1% (1;16)	0.0% (0;6)		0.0% (0;6)		0.0% (0;23)	3.5% (2;54)	0.0% (0;64)	3.2% (3;100)
	Providence St. Joseph Hospital	6.3% (23;348)	**5.8% (20;396) Better**	16.1% (9;67)	2.8% (8;311)	15.8% (3;18)	2.5% (13;349)	2.4% (17;580)	1.2% (3;212)	8.6% (63;694)
	Providence St. Jude Medical Center	**8.4% (41;361) Worse**	7.1% (53;689)	16.7% (26;160)	4.2% (20;481)	16.7% (7;48)	2.0% (12;374)	2.9% (20;559)	0.8% (2;264)	6.9% (81;871)
	South Coast Global Medical Center	21.4% (2;17)	0.0% (0;16)		0.0% (0;15)		11.7% (1;25)	0.0% (0;41)	0.0% (0;9)	12.7% (10;101)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Orange (continued)	UC Irvine Medical Center	5.4% (11;171)	**2.6% (19;451) Better**	**4.7% (8;156) Better**	**2.0% (9;269) Better**	**6.4% (2;26) Better**	1.4% (5;277)	2.4% (14;501)	1.0% (1;80)	6.4% (25;362)
	West Anaheim Medical Center	5.6% (10;189)	12.9% (2;57)		7.8% (2;57)		**7.7% (11;144) Worse**	2.6% (4;230)	2.8% (2;66)	9.3% (60;494)
Placer	Kaiser Foundation Hospital – Roseville	**3.5% (11;473) Better**	10.5% (19;314)	23.4% (8;47)	6.3% (11;265)		2.6% (10;446)	**5.4% (40;741) Worse**	1.8% (5;305)	7.6% (45;677)
	Sutter Auburn Faith Hospital	5.1% (1;9)	3.2% (2;91)	17.0% (1;5)	1.2% (1;86)		2.2% (1;51)	2.2% (4;138)	1.1% (1;79)	**3.9% (8;195) Better**
	Sutter Roseville Medical Center	5.0% (22;496)	9.8% (54;715)	17.5% (15;107)	**7.4% (36;582) Worse**	12.5% (3;26)	1.6% (10;678)	2.8% (25;738)	1.3% (6;343)	8.0% (55;777)
Plumas	Eastern Plumas Hospital – Portola Campus									52.1% (1;5)
	Plumas District Hospital							0.0% (0;11)		51.0% (2;16)
	Seneca District Hospital									40.6% (1;12)
Riverside	Corona Regional Medical Center – Main	4.4% (6;116)	6.8% (8;161)	32.4% (1;3)	3.6% (6;157)		2.7% (7;233)	2.7% (11;397)	0.0% (0;83)	7.8% (35;369)
	Desert Regional Medical Center	6.4% (15;326)	**11.8% (91;508) Worse**	23.1% (42;161)	**9.1% (39;316) Worse**	23.7% (10;31)	3.4% (12;360)	4.4% (16;457)	2.1% (6;324)	**10.5% (55;486) Worse**
	Doctors Hospital of Riverside	7.7% (1;14)	7.1% (2;64)	0.0% (0;5)	5.9% (2;59)		**7.3% (8;137) Worse**	3.3% (7;231)	4.6% (3;58)	**13.6% (52;362) Worse**
	Eisenhower Medical Center	**3.1% (11;481) Better**	**6.0% (27;547) Better**	14.5% (11;75)	3.0% (11;452)	20.9% (5;20)	2.8% (13;561)	2.9% (31;1,026)	0.4% (1;319)	**4.8% (40;889) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Riverside (continued)	Hemet Global Medical Center	6.4% (1;23)	5.4% (2;83)	18.4% (1;3)	2.5% (1;79)		**6.2% (10;204) Worse**	2.1% (5;395)	1.7% (2;101)	8.6% (40;560)
	John F. Kennedy Memorial Hospital	6.9% (13;145)	6.1% (7;129)		2.8% (4;126)	28.4% (3;3)	2.1% (2;105)	2.9% (6;255)	4.7% (3;92)	7.9% (23;301)
	Kaiser Foundation Hospital – Moreno Valley	4.3% (3;66)	5.3% (2;79)	0.0% (0;7)	4.4% (2;70)		2.0% (1;99)	2.5% (5;171)	5.2% (2;44)	**15.9% (22;154) Worse**
	Kaiser Foundation Hospital – Riverside	3.8% (3;99)	11.2% (17;141)	26.3% (5;25)	7.7% (11;109)	11.2% (1;7)	5.0% (7;140)	**7.7% (26;263) Worse**	0.0% (0;115)	**13.7% (30;228) Worse**
	Loma Linda University Medical Center – Murrieta	6.6% (38;576)	8.1% (7;180)	21.1% (4;29)	4.2% (3;148)	0.0% (0;3)	2.7% (7;250)	3.1% (13;556)	2.3% (2;110)	**11.6% (33;425) Worse**
	Menifee Global Medical Center	13.4% (1;4)	2.5% (1;15)	10.4% (1;9)	0.0% (0;5)		0.0% (0;36)	2.1% (1;78)	0.0% (0;43)	8.3% (10;144)
	Palo Verde Hospital						0.0% (0;3)	38.2% (1;6)		11.4% (1;18)
	Riverside Community Hospital	**4.7% (43;818) Better**	**3.7% (54;1,035) Better**	**9.2% (22;204) Better**	**1.7% (21;763) Better**	20.4% (11;68)	2.4% (12;416)	**1.9% (15;807) Better**	0.5% (1;194)	**3.9% (46;979) Better**
	Riverside University Health System – Medical Center	1.7% (1;66)	10.3% (48;382)	23.7% (33;121)	6.4% (14;254)	11.2% (1;7)	2.6% (14;419)	3.4% (20;661)	3.5% (4;114)	10.3% (38;378)
	San Gorgonio Memorial Hospital	14.1% (1;5)	0.0% (0;26)		0.0% (0;26)		2.8% (2;65)	3.9% (4;140)	2.6% (1;40)	12.7% (12;122)
	Southwest Healthcare System – Murrieta	6.6% (4;31)	6.7% (33;439)	20.3% (25;113)	**1.7% (5;320) Better**	21.3% (3;6)	2.1% (4;195)	2.6% (9;390)	1.5% (4;223)	9.9% (47;511)
	Temecula Valley Hospital	5.3% (19;418)	8.7% (27;312)	12.5% (6;47)	5.6% (14;241)	34.8% (7;24)	4.3% (8;257)	2.2% (13;607)	0.0% (0;122)	7.7% (28;393)
	Vibra Rehab Hospital of Rancho Mirage		0.0% (0;4)		0.0% (0;4)					

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Sacramento	Kaiser Foundation Hospital – Sacramento	5.3% (4;121)	**11.4% (84;714) Worse**	22.3% (44;203)	**9.3% (37;464) Worse**	14.3% (3;47)	2.6% (7;292)	**5.0% (30;594) Worse**	2.5% (5;156)	8.1% (29;463)
	Kaiser Foundation Hospital – South Sacramento	6.5% (27;393)	10.7% (32;338)	23.7% (14;66)	7.1% (18;266)	0.0% (0;6)	4.0% (11;301)	3.2% (27;841)	2.6% (7;225)	9.3% (65;630)
	Mercy General Hospital	5.6% (48;1,067)	6.3% (12;233)	12.8% (5;50)	4.7% (7;179)	0.0% (0;4)	2.1% (6;230)	4.0% (35;824)	2.1% (2;82)	9.2% (28;317)
	Mercy Hospital of Folsom	4.9% (4;28)	5.8% (6;179)	35.1% (4;9)	1.8% (2;168)		1.6% (3;164)	2.4% (10;391)	**6.6% (6;105) Worse**	5.7% (11;264)
	Mercy San Juan Medical Center	5.5% (40;438)	**10.3% (160;981) Worse**	20.0% (89;348)	**8.2% (57;583) Worse**	27.1% (14;50)	3.3% (16;354)	3.0% (33;985)	1.7% (4;195)	8.5% (51;664)
	Methodist Hospital of Sacramento	6.7% (5;50)	7.6% (10;211)	21.8% (3;11)	3.8% (6;199)		0.7% (1;202)	2.8% (14;542)	**7.4% (5;70) Worse**	6.5% (23;398)
	Sutter Medical Center – Sacramento	**8.7% (59;648) Worse**	7.6% (44;566)	16.3% (18;112)	4.2% (17;421)	26.3% (9;33)	1.8% (9;508)	3.4% (34;900)	2.1% (3;149)	8.6% (36;450)
	UC Davis Medical Center	**2.9% (10;201) Better**	**3.8% (35;499) Better**	**9.4% (16;152) Better**	**1.1% (7;295) Better**	20.0% (12;52)	1.8% (6;300)	**1.2% (12;1,063) Better**	0.8% (2;137)	**4.7% (20;458) Better**
San Benito	Hazel Hawkins Memorial Hospital	12.5% (2;8)	3.9% (1;32)		0.0% (0;30)		4.4% (1;43)	5.9% (3;81)	8.8% (1;20)	18.8% (6;77)
San Bernardino	Arrowhead Regional Medical Center	8.3% (6;84)	10.9% (48;380)	23.0% (24;100)	**8.1% (22;253) Worse**	11.9% (2;27)	2.4% (6;292)	1.6% (5;478)	3.8% (5;78)	9.0% (49;480)
	Barstow Community Hospital	10.1% (1;19)	35.5% (1;13)		21.4% (1;13)		5.1% (1;47)	6.1% (4;92)	0.0% (0;24)	12.1% (19;157)
	Bear Valley Community Hospital							0.0% (0;5)		28.1% (1;8)
	Chino Valley Medical Center	**0.0% (0;112) Better**	0.0% (0;30)		0.0% (0;30)		2.6% (4;129)	1.6% (3;228)	0.0% (0;39)	**5.7% (25;334) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
San Bernardino (continued)	Colorado River Medical Center	0.0% (0;3)					0.0% (0;3)	0.0% (0;15)		0.0% (0;11)
	Community Hospital of San Bernardino	8.6% (4;23)	11.2% (2;36)		7.5% (1;34)		4.7% (7;94)	2.8% (4;206)	0.0% (0;25)	11.3% (15;202)
	Desert Valley Hospital	5.1% (20;406)	2.0% (1;105)	14.2% (1;4)	0.0% (0;101)		1.4% (3;201)	2.2% (9;497)	1.4% (2;108)	**5.5% (39;661) Better**
	Hi-Desert Medical Center	0.0% (0;7)	9.1% (1;32)		5.5% (1;32)		0.0% (0;7)	1.5% (1;83)	0.0% (0;19)	9.0% (11;142)
	Kaiser Foundation Hospital – Fontana	3.5% (10;475)	8.7% (49;643)	18.7% (21;152)	5.3% (25;459)	29.9% (3;32)	3.2% (21;571)	4.1% (39;835)	0.0% (0;255)	**12.9% (96;785) Worse**
	Loma Linda University Medical Center	7.5% (51;557)	**10.5% (124;708) Worse**	21.1% (51;199)	**7.4% (49;430) Worse**	25.6% (24;79)	2.2% (11;450)	3.1% (27;1,068)	**5.6% (9;150) Worse**	8.3% (83;765)
	Montclair Hospital Medical Center	0.0% (0;44)	0.0% (0;4)		0.0% (0;4)		1.9% (1;59)	0.9% (1;121)	0.0% (0;11)	7.4% (22;282)
	Mountains Community Hospital						0.0% (0;3)	0.0% (0;4)		0.0% (0;18)
	Redlands Community Hospital	3.7% (2;35)	9.9% (29;235)	19.8% (11;45)	6.2% (15;180)	34.9% (3;10)	3.1% (7;229)	3.0% (10;296)	0.7% (1;146)	9.4% (57;491)
	San Antonio Regional Hospital	8.0% (39;608)	**15.4% (63;519) Worse**	**33.6% (31;100) Worse**	**9.2% (30;411) Worse**	78.4% (2;8)	4.1% (16;347)	4.3% (23;673)	0.0% (0;165)	**12.6% (77;774) Worse**
	St. Bernardine Medical Center	6.6% (39;551)	6.3% (24;337)	14.0% (13;63)	3.0% (7;265)	32.4% (4;9)	2.7% (12;313)	**1.7% (12;752) Better**	**6.9% (4;81) Worse**	10.0% (45;504)
	St. Mary Medical Center – Apple Valley	6.2% (22;509)	**4.3% (8;351) Better**	14.5% (1;12)	**2.5% (7;339) Better**		**5.6% (13;275) Worse**	1.8% (10;735)	2.7% (4;131)	9.9% (45;604)
	Victor Valley Global Medical Center	0.0% (0;35)	0.0% (0;35)		0.0% (0;34)		4.3% (3;89)	1.4% (1;147)	0.0% (0;33)	6.9% (16;257)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
San Diego	Alvarado Hospital Medical Center	**0.0% (0;121) Better**	12.5% (8;103)	24.2% (4;18)	9.0% (4;85)		0.9% (1;131)	2.7% (6;259)	0.0% (0;42)	9.5% (35;366)
	Grossmont Hospital	8.0% (25;372)	**10.4% (83;828) Worse**	23.5% (34;125)	6.8% (37;648)	20.8% (12;55)	2.6% (12;450)	2.4% (12;966)	1.6% (2;140)	9.4% (63;830)
	Kaiser Foundation Hospital – San Diego – Zion	3.9% (7;123)	8.1% (30;439)	10.8% (6;95)	5.8% (20;320)	27.2% (4;24)	1.8% (5;374)	3.8% (34;1,018)	1.1% (5;435)	7.0% (42;611)
	Palomar Medical Center	8.3% (26;439)	**12.5% (68;528) Worse**	**27.2% (34;116) Worse**	**7.5% (28;394) Worse**	43.2% (6;18)	3.7% (10;327)	**4.3% (32;739) Worse**	0.4% (1;264)	10.2% (68;778)
	Palomar Medical Center Poway	8.9% (2;12)	**21.0% (16;87) Worse**	**68.6% (5;5) Worse**	**11.1% (10;81) Worse**		4.9% (7;153)	2.5% (5;160)	5.4% (2;55)	10.2% (32;304)
	Paradise Valley Hospital	5.8% (4;85)	9.7% (7;95)	26.6% (5;24)	4.0% (2;71)		0.9% (1;92)	0.9% (1;247)	0.0% (0;14)	8.6% (19;186)
	Scripps Green Hospital		**1.6% (1;88) Better**	8.1% (1;14)	0.0% (0;74)		3.3% (5;156)	1.6% (2;86)	0.0% (0;56)	**2.0% (4;192) Better**
	Scripps Memorial Hospital – Encinitas	5.6% (8;187)	**4.9% (12;262) Better**	15.6% (8;51)	**2.0% (4;206) Better**	0.0% (0;5)	**0.6% (2;333) Better**	1.8% (13;554)	0.3% (1;223)	**3.9% (25;566) Better**
	Scripps Memorial Hospital – La Jolla	**4.4% (33;771) Better**	9.1% (70;587)	20.0% (23;102)	5.8% (42;435)	16.6% (5;50)	**1.3% (6;429) Better**	3.3% (42;930)	2.0% (5;242)	8.3% (54;553)
	Scripps Mercy Hospital	**3.2% (13;360) Better**	8.2% (64;650)	21.0% (26;114)	4.3% (28;501)	22.2% (10;35)	**1.6% (11;600) Better**	**2.0% (27;1,134) Better**	2.7% (10;266)	7.1% (78;922)
	Sharp Chula Vista Medical Center	5.5% (12;319)	10.1% (40;431)	21.4% (20;87)	6.5% (20;343)		2.2% (8;363)	2.8% (15;747)	1.1% (1;93)	8.9% (43;587)
	Sharp Coronado Hospital and Healthcare Center		4.3% (1;50)		3.1% (1;48)		1.9% (1;54)	4.1% (3;111)	0.0% (0;31)	7.0% (5;140)
	Sharp Memorial Hospital	**8.8% (32;378) Worse**	9.0% (37;531)	19.0% (14;90)	5.8% (22;436)	16.6% (1;5)	2.6% (12;445)	**4.4% (34;781) Worse**	**0.3% (1;305) Better**	8.0% (48;759)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
San Diego (continued)	Tri-City Medical Center	6.1% (15;273)	**12.6% (35;341) Worse**	25.4% (12;45)	**8.1% (20;287) Worse**	35.4% (3;9)	2.4% (6;222)	3.0% (13;369)	1.9% (2;105)	10.4% (46;508)
	UC San Diego Health Hillcrest – Hillcrest Medical Center	4.3% (16;401)	**3.3% (23;564) Better**	**7.3% (10;118) Better**	**1.9% (9;403) Better**	**8.9% (4;43) Better**	**1.1% (7;578) Better**	**1.7% (19;1,056) Better**	2.4% (6;205)	**4.3% (38;882) Better**
San Francisco	California Pacific Medical Center – Davies Campus Hospital	0.0% (0;4)	8.6% (40;348)	20.8% (17;86)	6.3% (14;207)	15.9% (9;55)	9.2% (4;52)	6.2% (6;105)	0.0% (0;7)	5.4% (4;74)
	California Pacific Medical Center – Mission Bernal Campus	0.0% (0;16)	4.4% (1;42)	0.0% (0;4)	3.1% (1;38)		1.1% (1;103)	1.9% (5;243)	0.6% (1;152)	6.2% (9;177)
	California Pacific Medical Center – Van Ness Campus	5.7% (19;245)	**12.2% (27;201) Worse**	**32.2% (14;44) Worse**	6.6% (12;154)	17.7% (1;3)	1.6% (5;261)	4.0% (31;531)	0.0% (0;8)	**14.2% (34;205) Worse**
	Chinese Hospital	0.0% (0;8)	3.9% (1;53)		2.9% (1;52)		3.5% (1;33)	1.0% (1;96)	0.0% (0;16)	7.3% (6;79)
	Kaiser Foundation Hospital – San Francisco	5.6% (17;535)	11.1% (15;210)	17.2% (4;35)	8.2% (11;173)		4.4% (6;214)	4.5% (18;442)	3.2% (3;79)	10.7% (18;204)
	Laguna Honda Hospital and Rehab Center							9.0% (1;5)		
	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center	5.7% (8;103)	10.1% (42;337)	21.8% (17;64)	6.7% (20;257)	21.9% (5;16)	1.7% (3;175)	1.9% (7;444)	0.0% (0;61)	5.7% (16;315)
	Saint Francis Memorial Hospital		5.6% (3;62)	0.0% (0;16)	6.4% (3;46)		6.3% (3;58)	2.1% (2;105)	0.0% (0;34)	9.1% (10;130)
	St. Mary's Medical Center	6.0% (7;74)	6.0% (4;79)	18.2% (2;6)	2.9% (2;73)		1.2% (2;127)	1.7% (9;244)	1.3% (1;59)	3.9% (5;103)
	UC San Francisco Medical Center	4.9% (19;210)	**6.6% (63;484) Better**	**11.7% (17;120) Better**	4.8% (33;304)	16.1% (13;60)	**0.7% (3;290) Better**	**1.6% (21;676) Better**	0.6% (1;102)	**4.6% (49;644) Better**
San Joaquin	Adventist Health Lodi Memorial	0.0% (0;22)	**2.1% (3;140) Better**	12.2% (2;8)	**0.6% (1;131) Better**		1.0% (2;201)	1.5% (6;374)	3.6% (4;102)	6.2% (24;406)
	Dameron Hospital	9.6% (14;163)	9.8% (3;56)		6.2% (3;55)		1.9% (2;134)	2.3% (4;226)	4.8% (1;35)	11.4% (20;226)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
San Joaquin (continued)	Doctors Hospital of Manteca	10.4% (1;20)	3.1% (1;73)	0.0% (0;4)	0.0% (0;68)		10.1% (2;83)	2.7% (4;185)	0.0% (0;26)	6.1% (8;185)
	Kaiser Foundation Hospital – Manteca	**0.8% (1;208) Better**	4.7% (5;193)	9.3% (2;41)	3.3% (3;148)	0.0% (0;4)	3.1% (7;272)	2.3% (11;602)	0.5% (1;181)	6.9% (26;420)
	San Joaquin General Hospital	13.2% (6;43)	8.6% (17;182)	24.5% (11;40)	3.8% (6;141)		**6.1% (11;161) Worse**	3.1% (9;403)	0.0% (0;144)	8.4% (13;230)
	St. Joseph's Medical Center of Stockton	**3.4% (28;652) Better**	**4.8% (14;373) Better**	23.6% (6;20)	**2.1% (8;352) Better**		1.9% (11;456)	2.9% (39;1,146)	0.0% (0;85)	9.1% (76;682)
	Sutter Tracy Community Hospital	5.0% (1;22)	0.0% (0;62)		0.0% (0;60)		2.7% (2;97)	3.8% (7;154)	3.4% (1;32)	7.1% (7;108)
San Luis Obispo	French Hospital Medical Center	6.4% (18;266)	0.0% (0;58)	0.0% (0;5)	0.0% (0;53)		0.0% (0;106)	2.8% (12;262)	3.7% (3;56)	3.8% (5;142)
	Marian Regional Medical Center – Arroyo Grande	0.0% (0;4)	2.2% (1;61)	0.0% (0;5)	1.9% (1;55)		1.6% (1;76)	1.1% (1;91)	0.0% (0;56)	4.5% (2;81)
	Tenet Health Central Coast Sierra Vista Regional Medical Center	0.0% (0;5)	6.1% (11;145)	17.2% (9;59)	1.3% (1;84)		2.2% (2;77)	1.3% (1;73)	0.0% (0;72)	6.0% (10;127)
	Tenet Health Central Coast Twin Cities Community Hospital	8.3% (2;7)	8.7% (7;92)	35.0% (2;3)	4.6% (5;87)		5.1% (6;129)	3.1% (6;161)	0.0% (0;97)	8.9% (23;257)
San Mateo	AHMC Seton Medical Center	9.1% (21;211)	9.6% (17;114)	20.5% (8;23)	5.4% (7;89)		1.1% (1;105)	3.9% (8;195)	7.5% (2;35)	9.3% (24;178)
	Kaiser Foundation Hospital – Redwood City	5.7% (5;67)	**12.4% (80;676) Worse**	21.0% (32;225)	**9.9% (34;357) Worse**	**38.1% (14;94) Worse**	4.2% (3;101)	5.2% (12;179)	0.0% (0;92)	8.3% (11;160)
	Kaiser Foundation Hospital – South San Francisco	**11.3% (9;34) Worse**	5.1% (8;170)	7.9% (2;30)	3.4% (5;137)	26.5% (1;3)	**5.3% (10;182) Worse**	3.6% (18;452)	0.9% (1;85)	7.9% (26;374)
	Mills-Peninsula Medical Center	4.8% (13;268)	9.4% (42;435)	18.7% (15;68)	6.2% (26;362)	17.9% (1;5)	1.8% (6;303)	2.6% (19;517)	0.0% (0;153)	7.7% (17;204)
	San Mateo Medical Center	11.0% (1;5)	4.2% (1;42)	14.2% (1;7)	0.0% (0;34)		2.5% (1;79)	2.2% (2;104)	0.0% (0;10)	17.4% (7;58)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
San Mateo (continued)	Sequoia Hospital	6.6% (6;67)	13.2% (10;76)	25.4% (5;16)	11.8% (4;58)		2.8% (3;77)	2.2% (5;196)	1.6% (1;64)	8.2% (6;94)
Santa Barbara	Goleta Valley Cottage Hospital							0.0% (0;18)	0.0% (0;56)	7.9% (1;28)
	Lompoc Valley Medical Center	35.4% (1;3)	0.0% (0;27)		0.0% (0;26)		0.0% (0;75)	**13.3% (9;89) Worse**	0.0% (0;20)	14.8% (8;96)
	Marian Regional Medical Center	7.3% (17;231)	9.5% (20;192)	19.5% (10;50)	6.3% (8;137)	28.0% (2;5)	4.2% (11;199)	2.2% (11;396)	2.7% (4;160)	6.4% (16;251)
	Santa Barbara Cottage Hospital	5.0% (15;260)	8.0% (62;538)	16.3% (21;93)	6.1% (37;396)	**8.7% (4;49) Better**	2.5% (10;342)	**4.6% (33;496) Worse**	0.0% (0;200)	**4.9% (19;401) Better**
	Santa Ynez Valley Cottage Hospital							0.0% (0;7)		13.1% (1;15)
Santa Clara	El Camino Health	5.5% (14;291)	8.3% (25;411)	14.0% (7;66)	6.1% (17;340)	12.9% (1;5)	3.1% (12;422)	2.5% (23;776)	2.5% (5;211)	10.2% (62;616)
	Good Samaritan Hospital – San Jose	5.5% (22;310)	8.2% (41;441)	18.4% (15;77)	5.0% (22;347)	21.5% (4;17)	1.6% (4;212)	3.1% (20;519)	2.6% (4;165)	6.6% (55;635)
	Kaiser Foundation Hospital – San Jose	**3.1% (7;207) Better**	6.4% (8;239)	33.3% (6;32)	**1.5% (2;201) Better**	0.0% (0;6)	2.3% (5;212)	1.9% (10;454)	1.3% (2;142)	6.6% (19;364)
	Kaiser Foundation Hospital – Santa Clara	6.5% (33;656)	**13.5% (27;311) Worse**	**55.4% (12;43) Worse**	6.0% (13;252)	24.1% (2;16)	3.6% (12;257)	4.1% (37;800)	1.3% (3;197)	8.6% (37;438)
	O'Connor Hospital	5.8% (13;236)	9.1% (14;186)	15.3% (6;34)	7.0% (7;150)		1.1% (3;233)	3.5% (15;605)	1.3% (1;73)	7.7% (26;436)
	Regional Medical Center of San Jose	4.4% (16;264)	**5.9% (62;678) Better**	**12.1% (27;175) Better**	**3.4% (23;458) Better**	22.8% (12;45)	1.7% (5;229)	1.7% (8;635)	0.9% (1;99)	**4.9% (49;848) Better**
	Santa Clara Valley Medical Center	8.1% (12;158)	9.0% (24;315)	26.9% (16;79)	2.3% (3;223)	22.5% (5;13)	3.3% (10;313)	2.6% (13;700)	2.1% (2;72)	7.1% (18;293)
	St. Louise Regional Hospital	5.5% (2;6)	9.1% (4;72)	0.0% (0;4)	6.1% (3;67)		4.3% (4;91)	3.8% (6;168)	0.0% (0;38)	6.2% (16;228)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Santa Clara (continued)	Stanford Health Care	4.7% (17;346)	8.7% (57;636)	23.9% (29;192)	4.8% (24;370)	12.8% (4;74)	1.8% (11;537)	**1.9% (21;789) Better**	1.3% (3;222)	**6.3% (49;701) Better**
Santa Cruz	Dominican Hospital	3.5% (8;231)	6.2% (15;274)	19.4% (10;50)	**1.2% (2;220) Better**	29.6% (3;4)	3.9% (6;248)	2.6% (10;399)	0.8% (1;149)	8.6% (16;276)
	Watsonville Community Hospital	0.0% (0;4)	15.4% (5;75)	39.1% (2;4)	8.6% (3;71)		1.9% (1;62)	7.6% (6;131)	3.8% (1;41)	8.6% (14;211)
Shasta	Mayers Memorial Hospital							0.0% (0;6)		15.2% (2;31)
	Mercy Medical Center – Redding	7.5% (25;293)	**12.5% (59;434) Worse**	20.3% (21;81)	**9.7% (35;343) Worse**	33.4% (3;10)	2.3% (8;331)	**4.5% (28;476) Worse**	**4.1% (9;190) Worse**	10.6% (46;493)
	Shasta Regional Medical Center	6.5% (7;162)	10.9% (8;106)	28.8% (3;3)	5.7% (4;102)		2.0% (3;199)	5.4% (10;231)	2.9% (3;82)	8.3% (32;413)
Siskiyou	Fairchild Medical Center	0.0% (0;3)	7.0% (2;38)		5.0% (2;36)		0.0% (0;8)	3.3% (1;41)	0.0% (0;22)	14.3% (4;89)
	Mercy Medical Center Mt. Shasta		15.5% (2;21)		10.1% (1;20)		0.0% (0;15)	0.0% (0;20)	5.4% (1;18)	8.0% (2;39)
Solano	Kaiser Foundation Hospital & Rehab Center – Vallejo	4.6% (9;218)	**13.1% (19;148) Worse**	28.0% (8;38)	9.0% (10;107)	18.7% (1;3)	3.1% (7;188)	3.9% (16;327)	1.4% (2;128)	10.5% (25;257)
	Kaiser Foundation Hospital – Vacaville	**17.0% (7;19) Worse**	**16.8% (17;108) Worse**	27.5% (9;36)	**18.6% (8;69) Worse**	0.0% (0;3)	**9.0% (5;65) Worse**	**5.9% (16;208) Worse**	3.3% (4;115)	11.5% (23;223)
	NorthBay Medical Center	5.4% (21;272)	10.0% (28;276)	23.7% (18;53)	5.1% (9;218)	69.3% (1;5)	2.0% (4;193)	2.0% (11;498)	2.5% (2;97)	10.1% (36;470)
	Sutter Solano Medical Center	0.0% (0;11)	6.1% (3;96)	26.8% (1;5)	3.0% (2;90)		4.3% (3;104)	3.1% (3;179)	0.0% (0;31)	8.7% (8;139)
Sonoma	Healdsburg Hospital		0.0% (0;23)		0.0% (0;23)		0.0% (0;3)	0.0% (0;18)	26.1% (1;9)	3.6% (1;54)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Sonoma (continued)	Kaiser Foundation Hospital – Santa Rosa	2.8% (2;35)	13.3% (15;203)	23.8% (5;37)	8.6% (9;164)		1.7% (3;239)	4.3% (16;408)	0.8% (1;144)	8.0% (23;390)
	Petaluma Valley Hospital	21.9% (3;9)	10.3% (3;49)		7.7% (3;47)		8.8% (1;7)	4.6% (5;95)	0.0% (0;45)	6.4% (9;130)
	Providence Santa Rosa Memorial Hospital – Montgomery	5.9% (19;319)	10.7% (35;309)	23.6% (16;56)	6.2% (16;249)	40.6% (3;4)	3.5% (17;340)	4.1% (24;551)	2.2% (4;178)	10.6% (39;392)
	Sonoma Specialty Hospital		0.0% (0;6)		0.0% (0;5)					11.7% (1;7)
	Sonoma Valley Hospital		5.3% (2;38)	15.6% (1;3)	0.0% (0;34)			6.5% (3;35)	0.0% (0;32)	13.0% (4;41)
	Sutter Santa Rosa Regional Hospital	5.2% (8;186)	3.9% (2;110)	16.8% (1;5)	1.6% (1;105)		3.1% (3;196)	2.3% (6;296)	3.1% (2;89)	9.1% (13;178)
Stanislaus	Doctors Medical Center	**8.1% (49;567) Worse**	**7.3% (113;948) Better**	**14.2% (43;216) Better**	4.8% (58;674)	20.0% (12;58)	3.8% (19;492)	3.6% (30;884)	**4.3% (7;172) Worse**	8.1% (60;799)
	Emanuel Medical Center	4.2% (13;339)	3.4% (2;103)		**0.0% (0;99) Better**		2.1% (3;186)	3.9% (16;467)	1.3% (1;86)	8.0% (52;591)
	Memorial Medical Center – Modesto	5.5% (19;310)	6.8% (20;318)	19.9% (13;65)	2.8% (6;249)	11.6% (1;4)	2.0% (9;557)	2.0% (14;751)	**4.7% (8;217) Worse**	**5.4% (26;614) Better**
	Oak Valley Hospital District		0.0% (0;14)		0.0% (0;14)			0.0% (0;32)		8.1% (5;76)
Tehama	St. Elizabeth Community Hospital	0.0% (0;12)	6.6% (3;60)	12.5% (1;4)	4.4% (2;56)		8.9% (3;47)	1.9% (3;135)	1.9% (1;62)	7.8% (10;124)
Trinity	Trinity Hospital	6.0% (1;4)					0.0% (0;3)	0.0% (0;3)		0.0% (0;10)
Tulare	Adventist Health Tulare	0.0% (0;5)	0.0% (0;33)		0.0% (0;33)			1.3% (1;101)	0.0% (0;19)	6.8% (8;143)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2022

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestnal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	6.1% (2,993;49,448)	8.5% (5,641;66,194)	19.1% (2,431;12,696)	5.1% (2,608;50,742)	21.8% (602;2,756)	2.8% (1,628;57,820)	3.0% (3,382;112,910)	1.7% (485;28,226)	8.2% (8,476;103,176)
Tulare (continued)	Kaweah Health Medical Center	**8.3% (37;420) Worse**	9.0% (34;485)	20.8% (17;99)	4.9% (14;380)	38.2% (3;6)	3.3% (24;521)	**5.5% (45;990) Worse**	1.1% (2;217)	9.0% (47;769)
	Sierra View Medical Center	6.2% (4;81)	11.2% (8;131)	18.0% (1;4)	7.2% (7;126)		3.6% (5;162)	4.3% (8;201)	1.5% (1;77)	9.9% (34;329)
Tuolumne	Adventist Health Sonora – Greenley	6.3% (4;39)	0.0% (0;57)		0.0% (0;56)		0.0% (0;74)	2.8% (8;186)	1.8% (2;122)	7.5% (17;233)
Ventura	Adventist Health Simi Valley	4.7% (6;164)	6.0% (7;151)	21.1% (5;27)	1.9% (2;124)		2.3% (3;174)	2.7% (9;284)	0.0% (0;84)	6.6% (33;482)
	Community Memorial Hospital – San Buenaventura	4.3% (12;260)	5.7% (7;209)	19.0% (3;22)	2.8% (4;186)		1.8% (4;262)	3.8% (14;406)	4.7% (3;100)	11.9% (26;327)
	Los Robles Hospital & Medical Center	4.1% (10;261)	9.0% (30;316)	21.5% (10;61)	5.2% (18;241)	26.6% (2;14)	4.0% (8;200)	3.3% (16;389)	2.0% (3;185)	7.8% (61;662)
	Ojai Valley Community Hospital							0.0% (0;12)		0.0% (0;16)
	St. John's Hospital Camarillo	0.0% (0;28)	0.0% (0;76)	0.0% (0;3)	0.0% (0;73)		3.1% (2;90)	3.7% (7;177)	1.1% (1;98)	7.1% (17;224)
	St. John's Regional Medical Center	**3.7% (14;300) Better**	7.1% (29;405)	16.9% (11;78)	4.4% (16;301)	12.5% (2;26)	1.4% (4;297)	2.3% (13;482)	2.2% (2;93)	7.5% (25;337)
	Ventura County Medical Center	2.5% (1;46)	9.7% (7;109)	30.2% (5;22)	3.9% (2;84)	0.0% (0;3)	2.6% (4;150)	5.0% (11;265)	2.0% (1;55)	6.9% (11;219)
Yolo	Sutter Davis Hospital	0.0% (0;3)	4.0% (1;67)		2.4% (1;67)		2.4% (1;64)	0.7% (1;151)	1.9% (1;42)	9.2% (6;79)
	Woodland Memorial Hospital	16.5% (1;6)	15.5% (5;62)	59.5% (3;5)	5.8% (2;57)		5.1% (3;51)	4.2% (5;97)	0.0% (0;33)	7.3% (8;139)
Yuba	Adventist Health and Rideout	8.0% (17;221)	10.0% (9;204)	0.0% (0;3)	6.5% (8;200)		2.5% (6;247)	3.6% (23;712)	4.0% (6;167)	**11.9% (46;470) Worse**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2023, and HCAI hospital patient discharge data, 2022. See Technical Note for details about methodology.

****Hospital name changed from 2021 to 2022, see Technical Note for details.**

Note: Blank cells indicate that fewer than three conditions were treated

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.