OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Alameda	Alameda Hospital		0.0% (0;4)						
	Alta Bates Summit Medical Center**		0.0% (0;6)			0.0% (0;8)	0.0% (0;6)		2.8% (9;277)
	Alta Bates Summit Medical Center – Alta Bates Campus**			6.8% (3;37)					
	Eden Medical Center		0.0% (0;13)	4.3% (7;100)					
	Highland Hospital			10.0% (3;25)					6.5% (5;85)
	Kaiser Foundation Hospital – Fremont								0.0% (0;20)
	Kaiser Foundation Hospital – Oakland/Richmond	0.0% (0;18)	0.0% (0;7)	0.0% (0;5)	0.0% (0;12)	3.7% (1;28)	10.4% (1;14)	0.0% (0;14)	
	Kaiser Foundation Hospital – San Leandro	0.0% (0;16)	6.2% (1;16)						
	Saint Rose Hospital								5.1% (6;143)
	San Leandro Hospital	0.0% (0;11)	0.0% (0;9)						
	Valleycare Medical Center	0.0% (0;4)	0.0% (0;6)						6.6% (4;72)
	Washington Hospital – Fremont	0.0% (0;4)	0.0% (0;13)	**20.7% (12;60) Worse**					6.9% (7;126)
Amador	Sutter Amador Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Butte	Enloe Medical Center – Esplanade	0.0% (0;14)	0.0% (0;62)	3.6% (2;42)					**8.6% (13;214) Worse**
	Feather River Hospital		0.0% (0;12)						
	Orchard Hospital**								
	Oroville Hospital	0.0% (0;3)	0.0% (0;21)						
Calaveras	Mark Twain Medical Center								
Colusa	Colusa Regional Medical Center								
Contra Costa	Contra Costa Regional Medical Center								
	Doctors Medical Center – San Pablo								67.5% (1;21)
	John Muir Medical Center – Concord Campus	4.0% (1;31)	1.8% (1;63)		0.0% (0;5)				2.1% (3;177)
	John Muir Medical Center – Walnut Creek Campus		9.7% (1;9)	7.5% (15;111)					2.7% (1;35)
	Kaiser Foundation Hospital – Antioch					0.0% (0;19)	0.0% (0;7)	0.0% (0;12)	
	Kaiser Foundation Hospital – Walnut Creek	65.4% (1;18)	0.0% (0;23)						2.6% (2;172)
	San Ramon Regional Medical Center		0.0% (0;13)						8.8% (3;48)
	Sutter Delta Medical Center								2.6% (5;147)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Del Norte	Sutter Coast Hospital								
El Dorado	Barton Memorial Hospital								
	Marshall Medical Center								
Fresno	Adventist Medical Center – Reedley								
	Clovis Community Medical Center					0.0% (0;7)		0.0% (0;5)	6.6% (3;67)
	Coalinga Regional Medical Center								
	Community Regional Medical Center – Fresno *(data for the month of September are incomplete)*	0.0% (0;4)	0.0% (0;22)	**10.7% (44;312) Worse**		**21.6% (2;9) Worse**		**22.3% (2;7) Worse**	**6.7% (13;273) Worse**
	Fresno Heart and Surgical Hospital	0.0% (0;19)	0.0% (0;81)						0.0% (0;40)
	Kaiser Foundation Hospital – Fresno	0.0% (0;12)	0.0% (0;28)	2.3% (1;28)					0.0% (0;3)
	Saint Agnes Medical Center	0.0% (0;7)	0.0% (0;16)	8.2% (1;28)		0.0% (0;15)	0.0% (0;7)	0.0% (0;8)	3.9% (8;323)
Glenn	Glenn Medical Center								
Humboldt	Jerold Phelps Community Hospital								
	Mad River Community Hospital								
	Redwood Memorial Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Humboldt (continued)	Saint Joseph Hospital – Eureka	0.0% (0;18)	0.0% (0;39)	15.1% (1;9)					2.4% (3;109)
Imperial	El Centro Regional Medical Center								
	Pioneers Memorial Healthcare District			0.0% (0;6)					
Inyo	Northern Inyo Hospital								
Kern	Bakersfield Heart Hospital	0.0% (0;11)	0.0% (0;7)						2.0% (4;170)
	Bakersfield Memorial Hospital	34.9% (1;42)	0.0% (0;55)	**15.7% (9;72) Worse**					4.8% (8;192)
	Delano Regional Medical Center								
	Good Samaritan Hospital – Bakersfield								
	Kern Medical Center			25.9% (2;27)		**40.4% (2;8) Worse**		**41.1% (2;6) Worse**	
	Kern Valley Healthcare District								
	Mercy Hospital – Bakersfield	0.0% (0;5)	0.0% (0;20)	9.9% (1;19)					
	Ridgecrest Regional Hospital								
	San Joaquin Community Hospital		3.3% (1;33)	7.8% (7;54)					4.8% (15;268)
	Tehachapi Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Kings	Adventist Medical Center		8.8% (1;10)						
Lake	Saint Helena Hospital – Clearlake								
	Sutter Lakeside Hospital								
Lassen	Banner Lassen Medical Center								
Los Angeles	Alhambra Hospital Medical Center			0.0% (0;5)					
	Antelope Valley Hospital	0.0% (0;9)	5.7% (1;18)	15.0% (6;34)		0.0% (0;4)		0.0% (0;3)	**7.2% (10;219) Worse**
	Beverly Hospital		0.0% (0;3)	13.0% (1;14)					3.0% (2;78)
	California Hospital Medical Center – Los Angeles			14.9% (3;15)		0.0% (0;3)		0.0% (0;3)	2.4% (2;88)
	Cedars Sinai Medical Center	4.2% (1;39)	0.0% (0;45)	**3.0% (13;494) Better**	29.1% (1;14)	1.9% (1;60)	1.5% (1;36)	0.0% (0;24)	4.0% (26;567)
	Centinela Hospital Medical Center	0.0% (0;3)	0.0% (0;9)	9.3% (6;23)					2.0% (3;142)
	Citrus Valley Medical Center – Inter Community Campus		0.0% (0;46)	0.0% (0;6)					4.3% (5;218)
	Citrus Valley Medical Center – Queen of the Valley Campus	0.0% (0;8)	0.0% (0;9)	10.9% (5;32)					
	City of Hope Helford Clinical Research Hospital			4.6% (2;83)	0.0% (0;6)	0.0% (0;38)	0.0% (0;21)	0.0% (0;17)	

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Los Angeles (continued)	Coast Plaza Hospital								
	College Medical Center								
	Community Hospital Long Beach								
	Community and Mission Hospital of Huntington Park – Slauson								
	Doctors Hospital of West Covina, Inc.								
	East Los Angeles Doctors Hospital								
	Encino Hospital Medical Center								
	Foothill Presbyterian Hospital – Johnston Memorial			0.0% (0;8)					
	Gardens Regional Hospital and Medical Center								
	Garfield Medical Center		0.0% (0;6)	12.4% (6;46)					3.1% (6;210)
	Glendale Adventist Medical Center	0.0% (0;5)	0.0% (0;10)	8.8% (9;80)		**30.8% (2;8) Worse**	11.9% (2;7)		2.5% (5;347)
	Glendale Memorial Hospital and Medical Center	0.0% (0;10)	0.0% (0;14)	17.9% (1;9)					4.2% (4;93)
	Glendora Community Hospital								
	Good Samaritan Hospital – Los Angeles		0.0% (0;8)	9.7% (1;19)		0.0% (0;7)	0.0% (0;3)	0.0% (0;4)	6.1% (11;180)
	Greater El Monte Community Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Los Angeles (continued)	Henry Mayo Newhall Hospital	0.0% (0;3)	0.0% (0;9)	0.0% (0;27)					**0.0% (0;111) Better**
	Hollywood Presbyterian Medical Center		0.0% (0;4)	9.6% (2;15)					1.3% (1;110)
	Huntington Memorial Hospital	0.0% (0;11)	0.0% (0;11)	4.3% (4;128)	15.3% (1;5)	0.0% (0;19)	0.0% (0;13)	0.0% (0;6)	3.3% (5;146)
	Kaiser Foundation Hospital – Baldwin Park	0.0% (0;14)	0.0% (0;24)						
	Kaiser Foundation Hospital – Downey	0.0% (0;17)	0.0% (0;32)			0.0% (0;7)	0.0% (0;3)	0.0% (0;4)	
	Kaiser Foundation Hospital – Panorama City		0.0% (0;12)			18.1% (2;14)	**33.9% (2;4) Worse**	0.0% (0;10)	
	Kaiser Foundation Hospital – South Bay	0.0% (0;14)	0.0% (0;22)		13.8% (1;5)	19.6% (1;10)	19.8% (1;4)	0.0% (0;6)	
	Kaiser Foundation Hospital – Sunset	0.0% (0;8)	0.0% (0;13)	7.5% (19;418)	**100.0% (1;9) Worse**	16.9% (2;25)	**19.0% (2;15) Worse**	0.0% (0;10)	2.1% (6;344)
	Kaiser Foundation Hospital – West Los Angeles	0.0% (0;8)	0.0% (0;14)			0.0% (0;17)	0.0% (0;7)	0.0% (0;10)	
	Kaiser Foundation Hospital – Woodland Hills	0.0% (0;15)	0.0% (0;30)			0.0% (0;3)			
	Keck Hospital of University of Southern California	6.5% (1;39)	1.2% (1;21)	**4.8% (21;400) Better**	0.0% (0;23)	2.0% (1;75)	3.5% (1;37)	0.0% (0;38)	4.2% (7;95)
	Lakewood Regional Medical Center		0.0% (0;11)	**15.7% (6;17) Worse**					4.8% (8;153)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Los Angeles (continued)	Long Beach Memorial Medical Center	**64.2% (2;20) Worse**	0.0% (0;53)	9.6% (18;151)		0.0% (0;3)		0.0% (0;3)	3.8% (8;280)
	Los Angeles Community Hospital								
	Los Angeles County/Harbor – UCLA Medical Center	0.0% (0;3)	13.3% (1;7)	6.5% (3;71)		0.0% (0;12)	0.0% (0;5)	0.0% (0;7)	3.6% (5;150)
	Los Angeles County/Olive View – UCLA Medical Center		0.0% (0;3)			32.8% (1;4)			0.0% (0;90)
	Los Angeles County/University of Southern California Medical Center		0.0% (0;9)	**13.5% (13;128) Worse**		3.8% (1;21)	0.0% (0;11)	8.3% (1;10)	4.3% (8;178)
	Marina Del Rey Hospital		0.0% (0;3)						
	Memorial Hospital of Gardena								
	Methodist Hospital of Southern California	0.0% (0;5)	0.0% (0;17)	8.1% (1;14)					3.1% (5;130)
	Mission Community Hospital – Panorama Campus			**97.2% (2;73) Worse**					
	Monterey Park Hospital								
	Northridge Hospital Medical Center	0.0% (0;5)	0.0% (0;15)	13.6% (5;30)		24.1% (1;3)			1.9% (4;211)
	Norwalk Community Hospital								
	Olympia Medical Center								
	PIH Hospital – Downey			5.8% (1;29)					7.5% (3;70)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Los Angeles (continued)	Pacific Alliance Medical Center			6.2% (1;14)					
	Pacifica Hospital of the Valley								
	Palmdale Regional Medical Center		0.0% (0;6)	10.1% (2;9)					5.5% (5;154)
	Pomona Valley Hospital Medical Center	0.0% (0;5)	0.0% (0;9)	9.1% (13;102)					3.5% (7;193)
	Presbyterian Intercommunity Hospital	0.0% (0;11)	1.5% (1;31)	9.2% (5;57)		0.0% (0;4)			3.8% (9;221)
	Providence Holy Cross Medical Center	0.0% (0;12)	0.0% (0;32)	12.8% (3;31)		15.8% (1;12)	21.0% (1;6)	0.0% (0;6)	2.3% (7;228)
	Providence Little Company of Mary Medical Center – San Pedro			0.0% (0;9)					
	Providence Little Company of Mary Medical Center – Torrance	0.0% (0;5)	0.0% (0;12)	4.3% (2;28)		0.0% (0;7)	0.0% (0;5)		4.8% (13;268)
	Providence Saint John's Health Center**	0.0% (0;8)	0.0% (0;16)	**1.3% (1;84) Better**	43.0% (1;3)	0.0% (0;12)	0.0% (0;6)	0.0% (0;6)	3.5% (5;136)
	Providence Saint Joseph Medical Center	0.0% (0;16)	0.0% (0;35)	12.1% (12;104)		0.0% (0;4)		0.0% (0;3)	**7.1% (9;228) Worse**
	Providence Tarzana Medical Center	0.0% (0;19)	0.0% (0;84)	5.5% (1;14)		0.0% (0;3)		0.0% (0;3)	**0.6% (1;144) Better**
	Ronald Reagan UCLA Medical Center	2.9% (2;37)	0.0% (0;32)	**3.9% (17;516) Better**	0.0% (0;6)	4.9% (3;86)	2.0% (1;52)	4.7% (2;34)	**5.6% (17;219) Worse**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Los Angeles (continued)	Saint Francis Medical Center		0.0% (0;8)	**22.0% (4;16) Worse**					6.0% (7;123)
	Saint Mary Medical Center – Long Beach		0.0% (0;11)	9.5% (1;14)					2.8% (3;109)
	Saint Vincent Medical Center	0.0% (0;10)	0.0% (0;12)	0.0% (0;106)		0.0% (0;7)	0.0% (0;4)	0.0% (0;3)	1.4% (1;55)
	San Dimas Community Hospital								
	San Gabriel Valley Medical Center			0.0% (0;18)					
	Santa Monica – UCLA Medical Center and Orthopedic Hospital			0.0% (0;9)					1.4% (2;172)
	Sherman Oaks Hospital								
	Silver Lake Medical Center – Downtown Campus								
	Southern California Hospital at Culver City	0.0% (0;3)	0.0% (0;6)						16.7% (2;40)
	Southern California Hospital at Hollywood								
	Torrance Memorial Medical Center	0.0% (0;26)	0.0% (0;37)	6.5% (3;33)	**20.4% (2;7) Worse**	0.0% (0;9)	0.0% (0;7)		**5.8% (19;294) Worse**
	University of Southern California Verdugo Hills Hospital		0.0% (0;3)	0.0% (0;3)					
	Valley Presbyterian Hospital	0.0% (0;5)	0.0% (0;12)	0.0% (0;9)		0.0% (0;5)	0.0% (0;5)		**0.0% (0;123) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Los Angeles (continued)	West Hills Hospital and Medical Center		6.9% (1;9)	7.3% (2;15)					6.4% (6;140)
	White Memorial Medical Center		0.0% (0;12)	14.5% (4;30)					3.6% (7;146)
	Whittier Hospital Medical Center		0.0% (0;3)						
Madera	Madera Community Hospital								
Marin	Kaiser Foundation Hospital – San Rafael		0.0% (0;5)						1.8% (1;28)
	Marin General Hospital	0.0% (0;9)	0.0% (0;22)	9.7% (5;34)		0.0% (0;3)			5.0% (5;119)
	Novato Community Hospital								
Mariposa	John C. Fremont Healthcare District								
Mendocino	Frank R. Howard Memorial Hospital								
	Mendocino Coast District Hospital								
	Ukiah Valley Medical Center								
Merced	Memorial Hospital Los Banos								
	Mercy Medical Center – Merced								
Modoc	Modoc Medical Center								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Mono	Mammoth Hospital								
Monterey	Community Hospital of The Monterey Peninsula		0.0% (0;22)	0.0% (0;33)		0.0% (0;12)	0.0% (0;6)	0.0% (0;6)	7.7% (4;70)
	George L. Mee Memorial Hospital								
	Natividad Medical Center			0.0% (0;4)					
	Salinas Valley Memorial Hospital	0.0% (0;6)	0.0% (0;28)	3.3% (2;30)					0.9% (1;134)
Napa	Queen of the Valley Medical Center**	13.7% (1;10)	0.0% (0;11)	3.9% (1;10)					5.2% (2;67)
	Saint Helena Hospital	0.0% (0;9)	0.0% (0;34)						2.6% (2;87)
Nevada	Sierra Nevada Memorial Hospital								
	Tahoe Forest Hospital								
Orange	AHMC Anaheim Regional Medical Center	0.0% (0;5)	0.0% (0;27)	0.0% (0;5)					6.2% (7;133)
	Anaheim Global Medical Center**								0.0% (0;16)
	Chapman Global Medical Center**								
	Fountain Valley Regional Hospital and Medical Center – Euclid	0.0% (0;11)	0.0% (0;24)	3.7% (2;37)		0.0% (0;6)		0.0% (0;4)	4.3% (9;166)
	Garden Grove Hospital and Medical Center			15.2% (1;5)					

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Orange (continued)	Hoag Memorial Hospital Presbyterian	0.0% (0;9)	0.0% (0;65)	4.6% (12;248)	0.0% (0;7)	0.0% (0;31)	0.0% (0;23)	0.0% (0;8)	2.4% (9;265)
	Hoag Orthopedic Institute								
	Huntington Beach Hospital								
	Kaiser Foundation Hospital – Orange County – Anaheim	0.0% (0;16)	0.0% (0;25)	6.8% (7;156)	0.0% (0;6)	0.0% (0;22)	0.0% (0;12)	0.0% (0;10)	0.0% (0;32)
	La Palma Intercommunity Hospital								
	Los Alamitos Medical Center	0.0% (0;6)	0.0% (0;36)	6.9% (9;64)					4.4% (4;99)
	Mission Hospital Laguna Beach		0.0% (0;3)						
	Mission Hospital Regional Medical Center	0.0% (0;5)		4.9% (8;110)	0.0% (0;3)	0.0% (0;3)			4.7% (13;218)
	Orange Coast Memorial Medical Center	0.0% (0;6)	0.0% (0;8)	3.3% (1;42)		0.0% (0;14)	0.0% (0;8)	0.0% (0;6)	7.3% (6;95)
	Orange County Global Medical Center**		0.0% (0;5)	14.3% (5;32)					5.5% (6;104)
	Placentia Linda Hospital								
	Saddleback Memorial Medical Center	0.0% (0;20)	0.0% (0;27)	3.5% (2;56)	0.0% (0;3)				1.1% (2;195)
	Saint Joseph Hospital – Orange	55.6% (1;26)	0.0% (0;66)	**1.0% (1;98) Better**	0.0% (0;3)	0.0% (0;11)	0.0% (0;9)		3.4% (10;207)
	Saint Jude Medical Center	0.0% (0;12)	0.0% (0;31)	5.4% (15;108)					2.4% (5;189)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Orange (continued)	South Coast Global Medical Center**								
	UC Irvine Medical Center	0.0% (0;8)	0.0% (0;7)	6.6% (23;395)	0.0% (0;5)	2.7% (1;42)	0.0% (0;21)	4.8% (1;21)	6.4% (4;98)
	West Anaheim Medical Center		0.0% (0;3)						2.9% (3;94)
Placer	Kaiser Foundation Hospital – Roseville	0.0% (0;16)	0.0% (0;35)						2.2% (2;107)
	Sutter Auburn Faith Hospital	0.0% (0;4)	0.0% (0;15)						
	Sutter Roseville Medical Center	0.0% (0;13)	0.0% (0;43)	5.3% (4;62)					2.3% (3;187)
Plumas	Eastern Plumas Hospital – Portola Campus								
	Plumas District Hospital								
	Seneca District Hospital**								
Riverside	Corona Regional Medical Center – Main	0.0% (0;3)	0.0% (0;6)						
	Desert Regional Medical Center	0.0% (0;17)	0.0% (0;49)	10.7% (18;114)					5.3% (9;298)
	Eisenhower Medical Center	0.0% (0;34)	0.0% (0;70)	4.4% (2;42)					3.6% (6;282)
	Hemet Valley Medical Center	0.0% (0;4)	3.3% (1;17)						
	John F. Kennedy Memorial Hospital								8.4% (3;42)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Riverside (continued)	Kaiser Foundation Hospital – Moreno Valley								
	Kaiser Foundation Hospital – Riverside	0.0% (0;19)	0.0% (0;38)			0.0% (0;14)	0.0% (0;5)	0.0% (0;9)	
	Loma Linda University Medical Center – Murrieta	0.0% (0;5)	0.0% (0;28)	17.3% (2;18)					4.0% (9;301)
	Menifee Valley Medical Center	0.0% (0;6)	0.0% (0;15)						
	Palo Verde Hospital								
	Parkview Community Hospital Medical Center		0.0% (0;6)						
	Riverside Community Hospital	0.0% (0;13)	1.2% (1;51)	6.9% (3;39)		0.0% (0;7)	0.0% (0;5)		5.1% (22;528)
	Riverside County Regional Medical Center		0.0% (0;6)	3.8% (1;22)					
	San Gorgonio Memorial Hospital								
	Southwest Healthcare System – Murrieta	7.7% (1;13)	0.0% (0;29)	8.0% (3;42)					
	Temecula Valley Hospital		0.0% (0;4)	0.0% (0;8)					4.3% (9;188)
Sacramento	Kaiser Foundation Hospital – Sacramento		3.2% (1;10)	**2.3% (17;319) Better**		0.0% (0;23)	0.0% (0;11)	0.0% (0;12)	
	Kaiser Foundation Hospital – South Sacramento	**12.3% (2;19) Worse**	0.0% (0;18)	0.0% (0;10)	0.0% (0;14)	0.0% (0;4)		0.0% (0;4)	6.6% (7;90)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Sacramento (continued)	Mercy General Hospital	0.0% (0;18)	0.0% (0;44)	5.6% (7;92)					2.8% (21;1,112)
	Mercy Hospital of Folsom**								
	Mercy San Juan Hospital	0.0% (0;18)	0.0% (0;95)	8.1% (31;179)					4.7% (8;143)
	Methodist Hospital of Sacramento								
	Sutter Medical Center, Sacramento**	20.3% (1;12)	3.6% (1;53)	6.3% (8;151)	0.0% (0;3)	0.0% (0;17)	0.0% (0;12)	0.0% (0;5)	2.1% (1;50)
	Sutter Memorial Hospital	0.0% (0;30)	0.0% (0;48)	31.0% (2;46)					3.6% (5;202)
	UC Davis Medical Center	7.3% (1;23)	0.0% (0;24)	5.9% (13;235)	0.0% (0;12)	0.0% (0;25)	0.0% (0;17)	0.0% (0;8)	**1.4% (4;233) Better**
San Benito	Hazel Hawkins Memorial Hospital								
San Bernardino	Arrowhead Regional Medical Center		0.0% (0;4)	0.0% (0;36)					0.0% (0;34)
	Barstow Community Hospital								
	Bear Valley Community Hospital								
	Chino Valley Medical Center								
	Colorado River Medical Center								
	Community Hospital of San Bernardino		0.0% (0;3)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
San Bernardino (continued)	Desert Valley Hospital	0.0% (0;3)							3.2% (7;175)
	Hi-Desert Medical Center								
	Kaiser Foundation Hospital – Fontana	0.0% (0;30)	0.0% (0;32)	9.2% (8;167)	0.0% (0;3)	0.0% (0;5)		0.0% (0;3)	1.5% (2;182)
	Loma Linda University Medical Center	0.0% (0;16)	0.0% (0;24)	8.0% (22;238)	0.0% (0;3)	0.0% (0;20)	0.0% (0;15)	0.0% (0;5)	**8.4% (13;223) Worse**
	Montclair Hospital Medical Center								
	Mountains Community Hospital								
	Redlands Community Hospital	0.0% (0;12)	0.0% (0;23)	13.8% (1;10)					
	Saint Bernardine Medical Center	0.0% (0;8)	0.0% (0;6)	59.7% (1;25)					**6.0% (15;358) Worse**
	Saint Mary Medical Center – Apple Valley	0.0% (0;19)	0.0% (0;21)						5.1% (6;212)
	San Antonio Community Hospital	0.0% (0;7)	0.0% (0;20)	7.7% (5;46)					5.2% (14;266)
	Victor Valley Global Medical Center		0.0% (0;3)						
San Diego	Alvarado Hospital		8.2% (1;8)	9.6% (1;7)					4.1% (6;120)
	Grossmont Hospital	0.0% (0;8)	1.3% (1;72)	9.6% (11;100)		0.0% (0;4)			3.6% (9;300)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
San Diego (continued)	Kaiser Foundation Hospital – San Diego	0.0% (0;32)	0.0% (0;32)	**12.8% (12;162) Worse**	13.3% (1;13)	0.0% (0;12)	0.0% (0;5)	0.0% (0;7)	
	Palomar Health Downtown Campus	3.0% (1;30)	0.0% (0;48)	**13.9% (15;75) Worse**					2.4% (6;263)
	Paradise Valley Hospital								0.0% (0;7)
	Pomerado Hospital	0.0% (0;3)							
	Scripps Green Hospital	0.0% (0;18)	0.0% (0;28)	3.8% (3;113)		0.0% (0;12)	0.0% (0;9)	0.0% (0;3)	2.8% (5;234)
	Scripps Memorial Hospital – Encinitas	0.0% (0;9)	0.0% (0;15)	0.0% (0;13)					1.5% (1;113)
	Scripps Memorial Hospital – La Jolla	0.0% (0;4)	0.0% (0;12)	8.3% (13;132)					4.3% (12;210)
	Scripps Mercy Hospital	0.0% (0;9)	0.0% (0;47)	6.3% (3;28)		0.0% (0;6)	0.0% (0;4)		2.5% (6;227)
	Sharp Chula Vista Medical Center	0.0% (0;3)	0.0% (0;10)	8.0% (4;34)					**0.0% (0;200) Better**
	Sharp Coronado Hospital and Healthcare Center								
	Sharp Memorial Hospital	36.5% (1;20)	1.9% (1;28)	10.6% (14;100)		0.0% (0;18)	0.0% (0;8)	0.0% (0;10)	4.7% (10;229)
	Tri-City Medical Center – Oceanside	0.0% (0;13)	0.0% (0;49)	5.0% (3;43)		51.0% (1;5)	0.0% (0;3)		3.2% (3;139)
	UC San Diego Health System – Hillcrest Medical Center	14.5% (1;15)	0.0% (0;15)	5.3% (17;317)	0.0% (0;9)	0.0% (0;45)	0.0% (0;17)	0.0% (0;28)	4.2% (10;252)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
San Francisco	California Pacific Medical Center – Davies Campus			6.3% (17;145)					
	California Pacific Medical Center – Pacific Campus	0.0% (0;13)	0.0% (0;42)	9.6% (10;66)	0.0% (0;4)	1.8% (1;68)	0.0% (0;43)	4.1% (1;25)	3.8% (6;152)
	California Pacific Medical Center – St. Luke's Campus								
	Chinese Hospital								
	Kaiser Foundation Hospital – San Francisco	0.0% (0;39)	1.3% (1;29)			0.0% (0;40)	0.0% (0;18)	0.0% (0;22)	2.5% (10;285)
	Laguna Honda Hospital and Rehabilitation Center								
	Saint Francis Memorial Hospital			13.0% (3;9)					
	Saint Mary's Medical Center, San Francisco	0.0% (0;3)	0.0% (0;12)	**34.5% (2;4) Worse**					4.9% (4;83)
	San Francisco General Hospital		0.0% (0;8)	11.7% (12;70)		9.6% (1;8)	0.0% (0;3)	16.7% (1;5)	7.0% (5;51)
	UC San Francisco Medical Center	0.0% (0;27)	1.3% (1;36)	7.6% (36;937)	0.0% (0;16)	0.0% (0;74)	0.0% (0;46)	0.0% (0;28)	4.8% (4;82)
San Joaquin	Dameron Hospital		0.0% (0;8)						1.4% (1;188)
	Doctors Hospital of Manteca								
	Kaiser Foundation Hospital – Manteca	0.0% (0;30)	0.0% (0;45)		40.5% (1;8)				0.0% (0;11)
	Lodi Memorial Hospital	0.0% (0;4)	0.0% (0;11)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
San Joaquin (continued)	Saint Joseph's Medical Center of Stockton	0.0% (0;19)	0.0% (0;60)	**0.0% (0;33) Better**					**0.0% (0;208) Better**
	San Joaquin General Hospital		0.0% (0;8)	0.0% (0;9)					
	Sutter Tracy Community Hospital								
San Luis Obispo	French Hospital Medical Center		0.0% (0;22)						2.9% (3;170)
	Marian Regional Medical Center – Arroyo Grande		0.0% (0;11)						
	Sierra Vista Regional Medical Center	0.0% (0;7)	0.0% (0;10)	14.8% (5;46)		0.0% (0;3)	0.0% (0;3)		
	Twin Cities Community Hospital		0.0% (0;7)						
San Mateo	Kaiser Foundation Hospital – Redwood City			**4.5% (24;533) Better**					6.0% (1;33)
	Kaiser Foundation Hospital – South San Francisco		0.0% (0;5)			0.0% (0;3)			
	Peninsula Medical Center	0.0% (0;15)	0.0% (0;25)	0.0% (0;15)	**100.0% (1;6) Worse**	0.0% (0;10)	0.0% (0;4)	0.0% (0;6)	3.7% (7;170)
	San Mateo Medical Center								
	Sequoia Hospital	0.0% (0;8)	0.0% (0;28)						3.6% (1;53)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
San Mateo (continued)	Seton Medical Center		0.0% (0;13)	19.8% (2;5)					**0.8% (2;173) Better**
Santa Barbara	Goleta Valley Cottage Hospital								
	Lompoc Valley Medical Center								
	Marian Regional Medical Center	0.0% (0;11)	0.0% (0;18)	3.3% (2;29)					5.9% (3;65)
	Santa Barbara Cottage Hospital	0.0% (0;14)	0.0% (0;22)	9.2% (20;228)	0.0% (0;4)	0.0% (0;5)		0.0% (0;3)	2.9% (3;169)
	Santa Ynez Valley Cottage Hospital								
Santa Clara	El Camino Hospital	0.0% (0;17)	0.0% (0;42)	6.3% (4;45)		0.0% (0;14)	0.0% (0;8)	0.0% (0;6)	2.2% (3;146)
	Good Samaritan Hospital – San Jose	0.0% (0;4)	0.0% (0;18)	6.7% (6;76)	0.0% (0;4)				3.6% (6;173)
	Kaiser Foundation Hospital – San Jose	0.0% (0;4)	0.0% (0;11)			15.4% (1;20)	0.0% (0;11)	36.3% (1;9)	2.7% (1;46)
	Kaiser Foundation Hospital – Santa Clara	**92.8% (2;17) Worse**	6.6% (1;15)		0.0% (0;5)	0.0% (0;4)		0.0% (0;3)	2.4% (11;354)
	O'Connor Hospital	0.0% (0;11)	0.0% (0;8)	8.2% (2;19)		0.0% (0;5)	0.0% (0;4)		4.7% (6;136)
	Regional Medical of San Jose		0.0% (0;7)	**12.3% (19;76) Worse**					2.3% (5;184)
	Saint Louise Regional Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Santa Clara (continued)	Santa Clara Valley Medical Center	0.0% (0;7)	0.0% (0;8)	5.6% (3;66)		78.9% (1;4)		0.0% (0;3)	1.2% (1;122)
	Stanford Hospital	1.7% (1;57)	0.0% (0;48)	**3.1% (16;640) Better**	0.0% (0;22)	2.5% (3;103)	2.6% (2;60)	1.7% (1;43)	3.5% (8;166)
Santa Cruz	Dominican Hospital	0.0% (0;7)	0.0% (0;9)	5.5% (3;40)					4.1% (3;160)
	Watsonville Community Hospital								
Shasta	Mayers Memorial Hospital								
	Mercy Medical Center – Redding	0.0% (0;20)	0.0% (0;63)	7.2% (6;45)					3.9% (9;178)
	Shasta Regional Medical Center		0.0% (0;48)						6.3% (6;122)
Siskiyou	Fairchild Medical Center								
	Mercy Medical Center Mt. Shasta								
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	0.0% (0;6)	0.0% (0;12)						10.6% (4;78)
	Kaiser Foundation Hospital – Vacaville			0.0% (0;31)	0.0% (0;4)				
	North Bay Medical Center	0.0% (0;4)	0.0% (0;9)	11.4% (3;16)					5.0% (5;111)
	Sutter Solano Medical Center								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Sonoma	Healdsburg District Hospital								
	Kaiser Foundation Hospital – Santa Rosa	21.4% (1;7)	0.0% (0;15)						
	Petaluma Valley Hospital								
	Santa Rosa Memorial Hospital – Montgomery	0.0% (0;5)	0.0% (0;29)	6.6% (2;24)					5.6% (6;145)
	Sonoma Valley Hospital								
	Sutter Santa Rosa Regional Hospital								2.4% (1;61)
Stanislaus	Doctors Medical Center	0.0% (0;15)	0.9% (1;85)	14.4% (6;53)		12.1% (1;6)	0.0% (0;4)		**7.3% (18;231) Worse**
	Emanuel Medical Center		0.0% (0;11)						3.6% (5;220)
	Memorial Hospital Medical Center – Modesto	0.0% (0;11)	0.0% (0;81)	8.3% (3;29)		0.0% (0;5)		0.0% (0;4)	**1.2% (4;308) Better**
	Oak Valley District Hospital								
Tehama	Saint Elizabeth Community Hospital								
Trinity	Trinity Hospital								
Tulare	Kaweah Delta Medical Center	0.0% (0;9)	0.0% (0;48)	3.2% (1;19)					2.9% (15;455)
	Sierra View Medical Center								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

OSHPD
Office of Statewide Health Planning and Development

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2015 (January – September) ‡

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.3% (24;1,793)	0.5% (21;4,257)	7.1% (881;12,468)	4.3% (13;304)	2.6% (36;1,375)	2.4% (18;739)	2.8% (18;636)	3.4% (882;26,075)
Tulare (continued)	Tulare Regional Medical Center								
Tuolumne	Sonora Regional Medical Center – Greenley		0.0% (0;14)						
Ventura	Community Memorial Hospital – San Buenaventura	0.0% (0;11)	0.0% (0;25)	0.0% (0;20)					2.4% (2;133)
	Los Robles Hospital and Medical Center	0.0% (0;7)	0.0% (0;18)	12.2% (5;60)		10.6% (1;6)	0.0% (0;3)	18.9% (1;3)	2.3% (3;184)
	Ojai Valley Community Hospital								
	Saint John's Pleasant Valley Hospital								
	Saint John's Regional Medical Center	0.0% (0;15)	0.0% (0;30)	4.1% (2;14)					3.5% (7;148)
	Simi Valley Hospital and Healthcare Services – Sycamore			7.2% (1;7)					0.0% (0;41)
	Ventura County Medical Center			5.7% (1;12)		0.0% (0;3)			
Yolo	Sutter Davis Hospital								
	Woodland Memorial Hospital								
Yuba	Rideout Memorial Hospital	0.0% (0;10)	0.0% (0;41)	0.0% (0;13)					5.1% (8;160)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2015. See Technical Note for details about methodology.

‡ Data are reported for January – September 2015 due to coding changes from ICD-9-CM to ICD-10-CM/PCS, which began October 1, 2015. Comparisons of IMIs across years should be made with caution since previous years' results are based on 12 months of data, while this analysis is based on 9 months of data.

*****Hospital name changed from 2014 to 2015, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.