California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Alameda	Alta Bates Summit Medical Center		0.0% (0;12)		0.0% (0;11)	0.0% (0;5)	0.0% (0;6)	3.0% (13;371)
	Eden Medical Center		0.0% (0;12)					
	Highland Hospital		0.0% (0;5)	0.0% (0;3)	0.0% (0;4)		0.0% (0;4)	**10.1% (10;132) Worse**
	Kaiser Foundation Hospital – Fremont							8.1% (2;19)
	Kaiser Foundation Hospital – Oakland/Richmond		0.0% (0;16)	0.0% (0;6)	1.5% (1;76)	2.0% (1;39)	0.0% (0;37)	10.2% (4;37)
	Kaiser Foundation Hospital – San Leandro	2.4% (1;23)	0.0% (0;36)					
	Saint Rose Hospital							4.9% (5;175)
	San Leandro Hospital		0.0% (0;17)					
	Valleycare Medical Center		0.0% (0;6)					6.8% (4;112)
	Washington Hospital – Fremont		0.0% (0;29)					4.1% (6;174)
Butte	Enloe Medical Center – Esplanade	0.0% (0;23)	0.0% (0;61)					5.8% (12;264)
	Feather River Hospital		0.0% (0;10)					
	Oroville Hospital		0.0% (0;9)					
Contra Costa	John Muir Medical Center – Concord Campus		0.0% (0;79)					4.3% (10;262)
	John Muir Medical Center – Walnut Creek Campus		0.0% (0;6)		0.0% (0;6)		0.0% (0;5)	4.5% (2;58)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Contra Costa (continued)	Kaiser Foundation Hospital – Antioch				8.8% (1;17)	0.0% (0;9)	12.2% (1;8)	
	Kaiser Foundation Hospital – Walnut Creek		0.0% (0;38)					3.4% (5;181)
	San Ramon Regional Medical Center		0.0% (0;7)					2.8% (1;62)
	Sutter Delta Medical Center							4.2% (7;231)
Fresno	Clovis Community Medical Center				0.0% (0;4)		0.0% (0;4)	2.7% (5;149)
	Community Regional Medical Center – Fresno	0.0% (0;41)	0.0% (0;144)		9.1% (2;31)	11.5% (1;10)	7.9% (1;21)	3.6% (11;405)
	Kaiser Foundation Hospital – Fresno		0.0% (0;21)					
	Saint Agnes Medical Center		5.6% (1;21)		0.0% (0;10)	0.0% (0;5)	0.0% (0;5)	4.3% (14;436)
Humboldt	Saint Joseph Hospital – Eureka		0.0% (0;69)					2.5% (5;221)
Kern	Bakersfield Heart Hospital							**1.3% (4;342) Better**
	Bakersfield Memorial Hospital		0.0% (0;53)					4.9% (11;268)
	Kern Medical Center				5.5% (3;11)		6.6% (3;9)	
	Mercy Hospital – Bakersfield		0.0% (0;23)					
	San Joaquin Community Hospital		0.0% (0;21)					4.4% (14;353)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Kings	Adventist Medical Center		0.0% (0;7)	12.1% (1;3)				
Los Angeles	Antelope Valley Hospital		0.0% (0;12)		17.2% (1;4)		21.0% (1;3)	4.8% (7;222)
	Beverly Hospital							6.7% (6;126)
	California Hospital Medical Center – Los Angeles		0.0% (0;3)		3.4% (1;7)		3.8% (1;6)	3.6% (2;125)
	Cedars Sinai Medical Center	0.8% (1;63)	0.0% (0;64)	7.6% (2;7)	0.0% (0;117)	0.0% (0;66)	0.0% (0;51)	4.0% (38;829)
	Centinela Hospital Medical Center		0.0% (0;6)					1.4% (2;152)
	Citrus Valley Medical Center – Inter Community Campus		0.0% (0;33)					6.3% (11;305)
	Citrus Valley Medical Center – Queen of the Valley Campus		4.7% (1;16)					
	City of Hope Helford Clinical Research Hospital			0.0% (0;9)	0.0% (0;45)	0.0% (0;22)	0.0% (0;23)	
	Garfield Medical Center		1.6% (1;38)					4.6% (9;192)
	Glendale Adventist Medical Center		0.0% (0;7)		12.2% (1;7)	12.9% (1;5)		2.8% (8;456)
	Glendale Memorial Hospital and Medical Center		0.0% (0;29)					**8.9% (8;141) Worse**
	Good Samaritan Hospital – Los Angeles		0.0% (0;11)		6.5% (1;16)	6.0% (1;12)	0.0% (0;4)	5.0% (17;254)
	Henry Mayo Newhall Hospital		0.0% (0;7)					4.8% (10;178)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.
*****Hospital name changed from 2015 to 2016, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Los Angeles (continued)	Hollywood Presbyterian Medical Center		0.0% (0;6)					**7.6% (10;147) Worse**
	Huntington Memorial Hospital		3.4% (1;31)	16.4% (1;4)	3.0% (1;27)	4.1% (1;17)	0.0% (0;10)	4.1% (6;172)
	Kaiser Foundation Hospital – Baldwin Park	0.0% (0;16)	0.0% (0;26)					0.0% (0;21)
	Kaiser Foundation Hospital – Downey		0.0% (0;35)		0.0% (0;14)	0.0% (0;9)	0.0% (0;5)	0.0% (0;63)
	Kaiser Foundation Hospital – Panorama City		0.0% (0;20)		0.0% (0;9)	0.0% (0;6)	0.0% (0;3)	0.0% (0;25)
	Kaiser Foundation Hospital – South Bay		0.0% (0;42)	0.0% (0;3)	4.2% (1;24)	5.7% (1;18)	0.0% (0;6)	0.0% (0;13)
	Kaiser Foundation Hospital – Sunset	5.5% (1;16)	1.6% (1;23)	0.0% (0;5)	2.6% (1;40)	0.0% (0;25)	4.3% (1;15)	3.6% (14;540)
	Kaiser Foundation Hospital – West Los Angeles		0.0% (0;8)		7.1% (1;13)	8.2% (1;8)	0.0% (0;5)	0.0% (0;23)
	Kaiser Foundation Hospital – Woodland Hills		1.2% (1;39)					0.0% (0;48)
	Keck Hospital of University of Southern California	1.0% (1;44)	0.0% (0;23)	3.4% (1;21)	0.0% (0;95)	0.0% (0;52)	0.0% (0;43)	2.8% (11;168)
	Lakewood Regional Medical Center	0.0% (0;10)	0.0% (0;16)					3.8% (6;200)
	Long Beach Memorial Medical Center		0.0% (0;38)		0.0% (0;4)		0.0% (0;4)	3.4% (11;357)
	Los Angeles County/Harbor – UCLA Medical Center		0.0% (0;4)		**19.4% (2;19) Worse**	0.0% (0;6)	**31.7% (2;13) Worse**	4.9% (7;235)
	Los Angeles County/Olive View – UCLA Medical Center				0.0% (0;8)	0.0% (0;5)	0.0% (0;3)	0.0% (0;103)
	Los Angeles County/University of Southern California Medical Center	0.0% (0;8)	0.0% (0;6)		0.0% (0;13)	0.0% (0;8)	0.0% (0;5)	4.9% (11;262)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Los Angeles (continued)	Methodist Hospital of Southern California		0.0% (0;21)		7.4% (1;4)		11.4% (1;3)	**8.1% (15;159) Worse**
	Northridge Hospital Medical Center		0.0% (0;12)		0.0% (0;6)	0.0% (0;4)		2.3% (8;295)
	PIH Hospital – Downey							2.1% (1;81)
	Palmdale Regional Medical Center		0.0% (0;18)					3.9% (5;173)
	Pomona Valley Hospital Medical Center (Right click to view comment letter)		0.0% (0;3)					4.2% (9;234)
	Presbyterian Intercommunity Hospital		0.0% (0;18)		0.0% (0;5)		0.0% (0;3)	3.7% (9;260)
	Providence Holy Cross Medical Center		0.0% (0;27)		0.0% (0;9)	0.0% (0;8)		3.9% (14;294)
	Providence Little Company of Mary Medical Center – Torrance		0.0% (0;5)		0.0% (0;13)	0.0% (0;3)	0.0% (0;10)	3.7% (10;284)
	Providence Saint John's Health Center		0.0% (0;20)		2.2% (1;20)	0.0% (0;5)	4.6% (1;15)	4.7% (8;155)
	Providence Saint Joseph Medical Center		0.0% (0;71)		0.0% (0;4)			**6.8% (13;218) Worse**
	Providence Tarzana Medical Center	0.0% (0;19)	0.0% (0;83)					1.9% (4;257)
	Ronald Reagan UCLA Medical Center	2.0% (2;55)	0.0% (0;24)	0.0% (0;9)	1.1% (1;117)	0.0% (0;61)	2.4% (1;56)	**5.5% (23;285) Worse**
	Saint Francis Medical Center		0.0% (0;4)		0.0% (0;5)		0.0% (0;5)	4.9% (9;199)
	Saint Mary Medical Center – Long Beach		3.6% (1;13)					4.3% (5;136)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.
*****Hospital name changed from 2015 to 2016, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Los Angeles (continued)	Saint Vincent Medical Center		0.0% (0;14)		13.1% (1;10)	0.0% (0;5)	16.3% (1;5)	2.7% (5;123)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital		0.0% (0;3)		0.0% (0;3)			2.1% (3;197)
	Southern California Hospital at Culver City		0.0% (0;6)					0.0% (0;51)
	Torrance Memorial Medical Center		0.0% (0;52)		13.5% (2;17)	**16.6% (2;9) Worse**	0.0% (0;8)	3.4% (17;398)
	Valley Presbyterian Hospital		0.0% (0;12)		5.6% (1;14)	9.3% (1;8)	0.0% (0;6)	4.3% (9;203)
	West Hills Hospital and Medical Center		0.0% (0;17)					4.0% (10;214)
	White Memorial Medical Center		3.5% (1;11)					2.6% (4;144)
	Whittier Hospital Medical Center		0.0% (0;3)					
Marin	Kaiser Foundation Hospital – San Rafael		0.0% (0;13)					4.0% (2;37)
	Marin General Hospital		0.0% (0;30)					7.5% (7;164)
Mendocino	Ukiah Valley Medical Center		0.0% (0;17)					
Monterey	Community Hospital of The Monterey Peninsula		0.0% (0;31)		0.0% (0;10)	0.0% (0;4)	0.0% (0;6)	0.0% (0;123)
	Salinas Valley Memorial Hospital		0.0% (0;10)		0.0% (0;6)	0.0% (0;4)		2.7% (2;146)
Napa	Queen of the Valley Medical Center		0.0% (0;16)					3.1% (5;122)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Napa (continued)	Saint Helena Hospital		0.0% (0;50)					2.4% (3;147)
Orange	AHMC Anaheim Regional Medical Center		3.5% (2;28)					3.4% (4;163)
	Anaheim Global Medical Center							0.0% (0;38)
	Fountain Valley Regional Hospital and Medical Center – Euclid		0.0% (0;30)		0.0% (0;9)	0.0% (0;7)		3.2% (13;277)
	Hoag Memorial Hospital Presbyterian	0.0% (0;22)	0.0% (0;76)	0.0% (0;5)	2.7% (1;39)	6.8% (1;22)	0.0% (0;17)	4.2% (17;380)
	Kaiser Foundation Hospital – Orange County – Anaheim		0.0% (0;35)		0.0% (0;27)	0.0% (0;15)	0.0% (0;12)	0.0% (0;56)
	Los Alamitos Medical Center		0.0% (0;26)					4.5% (7;152)
	Mission Hospital Laguna Beach		0.0% (0;3)					
	Mission Hospital Regional Medical Center		0.0% (0;14)	0.0% (0;3)	0.0% (0;5)	0.0% (0;3)		1.7% (4;292)
	Orange Coast Memorial Medical Center		0.0% (0;8)		7.9% (1;27)	0.0% (0;18)	11.2% (1;9)	2.7% (4;158)
	Orange County Global Medical Center		0.0% (0;13)					6.5% (7;134)
	Saddleback Memorial Medical Center		0.0% (0;47)					2.0% (4;259)
	Saint Joseph Hospital – Orange	3.3% (1;40)	1.1% (1;72)		0.0% (0;20)	0.0% (0;12)	0.0% (0;8)	3.2% (13;326)
	Saint Jude Medical Center	0.0% (0;24)	0.0% (0;35)		0.0% (0;16)	0.0% (0;9)	0.0% (0;7)	2.2% (6;291)
	UC Irvine Medical Center	1.6% (1;20)	0.0% (0;12)		1.4% (1;63)	0.0% (0;30)	3.0% (1;33)	3.7% (5;187)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Orange (continued)	West Anaheim Medical Center							2.4% (3;113)
Placer	Kaiser Foundation Hospital – Roseville	13.9% (1;27)	0.0% (0;39)					**0.0% (0;305) Better**
	Sutter Auburn Faith Hospital		0.0% (0;21)					
	Sutter Roseville Medical Center		0.0% (0;40)					4.5% (9;246)
Riverside	Corona Regional Medical Center – Main		0.0% (0;12)					
	Desert Regional Medical Center		1.7% (2;62)		23.5% (1;4)		0.0% (0;3)	3.4% (13;391)
	Eisenhower Medical Center		0.0% (0;84)					3.8% (11;389)
	Hemet Valley Medical Center		**28.5% (1;20) Worse**					
	John F. Kennedy Memorial Hospital							7.9% (5;47)
	Kaiser Foundation Hospital – Moreno Valley							0.0% (0;8)
	Kaiser Foundation Hospital – Riverside	0.0% (0;27)	0.0% (0;43)		0.0% (0;16)	0.0% (0;8)	0.0% (0;8)	0.0% (0;20)
	Loma Linda University Medical Center – Murrieta		0.0% (0;50)					3.1% (11;384)
	Menifee Valley Medical Center		0.0% (0;11)					
	Parkview Community Hospital Medical Center		0.0% (0;4)					

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.
*****Hospital name changed from 2015 to 2016, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Riverside (continued)	Riverside Community Hospital		0.0% (0;38)	0.0% (0;3)	4.3% (1;11)	4.0% (1;10)		4.5% (34;806)
	Riverside University Health System – Medical Center**		0.0% (0;9)		0.0% (0;3)			
	Southwest Healthcare System – Murrieta		12.7% (1;31)					
	Temecula Valley Hospital		0.0% (0;17)					4.4% (16;442)
Sacramento	Kaiser Foundation Hospital – Sacramento		0.0% (0;9)		3.7% (1;31)	0.0% (0;12)	6.1% (1;19)	
	Kaiser Foundation Hospital – South Sacramento	0.0% (0;21)	0.0% (0;12)	0.0% (0;6)				3.6% (7;308)
	Mercy General Hospital	4.2% (1;18)	0.0% (0;43)		0.0% (0;4)	0.0% (0;3)		4.0% (32;902)
	Mercy San Juan Hospital	1.0% (1;40)	**2.5% (4;98) Worse**	0.0% (0;6)				5.0% (13;214)
	Sutter Medical Center, Sacramento	0.0% (0;41)	0.0% (0;137)	0.0% (0;11)	0.0% (0;18)	0.0% (0;9)	0.0% (0;9)	3.5% (11;417)
	UC Davis Medical Center	4.0% (1;29)	0.0% (0;23)	4.8% (1;14)	0.0% (0;24)	0.0% (0;15)	0.0% (0;9)	2.6% (9;372)
San Bernardino	Arrowhead Regional Medical Center		0.0% (0;9)		23.4% (1;6)		27.3% (1;5)	2.5% (1;97)
	Desert Valley Hospital							3.3% (6;249)
	Kaiser Foundation Hospital – Fontana	0.0% (0;28)	1.4% (1;28)	0.0% (0;8)	0.0% (0;14)	0.0% (0;4)	0.0% (0;10)	3.4% (4;283)
	Loma Linda University Medical Center	0.0% (0;29)	0.0% (0;32)	0.0% (0;6)	1.6% (1;48)	0.0% (0;25)	2.4% (1;23)	3.6% (14;375)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
San Bernardino (continued)	Redlands Community Hospital		0.0% (0;19)					
	Saint Bernardine Medical Center		0.0% (0;20)					**7.1% (21;470) Worse**
	Saint Mary Medical Center – Apple Valley		0.0% (0;15)					5.4% (9;274)
	San Antonio Regional Hospital**		0.0% (0;36)					4.1% (12;355)
	Victor Valley Global Medical Center		0.0% (0;4)					
San Diego	Alvarado Hospital		0.0% (0;10)					3.7% (6;116)
	Grossmont Hospital		0.0% (0;80)		5.0% (1;8)	4.7% (1;5)	0.0% (0;3)	3.3% (15;469)
	Kaiser Foundation Hospital – San Diego	0.0% (0;55)	0.0% (0;49)	9.7% (1;3)	0.0% (0;29)	0.0% (0;14)	0.0% (0;15)	
	Palomar Health Downtown Campus		0.0% (0;57)		0.0% (0;3)		0.0% (0;3)	**6.0% (26;400) Worse**
	Paradise Valley Hospital							0.0% (0;40)
	Scripps Green Hospital	1.5% (1;32)	0.0% (0;36)		0.0% (0;15)	0.0% (0;9)	0.0% (0;6)	1.8% (3;151)
	Scripps Memorial Hospital – Encinitas		0.0% (0;24)					2.2% (2;162)
	Scripps Memorial Hospital – La Jolla		0.0% (0;28)		0.0% (0;9)		0.0% (0;8)	5.0% (28;553)
	Scripps Mercy Hospital		0.0% (0;28)		14.4% (1;4)		16.5% (1;3)	3.7% (11;346)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.
*****Hospital name changed from 2015 to 2016, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
San Diego (continued)	Sharp Chula Vista Medical Center		0.0% (0;24)		0.0% (0;3)	0.0% (0;3)		3.2% (7;286)
	Sharp Memorial Hospital		0.0% (0;38)	0.0% (0;4)	0.0% (0;16)	0.0% (0;8)	0.0% (0;8)	2.7% (8;271)
	Tri-City Medical Center – Oceanside		0.0% (0;35)		0.0% (0;5)		0.0% (0;3)	4.5% (3;150)
	UC San Diego Health System – Hillcrest Medical Center	0.0% (0;24)	0.0% (0;26)	0.0% (0;11)	0.0% (0;64)	0.0% (0;30)	0.0% (0;34)	3.8% (14;306)
San Francisco	California Pacific Medical Center – Pacific Campus		0.0% (0;49)	0.0% (0;7)	1.5% (2;73)	0.9% (1;51)	3.2% (1;22)	3.9% (11;242)
	Kaiser Foundation Hospital – San Francisco	0.0% (0;55)	0.0% (0;51)		0.0% (0;47)	0.0% (0;28)	0.0% (0;19)	4.0% (15;301)
	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center**		0.0% (0;7)		0.0% (0;4)		0.0% (0;3)	3.8% (2;73)
	Saint Mary's Medical Center, San Francisco		0.0% (0;9)					4.1% (4;89)
	UC San Francisco Medical Center	0.0% (0;39)	0.8% (1;48)	0.0% (0;16)	1.5% (1;76)	0.0% (0;35)	2.7% (1;41)	4.8% (4;116)
San Joaquin	Dameron Hospital		0.0% (0;6)					7.0% (6;119)
	Kaiser Foundation Hospital – Manteca		0.0% (0;30)	0.0% (0;4)				0.0% (0;16)
	Lodi Memorial Hospital		0.0% (0;18)					
	Saint Joseph's Medical Center of Stockton		0.0% (0;45)		0.0% (0;9)	0.0% (0;4)	0.0% (0;5)	3.2% (15;515)
	San Joaquin General Hospital		0.0% (0;5)					

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.
*****Hospital name changed from 2015 to 2016, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
San Luis Obispo	French Hospital Medical Center		0.0% (0;22)					5.5% (10;254)
	Marian Regional Medical Center – Arroyo Grande		0.0% (0;6)					
	Sierra Vista Regional Medical Center		0.0% (0;15)		0.0% (0;3)			
	Twin Cities Community Hospital		0.0% (0;7)					
San Mateo	Kaiser Foundation Hospital – Redwood City		0.0% (0;5)					11.0% (3;40)
	Peninsula Medical Center		0.0% (0;18)	0.0% (0;5)	0.0% (0;17)	0.0% (0;8)	0.0% (0;9)	1.7% (5;268)
	San Mateo Medical Center				0.0% (0;3)	0.0% (0;3)		
	Sequoia Hospital	0.0% (0;16)	0.0% (0;44)					4.0% (2;67)
	Seton Medical Center		0.0% (0;9)					4.9% (16;246)
Santa Barbara	Marian Regional Medical Center		0.0% (0;26)					4.0% (4;118)
	Santa Barbara Cottage Hospital		0.0% (0;37)		0.0% (0;9)	0.0% (0;5)	0.0% (0;4)	3.8% (9;270)
Santa Clara	El Camino Hospital	0.0% (0;27)	0.0% (0;30)		0.0% (0;6)	0.0% (0;3)	0.0% (0;3)	4.8% (11;224)
	Good Samaritan Hospital – San Jose		0.0% (0;29)		0.0% (0;8)	0.0% (0;3)	0.0% (0;5)	2.1% (6;240)
	Kaiser Foundation Hospital – San Jose	0.0% (0;8)	0.0% (0;16)		2.4% (1;19)	0.0% (0;9)	6.8% (1;10)	4.3% (3;73)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Santa Clara (continued)	Kaiser Foundation Hospital – Santa Clara	2.1% (1;26)	0.0% (0;13)					3.0% (16;555)
	O'Connor Hospital		0.0% (0;8)		0.0% (0;8)	0.0% (0;6)		1.9% (3;166)
	Regional Medical of San Jose		0.0% (0;11)					5.3% (20;319)
	Santa Clara Valley Medical Center		0.0% (0;17)	0.0% (0;3)	0.0% (0;5)		0.0% (0;3)	5.8% (5;148)
	Stanford Health Care**		0.0% (0;58)	3.7% (1;23)	1.7% (3;183)	1.6% (2;100)	1.7% (1;83)	**7.2% (13;196) Worse**
Santa Cruz	Dominican Hospital		0.0% (0;14)					2.2% (3;220)
Shasta	Mercy Medical Center – Redding	0.0% (0;24)	0.0% (0;62)					**6.9% (13;253) Worse**
	Shasta Regional Medical Center		0.0% (0;46)					0.9% (1;183)
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo		0.0% (0;12)	0.0% (0;5)				0.8% (1;233)
	North Bay Medical Center		0.0% (0;5)					3.5% (4;140)
Sonoma	Kaiser Foundation Hospital – Santa Rosa		0.0% (0;26)					
	Santa Rosa Memorial Hospital – Montgomery		0.0% (0;25)					4.1% (12;266)
	Sutter Santa Rosa Regional Hospital			0.0% (0;3)				3.2% (4;110)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.

*****Hospital name changed from 2015 to 2016, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2016

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
					Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.						
	STATEWIDE	1.3% (30;2,358)	0.5% (25;4,894)	3.9% (11;281)	2.2% (44;1,958)	2.0% (20;1,021)	2.6% (24;937)	3.6% (1,315;36,912)
Stanislaus	Doctors Medical Center	2.0% (1;29)	**3.7% (3;139) Worse**		13.1% (1;4)	11.5% (1;3)		**7.8% (17;346) Worse**
	Emanuel Medical Center		0.0% (0;10)					5.3% (11;317)
	Memorial Hospital Medical Center – Modesto		0.0% (0;50)		12.1% (1;7)	11.2% (1;5)		4.2% (13;384)
Tulare	Kaweah Delta Medical Center		0.0% (0;41)					3.6% (26;560)
Tuolumne	Sonora Regional Medical Center – Greenley		0.0% (0;10)					
Ventura	Community Memorial Hospital – San Buenaventura		0.0% (0;38)					4.9% (14;248)
	Los Robles Hospital and Medical Center		0.0% (0;19)		0.0% (0;8)	0.0% (0;4)	0.0% (0;4)	5.4% (9;284)
	Saint John's Regional Medical Center		3.7% (1;30)					2.6% (7;199)
	Simi Valley Hospital and Healthcare Services – Sycamore							4.3% (5;153)
	Ventura County Medical Center		0.0% (0;3)		0.0% (0;7)	0.0% (0;5)		
Yuba	Rideout Memorial Hospital		0.0% (0;36)					2.3% (5;214)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2019, and OSHPD hospital patient discharge data, 2016. See Technical Note for details about methodology.
*****Hospital name changed from 2015 to 2016, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed for any measure or either of the sub-measures that comprise the Abdominal Aortic Aneurysm Repair measure. See Technical Note for details.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.