California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Alameda	Alta Bates Summit Medical Center			0.0% (0;5)	0.0% (0;9)	4.4% (21;401)
	Eden Medical Center		0.0% (0;4)	0.0% (0;19)		
	Highland Hospital		0.0% (0;3)		5.0% (1;6)	5.4% (8;142)
	Kaiser Foundation Hospital – Fremont					4.7% (1;32)
	Kaiser Foundation Hospital – Oakland/Richmond		0.0% (0;9)	0.0% (0;8)	1.3% (1;108)	3.5% (6;221)
	Kaiser Foundation Hospital – San Leandro	5.7% (1;9)	0.0% (0;18)	0.0% (0;25)		
	Saint Rose Hospital					6.8% (8;195)
	San Leandro Hospital		0.0% (0;10)	0.0% (0;8)		
	Stanford Health Care – ValleyCare		0.0% (0;6)	0.0% (0;14)		3.4% (4;96)
	Washington Hospital – Fremont		2.8% (1;4)	0.0% (0;17)		5.0% (11;219)
Butte	Enloe Medical Center – Esplanade		0.0% (0;16)	0.0% (0;61)	0.0% (0;6)	2.4% (7;285)
	Oroville Hospital			0.0% (0;13)		
Contra Costa	John Muir Medical Center – Concord Campus		0.0% (0;20)	0.0% (0;66)		3.0% (8;278)
	John Muir Medical Center – Walnut Creek Campus Right click to view comment letter		0.0% (0;17)	0.0% (0;11)	6.4% (1;6)	3.7% (1;60)
	Kaiser Foundation Hospital – Walnut Creek	0.0% (0;6)	0.0% (0;23)	0.0% (0;25)		1.9% (2;216)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.
*****Hospital name changed from 2018 to 2019, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Contra Costa (continued)	San Ramon Regional Medical Center		0.0% (0;3)	0.0% (0;10)		5.3% (3;72)
	Sutter Delta Medical Center					3.1% (5;218)
El Dorado	Marshall Medical Center			0.0% (0;3)		
Fresno	Clovis Community Medical Center				0.0% (0;14)	5.4% (7;141)
	Community Regional Medical Center – Fresno	0.0% (0;4)	0.0% (0;36)	0.0% (0;130)	2.8% (1;14)	4.0% (17;402)
	Kaiser Foundation Hospital – Fresno		0.0% (0;11)	0.0% (0;15)		0.0% (0;12)
	Saint Agnes Medical Center		0.0% (0;4)	0.0% (0;22)	4.6% (1;8)	3.6% (12;425)
Humboldt	Saint Joseph Hospital – Eureka		0.0% (0;21)	0.0% (0;41)		4.5% (4;117)
Kern	Adventist Health Bakersfield			0.0% (0;36)		3.4% (13;370)
	Bakersfield Heart Hospital		16.6% (1;13)	0.0% (0;7)		3.9% (6;199)
	Bakersfield Memorial Hospital	35.4% (1;3)	1.3% (1;34)	0.0% (0;65)		6.1% (14;298)
	Kern Medical Center				**14.4% (2;3) Worse**	
	Mercy Hospital – Bakersfield			0.0% (0;7)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.
*****Hospital name changed from 2018 to 2019, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Kings	Adventist Health Hanford			0.0% (0;3)		
Los Angeles	Adventist Health Glendale		0.0% (0;11)	0.0% (0;23)	0.0% (0;8)	3.0% (15;494)
	Adventist Health White Memorial		0.0% (0;3)	0.0% (0;9)		6.4% (11;174)
	Antelope Valley Hospital		0.0% (0;3)	0.0% (0;15)		**7.3% (14;225) Worse**
	Beverly Hospital			0.0% (0;5)		6.0% (5;114)
	California Hospital Medical Center – Los Angeles				0.0% (0;6)	1.0% (1;96)
	Cedars-Sinai Medical Center**	0.0% (0;5)	1.1% (1;48)	1.0% (2;86)	0.0% (0;111)	3.2% (37;933)
	Centinela Hospital Medical Center			0.0% (0;12)		2.7% (3;141)
	City of Hope Helford Clinical Research Hospital				2.3% (1;61)	
	Emanate Health Foothill Presbyterian Hospital				0.0% (0;9)	
	Emanate Health Inter–Community Hospital		0.0% (0;19)	**6.7% (2;22) Worse**		5.3% (14;352)
	Emanate Health Queen of the Valley Hospital			0.0% (0;9)		
	Garfield Medical Center		0.0% (0;10)	0.0% (0;26)	0.0% (0;10)	4.7% (6;175)
	Glendale Memorial Hospital and Medical Center		0.0% (0;12)	0.0% (0;11)		4.1% (4;126)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.
*****Hospital name changed from 2018 to 2019, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Los Angeles (continued)	Good Samaritan Hospital – Los Angeles		0.0% (0;9)	2.9% (1;9)	13.0% (1;10)	4.3% (14;218)
	Henry Mayo Newhall Hospital			0.0% (0;11)		5.4% (16;181)
	Hollywood Presbyterian Medical Center				0.0% (0;3)	5.6% (11;187)
	Huntington Memorial Hospital		0.0% (0;12)	0.0% (0;17)	4.5% (2;36)	2.7% (8;239)
	Kaiser Foundation Hospital – Baldwin Park		0.0% (0;11)	0.0% (0;28)		0.0% (0;9)
	Kaiser Foundation Hospital – Downey		0.0% (0;12)	0.0% (0;16)	0.0% (0;20)	0.0% (0;5)
	Kaiser Foundation Hospital – Panorama City	0.0% (0;4)		0.0% (0;18)	0.0% (0;13)	0.0% (0;3)
	Kaiser Foundation Hospital – South Bay		0.0% (0;16)	0.0% (0;28)	0.0% (0;21)	
	Kaiser Foundation Hospital – Sunset	0.0% (0;8)	0.0% (0;10)	0.0% (0;17)	0.0% (0;32)	3.3% (17;830)
	Kaiser Foundation Hospital – West Los Angeles		0.0% (0;4)	0.0% (0;8)	3.9% (1;30)	0.0% (0;4)
	Kaiser Foundation Hospital – Woodland Hills		0.0% (0;19)	0.0% (0;24)		0.0% (0;4)
	Keck Hospital of University of Southern California	0.0% (0;5)	1.7% (3;57)	2.3% (1;24)	1.0% (1;108)	2.9% (12;185)
	Lakewood Regional Medical Center	0.0% (0;3)	0.0% (0;5)	0.0% (0;8)		3.4% (7;214)
	Los Angeles County/Harbor – UCLA Medical Center		0.0% (0;6)		0.0% (0;14)	4.2% (13;249)
	Los Angeles County/Olive View – UCLA Medical Center		0.0% (0;4)	0.0% (0;5)	0.0% (0;8)	0.0% (0;107)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.
*****Hospital name changed from 2018 to 2019, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Los Angeles (continued)	Los Angeles County/University of Southern California Medical Center		0.0% (0;3)	0.0% (0;11)	3.1% (1;14)	4.8% (15;274)
	MemorialCare Long Beach Medical Center	0.0% (0;5)	0.0% (0;25)	0.0% (0;56)	9.0% (2;14)	5.3% (12;302)
	Methodist Hospital of Southern California			0.0% (0;12)		2.1% (6;186)
	Northridge Hospital Medical Center		0.0% (0;3)	0.0% (0;21)		3.3% (14;315)
	PIH Health Hospital – Whittier		0.0% (0;10)	0.0% (0;15)	0.0% (0;3)	4.4% (16;301)
	PIH Health Hospital – Downey					4.7% (3;99)
	Palmdale Regional Medical Center					4.0% (7;175)
	Pomona Valley Hospital Medical Center		0.0% (0;5)	0.0% (0;7)	5.6% (1;4)	2.8% (10;288)
	Providence Holy Cross Medical Center		0.0% (0;20)	0.0% (0;18)	2.6% (1;23)	3.2% (9;274)
	Providence Little Company of Mary Medical Center – Torrance			0.0% (0;12)	0.0% (0;8)	3.6% (10;268)
	Providence Saint John's Health Center		0.0% (0;9)	0.0% (0;25)	0.0% (0;11)	4.8% (7;140)
	Providence Saint Joseph Medical Center	0.0% (0;3)	0.0% (0;29)	0.0% (0;37)	0.0% (0;5)	**0.8% (2;231) Better**
	Providence Tarzana Medical Center	0.0% (0;3)	0.0% (0;17)	1.4% (1;60)		5.2% (7;177)
	Ronald Reagan UCLA Medical Center	7.6% (1;11)	1.8% (1;44)	0.0% (0;12)	3.4% (3;114)	4.9% (30;323)
	Saint Francis Medical Center		0.0% (0;4)	0.0% (0;4)	0.0% (0;5)	**7.6% (11;199) Worse**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.

*****Hospital name changed from 2018 to 2019, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Los Angeles (continued)	Saint Mary Medical Center – Long Beach		0.0% (0;4)	0.0% (0;7)		**1.3% (3;184) Better**
	Saint Vincent Medical Center		0.0% (0;9)	0.0% (0;11)	0.0% (0;14)	1.7% (2;116)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital					1.5% (2;122)
	Sherman Oaks Hospital					0.0% (0;10)
	Southern California Hospital at Culver City		0.0% (0;4)	0.0% (0;9)		0.0% (0;79)
	Torrance Memorial Medical Center		0.0% (0;21)	0.0% (0;24)	0.0% (0;10)	4.8% (31;409)
	Valley Presbyterian Hospital			0.0% (0;3)		**8.0% (15;154) Worse**
	West Hills Hospital and Medical Center			0.0% (0;6)		6.0% (8;170)
Marin	Kaiser Foundation Hospital – San Rafael			0.0% (0;17)		6.9% (2;41)
	MarinHealth Medical Center**		0.0% (0;11)	0.0% (0;35)		4.0% (6;161)
Merced	Mercy Medical Center – Merced					0.0% (0;34)
Monterey	Community Hospital of The Monterey Peninsula		0.0% (0;7)	0.0% (0;28)	0.0% (0;3)	3.2% (4;137)
	Salinas Valley Memorial Hospital		0.0% (0;13)	0.0% (0;23)		**7.5% (11;187) Worse**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.
***Hospital name changed from 2018 to 2019, see Technical Note for details.*
Note: Blank cells indicate that fewer than three procedures were performed.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Napa	Adventist Health Saint Helena		0.0% (0;16)	0.0% (0;39)		2.6% (4;144)
	Queen of the Valley Medical Center		0.0% (0;5)	0.0% (0;9)		4.5% (6;99)
Orange	AHMC Anaheim Regional Medical Center		0.0% (0;5)	0.0% (0;18)		3.0% (4;175)
	Anaheim Global Medical Center					1.5% (1;79)
	Fountain Valley Regional Hospital and Medical Center – Euclid		0.0% (0;9)	0.0% (0;17)	4.2% (1;15)	2.8% (8;237)
	Hoag Memorial Hospital Presbyterian	0.0% (0;6)	0.0% (0;16)	0.0% (0;66)	1.4% (1;72)	3.2% (11;412)
	Kaiser Foundation Hospital – Orange County – Anaheim		0.0% (0;30)	0.0% (0;43)	3.8% (2;28)	1.1% (1;124)
	Los Alamitos Medical Center			3.7% (1;33)		5.2% (14;166)
	MemorialCare Orange Coast Medical Center		0.0% (0;5)	0.0% (0;11)	3.7% (1;25)	2.3% (6;181)
	MemorialCare Saddleback Medical Center		0.0% (0;24)	0.0% (0;26)		4.2% (9;253)
	Mission Hospital Laguna Beach			0.0% (0;7)		
	Mission Hospital Regional Medical Center		0.0% (0;5)	0.0% (0;26)	8.3% (1;13)	3.6% (14;316)
	Orange County Global Medical Center			0.0% (0;3)		3.9% (7;128)
	Placentia Linda Hospital					0.0% (0;26)
	Saint Joseph Hospital – Orange	**50.8% (2;7) Worse**	2.2% (1;16)	0.0% (0;70)	0.0% (0;23)	4.9% (16;319)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.

*****Hospital name changed from 2018 to 2019, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Orange (continued)	Saint Jude Medical Center		0.0% (0;16)	0.0% (0;32)	0.0% (0;23)	3.5% (15;304)
	UC Irvine Medical Center		0.0% (0;22)	0.0% (0;12)	0.0% (0;58)	4.6% (8;191)
	West Anaheim Medical Center					1.5% (2;93)
Placer	Kaiser Foundation Hospital – Roseville	17.9% (1;4)	0.0% (0;30)	0.0% (0;64)		2.6% (5;362)
	Sutter Auburn Faith Hospital		0.0% (0;4)	0.0% (0;10)		
	Sutter Roseville Medical Center		0.0% (0;17)	0.0% (0;65)		2.4% (7;314)
Riverside	Corona Regional Medical Center – Main			0.0% (0;3)		2.2% (2;128)
	Desert Regional Medical Center		0.0% (0;8)	1.8% (1;31)		4.0% (16;350)
	Eisenhower Medical Center		0.0% (0;27)	0.0% (0;64)		5.8% (14;383)
	John F. Kennedy Memorial Hospital					2.1% (2;107)
	Kaiser Foundation Hospital – Moreno Valley					0.0% (0;9)
	Kaiser Foundation Hospital – Riverside		0.0% (0;30)	0.0% (0;47)	0.0% (0;26)	0.0% (0;14)
	Loma Linda University Medical Center – Murrieta		0.0% (0;10)	0.0% (0;40)		5.1% (24;537)
	Menifee Global Medical Center**		0.0% (0;6)	0.0% (0;11)		
	Parkview Community Hospital Medical Center			0.0% (0;7)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.

*****Hospital name changed from 2018 to 2019, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Riverside (continued)	Riverside Community Hospital		0.0% (0;26)	0.0% (0;50)	3.1% (1;19)	4.1% (26;613)
	Riverside University Health System – Medical Center		0.0% (0;5)		8.8% (2;7)	
	Southwest Healthcare System – Murrieta		0.0% (0;7)	0.0% (0;24)		
	Temecula Valley Hospital		0.0% (0;15)	0.0% (0;29)		3.5% (14;550)
Sacramento	Kaiser Foundation Hospital – Sacramento			0.0% (0;6)	0.0% (0;47)	
	Kaiser Foundation Hospital – South Sacramento	0.0% (0;4)	4.2% (1;19)	0.0% (0;15)		3.4% (7;329)
	Mercy General Hospital		0.0% (0;13)	**3.6% (2;27) Worse**		2.6% (18;910)
	Mercy San Juan Hospital	0.0% (0;4)	4.7% (1;22)	1.3% (1;75)		4.2% (13;261)
	Sutter Medical Center, Sacramento	0.0% (0;10)	0.0% (0;54)	1.4% (2;154)	0.0% (0;36)	3.8% (12;338)
	UC Davis Medical Center	9.1% (1;7)	0.0% (0;26)	0.0% (0;29)	5.6% (2;39)	6.0% (17;231)
San Bernardino	Arrowhead Regional Medical Center		0.0% (0;3)	0.0% (0;8)		0.0% (0;102)
	Barstow Community Hospital		0.0% (0;3)	0.0% (0;5)		
	Chino Valley Medical Center					0.0% (0;5)
	Desert Valley Hospital		0.0% (0;3)			2.8% (14;371)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.
*****Hospital name changed from 2018 to 2019, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
San Bernardino (continued)	Kaiser Foundation Hospital – Fontana	28.7% (1;4)	0.0% (0;26)	3.0% (1;41)	8.2% (1;10)	**1.6% (4;333) Better**
	Loma Linda University Medical Center	0.0% (0;3)	2.1% (1;14)	1.7% (1;39)	5.8% (2;49)	5.2% (29;450)
	Redlands Community Hospital		0.0% (0;4)	0.0% (0;18)		
	Saint Bernardine Medical Center		0.0% (0;11)	0.0% (0;19)		4.1% (17;491)
	Saint Mary Medical Center – Apple Valley		0.0% (0;16)	0.0% (0;19)		5.0% (12;322)
	San Antonio Regional Hospital		0.0% (0;13)	0.0% (0;43)	0.0% (0;7)	3.1% (18;436)
San Diego	Alvarado Hospital			0.0% (0;7)		2.0% (4;119)
	Grossmont Hospital Right click to view comment letter		0.0% (0;15)	0.0% (0;45)	5.2% (1;9)	3.7% (19;459)
	Kaiser Foundation Hospital – San Diego – Zion	0.0% (0;4)	0.0% (0;36)	0.0% (0;30)	0.0% (0;22)	
	Palomar Health Downtown Campus		0.0% (0;21)	0.0% (0;57)	0.0% (0;3)	5.3% (20;371)
	Paradise Valley Hospital			0.0% (0;3)		4.6% (1;45)
	Scripps Green Hospital		2.1% (1;11)	0.0% (0;27)	0.0% (0;16)	
	Scripps Memorial Hospital – Encinitas		0.0% (0;10)	0.0% (0;15)		3.7% (5;197)
	Scripps Memorial Hospital – La Jolla	0.0% (0;5)	0.0% (0;4)	0.0% (0;19)		4.1% (31;923)
	Scripps Mercy Hospital		0.0% (0;14)	1.4% (1;30)	0.0% (0;5)	4.1% (9;293)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.
*****Hospital name changed from 2018 to 2019, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
San Diego (continued)	Sharp Chula Vista Medical Center		30.3% (1;4)	0.0% (0;24)	0.0% (0;5)	**1.3% (4;266) Better**
	Sharp Memorial Hospital		0.0% (0;25)	0.0% (0;24)	0.0% (0;20)	5.5% (15;346)
	Tri-City Medical Center – Oceanside		0.0% (0;10)	0.0% (0;55)		2.6% (4;202)
	UC San Diego Health System – Hillcrest Medical Center	10.2% (1;6)	0.0% (0;49)	0.0% (0;14)	0.0% (0;90)	3.5% (13;384)
San Francisco	California Pacific Medical Center – Van Ness Campus		0.0% (0;11)	0.0% (0;23)	0.0% (0;52)	2.6% (5;195)
	California Pacific Medical Center – D/P APH**			0.0% (0;5)	0.0% (0;11)	8.1% (2;47)
	Kaiser Foundation Hospital – San Francisco	0.0% (0;4)	20.2% (1;32)	0.0% (0;41)	0.0% (0;40)	2.3% (8;270)
	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center			0.0% (0;6)	0.0% (0;6)	5.9% (6;91)
	Saint Francis Memorial Hospital			0.0% (0;3)		
	Saint Mary's Medical Center, San Francisco			0.0% (0;11)		3.7% (6;100)
	UC San Francisco Medical Center	0.0% (0;11)	0.0% (0;18)	0.0% (0;32)	0.0% (0;150)	3.1% (11;165)
San Joaquin	Dameron Hospital					6.7% (6;96)
	Kaiser Foundation Hospital – Manteca		7.0% (1;29)	0.0% (0;51)		0.0% (0;36)
	Saint Joseph's Medical Center of Stockton		0.0% (0;29)	0.0% (0;46)	0.0% (0;5)	3.1% (21;632)
	San Joaquin General Hospital			0.0% (0;11)	0.0% (0;8)	

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.

*****Hospital name changed from 2018 to 2019, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
San Luis Obispo	French Hospital Medical Center		0.0% (0;6)	0.0% (0;29)		**8.1% (19;271) Worse**
	Marian Regional Medical Center – Arroyo Grande			0.0% (0;7)	0.0% (0;3)	
	Sierra Vista Regional Medical Center		0.0% (0;7)	0.0% (0;22)	16.9% (1;3)	
San Mateo	Kaiser Foundation Hospital – Redwood City		0.0% (0;9)	0.0% (0;8)		5.7% (1;38)
	Peninsula Medical Center	9.5% (1;5)	0.0% (0;14)	0.0% (0;27)	0.0% (0;14)	2.1% (4;233)
	Sequoia Hospital		0.0% (0;9)	0.0% (0;40)		1.3% (1;67)
	Seton Medical Center		0.0% (0;4)	0.0% (0;6)		**6.7% (20;200) Worse**
Santa Barbara	Marian Regional Medical Center		0.0% (0;5)	0.0% (0;37)		6.3% (6;116)
	Santa Barbara Cottage Hospital		0.0% (0;14)	0.0% (0;38)	0.0% (0;24)	**8.3% (18;231) Worse**
Santa Clara	El Camino Health**	0.0% (0;3)	0.0% (0;13)	0.0% (0;36)	0.0% (0;10)	2.5% (5;218)
	Good Samaritan Hospital – San Jose		0.0% (0;8)	0.0% (0;24)	0.0% (0;4)	5.1% (13;285)
	Kaiser Foundation Hospital – San Jose	12.1% (1;4)	0.0% (0;5)	0.0% (0;7)	2.3% (1;48)	6.0% (7;184)
	Kaiser Foundation Hospital – Santa Clara	0.0% (0;4)	0.0% (0;11)	0.0% (0;5)		2.9% (17;590)
	O'Connor Hospital		0.0% (0;11)	0.0% (0;5)		3.7% (7;157)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.

*****Hospital name changed from 2018 to 2019, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Santa Clara (continued)	Regional Medical Center of San Jose		0.0% (0;6)	0.0% (0;6)	0.0% (0;5)	3.3% (10;215)
	Santa Clara Valley Medical Center	0.0% (0;3)	0.0% (0;8)	0.0% (0;25)	0.0% (0;8)	3.4% (4;153)
	Stanford Health Care	30.0% (1;6)	0.0% (0;56)	0.0% (0;54)	0.7% (1;155)	2.9% (8;204)
Santa Cruz	Dominican Hospital		0.0% (0;12)	0.0% (0;15)		4.8% (10;216)
Shasta	Mercy Medical Center – Redding	0.0% (0;3)	0.0% (0;21)	0.0% (0;24)		3.4% (8;270)
	Shasta Regional Medical Center			0.0% (0;34)		4.9% (5;131)
Solano	Kaiser Foundation Hospital & Rehabilitation Center – Vallejo		0.0% (0;9)	0.0% (0;10)		2.5% (3;201)
	NorthBay Medical Center			0.0% (0;7)		3.3% (9;216)
Sonoma	Kaiser Foundation Hospital – Santa Rosa		0.0% (0;12)	0.0% (0;30)		
	Santa Rosa Memorial Hospital – Montgomery		0.0% (0;10)	0.0% (0;16)		3.4% (8;247)
	Sutter Santa Rosa Regional Hospital					3.3% (3;118)
Stanislaus	Doctors Medical Center	23.9% (1;4)	0.0% (0;29)	0.9% (1;124)	0.0% (0;3)	4.0% (14;320)
	Emanuel Medical Center			0.0% (0;4)		3.3% (5;229)
	Memorial Medical Center – Modesto		0.0% (0;8)	0.0% (0;71)	0.0% (0;6)	2.6% (8;274)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.

*****Hospital name changed from 2018 to 2019, see Technical Note for details.***

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2019

OSHPD
Office of Statewide Health Planning and Development

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	7.1% (18;254)	0.9% (18;2,032)	0.4% (19;4,394)	2.1% (45;2,193)	3.8% (1473;38,342)
Tulare	Kaweah Delta Medical Center	30.6% (1;3)	0.0% (0;12)	1.4% (1;80)		3.4% (18;497)
Tuolumne	Adventist Health Sonora – Greenley			0.0% (0;15)		
Ventura	Adventist Health Simi Valley					4.8% (3;123)
	Community Memorial Hospital – San Buenaventura		0.0% (0;23)	0.0% (0;53)		**7.6% (11;204) Worse**
	Los Robles Hospital and Medical Center		0.0% (0;4)	0.0% (0;14)	0.0% (0;6)	5.1% (9;254)
	Saint John's Regional Medical Center		4.1% (1;7)	0.0% (0;25)		2.9% (10;211)
	Ventura County Medical Center				0.0% (0;9)	
Yuba	Adventist Health and Rideout		0.0% (0;14)	0.0% (0;33)		4.4% (13;211)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2020, and OSHPD hospital patient discharge data, 2019. See Technical Note for details about methodology.
*****Hospital name changed from 2018 to 2019, see Technical Note for details.***
Note: Blank cells indicate that fewer than three procedures were performed.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.