California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Alameda	Alta Bates Summit Medical Center			0.0% (0;22)	9.2% (1;11)	1.9% (5;253)
	Eden Medical Center		0.0% (0;5)	0.0% (0;12)		
	Highland Hospital		0.0% (0;3)	**25.7% (1;15) Worse**		3.6% (5;108)
	Kaiser Foundation Hospital – Fremont					3.3% (1;34)
	Kaiser Foundation Hospital – Oakland/Richmond		0.0% (0;7)	0.0% (0;9)	0.0% (0;111)	2.6% (6;189)
	Kaiser Foundation Hospital – San Leandro	26.1% (1;5)	3.2% (1;12)	0.0% (0;13)		
	Saint Rose Hospital					**9.8% (13;142) Worse**
	Stanford Health Care – ValleyCare		0.0% (0;7)	0.0% (0;15)		4.6% (4;105)
	Washington Hospital – Fremont		0.0% (0;4)	0.0% (0;19)		4.0% (7;172)
Butte	Enloe Medical Center – Esplanade	0.0% (0;4)	11.5% (1;14)	0.0% (0;53)	0.0% (0;13)	3.3% (11;307)
	Oroville Hospital			0.0% (0;10)		0.0% (0;3)
Contra Costa	John Muir Medical Center – Concord Campus	0.0% (0;4)	0.0% (0;18)	0.0% (0;57)		2.7% (6;248)
	John Muir Medical Center – Walnut Creek Campus		0.0% (0;3)	0.0% (0;5)	7.2% (1;11)	5.0% (2;45)
	Kaiser Foundation Hospital – Walnut Creek		0.0% (0;20)	0.0% (0;16)		4.5% (8;180)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Contra Costa (continued)	San Ramon Regional Medical Center			0.0% (0;7)		3.8% (3;69)
	Sutter Delta Medical Center					**1.6% (4;237) Better**
Fresno	Clovis Community Medical Center				0.0% (0;7)	5.8% (9;127)
	Community Regional Medical Center – Fresno		0.0% (0;36)	1.5% (1;85)	5.1% (1;11)	5.6% (16;340)
	Kaiser Foundation Hospital – Fresno		0.0% (0;8)	0.0% (0;10)		0.0% (0;12)
	Saint Agnes Medical Center		0.0% (0;3)	0.0% (0;4)	17.8% (1;11)	5.6% (17;349)
Humboldt	Saint Joseph Hospital – Eureka		0.0% (0;14)	0.0% (0;31)		4.3% (4;126)
Kern	Adventist Health Bakersfield			0.0% (0;37)		4.6% (20;334)
	Bakersfield Heart Hospital			0.0% (0;13)		3.8% (7;231)
	Bakersfield Memorial Hospital		0.0% (0;24)	0.0% (0;51)	0.0% (0;6)	4.2% (9;263)
Kings	Adventist Health Hanford			0.0% (0;6)		
Los Angeles	Adventist Health Glendale		0.0% (0;5)	0.0% (0;10)	0.0% (0;10)	3.4% (15;407)
	Adventist Health White Memorial			0.0% (0;9)		3.5% (4;134)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Los Angeles (continued)	Antelope Valley Hospital		0.0% (0;7)			7.2% (12;175)
	Beverly Hospital					7.8% (7;96)
	California Hospital Medical Center – Los Angeles			0.0% (0;4)	0.0% (0;4)	6.4% (3;55)
	Cedars-Sinai Marina Del Rey Hospital			0.0% (0;3)		
	Cedars-Sinai Medical Center	29.5% (1;5)	0.0% (0;27)	0.0% (0;66)	1.6% (1;103)	3.9% (32;703)
	Centinela Hospital Medical Center			0.0% (0;6)		1.2% (1;116)
	City of Hope Helford Clinical Research Hospital				0.0% (0;50)	
	Emanate Health Foothill Presbyterian Hospital				88.8% (1;4)	
	Emanate Health Inter-Community Hospital		0.0% (0;19)	0.0% (0;17)		4.2% (13;325)
	Emanate Health Queen of the Valley Hospital			0.0% (0;4)		
	Garfield Medical Center		0.0% (0;9)	0.0% (0;21)	0.0% (0;18)	3.2% (5;183)
	Glendale Memorial Hospital and Medical Center		0.0% (0;4)	0.0% (0;10)		4.8% (6;145)
	Good Samaritan Hospital – Los Angeles		0.0% (0;12)	0.0% (0;9)	8.8% (2;12)	5.8% (21;196)
	Henry Mayo Newhall Hospital			0.0% (0;9)	0.0% (0;3)	3.7% (5;167)
	Hollywood Presbyterian Medical Center					2.6% (7;191)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line ndicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Los Angeles (continued)	Huntington Memorial Hospital		0.0% (0;15)	0.0% (0;20)	0.0% (0;19)	3.7% (6;180)
	Kaiser Foundation Hospital – Baldwin Park		0.0% (0;10)	0.0% (0;24)	0.0% (0;4)	
	Kaiser Foundation Hospital – Downey	34.5% (1;3)	0.0% (0;12)	**29.5% (1;13) Worse**	5.8% (1;24)	0.0% (0;3)
	Kaiser Foundation Hospital – Panorama City			0.0% (0;16)	0.0% (0;12)	
	Kaiser Foundation Hospital – South Bay		13.2% (1;13)	0.0% (0;25)	27.0% (1;9)	
	Kaiser Foundation Hospital – Sunset	0.0% (0;5)	2.8% (1;11)	1.0% (2;29)	0.0% (0;34)	**2.0% (10;739) Better**
	Kaiser Foundation Hospital – West Los Angeles			0.0% (0;7)	5.0% (1;31)	0.0% (0;4)
	Kaiser Foundation Hospital – Woodland Hills		0.0% (0;13)	0.0% (0;23)	0.0% (0;4)	
	Keck Hospital of University of Southern California	0.0% (0;8)	0.0% (0;31)	0.0% (0;21)	3.5% (2;82)	**7.2% (15;148) Worse**
	Lakewood Regional Medical Center		0.0% (0;4)	0.0% (0;16)		**10.3% (14;171) Worse**
	Los Angeles County/Harbor – UCLA Medical Center				**9.5% (3;18) Worse**	6.3% (14;229)
	Los Angeles County/Olive View – UCLA Medical Center				0.0% (0;5)	2.9% (2;73)
	Los Angeles County/University of Southern California Medical Center			0.0% (0;5)	0.0% (0;5)	5.5% (13;245)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Los Angeles (continued)	MemorialCare Long Beach Medical Center	0.0% (0;3)	2.7% (1;25)	0.0% (0;32)	28.8% (1;7)	6.2% (11;225)
	Methodist Hospital of Southern California		0.0% (0;4)	0.0% (0;11)		5.5% (6;121)
	Northridge Hospital Medical Center			0.0% (0;14)		3.2% (13;324)
	PIH Health Hospital – Whittier		5.4% (1;9)	0.0% (0;16)		3.9% (10;262)
	PIH Health Hospital – Downey					4.9% (4;78)
	Palmdale Regional Medical Center			0.0% (0;3)		5.9% (6;120)
	Pomona Valley Hospital Medical Center		0.0% (0;7)	0.0% (0;15)		6.0% (13;216)
	Providence Cedars-Sinai Tarzana Medical Center**		0.0% (0;18)	0.0% (0;36)	0.0% (0;3)	2.8% (4;145)
	Providence Holy Cross Medical Center		0.0% (0;20)	0.0% (0;26)	4.5% (1;29)	2.6% (5;220)
	Providence Little Company of Mary Medical Center – Torrance		0.0% (0;3)	0.0% (0;11)	0.0% (0;13)	4.8% (11;266)
	Providence Saint John's Health Center		0.0% (0;8)	4.4% (1;11)	10.7% (2;18)	6.4% (11;145)
	Providence Saint Joseph Medical Center		0.0% (0;10)	0.0% (0;36)	0.0% (0;6)	1.7% (3;193)
	Ronald Reagan UCLA Medical Center	0.0% (0;9)	3.8% (1;29)	0.0% (0;12)	1.8% (1;99)	4.2% (19;238)
	Saint Francis Medical Center				2.5% (2;9)	3.6% (13;188)
	Saint Mary Medical Center – Long Beach					5.3% (9;121)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Los Angeles (continued)	Saint Vincent Medical Center					0.0% (0;4)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital					3.8% (4;99)
	Sherman Oaks Hospital					2.0% (1;25)
	Southern California Hospital at Culver City		0.0% (0;4)	0.0% (0;8)		0.0% (0;87)
	Torrance Memorial Medical Center		0.0% (0;11)	0.0% (0;14)	0.0% (0;18)	2.8% (9;331)
	Valley Presbyterian Hospital			0.0% (0;5)		4.2% (5;125)
	West Hills Hospital and Medical Center					2.2% (3;157)
Marin	Kaiser Foundation Hospital – San Rafael			0.0% (0;10)		5.4% (2;37)
	MarinHealth Medical Center		0.0% (0;8)	0.0% (0;32)		5.7% (8;163)
Merced	Mercy Medical Center – Merced					4.1% (2;33)
Monterey	Community Hospital of The Monterey Peninsula		0.0% (0;15)	0.0% (0;18)	0.0% (0;17)	3.6% (3;112)
	Salinas Valley Memorial Hospital		0.0% (0;5)	0.0% (0;16)		3.0% (3;168)
Napa	Adventist Health Saint Helena		0.0% (0;6)	0.0% (0;23)		4.6% (3;89)
	Queen of the Valley Medical Center			0.0% (0;11)		2.8% (2;76)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Orange	AHMC Anaheim Regional Medical Center		0.0% (0;9)	0.0% (0;17)		5.9% (5;110)
	Anaheim Global Medical Center					1.4% (1;67)
	Fountain Valley Regional Hospital and Medical Center – Euclid		0.0% (0;9)	0.0% (0;5)	0.0% (0;12)	5.0% (8;145)
	Hoag Memorial Hospital Presbyterian	0.0% (0;4)	5.5% (1;21)	0.0% (0;45)	0.0% (0;57)	4.2% (13;343)
	Kaiser Foundation Hospital – Orange County – Anaheim		0.0% (0;25)	0.0% (0;32)	0.0% (0;20)	4.0% (3;109)
	Los Alamitos Medical Center		0.0% (0;4)	0.0% (0;20)		4.0% (5;133)
	MemorialCare Orange Coast Medical Center		0.0% (0;8)	0.0% (0;3)	0.0% (0;18)	4.9% (10;159)
	MemorialCare Saddleback Medical Center		0.0% (0;29)	0.0% (0;35)		**1.1% (3;189) Better**
	Orange County Global Medical Center			0.0% (0;3)		2.4% (3;101)
	Placentia Linda Hospital					5.3% (1;21)
	Providence Mission Hospital**		0.0% (0;6)	0.0% (0;26)	0.0% (0;12)	5.8% (15;229)
	Providence Mission Hospital – Laguna Beach**			0.0% (0;3)		
	Providence St. Joseph Hospital**	0.0% (0;3)	0.0% (0;16)	3.5% (1;64)	13.0% (1;16)	3.6% (9;276)
	Providence St. Jude Medical Center**	0.0% (0;3)	0.0% (0;6)	0.0% (0;28)	0.0% (0;29)	4.2% (11;278)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.
****Hospital name changed from 2019 to 2020, see Technical Note for details.**
Note: Blank cells indicate that fewer than three procedures were performed.
Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.
Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Orange (continued)	UC Irvine Medical Center		0.0% (0;16)	0.0% (0;14)	5.4% (3;84)	2.5% (4;136)
	West Anaheim Medical Center			0.0% (0;3)		6.1% (6;80)
Placer	Kaiser Foundation Hospital – Roseville		0.0% (0;34)	0.0% (0;31)		3.1% (9;336)
	Sutter Auburn Faith Hospital		0.0% (0;3)	0.0% (0;12)		
	Sutter Roseville Medical Center		0.0% (0;19)	0.0% (0;35)		2.0% (7;337)
Riverside	Corona Regional Medical Center – Main			0.0% (0;6)		4.4% (3;85)
	Desert Regional Medical Center		0.0% (0;9)	0.0% (0;29)		4.2% (10;263)
	Eisenhower Medical Center	0.0% (0;3)	0.0% (0;19)	0.0% (0;72)		2.8% (10;349)
	John F. Kennedy Memorial Hospital					7.1% (4;71)
	Kaiser Foundation Hospital – Moreno Valley					0.0% (0;10)
	Kaiser Foundation Hospital – Riverside		0.0% (0;11)	0.0% (0;27)	0.0% (0;18)	0.0% (0;6)
	Loma Linda University Medical Center – Murrieta		0.0% (0;10)	0.0% (0;22)		5.3% (28;492)
	Menifee Global Medical Center		0.0% (0;7)	0.0% (0;7)		
	Riverside Community Hospital	0.0% (0;4)	0.0% (0;20)	0.0% (0;47)	2.4% (2;24)	3.1% (14;497)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Riverside (continued)	Riverside University Health System – Medical Center			0.0% (0;3)	19.8% (1;3)	
	Southwest Healthcare System – Murrieta		0.0% (0;11)	0.0% (0;29)		
	Temecula Valley Hospital		0.0% (0;6)	0.0% (0;37)		2.5% (12;471)
Sacramento	Kaiser Foundation Hospital – Sacramento			0.0% (0;4)	0.0% (0;45)	
	Kaiser Foundation Hospital – South Sacramento	0.0% (0;3)	0.0% (0;19)	0.0% (0;10)	5.7% (1;4)	3.7% (8;261)
	Mercy General Hospital		2.8% (1;8)	0.0% (0;22)	0.0% (0;7)	4.1% (23;713)
	Mercy San Juan Medical Center**	0.0% (0;3)	0.0% (0;13)	0.0% (0;69)		4.4% (10;254)
	Sutter Medical Center, Sacramento	0.0% (0;11)	0.0% (0;53)	0.0% (0;114)	0.0% (0;32)	3.2% (7;301)
	UC Davis Medical Center	0.0% (0;8)	7.6% (2;30)	0.0% (0;20)	2.5% (1;33)	**7.4% (15;220) Worse**
San Bernardino	Arrowhead Regional Medical Center Right click to view Comment Letter			0.0% (0;9)		2.3% (1;57)
	Chino Valley Medical Center					0.0% (0;18)
	Community Hospital of San Bernardino			0.0% (0;3)		
	Desert Valley Hospital		0.0% (0;4)			5.1% (17;298)
	Kaiser Foundation Hospital – Fontana	**59.4% (2;5) Worse**	0.0% (0;28)	2.7% (1;23)	0.0% (0;10)	1.6% (3;226)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
San Bernardino (continued)	Loma Linda University Medical Center		6.5% (2;25)	0.0% (0;38)	0.0% (0;40)	**7.2% (30;430) Worse**
	Redlands Community Hospital			0.0% (0;3)		
	Saint Bernardine Medical Center		0.0% (0;10)	0.0% (0;12)		3.6% (13;373)
	Saint Mary Medical Center – Apple Valley		0.0% (0;7)	0.0% (0;20)		3.7% (8;234)
	San Antonio Regional Hospital			0.0% (0;22)	0.0% (0;4)	4.6% (18;397)
San Diego	Alvarado Hospital			0.0% (0;3)		1.8% (2;82)
	Grossmont Hospital		0.0% (0;13)	0.0% (0;33)	0.0% (0;17)	5.1% (15;364)
	Kaiser Foundation Hospital – San Diego – Zion	0.0% (0;4)	0.0% (0;37)	0.0% (0;43)	8.5% (1;16)	
	Palomar Health Downtown Campus		0.0% (0;13)	0.0% (0;70)		**6.4% (19;320) Worse**
	Paradise Valley Hospital					0.0% (0;31)
	Scripps Green Hospital		0.0% (0;17)	0.0% (0;20)	0.0% (0;28)	
	Scripps Memorial Hospital – Encinitas		0.0% (0;6)	0.0% (0;25)		**1.4% (3;187) Better**
	Scripps Memorial Hospital – La Jolla		0.0% (0;7)	0.0% (0;21)		**2.7% (23;847) Better**

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
San Diego (continued)	Scripps Mercy Hospital		0.0% (0;8)	0.0% (0;24)	1.3% (1;16)	**0.5% (1;218) Better**
	Sharp Chula Vista Medical Center		0.0% (0;4)	0.0% (0;16)	3.7% (1;3)	4.0% (10;271)
	Sharp Memorial Hospital		0.0% (0;14)	0.0% (0;17)	0.0% (0;20)	4.5% (16;360)
	Tri-City Medical Center – Oceanside		0.0% (0;7)	0.0% (0;46)		2.1% (4;165)
	UC San Diego Health System – Hillcrest Medical Center	0.0% (0;3)	1.6% (1;36)	0.0% (0;34)	2.9% (2;81)	3.0% (9;319)
San Francisco	California Pacific Medical Center – Mission Bernal Campus			0.0% (0;5)		
	California Pacific Medical Center – Van Ness Campus		0.0% (0;9)	0.0% (0;29)	0.0% (0;54)	1.8% (4;178)
	Kaiser Foundation Hospital – San Francisco	0.0% (0;9)	5.0% (1;27)	0.0% (0;32)	0.0% (0;40)	5.1% (11;265)
	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center				0.0% (0;3)	5.0% (5;69)
	St. Mary's Medical Center**			0.0% (0;10)		6.3% (6;64)
	UC San Francisco Medical Center	20.9% (3;18)	0.0% (0;22)	0.0% (0;20)	0.0% (0;138)	4.2% (8;176)
San Joaquin	Dameron Hospital					**11.4% (7;81) Worse**
	Kaiser Foundation Hospital – Manteca		0.0% (0;12)	0.0% (0;38)		6.5% (5;45)
	Saint Joseph's Medical Center of Stockton		0.0% (0;20)	8.7% (1;45)	0.0% (0;5)	4.6% (23;517)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
San Joaquin (continued)	San Joaquin General Hospital		0.0% (0;3)	0.0% (0;4)	3.3% (1;10)	
San Luis Obispo	French Hospital Medical Center		0.0% (0;5)	0.0% (0;28)		4.3% (8;216)
	Marian Regional Medical Center – Arroyo Grande			0.0% (0;3)		
	Sierra Vista Regional Medical Center			0.0% (0;14)	0.0% (0;4)	
	Tenet Health Central Coast Twin Cities Community Hospital**			0.0% (0;6)		
San Mateo	Kaiser Foundation Hospital – Redwood City			0.0% (0;5)		0.0% (0;20)
	Peninsula Medical Center	0.0% (0;3)	15.4% (1;7)	0.0% (0;21)	0.0% (0;16)	2.8% (6;181)
	Sequoia Hospital	0.0% (0;5)	0.0% (0;5)	0.0% (0;37)		1.5% (1;52)
	Seton Medical Center				**100.0% (1;3) Worse**	4.7% (9;171)
Santa Barbara	Marian Regional Medical Center		0.0% (0;7)	0.0% (0;18)		4.5% (4;93)
	Santa Barbara Cottage Hospital		0.0% (0;12)	0.0% (0;26)	0.0% (0;30)	3.1% (7;208)
Santa Clara	El Camino Health	0.0% (0;8)	0.0% (0;7)	0.0% (0;34)	0.0% (0;14)	3.8% (7;175)
	Good Samaritan Hospital – San Jose			0.0% (0;13)	8.8% (1;10)	3.1% (7;237)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Santa Clara (continued)	Kaiser Foundation Hospital – San Jose	0.0% (0;3)	0.0% (0;5)	0.0% (0;12)	0.0% (0;34)	3.5% (6;137)
	Kaiser Foundation Hospital – Santa Clara		0.0% (0;14)	0.0% (0;11)		2.5% (11;435)
	O'Connor Hospital		0.0% (0;10)	0.0% (0;11)	0.0% (0;4)	2.7% (4;139)
	Regional Medical Center of San Jose		0.0% (0;5)	0.0% (0;4)		3.4% (8;148)
	Santa Clara Valley Medical Center	34.9% (1;3)	0.0% (0;5)	0.0% (0;14)	0.0% (0;13)	3.7% (3;107)
	Stanford Health Care	56.9% (1;4)	0.0% (0;50)	0.0% (0;52)	2.3% (3;193)	3.2% (9;200)
Santa Cruz	Dominican Hospital		0.0% (0;10)	0.0% (0;26)		3.6% (6;180)
Shasta	Mercy Medical Center – Redding		0.0% (0;12)	0.0% (0;32)		**1.3% (3;238) Better**
	Shasta Regional Medical Center			0.0% (0;27)		7.7% (8;125)
Solano	Kaiser Foundation Hospital & Rehabilitation Center – Vallejo		0.0% (0;13)	0.0% (0;11)		2.1% (3;181)
	NorthBay Medical Center		0.0% (0;8)	0.0% (0;10)		**8.0% (15;185) Worse**
Sonoma	Kaiser Foundation Hospital – Santa Rosa		0.0% (0;12)	0.0% (0;18)		
	Santa Rosa Memorial Hospital – Montgomery		0.0% (0;9)	0.0% (0;9)		4.7% (10;208)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2020

HCAI Department of Health Care Access and Information

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Open, Unruptured)	Abdominal Aortic Aneurysm Repair (Endovascular, Unruptured)	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		Note: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.				
	STATEWIDE	6.5% (14;215)	1.0% (16;1,618)	0.3% (11;3,543)	2.3% (49;2,150)	3.9% (1,279;32,491)
Sonoma (continued)	Sutter Santa Rosa Regional Hospital					2.8% (4;139)
Stanislaus	Doctors Medical Center	0.0% (0;3)	0.0% (0;18)	**3.2% (2;83) Worse**	0.0% (0;6)	**7.2% (21;294) Worse**
	Emanuel Medical Center					2.2% (6;257)
	Memorial Medical Center – Modesto	0.0% (0;3)	0.0% (0;9)	0.0% (0;70)	4.3% (2;12)	3.3% (10;287)
Tulare	Kaweah Delta Medical Center		0.0% (0;15)	0.0% (0;46)		5.7% (18;351)
	Sierra View Medical Center					0.0% (0;24)
Ventura	Adventist Health Simi Valley					2.0% (2;116)
	Community Memorial Hospital – San Buenaventura		0.0% (0;18)	0.0% (0;38)		2.7% (5;213)
	Los Robles Hospital and Medical Center		0.0% (0;9)	0.0% (0;6)	0.0% (0;4)	3.4% (8;214)
	Saint John's Regional Medical Center		0.0% (0;6)	0.0% (0;11)		1.3% (2;191)
	Ventura County Medical Center			0.0% (0;3)	9.8% (1;6)	
Yuba	Adventist Health and Rideout		0.0% (0;5)	0.0% (0;28)		2.3% (5;197)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2021, and HCAI hospital patient discharge data, 2020. See Technical Note for details about methodology.

****Hospital name changed from 2019 to 2020, see Technical Note for details.**

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.