Paso 2


Paso 3

Paso 5

```
affectionate_gould
PS C:\Users\Tony\getting-started-app> docker rm -f ada034dbf4b4
ada034dbf4b4
PS C:\Users\Tony\getting-started-app> docker volume inspect todo-db
[
    {
        "CreatedAt": "2024-06-09T06:15:30Z",
        "Driver": "local",
        "Labels": null,
        "Mountpoint": "/var/lib/docker/volumes/todo-db/_data",
        "Name": "todo-db",
        "Options": null,
        "Scope": "local"
    }
]
PS C:\Users\Tony\getting-started-app>
```

Paso 7

```
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> SHOW DATABASES;
+--------------------+
| Database           |
+--------------------+
| information_schema |
| mysql              |
| performance_schema |
| sys                |
| todos              |
+--------------------+
5 rows in set (0.00 sec)

mysql>
```

```
Welcome to Netshoot! (github.com/nicolaka/netshoot)
Version: 0.13




 4de25822b2b7   dig mysql

; <<>> DiG 9.18.25 <<>> mysql
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 10802
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;mysql.                         IN      A

;; ANSWER SECTION:
mysql.                  600     IN      A       172.18.0.2

;; Query time: 0 msec
;; SERVER: 127.0.0.11#53(127.0.0.11) (UDP)
;; WHEN: Sun Jun 09 06:47:35 UTC 2024
;; MSG SIZE  rcvd: 44


 4de25822b2b7
```

```
elcome to the MySQL monitor.  Commands end with ; or \g.
our MySQL connection id is 12
erver version: 8.0.37 MySQL Community Server - GPL

opyright (c) 2000, 2024, Oracle and/or its affiliates.

racle is a registered trademark of Oracle Corporation and/or its
ffiliates. Other names may be trademarks of their respective
wners.

ype 'help;' or '\h' for help. Type '\c' to clear the current input statement.

ysql> select * from todo_items;
+--------------------------------------+----------+-----------+
| id                                   | name     | completed |
+--------------------------------------+----------+-----------+
| 6678463a-90be-4588-abc6-0c7c49089ccc | Prueba 1 |         0 |
| 4811b9ea-6ef3-4c97-80ed-53d94366e37d | prueba 2 |         0 |
| 5a791f27-56ed-48e7-bb2f-bb91b2549df8 | Prueba3  |         0 |
| 0a63fa7e-d062-4272-a830-74e5623620c8 | Prueba4  |         0 |
+--------------------------------------+----------+-----------+
 rows in set (0.00 sec)

ysql>
```

```
hat's next?
 Try Docker Debug for seamless, persistent debugging tools in any container or image → docker debug eafa3e2e49b7
 Learn more at https://docs.docker.com/go/debug-cli/
S C:\Users\Tony\getting-started-app> docker ps
ONTAINER ID   IMAGE          COMMAND                  CREATED          STATUS          PORTS                      NAMES
d733b529bb6   node:18-alpine "docker-entrypoint.s…"   8 minutes ago    Up 8 minutes    127.0.0.1:3000->3000/tcp   crazy_banzai
afa3e2e49b7   mysql:8.0      "docker-entrypoint.s…"   32 minutes ago   Up 32 minutes   3306/tcp, 33060/tcp        friendly_mendel
S C:\Users\Tony\getting-started-app>
```

Paso 8

```
app-1    | Done in 0.23s.
app-1    | yarn run v1.22.19
app-1    | $ nodemon -L src/index.js
app-1    | [nodemon] 2.0.20
app-1    | [nodemon] to restart at any time, enter `rs`
app-1    | [nodemon] watching path(s): *.*
app-1    | [nodemon] watching extensions: js,mjs,json
app-1    | [nodemon] starting `node src/index.js`
app-1    | Waiting for mysql:3306.
app-1    | Connected!
app-1    | Connected to mysql db at host mysql
ysql-1   | 2024-06-09T07:11:39.442902Z 0 [System] [MY-011323] [Server] X Plugin ready for connections. Bind-address: '::' port: 33060, so
ket: /var/run/mysqld/mysqlx.sock
ysql-1   | 2024-06-09T07:11:39.442984Z 0 [System] [MY-010931] [Server] /usr/sbin/mysqld: ready for connections. Version: '8.0.37'  socket
 '/var/run/mysqld/mysqld.sock'  port: 3306  MySQL Community Server - GPL.
app-1    | Listening on port 3000
```