Setting The Gold Standard


Model 1440-RC Tire Chuck

The Goldenrod/Svecom Model
1440-RC Tire Chuck is a light
weight and economical general
utility core adapter.

The design has a central body with split collar, the molded rubber bladder, and the end cap. The stationary half of the split collar is machined from the central body for concentricity. The chucks may be made from aluminum or steel.

The model is normally used in pairs and assembled onto an expanding shaft or a mandrel. It is available with interconnecting air hoses, so that two or more chucks may be inflated through a single valve.

The large single bladder offers a maximum of surface area against the core ID, and handles higher torque well. The highly abrasion resistant bladder has outstanding elastic properties, and always rebounds below the core ID.




- Lightest Weight Chuck Adapter
- Lowest Cost
- Available From Stock in many sizes
- Durable Construction
- Concentrically Bored
- High Gripping Force
- Easy to Install and Re-Position
- May be used with interconnecting air

Goldenrod Corporation

P.O. Box 95 - 25 Lancaster Drive Beacon Falls, CT 06403 Toll-free: 800-465-3763 Phone: 203-723-4400 Fax: 203-723-8230

quotes@goldrod.com



With interconnecting air, two or more chucks are inflated from one end.

Goldenrod and Svecom make the 1440-RC model in all standard sizes from 3" to 16" diameters.

- Lightweight and Inexpensive.....safe and economical
- Strong construction......cast or machined bodies; notched molded bladders
- Easily replaceable bladders......fully interchangeable; remove six set screws
- Rubber bladders always bounce back to below core ID......unlike molded thermoplastic
- Large surface area.....handles higher torque well

| | | | | | Weight (aluminum) |
|---------|-------------------|--------------|----------|---------------|-------------------|
| Core ID | Material | Mounting | Max bore | Standard bore | with max bore |
| 3" | Steel or Aluminum | set screw | 30 mm | 1.0" | 2.5 lbs |
| 4" | Steel or Aluminum | split collar | 2" | 2.0" | 5 lbs |
| 5" | Aluminum | split collar | 3" | 2.0" | 7.5 lbs |
| 6" | Aluminum | split collar | 3.3" | 2.98" & 3.01" | 7.25 lbs |
| 8" | Aluminum | split collar | 5" | 3" | 14 lbs |
| 10" | Aluminum | split collar | 6.5" | 6" | 28 lbs |
| 12" | Aluminum | split collar | 8" | 6" | 32 lbs |

GOLDENROD CORPORATION

Goldenrod Corporation – an affiliate of Svecom P.E.

P.O. Box 95-25 Lancaster Drive, Beacon Falls, CT 06403 • TEL (203) 723-4400 • FAX (203) 723-8230 • TOLL FREE (800) 465-3763 www.goldrod.com • quotes@goldrod.com



























