jhTAlib

Joost Hoeks

2019-03-20

Contents

jhTAlib

Technical Analysis Library Time-Series

You can use and import it for your:

- Technical Analysis Software
- Charting Software
- Backtest Software
- Trading Robot Software
- Trading Software in general

Work in progress...

Depends only on

- The Python Standard Library

Docs

- .html
- .epub
- .json
- .odt
- .pdf
- .rst
- .rtf
- .xml

Install

From PyPI:

```
$ [sudo] pip3 install jhtalib
```

From source:

```
$ git clone https://github.com/joosthoeks/jhTAlib.git
$ cd jhTAlib
$ [sudo] pip3 install -e .
```

Update

From PyPI:

```
$ [sudo] pip3 install --upgrade jhtalib
```

From source:

```
$ cd jhTAlib
$ git pull [upstream master]
```

Examples

```
$ cd example/
```

Example 1

```
$ python3 example-1-plot.py
```

or

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-1-plot.ipynb

---

Example 2

```
$ python3 example-2-plot.py
```

or

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-2-plot.ipynb

---

Example 3

```
$ python3 example-3-plot.py
```

or

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-3-plot.ipynb

---

Example 4

```
$ python3 example-4-plot-quandl.py
```

or

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-4-plot-quandl.ipynb

---

Example 5

```
$ python3 example-5-plot-quandl.py
```

or

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-5-plot-quandl.ipynb

---

Example 6

```
$ python3 example-6-plot-quandl.py
```

or

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-6-plot-quandl.ipynb

---

Example 7

```
$ python3 example-7-quandl-2-df.py
```

or

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-7-quandl-2-df.ipynb

---

Example 8

```
$ python3 example-8-alphavantage-2-df.py
```

or

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-8-alphavantage-2-df.ipynb

---

Example 9

```
$ python3 example-9-cryptocompare-2-df.py
```

or

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-9-cryptocompare-2-df.ipynb

---

Example 10

DF NumPy Pandas

https://colab.research.google.com/github/joosthoeks/jhTAlib/blob/master/example/example-10-df-numpy-pandas.ipynb

---

Test

```
$ cd test/
$ python3 test.py
```

Reference

```
import jhtalib as jhta
```

Behavioral Techniques

ATH | All Time High | DONE

- `dict of lists = jhta.ATH(df, price='High')`

LMC | Last Major Correction | DONE

- `dict of lists = jhta.LMC(df, price='Low')`

PP | Pivot Point | DONE

- `dict of lists = jhta.PP(df)`
- https://en.wikipedia.org/wiki/Pivot_point_(technical_analysis)

FIBOPR | Fibonacci Price Retracements | DONE

- `dict of lists = jhta.FIBOPR(df, price='Close')`

FIBTR | Fibonacci Time Retracements |

-

GANNPR | W. D. Gann Price Retracements | DONE

- `dict of lists = jhta.GANNPR(df, price='Close')`

GANNTR | W. D. Gann Time Retracements |

-

JDN | Julian Day Number | DONE

- `jdn = jhta.JDN(utc_year, utc_month, utc_day)`
- https://en.wikipedia.org/wiki/Julian_day

JD | Julian Date | DONE

- `jd = jhta.JD(utc_year, utc_month, utc_day, utc_hour, utc_minute, utc_second)`
- https://en.wikipedia.org/wiki/Julian_day

SUNC | Sun Cycle |

-

MERCURYC | Mercury Cycle |

-

VENUSC | Venus Cycle |

-

EARTHC | Earth Cycle |

-

MARSC | Mars Cycle |

-

JUPITERC | Jupiter Cycle |

-

SATURNC | Saturn Cycle |

-

URANUSC | Uranus Cycle |

-

NEPTUNEC | Neptune Cycle |

-

PLUTOC | Pluto Cycle |

-

MOONC | Moon Cycle |

-

Candlestick

CDLBODYS | Candle Body Size | DONE

- `jhta.CDLBODYS(df)`
- https://www.tradeciety.com/understand-candlesticks-patterns/

CDLWICKS | Candle Wick Size | DONE

- `jhta.CDLWICKS(df)`
- https://www.tradeciety.com/understand-candlesticks-patterns/

CDLUPPSHAS | Candle Upper Shadow Size | DONE

- `jhta.CDLUPPSHAS(df)`
- https://www.tradeciety.com/understand-candlesticks-patterns/

CDLLOWSHAS | Candle Lower Shadow Size | DONE

- `jhta.CDLLOWSHAS(df)`
- https://www.tradeciety.com/understand-candlesticks-patterns/

Cycle Indicators

HT_DCPERIOD | Hilbert Transform - Dominant Cycle Period |

-

HT_DCPHASE | Hilbert Transform - Dominant Cycle Phase |

-

HT_PHASOR | Hilbert Transform - Phasor Components |

-

HT_SINE | Hilbert Transform - SineWave |

-

HT_TRENDLINE | Hilbert Transform - Instantaneous Trendline |

-

HT_TRENDMODE | Hilbert Transform - Trend vs Cycle Mode |

-

TS | Trend Score | DONE

- `list = jhta.TS(df, n, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=TrendScore.htm

---

Data

CSV2DF | CSV file 2 DataFeed | DONE

- `dict of tuples = jhta.CSV2DF(csv_file_path)`

CSVURL2DF | CSV file url 2 DataFeed | DONE

- `dict of tuples = jhta.CSVURL2DF(csv_file_url)`

DF2CSV | DataFeed 2 CSV file | DONE

- `csv file = jhta.DF2CSV(df, csv_file_path)`

DF2DFREV | DataFeed 2 DataFeed Reversed | DONE

- `dict of tuples = jhta.DF2DFREV(df)`

DF2DFWIN | DataFeed 2 DataFeed Window | DONE

- `dict of tuples = jhta.DF2DFWIN(df, start=0, end=10)`

DF_HEAD | DataFeed HEAD | DONE

- `dict of tuples = jhta.DF_HEAD(df, n=5)`

DF_TAIL | DataFeed TAIL | DONE

- `dict of tuples = jhta.DF_TAIL(df, n=5)`

DF2HEIKIN_ASHI | DataFeed 2 Heikin-Ashi DataFeed | DONE

- `dict of tuples = jhta.DF2HEIKIN_ASHI(df)`

Event Driven

ASI | Accumulation Swing Index (J. Welles Wilder) | DONE

- `list = jhta.ASI(df, L)`
- book: New Concepts in Technical Trading Systems

SI | Swing Index (J. Welles Wilder) | DONE

- `list = jhta.SI(df, L)`
- book: New Concepts in Technical Trading Systems

Experimental

JH_SAVGP | Swing Average Price - previous Average Price | DONE

- `list = jhta.JH_SAVGP(df)`

JH_SAVGPS | Swing Average Price - previous Average Price Summation | DONE

- `list = jhta.JH_SAVGPS(df)`

JH_SCO | Swing Close - Open | DONE

- `list = jhta.JH_SCO(df)`

JH_SCOS | Swing Close - Open Summation | DONE

- `list = jhta.JH_SCOS(df)`

JH_SMEDP | Swing Median Price - previous Median Price | DONE

- `list = jhta.JH_SMEDP(df)`

---

jh_SMEDPS | Swing Median Price - previous Median Price Summation | DONE

- `list = jhta.JH_SMEDPS(df)`

JH_SPP | Swing Price - previous Price | DONE

- `list = jhta.JH_SPP(df, price='Close')`

JH_SPPS | Swing Price - previous Price Summation | DONE

- `list = jhta.JH_SPPS(df, price='Close')`

JH_STYPP | Swing Typical Price - previous Typical Price | DONE

- `list = jhta.JH_STYPP(df)`

JH_STYPPS | Swing Typical Price - previous Typical Price Summation | DONE

- `list = jhta.JH_STYPPS(df)`

JH_SWCLP | Swing Weighted Close Price - previous Weighted Close Price | DONE

- `list = jhta.JH_SWCLP(df)`

JH_SWCLPS | Swing Weighted Close Price - previous Weighted Close Price Summation | DONE

- `list = jhta.JH_SWCLPS(df)`

General

NORMALIZE | Normalize | DONE

- `list = jhta.NORMALIZE(df, price_max='High', price_min='Low', price='Close')`
- https://machinelearningmastery.com/normalize-standardize-time-series-data-python/

STANDARDIZE | Standardize | DONE

- `list = jhta.STANDARDIZE(df, price='Close')`
- https://machinelearningmastery.com/normalize-standardize-time-series-data-python/

SPREAD | Spread | DONE

- `list = jhta.SPREAD(df1, df2, price1='Close', price2='Close')`

CP | Comparative Performance | DONE

- `list = jhta.CP(df1, df2, price1='Close', price2='Close')`
- https://www.fmlabs.com/reference/default.htm?url=CompPerformance.htm

---

CRSI | Comparative Relative Strength Index | DONE

- `list = jhta.CRSI(df1, df2, n, price1='Close', price2='Close')`
- https://www.fmlabs.com/reference/default.htm?url=RSIC.htm

CS | Comparative Strength | DONE

- `list = jhta.CS(df1, df2, price1='Close', price2='Close')`
- https://www.fmlabs.com/reference/default.htm?url=CompStrength.htm

---

HR | Hit Rate / Win Rate | DONE

- `float = jhta.HR(hit_trades_int, total_trades_int)`
- http://traderskillset.com/hit-rate-stock-trading/

PLR | Profit/Loss Ratio | DONE

- `float = jhta.PLR(mean_trade_profit_float, mean_trade_loss_float)`
- https://www.investopedia.com/terms/p/profit_loss_ratio.asp

EV | Expected Value | DONE

- `float = jhta.EV(hitrade_float, mean_trade_profit_float, mean_trade_loss_float)`
- https://en.wikipedia.org/wiki/Expected_value

POR | Probability of Ruin (Table of Lucas and LeBeau) | DONE

- `int = jhta.POR(hitrade_float, profit_loss_ratio_float)`
- book: Computer Analysis of the Futures Markets

Information

INFO | Print df Information | DONE

- `print = jhta.INFO(df, price='Close')`

INFO_TRADES | Print Trades Information | DONE

- `print = jhta.INFO_TRADES(profit_trades_list, loss_trades_list)`

Math Functions

EXP | Exponential | DONE

- `list = jhta.EXP(df, price='Close')`

LOG | Logarithm | DONE

- `list = jhta.LOG(df, price='Close')`

LOG10 | Base-10 Logarithm | DONE

- `list = jhta.LOG10(df, price='Close')`

SQRT | Square Root | DONE

- `list = jhta.SQRT(df, price='Close')`

ACOS | Arc Cosine | DONE

- `list = jhta.ACOS(df, price='Close')`

ASIN | Arc Sine | DONE

- `list = jhta.ASIN(df, price='Close')`

ATAN | Arc Tangent | DONE

- `list = jhta.ATAN(df, price='Close')`

COS | Cosine | DONE

- `list = jhta.COS(df, price='Close')`

SIN | Sine | DONE

- `list = jhta.SIN(df, price='Close')`

TAN | Tangent | DONE

- `list = jhta.TAN(df, price='Close')`

ACOSH | Inverse Hyperbolic Cosine | DONE

- `list = jhta.ACOSH(df, price='Close')`

ASINH | Inverse Hyperbolic Sine | DONE

- `list = jhta.ASINH(df, price='Close')`

ATANH | Inverse Hyperbolic Tangent | DONE

- `list = jhta.ATANH(df, price='Close')`

COSH | Hyperbolic Cosine | DONE

- `list = jhta.COSH(df, price='Close')`

SINH | Hyperbolic Sine | DONE

- `list = jhta.SINH(df, price='Close')`

TANH | Hyperbolic Tangent | DONE

- `list = jhta.TANH(df, price='Close')`

PI | Mathematical constant PI | DONE

- `float = jhta.PI()`

E | Mathematical constant E | DONE

- `float = jhta.E()`

TAU | Mathematical constant TAU | DONE

- `float = jhta.TAU()`

PHI | Mathematical constant PHI | DONE

- `float = jhta.PHI()`

CEIL | Ceiling | DONE

- `list = jhta.CEIL(df, price='Close')`

FLOOR | Floor | DONE

- `list = jhta.FLOOR(df, price='Close')`

DEGREES | Radians to Degrees | DONE

- `list = jhta.DEGREES(df, price='Close')`

RADIANS | Degrees to Radians | DONE

- `list = jhta.RADIANS(df, price='Close')`

ADD | Addition High + Low | DONE

- `list = jhta.ADD(df)`

DIV | Division High / Low | DONE

- `list = jhta.DIV(df)`

MAX | Highest value over a specified period | DONE

- `list = jhta.MAX(df, n, price='Close')`

MAXINDEX | Index of highest value over a specified period |

-

MIN | Lowest value over a specified period | DONE

- `list = jhta.MIN(df, n, price='Close')`

MININDEX | Index of lowest value over a specified period |

-

MINMAX | Lowest and Highest values over a specified period |

-

MINMAXINDEX | Indexes of lowest and highest values over a specified period |

-

MULT | Multiply High * Low | DONE

- `list = jhta.MULT(df)`

SUB | Subtraction High - Low | DONE

- `list = jhta.SUB(df)`

SUM | Summation | DONE

- `list = jhta.SUM(df, n, price='Close')`

Momentum Indicators

ADX | Average Directional Movement Index |

-

ADXR | Average Directional Movement Index Rating |

-

APO | Absolute Price Oscillator | DONE

- `list = jhta.APO(df, n_fast, n_slow, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=PriceOscillator.htm

---

AROON | Aroon |

-

AROONOSC | Aroon Oscillator |

-

BOP | Balance Of Power |

-

CCI | Commodity Channel Index |

-

CMO | Chande Momentum Oscillator |

-

DX | Directional Movement Index |

-

IMI | Intraday Momentum Index | DONE

- `list = jhta.IMI(df)`
- https://www.fmlabs.com/reference/default.htm?url=IMI.htm

MACD | Moving Average Convergence/Divergence |

-

MACDEXT | MACD with controllable MA type |

-

MACDFIX | Moving Average Convergence/Divergence Fix 12/26 |

-

MFI | Money Flow Index |

-

MINUS_DI | Minus Directional Indicator |

-

MINUS_DM | Minus Directional Movement |

-

MOM | Momentum | DONE

- `list = jhta.MOM(df, n, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=Momentum.htm

---

PLUS_DI | Plus Directional Indicator |

-

PLUS_DM | Plus Directional Movement |

-

PPO | Percentage Price Oscillator |

-

RMI | Relative Momentum Index | DONE

- `list = jhta.RMI(df, n, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=RMI.htm

ROC | Rate of Change | DONE

- `list = jhta.ROC(df, n, price='Close')`

ROCP | Rate of Change Percentage | DONE

- `list = jhta.ROCP(df, n, price='Close')`

ROCR | Rate of Change Ratio | DONE

- `list = jhta.ROCR(df, n, price='Close')`

ROCR100 | Rate of Change Ratio 100 scale | DONE

- `list = jhta.ROCR100(df, n, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=RateOfChange.htm

---

RSI | Relative Strength Index | DONE

- `list = jhta.RSI(df, n, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=rsi.htm

STOCH | Stochastic | DONE

- `list = jhta.STOCH(df, n, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=Stochastic.htm

---

STOCHF | Stochastic Fast |

-

STOCHRSI | Stochastic Relative Strength Index |

-

TRIX | 1-day Rate-Of-Change (ROC) of a Triple Smooth EMA |

-

ULTOSC | Ultimate Oscillator |

-

WILLR | Williams' %R | DONE

- `list = jhta.WILLR(df, n)`
- https://www.fmlabs.com/reference/default.htm?url=WilliamsR.htm

---

Overlap Studies

BBANDS | Bollinger Bands | DONE

- `dict of lists = jhta.BBANDS(df, n, f=2)`
- https://www.fmlabs.com/reference/default.htm?url=Bollinger.htm

---

BBANDW | Bollinger Band Width | DONE

- `list = jhta.BBANDW(df, n, f=2)`
- https://www.fmlabs.com/reference/default.htm?url=BollingerWidth.htm

---

DEMA | Double Exponential Moving Average |

-

EMA | Exponential Moving Average |

-

ENVP | Envelope Percent | DONE

- `dict of lists = jhta.ENVP(df, pct=.01, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=EnvelopePct.htm

---

KAMA | Kaufman Adaptive Moving Average |

-

MA | Moving Average |

-

MAMA | MESA Adaptive Moving Average |

-

MAVP | Moving Average with Variable Period |

-

MIDPOINT | MidPoint over period | DONE

- `list = jhta.MIDPOINT(df, n, price='Close')`
- http://www.tadoc.org/indicator/MIDPOINT.htm

MIDPRICE | MidPoint Price over period | DONE

- `list = jhta.MIDPRICE(df, n)`
- http://www.tadoc.org/indicator/MIDPRICE.htm

MMR | Mayer Multiple Ratio | DONE

- `list = jhta.MMR(df, n=200, price='Close')`
- https://www.theinvestorspodcast.com/bitcoin-mayer-multiple/

SAR | Parabolic SAR | DONE

- `list = jhta.SAR(df, af_step=.02, af_max=.2)`
- book: New Concepts in Technical Trading Systems

SAREXT | Parabolic SAR - Extended |

-

SMA | Simple Moving Average | DONE

- `list = jhta.SMA(df, n, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=SimpleMA.htm

---

T3 | Triple Exponential Moving Average (T3) |

-

TEMA | Triple Exponential Moving Average |

-

TRIMA | Triangular Moving Average | DONE

- `list = jhta.TRIMA(df, n, price='Close')`
- https://www.fmlabs.com/reference/default.htm?url=TriangularMA.htm

---

WMA | Weighted Moving Average

-

Pattern Recognition

CDL2CROWS | Two Crows |

CDL3BLACKCROWS | Three Black Crows |

CDL3INSIDE | Three Inside Up/Down |

CDL3LINESTRIKE | Three-Line Strike |

CDL3OUTSIDE | Three Outside Up/Down |

CDL3STARSINSOUTH | Three Stars In The South |

CDL3WHITESOLDIERS | Three Advancing White Soldiers |

CDLABANDONEDBABY | Abandoned Baby |

CDLADVANCEBLOCK | Advance Block |

CDLBELTHOLD | Belt-hold |

CDLBREAKAWAY | Breakaway |

CDLCLOSINGMARUBOZU | Closing Marubozu |

CDLCONSEALBABYSWALL | Concealing Baby Swallow |

CDLCOUNTERATTACK | Counterattack |

CDLDARKCLOUDCOVER | Dark Cloud Cover |

CDLDOJI | Doji |

CDLDOJISTAR | Doji Star |

CDLDRAGONFLYDOJI | Dragonfly Doji |

CDLENGULFING | Engulfing Pattern |

CDLEVENINGDOJISTAR | Evening Doji Star |

CDLEVENINGSTAR | Evening Star |

CDLGAPSIDESIDEWHITE | Up/Down-gap side-by-side white lines |

CDLGRAVESTONEDOJI | Gravestone Doji |

CDLHAMMER | Hammer |

CDLHANGINGMAN | Hanging Man |

CDLHARAMI | Harami Pattern |

CDLHARAMICROSS | Harami Cross Pattern |

CDLHIGHWAVE | High-Wave Candle |

CDLHIKKAKE | Hikkake Pattern |

CDLHIKKAKEMOD | Modified Hikkake Pattern |

CDLHOMINGPIGEON | Homing Pigeon |

CDLIDENTICAL3CROWS | Identical Three Crows |

CDLINNECK | In-Neck Pattern |

CDLINVERTEDHAMMER | Inverted Hammer |

CDLKICKING | Kicking |

CDLKICKINGBYLENGTH | Kicking - bull/bear determined by the longer marubozu |

CDLLADDERBOTTOM | Ladder Bottom |

CDLLONGLEGGEDDOJI | Long Legged Doji |

CDLLONGLINE | Long Line Candle |

CDLMARUBOZU | Marubozu |

CDLMATCHINGLOW | Matching Low |

CDLMATHOLD | Mat Hold |

CDLMORNINGDOJISTAR | Morning Doji Star |

CDLMORNINGSTAR | Morning Star |

CDLONNECK | On-Neck Pattern |

CDLPIERCING | Piercing Pattern |

CDLRICKSHAWMAN | Rickshaw Man |

CDLRISEFALL3METHODS | Rising/Falling Three Methods |

CDLSEPARATINGLINES | Separating Lines |

CDLSHOOTINGSTAR | Shooting Star |

CDLSHORTLINE | Short Line Candle |

CDLSPINNINGTOP | Spinning Top |

CDLSTALLEDPATTERN | Stalled Pattern |

CDLSTICKSANDWICH | Stick Sandwich |

CDLTAKURI | Takuri (Dragonfly Doji with very long lower shadow) |

CDLTASUKIGAP | Tasuki Gap |

CDLTHRUSTING | Thrusting Pattern |

CDLTRISTAR | Tristar Pattern |

CDLUNIQUE3RIVER | Unique 3 River |

CDLUPSIDEGAP2CROWS | Upside Gap Two Crows |

CDLXSIDEGAP3METHODS | Upside/Downside Gap Three Methods |

Price Transform

AVGPRICE | Average Price | DONE

- `list = jhta.AVGPRICE(df)`
- https://www.fmlabs.com/reference/default.htm?url=AvgPrices.htm

---

MEDPRICE | Median Price | DONE

- `list = jhta.MEDPRICE(df)`
- https://www.fmlabs.com/reference/default.htm?url=MedianPrices.htm

---

TYPPRICE | Typical Price | DONE

- `list = jhta.TYPPRICE(df)`
- https://www.fmlabs.com/reference/default.htm?url=TypicalPrices.htm

---

WCLPRICE | Weighted Close Price | DONE

- `list = jhta.WCLPRICE(df)`
- https://www.fmlabs.com/reference/default.htm?url=WeightedCloses.htm

---

Statistic Functions

MEAN | Arithmetic mean (average) of data | DONE

- `list = jhta.MEAN(df, n, price='Close')`

HARMONIC_MEAN | Harmonic mean of data | DONE

- `list = jhta.HARMONIC_MEAN(df, n, price='Close')`

MEDIAN | Median (middle value) of data | DONE

- `list = jhta.MEDIAN(df, n, price='Close')`

MEDIAN_LOW | Low median of data | DONE

- `list = jhta.MEDIAN_LOW(df, n, price='Close')`

MEDIAN_HIGH | High median of data | DONE

- `list = jhta.MEDIAN_HIGH(df, n, price='Close')`

MEDIAN_GROUPED | Median, or 50th percentile, of grouped data | DONE

- `list = jhta.MEDIAN_GROUPED(df, n, price='Close', interval=1)`

MODE | Mode (most common value) of discrete data | DONE

- `list = jhta.MODE(df, n, price='Close')`

PSTDEV | Population standard deviation of data | DONE

- `list = jhta.PSTDEV(df, n, price='Close', mu=None)`

PVARIANCE | Population variance of data | DONE

- `list = jhta.PVARIANCE(df, n, price='Close', mu=None)`

STDEV | Sample standard deviation of data | DONE

- `list = jhta.STDEV(df, n, price='Close', xbar=None)`

VARIANCE | Sample variance of data | DONE

- `list = jhta.VARIANCE(df, n, price='Close', xbar=None)`

COV | Covariance | DONE

- `float = jhta.COV(list1, list2)`
- https://en.wikipedia.org/wiki/Algorithms_for_calculating_variance#Covariance

---

COVARIANCE | Covariance | DONE

- `list = jhta.COVARIANCE(df1, df2, n, price1='Close', price2='Close')`
- https://en.wikipedia.org/wiki/Algorithms_for_calculating_variance#Covariance

---

COR | Correlation | DONE

- `float = jhta.COR(list1, list2)`

CORRELATION | Correlation | DONE

- `list = jhta.CORRELATION(df1, df2, n, price1='Close', price2='Close')`

PCOR | Population Correlation | DONE

- `float = jhta.PCOR(list1, list2)`

PCORRELATION | Population Correlation | DONE

- `list = jhta.PCORRELATION(df1, df2, n, price1='Close', price2='Close')`

BETA | Beta | DONE

- `float = jhta.BETA(list1, list2)`
- https://en.wikipedia.org/wiki/Beta_(finance)

BETAS | Betas | DONE

- `list = jhta.BETAS(df1, df2, n, price1='Close', price2='Close')`
- https://en.wikipedia.org/wiki/Beta_(finance)

LSR | Least Squares Regression | DONE

- `list = jhta.LSR(df, price='Close', predictions_int=0)`
- https://www.mathsisfun.com/data/least-squares-regression.html

---

SLR | Simple Linear Regression | DONE

- `list = jhta.SLR(df, price='Close', predictions_int=0)`
- https://machinelearningmastery.com/implement-simple-linear-regression-scratch-python/

Uncategorised

Volatility Indicators

ATR | Average True Range | DONE

- `list = jhta.ATR(df, n)`
- https://www.fmlabs.com/reference/default.htm?url=ATR.htm

NATR | Normalized Average True Range |

-

RVI | Relative Volatility Index | DONE

- `list = jhta.RVI(df, n)`
- https://www.fmlabs.com/reference/default.htm?url=RVI.htm

INERTIA | Inertia |

-

TRANGE | True Range | DONE

- `list = jhta.TRANGE(df)`
- https://www.fmlabs.com/reference/default.htm?url=TR.htm

Volume Indicators

AD | Chaikin A/D Line | DONE

- `list = jhta.AD(df)`
- https://www.fmlabs.com/reference/default.htm?url=AccumDist.htm

---

ADOSC | Chaikin A/D Oscillator |

-

OBV | On Balance Volume | DONE

- `list = jhta.OBV(df)`
- https://www.fmlabs.com/reference/default.htm?url=OBV.htm
