Marking Sheet

Student A Name Daran Deng
Student B Name Ruihang Gao
Student C Name Zheng Gong
Student D Name Zhuoyuan He
Student E Name Qiwei Zhao

	Proposed Group Mark (out of 18 or 83 marks)	Student A Contribution (%)	Student B Contribution (%)	Student C Contribution (%)	Student D Contribution (%)	Student E Contribution (%)
Student A Proposition		20	20	20	20	20
Student B Proposition		20	20	20	20	20
Student C Proposition		20	20	20	20	20
Student D Proposition		20	20	20	20	20
Student E Proposition		20	20	20	20	20

Agreed Proposed Overall Group Mark[1] (out of 83 marks for final submission or 18 marks for mid-project submission)

Moderation (17 marks – rest of this page NOT to be filled by students)

Item	Max Mark	Mark	Feedback
(A) Individual - Quality of the self-assessment, *i.e.* filling the *proposed mark* and *detail* columns in tables below *(item to be completed up to A4 for mid-project submission)*	8	A B C D E	A B C D E
(B) Quality of the one page comments (explaining what is not working and why OR how to implement additional features, related to networks or the protocol)	9		N/A (feedback within the one page comment)

Final Mark % – Grade

Differentiated ☐

Student A – Student B – Student C – Student D – Student E

[1] To be agreed and filled by the group. If no agreement is found, leave it empty.

Common (14 marks – to be filled by students)

Item/Functionality	Mark Value	Detail Non Achieved Item/Functionality	Proposed Mark[2]	Contributors[3]
(C) Modelling all the necessary parts of the IRC protocol *(item to be completed up to C3 for mid-project submission)*	7		A ☐ B ☐ C ☐ D ☐ E ☐	A ☐ B ☐ C ☐ D ☐ E ☐
(D) Source code documentation, readability and software development	7		A ☐ B ☐ C ☐ D ☐ E ☐	A ☐ B ☐ C ☐ D ☐ E ☐

Bot (24 marks – to be filled by students)

Item/Functionality	Mark Value	Detail Non Achieved Item/Functionality	Proposed Mark[2]	Contributors[3]
(E) The bot can connect to a miniircd server, handle errors and stay connected *(item to be completed up to E4 for mid-project submission)*	7	None. IPv6 connection, error handling, PING/PONG keep-alive, and automatic reconnection are implemented.	A ☐ B ☐ C ☐ D ☐ E ☐	A ☐ B ☐ C ☐ D ☐ E ☐
(F) The bot can join a channel, retain the user list and keep track of users *(item to be completed up to F3 for mid-project submission)*	4	None. The bot joins the configured channel and maintains the member list.	A ☐ B ☐ C ☐ D ☐ E ☐	A ☐ B ☐ C ☐ D ☐ E ☐
(G) The bot responds automatically to private messages with random facts or joke delivered privately in hexchat	5	Partially achieved. Private messages normally receive random facts, but case-insensitive nickname matching is not implemented.	A ☐ B ☐ C ☐ D ☐ E ☐	A ☐ B ☐ C ☐ D ☐ E ☐
(H) The bot responds to bot commands on the channel and hexchat can display it correctly in the channel tab	5	Partially achieved. The !slap command works for normal and valid targets, but random-target exclusion and case-insensitive target matching need improvement.	A ☐ B ☐ C ☐ D ☐ E ☐	A ☐ B ☐ C ☐ D ☐ E ☐
(I) Extra bot feature of your choice, specify what it is and IRC commands it is using in the comment box	3	None. The additional !me and !who features have been implemented.	A ☐ B ☐ C ☐ D ☐ E ☐	A ☐ B ☐ C ☐ D ☐ E ☐

[2]To be filled by each student in the group with how much this item or functionality is worth according to him.
[3]Tick student(s) who worked on this item or functionality.

Server (45 marks – to be filled by students)

Item/Functionality	Mark Value	Detail Non Achieved Item/Functionality	Proposed Mark[4]	Contributors[5]
(J) The server allows connections from multiple IRC compliant clients like hexchat *(item to be completed up to J3 for mid-project submission)*	9	None. The server supports multiple simultaneous IRC clients.	A B C D E	A B C D E
(K) The server reacts to errors or unusual circumstances *(item to be completed up to K3 for mid-project submission)*	9	None. The server handles malformed commands, invalid nicknames, unknown commands, oversized messages, disconnects, and timeouts.	A B C D E	A B C D E
(L) Users with an IRC compliant clients such as hexchat can talk privately	7	None. Private messages are routed only to the intended recipient.	A B C D E	A B C D E
(M) Users with an IRC compliant clients such as hexchat can join and leave channels	10	None. Clients can join and leave channels, and membership notifications are broadcast.	A B C D E	A B C D E
(N) Users with an IRC compliant clients such as hexchat can talk on channels	10	None. Channel messages are delivered to other members of the channel without server-side echoing to the sender.	A B C D E	A B C D E

[4]To be filled by each student in the group with how much this item or functionality is worth according to him.
[5]Tick student(s) who worked on this item or functionality.