EXAM: MRI BRAIN WITHOUT AND WITH CONTRAST

HISTORY: Loss of consciousness; atypical syncope. Possible seizure.

TECHNIQUE: A 1.5 Tesla system was utilized.

Contrast: The patient was injected with 17/20 cc Dotarem single-use vial.

Multiplanar MRI brain was performed including T1-weighted and T2-weighted sequences. Images were obtained without and with intravenous contrast. In addition, thin section coronal images through the temporal lobes were obtained.

COMPARISON: No relevant studies available.

FINDINGS: Ventricles and sulci normal for age.

No areas of abnormal signal seen in the cerebral hemispheres. No definite abnormality seen in the temporal lobes. Hippocampus unremarkable bilaterally. No definite evidence to suggest mesial temporal sclerosis.

Brainstem and cerebellum show no abnormal signal.

Enhancement: No abnormal enhancement.

No abnormal signal seen on diffusion-weighted images to suggest acute infarct.

No abnormal signal seen on gradient-echo images to suggest acute hemorrhage.

No mass effect or extra-axial fluid collections.

Midline structures intact.

Expected vascular flow voids at the skull base.

Orbits grossly unremarkable.

Visualized paranasal sinuses clear.

Visualized osseous structures grossly intact.

IMPRESSION:
1. Unremarkable examination. No mass, demyelination or infarct. No abnormal enhancement. No hemorrhage. No definite abnormality seen in the temporal lobes.

Thank you for the opportunity to participate in the care of this patient.

[redacted]

Electronically Signed: 05-23-2017 10:18 AM

Patient records including study images and reports available through our web portal at

[redacted]