

BIG DATA ANALYSIS WITH IBM CLOUD DATABASES

PHASE 4 :Development Part 2

1. Machine Learning Algorithms:

a. Classification with Scikit-Learn:

Implementation:

- Choose appropriate algorithms such as Random Forest, Support Vector Machines, or Neural Networks.
- Perform hyperparameter tuning to optimize model performance.

Visualization:

- Use Matplotlib or Plotly to visualize feature importance.
- Create precision-recall curves, ROC curves, and confusion matrices for model evaluation.

b. Clustering with K-Means:

Implementation:

- Apply K-Means or hierarchical clustering to uncover hidden patterns in the data.
- Explore silhouette scores to determine the optimal number of clusters.

Visualization:

- Plot clusters in 2D or 3D using Matplotlib or Plotly.
- Use interactive plots to explore data points within each cluster.

PROGRAM :

```
# Import necessary libraries
import pandas as pd
import matplotlib.pyplot as plt
import plotly.express as px
from sklearn.model_selection import train_test_split
from sklearn.ensemble import RandomForestClassifier
from sklearn.metrics import accuracy_score, confusion_matrix
from statsmodels.tsa.seasonal import seasonal_decompose
from textblob import TextBlob # Assuming you have TextBlob installed

# Load your comprehensive dataset (replace 'your_comprehensive_dataset.csv' with your
actual dataset)
df_comprehensive = pd.read_csv('your_comprehensive_dataset.csv')
df_comprehensive['Timestamp'] = pd.to_datetime(df_comprehensive['Timestamp'])
df_comprehensive.set_index('Timestamp', inplace=True)

# Machine Learning (Random Forest Classifier for sentiment analysis)
X_train, X_test, y_train, y_test = train_test_split(df_comprehensive['Text'],
df_comprehensive['Sentiment'], test_size=0.2, random_state=42)

# Assume you have a function to preprocess text data, e.g., preprocess_text()
X_train_processed = X_train.apply(preprocess_text)
X_test_processed = X_test.apply(preprocess_text)
```

```

# Use TextBlob for sentiment analysis
def get_sentiment(text):
    analysis = TextBlob(text)
    return 'positive' if analysis.sentiment.polarity > 0 else 'negative' if
analysis.sentiment.polarity < 0 else 'neutral'

y_pred_sentiment = X_test_processed.apply(get_sentiment)

# Evaluate sentiment analysis
accuracy_sentiment = accuracy_score(y_test, y_pred_sentiment)
conf_matrix_sentiment = confusion_matrix(y_test, y_pred_sentiment)

print(f"Sentiment Analysis Accuracy: {accuracy_sentiment}")
print(f"Confusion Matrix for Sentiment Analysis:\n{conf_matrix_sentiment}")

# Time Series Analysis (assuming 'Value' is the time series feature)
result = seasonal_decompose(df_comprehensive['Value'], model='additive', period=12)

# Visualize time series components
fig, (ax1, ax2, ax3, ax4) = plt.subplots(4, 1, figsize=(10, 8), sharex=True)

ax1.plot(df_comprehensive['Value'], label='Original')
ax1.legend(loc='upper left')
ax1.set_title('Original Time Series')

ax2.plot(result.trend, label='Trend')
ax2.legend(loc='upper left')
ax2.set_title('Trend Component')

ax3.plot(result.seasonal, label='Seasonal')
ax3.legend(loc='upper left')
ax3.set_title('Seasonal Component')

ax4.plot(result.resid, label='Residual')
ax4.legend(loc='upper left')
ax4.set_title('Residual Component')

plt.tight_layout()
plt.show()

# Visualize sentiment analysis results using Plotly
fig_sentiment = px.bar(x=['Positive', 'Negative', 'Neutral'], y=conf_matrix_sentiment.flatten(),
labels={'y': 'Count', 'x': 'Sentiment'}, title='Sentiment Analysis Results')
fig_sentiment.show()

```

SYNTAX: pip install textblob

3. Sentiment Analysis:

a. Advanced Sentiment Analysis Techniques:

Implementation:

- Explore deep learning models for sentiment analysis (e.g., using pre-trained models like BERT).

- Consider aspect-based sentiment analysis for more nuanced insights.

Visualization:

- Create sentiment heatmaps or histograms to display sentiment distribution.
- Use word embeddings to visualize word relationships in positive and negative sentiments.

4. Visualizations:

a. Matplotlib, Plotly, or IBM Watson Studio:

Implementation:

- Utilize Matplotlib or Plotly for creating detailed visualizations.
- Leverage IBM Watson Studio for collaborative analysis and reporting.

Examples:

- Create interactive dashboards showcasing key metrics using Plotly.
- Design visually appealing charts for presentations or reports using Matplotlib.

Collaborate on Jupyter Notebooks within IBM Watson Studio.