🏆 **LeaderBoard & Yesterday's Solution(/faces/candidate/leaderboarddailychallenge.xhtml?RT=DAILYTEST)**

Daily Test   **Happy Coding from necse**   ☑ **SkillRack**

Time Left: 00:01:28

Count of Integers

Accept two lists of integers with size **M** and **N** as input. The program must print count of the integers in the first list which is less than are equal to the integers at same positions in the second list.

Boundary Condition(s):
1 <= **M, N** <= 999
1 <= **M** integers <= 99
1 <= **N** integers <= 99

Input Format:
The first line contains the value of **M** and **N** separated by space(s).
The second line contains **M** integers separated by space(s).
The third line contains **N** integers separated by space(s).

Output Format:
The first line contains the count of integers.

Example Input/Output 1:
Input:
5 4
2 3 4 5 6
3 4 6 2

Output:
3

Example Input/Output 2:
Input:
2 3
23 12
34 12 23

Output:
2

Max Execution Time Limit: 5000 millisecs

Ambiance

Java (12.0)

⤢

```java
1   import java.util.*;
2   public class Hello {
3
4       public static void main(String[] args) {
5           //Your Code Here
6       Scanner sc=new Scanner(System.in);
7       int n=sc.nextInt();
8       int m=sc.nextInt();
9       int[] a=new int[n];
10      int[] b=new int[m];
11      for(int i=0;i<n;i++){
12          a[i]=sc.nextInt();
13      }
14      for(int j=0;j<m;j++){
15          b[j]=sc.nextInt();
16      }
17      int c=0;
18      if(a.length>=b.length){
19          for(int i=0;i<b.length;i++){
20              if(a[i]<=b[i]){
21                  c++;
22              }
23
24          }
25      }
26      else{
27          for(int i=0;i<a.length;i++){
28              if(a[i]<=b[i]){
29                  c++;
30              }
31          }
32      }
33      System.out.print(c);
34      }
35  }
```

1912080@nec

Code did not pass the execution   — ✕

Input:

> 2 3
> 23 12
> 34 12 23

Expected Output:

> 2

Your Program Output:

1

Save   Run