


JAVA PROJECT



Git report








Git report !

| | |
|--|-----------------------------|
| Preamble | Erreur ! Signet non défini. |
| Activity of each member of the group | Erreur ! Signet non défini. |

Preamble

During this project, we had to reproduce an abandonware, thus a game which is not updated anymore. This game is called Boulder Dash, a one-player based 2D video game in which the main character evolves in a fantastic world with plenty of monsters and diamonds. Its main objective is to collect the latters as much as possible, in order to achieve a level and continue to the next one. Thanks to our Java courses, we had to reproduce it in a MVC based Maven project, using git to share with our group members the code and our advances.

We first created a Github repository, accessible using this link : <https://github.com/AntoineChvl/JPU-BlankProject>. At first sight, with the MVC architecture that was given, we started thinking to a specific organization for our repository. It had to contain branches to allow each member to work on a specific aspect of the game, and to make sure the master one will be merge only at the end with the correct version of the game. Therefore, the repository has the follow branches :

-  Master
-  Model
-  View
-  Controller
-  Entity
-  Contract

After some commits, we realized that we had better attribute a specific branch to each member of the group, to avoid any « non fast-forward » exception, while attempting to push after forgetting to pull. Branches name weren't changed. However, each member had to work on its own branch as the array summarize it :

| Group member | Associated branch |
|--------------|-------------------|
| Maxence | Model |
| Vincent | Controller |
| Tanguy | View |
| Antoine | Entity |

To make it clearer, the name of the branch would not avoid the associated member to work on classes not included in the module linked to branch name. For instance, Maxence, with the model branch could still code classes in the Entity module or in the View. We are aware that the names of the branches were not the clearest. However, it allowed us to organize our work properly, to produce all the outcomes until the due date.

Activity of each member of the group

Number of commits to all branches : 124.

Here are the Github statistics about the number of commits realized by each member of the group :

| Contributor | Number of commits associated |
|-----------------|------------------------------|
| Vincent Jacques | 4 |
| Maxence Bonneau | 8 |
| Tanguy Lhinares | 55 |
| Antoine Chauvel | 57 |

May 1, 2019 – June 1, 2019

Period: 1 month ▾

Overview

0 Active Pull Requests

0 Active Issues

0

Merged Pull Requests

0

Proposed Pull Requests


0

Closed Issues

0

New Issues

Excluding merges, **5 authors** have pushed **10 commits** to master and **124 commits** to all branches. On master, **461 files** have changed and there have been **52,401 additions** and **5 deletions**.



To have a complete review of the repository's statistics :

<https://github.com/AntoineChvl/JPU-BlankProject/pulse>.