

Ressource	Methode	Semantik	content-type (req)	content-type (res)
/event/	post	create event mit id	string	.json
/event/{id}	get	get event mit id	string	.json
	put	update event mit id	string	.json
	delete	delete event mit id	string	.json
/event/{id}/location/coordinates	get	get location by event id	float	.json
	post	create location by event id		.json
	put	update location by event id		.json
	delete	delete location by event id		.json
/event/{id}/location/name		{method} ocation name by event id		string
/event/{id}/name		{method} event name by event id		string
/event/{id}/description		{method} description by event id		string
/event/{id}/date		{method} event date by event id		date
/event/{id}/image		{method} image by event id		image
/event/{id}/weather		{method} weather by event id		json
	get	get weather via openweather API		
/event/{id}/userlist		{method} userlist by event id		json

/user/	post	create user with id		
/user/{id}/		{method} user by user id		int
/user/{id}/name		{method} username by user id		string
/user/{id}/image		{method} userimage by user id		image
/user/{id}/age		{method} usage by user id		int
/user/{id}/location/coordinates		{method} user location coords by id		json
/user/{id}/visitevents		{method} visited events by user id		json
/user/{id}/rating		{method} user rating by user id		float
/user/{id}/createdevents		{method} createdevents by user id		json
/notification/	create	create notification with id		
/notification/{id}/{receiverid}		{method} set receiver id		int
/notification/{id}/message		{method} notification message		string
/notification/{id}/{senderid}		{method} set sender id		int
/notification/{id}		{method} notification by notification id		int