

SIM800 Series_SSL_Application Note_V1.00





Document Title:	SIM800 Series_SSL_Application Note	
Version:	1.00	
Date:	2013-09-18	
Status:	Release	
Document Control ID:	SIM800 Series_SSL_Application Note_V1.00	

General Notes

SIMCom offers this information as a service to its customers, to support application and engineering efforts that use the products designed by SIMCom. The information provided is based upon requirements specifically provided to SIMCom by the customers. SIMCom has not undertaken any independent search for additional relevant information, including any information that may be in the customer's possession. Furthermore, system validation of this product designed by SIMCom within a larger electronic system remains the responsibility of the customer or the customer's system integrator. All specifications supplied herein are subject to change.

Copyright

This document contains proprietary technical information which is the property of Shanghai SIMCom Wireless Solutions Ltd, copying of this document and giving it to others and the using or communication of the contents thereof, are forbidden without express authority. Offenders are liable to the payment of damages. All rights reserved in the event of grant of a patent or the registration of a utility model or design. All specification supplied herein are subject to change without notice at any time.

Copyright © Shanghai SIMCom Wireless Solutions Ltd. 2013



Contents

SL Function	5
SSL Description	5
HTTPS Description	
FTPS Description	5
EMAIL Encrypted Transmission Description	6
SSL AT Command	6
Г Command	7
AT+EMAILSSL Set Email to Use SSL Function	7
AT+HTTPSSL Set HTTP to Use SSL Function	.,8
AT+FTPSSL Set FTP to Use SSL Function	8
xamples	10
FMAIL Sond Encrypted Mail with Normal Port	10
FMAIL Sond Encrypted Mail with Encryption Port	10
FMAIL Receive Encrypted Mail with Normal Port	11
FTP Get Method with Implicit FTPS	15
FTP Get Method with Explicit FTPS	16
ndix	17
Polated Decuments	17
Torms and Abbreviations	17
	SSL Description HTTPS Description FTPS Description EMAIL Encrypted Transmission Description SSL AT Command T Command AT+EMAILSSL Set Email to Use SSL Function

3



Version History

Date	Version	What is new	Author
2013-10-18	1.00	New version	Hanjun.liu

Scope

This document presents the AT command of SSL operation and application examples. This document can apply to SIM800H and SIM800L modules.



1. SSL Function

1.1. SSL Description

Secure socket layer (SSL), a security protocol, is first put forward by Netscape at the same time as they lunch the first version of Web Browser, the purpose is to provide security and data integrity for network communication. SSL encrypts network connection at the transport layer.

SSL uses public key technology to ensure the confidentiality and reliability of communication between applications, so that the communication between client and server application will not be intercepted by the aggressor. It can be supported on both the server and the client ends, has become the industry standard secure communication on the internet. The current Web browsers generally combine the HTTP and SSL, enabling secure communication. This Agreement and its successor is TLS (Transport Layer Security).

TLS using the key algorithm provided endpoint authentication and secure communication on the Internet, which is based on public key infrastructure (PKI). However, in the example of a typical implementation, only the network service provider is reliable authentication, the client is not necessarily. This is because the public key infrastructure common in commercial operation, electronic signature certificate is usually required to pay for. Protocol is designed in a way to make the master-slave architecture application communication itself prevent eavesdropping, tampering, and message forgery.

SIM800H and SIM800L support SSL2.0, SSL3.0, TLS1.0

1.2. HTTPS Description

HTTPS is the HTTP channel which targets secure, in simple terms is safe version of HTTP. Added layer of SSL below HTTP, security of HTTPS is based on SSL, so the details please see the SSL encryption.

It is a URI scheme (abstract identifier system), syntax similar to http: System. For secure HTTP data transmission. HTTPS:URL shows that it uses HTTP, but HTTPS exists a default port different with HTTP and has an encryption / authentication layer (between HTTP and TCP). This system was originally developed by Netscape for providing authenticated and encrypted communication method, and now it is widely used in security-sensitive communication on the World Wide Web, such as transaction payment.

1.3. FTPS Description

FTPS is a multi-transmission protocol, equivalent to the encrypted version of the FTP. It is an enhanced FTP protocol which uses standard FTP protocol and commands in the Secure Sockets



Layer. It add SSL security features for FTP protocol and data channels. FTPS is also known as "FTP-SSL" and "FTP-over-SSL". SSL is a protocol which encrypt and decrypt data in secure connection between client and an SSL-enabled server.

1.4. EMAIL Encrypted Transmission Description

To receive Email, SIM800H and SIM800L support SSL encrypted POP3 protocol which is called POP3S. It will use special port, default port: 995. To send Email, SIM800H and SIM800L use HTTPS communication, default port: 465. SIM800H and SIM800L also supports the use of ordinary port, through the STARTTLS (SMTP) and STLS (POP3) to enable encryption transmission.

1.5. SSL AT Command

There is a set of AT commands to support SSL operations, including HTTP, EMAIL and FTP function.



2. AT Command

SIM800 series modules provide encrypted link AT command is as follows:

Command	Description
AT+EMAILSSL	Set EMAIL to use SSL function
AT+HTTPSSL	Set HTTP to use SSL function
AT+FTPSSL	Set FTP to use SSL function

2.1. AT+EMAILSSL Set Email to Use SSL Function

2.1. MI EMITTEDEL Set Email to Cac Soll I unction				
AT+EMAILSSL Set EMAIL to use SSL function				
Test Command	Response			
AT+EMAILSSL=?	+EMAILSSL: (list of supported <n></n> s)			
	OK			
	Parameter			
	See Write Command			
Read Command	Response			
AT+EMAILSSL?	+ EMAILSSL: <n></n>			
	OV.			
	OK			
	Parameter See Write Command			
147 to C				
Write Command	Response			
AT+EMAILSSL=< n>	OK			
11/	Parameter			
	<n> 0 Not use encrypted transmission 1 Regin encrypt transmission with engraption part</n>			
	Begin encrypt transmission with encryption portBegin encrypt transmission with normal port			
	2 Begin energy transmission with normal port			
Reference	Note:			
	An error code will return if the SSL channel setup failure or			
	communication errors happened when sending mail:			
	+SMTPSEND: <code></code>			
	An error code when sign POP3 server:			
	+POP3IN: <code></code>			
	< code > 71 SSL failed to establish channels			
	72 SSL alert message with a level of fatal result in the			
	immediate termination of the connection			



2.2. AT+HTTPSSL Set HTTP to Use SSL Function

AT+HTTPSSL Set HTTP to use SSL function				
Test Command AT+HTTPSSL=?	Response +HTTPSSL: (0-1)			
	ОК			
	Parameter See Write Command			
Read Command AT+HTTPSSL?	Response + HTTPSSL: <n></n>			
	OK			
	Parameter			
Write Command	See Write Command			
AT+HTTPSSL= <n< td=""><td colspan="3">Response OK</td></n<>	Response OK			
>	Parameter			
	<n> <u>0</u> Disable SSL fur</n>	nction		
	1 Enable SSL function			
Reference	Note: An error code will return if HTTPACTION command fail:			
	+HTTPACTION: <code></code>	9-1		
	606 SSL a	ailed to establish channels lert message with a level of fatal result in mediate termination of the connection		

2.3. AT+FTPSSL Set FTP to Use SSL Function

AT+FTPSSL Set FTP to use SSL function		
Test Command	Response	
AT+FTPSSL=?	+FTPSSL: (0-2)	
(
	OK	
	Parameter	
	See Write Command	
Read Command	Response	
AT+FTPSSL?	+ FTPSSL: <n></n>	
	OK	
	Parameter	
	See Write Command	



AT+FTPSSL= <n></n>	Response OK		
	Parameter		
	< n > <u>0</u>	Disabl	e SSL function
	1	Use F	TPS with Implicit mode
	2	Use F	TPS with Explicit mode
Parameter	Note:		
	An error cod	le will r	return if FTP operation fail, case in FTPGET:
	+FTPGET:	<code2< th=""><th>></th></code2<>	>
	<code></code>	80	SSL failed to establish channels
		81	SSL alert message with a level of fatal result in the
			immediate termination of the connection
		82	FTP AUTH error
		83	FTP PBSZ error
		84	FTP PROT error
6	C		
SIMO			



3. Examples

The following table provides some using method of the SSL function.

In the "Grammar" columns of following tables, input of AT commands are in black, module return values are in blue.

3.1. EMAIL Send Encrypted Mail with Normal Port

3.1. EMAIL Send Encrypted Mail with Normal Port		
Grammar	Description	
AT+SAPBR=3,1,"APN","CMNET" OK	Configure bearer profile 1	
AT+SAPBR=1,1 OK	To open a GPRS context.	
AT+EMAILCID=1 OK	Set EMAIL Use bear profile 1	
AT+EMAILTO=30 OK	Set EMAIL timeout	
AT+EMAILSSL=2 OK	Set EMAIL begin encrypt transmission with normal port	
AT+SMTPSRV="SMTP.GMAIL.COM" OK	Set SMTP server address, port is omitted, means use the default ports: 25	
AT+SMTPAUTH=1,"account","password" OK	Set user name and password	
AT+SMTPFROM="account@GMAIL.COM","account" OK	Set sender address and name	
AT+SMTPSUB="Test" OK	Set the subject	
AT+SMTPRCPT=0,0,"john@sim.com","john" OK	Set the recipient(To:)	
AT+SMTPBODY=19 DOWNLOAD This is a new Email OK	Set the body	
AT+SMTPSEND OK +SMTPSEND: 1	Send the Email	



3.2. EMAIL Send Encrypted Mail with Encryption Port

Grammar	Description
AT+SAPBR=3,1,"APN","CMNET" OK	Configure bearer profile 1
AT+SAPBR=1,1 OK	To open a GPRS context.
AT+EMAILCID=1 OK	Set EMAIL Use bear profile 1
AT+EMAILTO=30 OK	Set EMAIL timeout
AT+EMAILSSL=1 OK	Set EMAIL begin encrypt transmission with encryption port
AT+SMTPSRV="SMTP.GMAIL.COM" OK	Set SMTP server address, port is omitted, means use the default ports: 465
AT+SMTPAUTH=1,"account","password" OK	Set user name and password
AT+SMTPFROM="account@GMAIL.COM","account" OK	Set sender address and name
AT+SMTPSUB="Test" OK	Set the subject
AT+SMTPRCPT=0,0,"john@sim.com","john" OK	Set the recipient(To:)
AT+SMTPBODY=19 DOWNLOAD This is a new Email	Set the body
OK	
AT+SMTPSEND OK	Send the Email
+SMTPSEND: 1	

3.3. EMAIL Receive Encrypted Mail with Normal Port

Grammar	Description
AT+SAPBR=3,1,"APN","CMNET" OK	Configure bearer profile 1
AT+SAPBR=1,1 OK	To open a GPRS context.
AT+EMAILCID=1 OK	Set EMAIL Use bear profile 1



AT+EMAILTO=30 OK	Set EMAIL timeout
AT+EMAILSSL=2 OK	Set EMAIL begin encrypt transmission with normal port
AT+POP3SRV="mail.sim.com","john","123456" OK	Set POP3 server and account, port is omitted, means use the default ports 110
AT+POP3IN OK	Log in POP3 server
+POP3IN: 1	>
AT+POP3NUM OK	Get Email number and total size
+POP3NUM: 1,2,11124	
AT+POP3LIST=1 OK	Get the specific Email's size
+POP3LIST: 1,1,5556	
AT+POP3CMD=4,1 OK	Retrieve the specific Email
+POP3CMD: 1	
AT+POP3READ=1460 +POP3READ: 1,1460	Get the Email content
OK	
AT+POP3READ=1460	
+POP3READ: 1,1460	
OK	
AT+POP3READ=1460	The Email's content is read completely
+POP3READ: 2,1183	The Zinan s content to read compretely
OK	
AT+POP3OUT	Log out POP3 SERVER
OK	
+POP3OUT: 1	



3.4. EMAIL Receive Encrypted Mail with Encryption Port

Grammar	Description
AT+SAPBR=3,1,"APN","CMNET" OK	Configure bearer profile 1
AT+SAPBR=1,1 OK	To open a GPRS context.
AT+EMAILCID=1 OK	Set EMAIL Use bear profile 1
AT+EMAILTO=30 OK	Set EMAIL timeout
AT+EMAILSSL=1 OK	Set EMAIL begin encrypt transmission with encryption port
AT+POP3SRV="mail.sim.com","john","123456" OK	Set POP3 server and account, port is omitted, means use the default ports 995
AT+POP3IN OK +POP3IN: 1	Log in POP3 server
AT+POP3NUM OK	Get Email number and total size
+POP3NUM: 1,2,11124 AT+POP3LIST=1 OK	Get the specific Email's size
+POP3LIST: 1,1,5556	
AT+POP3CMD=4,1 OK	Retrieve the specific Email
+POP3CMD: 1	
AT+POP3READ=1460	Get the Email content
+POP3READ: 1,1460	
•••	
OK	
AT+POP3READ=1460	
+POP3READ: 1,1460	

OK	
AT+POP3READ=1460	The Email's content is read completely



+POP3READ: 2,1183	
OK	
AT+POP3OUT	Log out POP3 SERVER
OK	
+POP3OUT: 1	

3.5. HTTPS Get Method with HTTPS

Use HTTPS download data from HTTP server.

Grammar	Description
AT+HTTPINIT	Init HTTP service
OK	
AT+HTTPPARA = "CID",1	Set parameters for HTTP session
OK	
AT+HTTPPARA="URL","www.gmail.com"	
OK	
AT+HTTPPARA = "REDIR",1	
OK	
AT+HTTPSSL=1	Enable HTTPS function
OK	
AT+HTTPACTION=0	GET session start
OK	
+HTTPACTION: 0,200,84200	GET successfully
AT+HTTPREAD	Read the data of HTTP server
+HTTPREAD: 84200	

OK	
AT+HTTPTERM	Terminate HTTP service
OK	



3.6. FTP Get Method with Implicit FTPS

Use Implicit FTPS mode download data from FTP server

Grammar	Description
AT+FTPCID=1	Set parameters for FTP session.
OK	
AT+FTPSERV="116.228.221.52"	
OK	
AT+FTPUN="sim.cs1"	
OK	
AT+FTPPW="*****"	
OK	
AT+FTPGETNAME="1K.txt"	
OK	
AT+FTPGETPATH="/"	
OK	
AT+FTPSSL=1	Open Implicit FTPS mode
OK	
AT+FTPGET=1	Open the FTP get session.
ОК	•
+FTPGET: 1,1	Data are available.
AT+FTPGET=2,1024	Request to read 1024 bytes, but
+FTPGET: 2,50	Only 50 bytes are now available.
012345678901234567890123456789012345678901	
23456789	
OK	
AT+FTPGET=2,1024	Request to read 1024 bytes again.
+FTPGET: 2,0	No byte is now available, but it is not
	the end of session.
ОК	
+FTPGET: 1,1	If the module receives data but user do
	not input "AT+FTPGET:2,
	<reqlength>" to read data, "+FTPGE</reqlength>
	T:1,1" will be shown again in a certain
	time.
AT+FTPGET=2,1024	Request to read 1024 bytes.
+FTPGET: 2,1024	1024 bytes are now available.
012345678901234567890123456789012345678901	
2345678901234	
ОК	
+FTPGET:1,0	Data transfer finished. The connection
	to the FTP server is closed.



3.7. FTP Get Method with Explicit FTPS

Use Explicit Ftps mode download data from FTP server

Grammar	Description
AT+FTPCID=1	Set parameters for FTP session.
OK	
AT+FTPSERV="116.228.221.52"	
OK	
AT+FTPUN="sim.cs1"	
OK	<u> </u>
AT+FTPPW="*****"	
OK	
AT+FTPGETNAME="1K.txt"	
OK	
AT+FTPGETPATH="/"	
OK	
AT+FTPSSL=2	Open Explicit FTPS mode
OK	
AT+FTPGET=1	Open the FTP get session.
OK	
+FTPGET: 1,1	Data are available.
AT+FTPGET=2,1024	Request to read 1024 bytes, but
+FTPGET: 2,50	Only 50 bytes are now available.
012345678901234567890123456789012345678901	
23456789	
OK	
AT+FTPGET=2,1024	Request to read 1024 bytes again.
+FTPGET: 2,0	No byte is now available, but it is not
	the end of session.
ОК	
+FTPGET: 1,1	If the module receives data but user do
	not input "AT+FTPGET:2,
	<reqlength>" to read data, "+FTPGE</reqlength>
	T:1,1" will be shown again in a certain
	time.
AT+FTPGET=2,1024	Request to read 1024 bytes.
+FTPGET: 2,1024	1024 bytes are now available.
012345678901234567890123456789012345678901	
2345678901234	
OK	
+FTPGET:1,0	Data transfer finished. The connection
	to the FTP server is closed.



Appendix

A. Related Documents

SN	Document name	Remark
[1]	SIM800 Series AT Command Manual	

B. Terms and Abbreviations

SIMOM

Abbreviation	Description
URC	Unsolicited request code
TE	Terminal Equipment
TA	Terminal Adapter
DTE	Data Terminal Equipment or plainly "the application" which is running on an embedded system
DCE	Data Communication Equipment or facsimile DCE(FAX modem, FAX board)
ME	Mobile Equipment
MS	Mobile Station
SSL	Secure Socket Layer
TLS	Transport Layer Security



Contact us:

Shanghai SIMCom Wireless Solutions Co.,Ltd.

Address: Building A, SIM Technology Building, No. 633, Jinzhong Road, Shanghai,

P. R. China 200335 Tel: +86 21 3252 3300 Fax: +86 21 3252 3020 URL: www.sim.com/wm