23/8/24, 5:46 p.m. Cucumber

1 FAILED 2 UNKNOWN

0% passed 3 executed

6 minutes ago

3 minutes 37 seconds

duration





Java HotSpot(TM) 64-Bit Server VM 22.0.2+9-70



Q Search with text or @tags

You can search with plain text or **Cucumber Tag Expressions** to filter the output





file:///C:/Users/Antonieta/Desktop/4. Pruebas % 20 Automatizadas/4.3% 20 Automatización % 20 Web/QAInnovation Lab/src/test/resources/features/E. feature file:///C:/Users/Antonieta/Desktop/4. Pruebas % 20 Automatizadas/4.3% 20 Automatización % 20 Web/QAInnovation Lab/src/test/resources/features/E. feature file:///C:/Users/Antonieta/Desktop/4. Pruebas % 20 Automatizadas/4.3% 20 Automatización % 20 Web/QAInnovation Lab/src/test/resources/features/E. features/E. features/

Feature: Product-store

@examen @Escenario1

Scenario: Validación el inicio de sesion

- Given estoy en la página de la tienda
- When me logueo con mi usuario "antonieta82000@gmail.com" y clave "antonieta@8"
- And hago click en iniciar sesion
- Then he inicado correctamente sesion y se muestra el usuario "Maria Huaraca"
- When navego a la categoria "Clothes" y subcategoria "Men"
- And agrego 2 unidades del primer producto al carrito
- Then valido en el popup la confirmación del producto agregado
- And valido en el popup que el monto total sea calculado correctamente
- When finalizo la compra
- Then valido el titulo de la pagina del carrito
- And vuelvo a validar el calculo de precios en el carrito

@Escenario2

Scenario: Validación el inicio de sesion con un usuario y clave inválidos

- ⁽²⁾ Given estoy en la página de la tienda
- When me logueo con mi usuario "antonieta2000@gmail.com" y clave "antonieta@"
- And hago click en iniciar sesion
- Then no he iniciado correctamente sesión


@Escenario3

Scenario: una categoria inexistente


- Given estoy en la página de la tienda
 - **▼** evidencias




- ▼ When me logueo con mi usuario "antonieta82000@gmail.com" y clave "antonieta@8"
 - ▼ evidencias




23/8/24, 5:46 p.m. Cucumber




- And hago click en iniciar sesion
 - ▼ evidencias



- Then he inicado correctamente sesion y se muestra el usuario "Maria Huaraca"
 - ▼ evidencias



23/8/24, 5:46 p.m.



```
Value=//Body/main[1]/Section[1]/div[1]/div[1]/Section[1]/Section[1]/div[1]/Section[1]/div[1]/Section[1]/div[1]/Section[1]/div[1]/Section[1]/div[1]/Section[1]/div[1]/Section[1]/div[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Section[1]/Sect
 webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
 Session ID: 98287ebd1a250fef8e713b4bb69a39de
                      at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:238) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)
                      at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
                      at org. open qa. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor. java: 142) \\
                       \verb|at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)| \\
                      at org. open qa. selenium. remote. Element Location \$Element Finder \$2. find Element (Element Location. java: 162) \\
                      at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
                      at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
                       at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
                       at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:197)
                      at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:193) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.nttdata.steps.ESteps.validararticulo(ESteps.java:55)
                       at com.nttdata.stepsdefinitions.EStepdefs.seEsperaQueSeMuestreUnArticulo(EStepdefs.java:128)
```

```
at *.se espera que se muestre un
Caused by: java.net.http.HttpTimeoutException: request timed out
         at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:954) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)
         at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:236)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)
         at org. open qa. selenium. remote. service. Driver Command Executor. invoke Execute (Driver Command Executor. java: 167) \\
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
         at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
         at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
          at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
         at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:197) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:193)
         at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
         at com.nttdata.steps.ESteps.validararticulo(ESteps.java:55)
         \verb|at com.nttdata.stepsdefinitions.EStepdefs.seEsperaQueSeMuestreUnArticulo(EStepdefs.java:128)| \\
         at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580)
         at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)
          at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
         \verb|atio.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)|\\
         at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
         at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
         at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)
         at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
         \verb|at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)|\\
         at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
         at io.cucumber.junit.PickleRunners$WithStepDescriptions.lambda$run$1(PickleRunners.java:109)
          at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)
          at io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23) \\
         \verb|atio.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)|
         at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:106)
         at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
         at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
         at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
         at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
         at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
         at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
          at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
         at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
         at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)
         at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)
         at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
          at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
         at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
         at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
         at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)
          at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)
          at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)
         at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)
         at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
         at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
         at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)
         at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)
         at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
         at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)
         at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)
```

3 Hook failed: Unknown location

```
org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop.
Build info: version: '4.5.0', revision: 'fe167b119a'
System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [98287ebd1a250fef8e713b4bb69a39de, quit {}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.84, chrome:
{chromedriverVersion: 127.0.6533.99 (f31af5097d90..., userDataDir: C:\Users\ANTONI~1\AppData\L...}, fedcm:accounts: true,
goog:chromeOptions: {debuggerAddress: localhost:58740}, networkConnectionEnabled: false, pageLoadStrategy: normal,
platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58740/devtoo..., se:cdpVersion: 128.0.6613.84, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 98287ebd1a250fef8e713b4bb69a39de
            at org. open qa. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor. java: 132) \\
            at org. open qa. selenium. remote. Remote WebDriver. execute (Remote WebDriver. java: 543) \\
           at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
           at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
            at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:445)
            at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:279)
            at com.nttdata.core.DriverManager.quitDriver(DriverManager.java:35)
Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting
for 20000 ms.
Build info: version: '4.5.0', revision: 'fe167b119a'
System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2'
Driver info: driver.version: unknown
            at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396)
```

```
at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096)
            at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
            at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
             at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
             at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
             at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:445)
            at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:279) at com.nttdata.core.DriverManager.quitDriver(DriverManager.java:35)
             at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
             at java.base/java.lang.reflect.Method.invoke(Method.java:580)
             at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
             at io.cucumber.java.Invoker.invoke(Invoker.java:24)
             at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
             at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)
             at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
             at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
             at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
             at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)
            at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:90)
             at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
             at io.cucumber.junit.PickleRunners$WithStepDescriptions.lambda$run$1(PickleRunners.java:109)
             \verb|atio.cucumber.core.runtime.CucumberExecutionContext.lambda \verb|stunTestCase| \verb|sf(CucumberExecutionContext.java: 129)| \\
             at io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (\ref{Rethrowing Throwable Collector.} java: \'23) is a constant of the contract of the cont
            \verb|atio.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)|
             at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:106)
             at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
             at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
             at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
             at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
             at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
             at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
             at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
             at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
            at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)
             at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)
             at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
             at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
            at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:369) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
             at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
             at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)
             at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)
            at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)
             at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
             at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
             at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
             at \verb| com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)| \\
            at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)
             at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
             at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
            at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)
             at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)
Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.5.0', revision: 'fe167b119a'
System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2'
Driver info: driver.version: unknown
             at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:181)
             at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:119)
             at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)
            at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1768)
             at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)
             at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)
             at java.base/java.lang.Thread.run(Thread.java:1570)
```