60000

| | CMP256 Record |
|---|--|
| Work Data Field Code Status RecordType | V alue LAV00001 CUT L |
| Bar Data Field Code Colour BarsNr BarLength Ref1 | Value P10204 WHITE 1 60000 |
| Ref2 SlatsTogether Thickness RecordType Code Colour BarsNr BarLength Ref1 | N/A N/A B P10204 WHITE 1 60000 |
| Ref2 SlatsTogether Thickness RecordType Code Colour BarsNr BarLength Ref1 | N/A N/A B P10205 WHITE 2 60000 |
| Ref2 SlatsTogether Thickness RecordType Code Colour BarsNr | N/A N/A B P10205 NERO 2 |

Ref1

BarLength

Ref2

SlatsTogether N/A
Thickness N/A
RecordType B

Code P10206 Colour BIANCO

| Field BarsNr BarLength Ref1 Ref2 SlatsTogether Thickness RecordType | Value 1 4095 RIF.001 N/A N/A B |
|---|--|
| Piece Data Field ExLength InLength LTAngle LPAngle RTAngle RPAngle RPAngle NPieces NCarriage NSlot UniquePiece PieceID SpecialCut | Value 13000 12000 450 900 450 900 1 15 1 1 Lower window frame |
| Order Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce Fixing TypeCode HolesH2o1 | 3321.1 Maurer & Tursan GmbH |
| HolesH2o2 HolesH2o3 Notes | |
| | N/A N/A N/A N/A |

| Field InLength LTAngle LPAngle RTAngle RPAngle RPAngle NPieces NCarriage NSlot UniquePiece PieceID SpecialCut | Value 7000 450 450 450 900 1 15 2 2 Upper window frame |
|--|--|
| Order Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce Fixing TypeCode HolesH2o1 HolesH2o2 HolesH2o3 Notes | 3321.1 Maurer & Tursan GmbH |
| Q1 | N/A |
| Q2 Q3 | N/A N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 Info5 | |
| RecordType | Р |
| ExLength | 9000 |
| InLength | 7000 |
| LTAngle LPAngle | 450 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 15 |
| NSlot UniquePiece | 3 |
| PieceID | Left window frame |
| SpecialCut | Left William Hailie |
| • | |

Field Value Order 3321.1 Maurer & Tursan GmbH Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce Fixing TypeCode HolesH2o1 HolesH2o2 HolesH2o3 **Notes** Q1 N/A Q2 N/A Q3 N/A Q4 N/A Info1 Info2 Info3 Info4 Info5 Ρ RecordType 8000 ExLength 8000 InLength **LTAngle** 900 **LPAngle** 900 **RTAngle** 900 **RPAngle** 900 **NPieces** 1 **NCarriage** 15 **NSlot** 5 UniquePiece **PieceID** Right window frame **SpecialCut** Order 3321.1 Maurer & Tursan GmbH Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce **Fixing** TypeCode HolesH2o1 HolesH2o2

HolesH2o3

| Field | Value |
|---------------|--------------------|
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | Р |
| ExLength | 23000 |
| InLength | 22000 |
| LTAngle | 450 |
| | 900 |
| LPAngle | 900 |
| RTAngle | |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 16 |
| NSlot | 1 |
| UniquePiece | 5 |
| PieceID | Lower window frame |
| SpecialCut | |
| Order | 0121 |
| Customer | Mario Rossi |
| PosPlacCross1 | |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | 14// |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | Р |
| Record type | Γ |

| Field ExLength InLength LTAngle LPAngle RTAngle RPAngle RPAngle NPieces NCarriage NSlot UniquePiece PieceID | Value 9000 7000 450 900 900 450 1 16 2 6 Upper window frame |
|---|--|
| SpecialCut Order Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce Fixing TypeCode HolesH2o1 HolesH2o2 HolesH2o3 Notes | 0121 Mario Rossi |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 Info3 | |
| Info4 | |
| Info5 | |
| RecordType | Р |
| ExLength | 19000 |
| InLength | 17000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 900 |
| RPAngle NPieces | 450 1 |
| NCarriage | 16 |
| NSIot | 2 |
| UniquePiece | 7 |
| PiecelD | Right window frame |
| | - |

Field Value **SpecialCut** 0121 Order Mario Rossi Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce **Fixing** TypeCode HolesH2o1 HolesH2o2 HolesH2o3 Notes N/A Q1 Q2 N/A Q3 N/A Q4 N/A Info1 Info2 Info3 Info4 Info5 Ρ RecordType 8000 ExLength InLength 6000 **LTAngle** 450 **LPAngle** 900 **RTAngle** 450 900 **RPAngle NPieces** 1 **NCarriage** 16 **NSlot** 5 8 UniquePiece **PieceID** Left window frame SpecialCut Order 0121 Mario Rossi Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce **Fixing** TypeCode HolesH2o1 HolesH2o2

| Field | Value |
|--------------------|----------------------|
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | Р |
| ExLength | 21000 |
| InLength | 20000 |
| LTAngle | 450 |
| | 900 |
| LPAngle RTAngle | 900 |
| = | 900 |
| RPAngle NPieces | 1 |
| | 15 |
| NCarriage | |
| NSlot | 6 |
| UniquePiece | 9 |
| PieceID | Upright Door 1 RI |
| SpecialCut | 0004.4 |
| Order | 3321.1 |
| Customer | Maurer & Tursan GmbH |
| PosPlacCross1 | |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| | |

| Field RecordType ExLength InLength LTAngle LPAngle RTAngle RPAngle RPAngle NPieces NCarriage | Value P 21000 20000 450 900 900 900 1 |
|--|---|
| NSIot UniquePiece | 7 10 |
| PiecelD | Upright Door 1 LE |
| SpecialCut | |
| Order Customer | 3321.1 Maurer & Tursan GmbH |
| PosPlacCross1 | Madrer & Tursair Offibri |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | N1 /A |
| Q1 | N/A |
| Q2 | N/A N/A |
| Q3 Q4 | N/A N/A |
| Info1 | IN/A |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | Р |
| ExLength | 11000 |
| InLength | 9000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle RPAngle | 900 450 |
| NPieces | 1 |
| NCarriage | 15 |
| NSlot | 9 |
| UniquePiece | 11 |
| | |

Field Value **PieceID Upper Crosspiece Door 1 SpecialCut** Order 3321.1 Maurer & Tursan GmbH Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce **Fixing** TypeCode HolesH2o1 HolesH2o2 HolesH2o3 Notes Q1 N/A Q2 N/A Q3 N/A Q4 N/A Info1 Info2 Info3 Info4 Info5 Ρ RecordType ExLength 11000 InLength 9000 **LTAngle** 450 **LPAngle** 900 450 **RTAngle RPAngle** 900 **NPieces** 1 **NCarriage** 15 **NSlot** 10 UniquePiece 12 **PieceID** Low. Crosspiece Door 1 SpecialCut 3321.1 Order Maurer & Tursan GmbH Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce **Fixing** TypeCode HolesH2o1

| Field | Value |
|---------------|---------------------------|
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | 19/75 |
| Info2 | |
| | |
| Info3 | |
| Info4 | |
| Info5 | _ |
| RecordType | Р |
| ExLength | 14000 |
| InLength | 12000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 15 |
| NSlot | 11 |
| UniquePiece | 13 |
| PieceID | Upright Door 2 RI |
| SpecialCut | Sp.18.11 2 3 3 1 1 1 |
| Order | 3321.1 |
| Customer | Maurer & Tursan GmbH |
| PosPlacCross1 | Madrer & Tarsari Giribi i |
| PosPlacCross2 | |
| PosPlacCross3 | |
| | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 | |
| | |

| Field | Value |
|--------------------|----------------------|
| Info5 | |
| RecordType | P |
| ExLength | 14000 |
| InLength | 12000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 15 |
| NSlot | 12 |
| UniquePiece | 14 |
| PiecelD | Upright Door 2 LE |
| SpecialCut | |
| Order | 3321.1 |
| Customer | Maurer & Tursan GmbH |
| PosPlacCross1 | |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 Info4 | |
| | |
| Info5 | Р |
| RecordType | |
| ExLength | 13000 |
| InLength | 11000 450 |
| LTAngle | |
| LPAngle | 900 |
| RTAngle | 450 900 |
| RPAngle NPieces | 1 |
| | 15 |
| NCarriage NSlot | 13 |
| NOIUL | 13 |

| Field UniquePiece PieceID SpecialCut | Value 15 Upper Crosspiece Door 2 |
|---|--|
| SpecialCut Order Customer PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce Fixing TypeCode HolesH2o1 HolesH2o2 | 3321.1 Maurer & Tursan GmbH |
| HolesH2o3 | |
| Notes Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | Р |
| ExLength | 13000 |
| InLength | 11000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 15 |
| NSlot | 14 16 |
| UniquePiece PieceID | Low. Crosspiece Door 2 |
| SpecialCut | Low. Crosspiece Door 2 |
| Order | 3321.1 |
| Customer | Maurer & Tursan GmbH |
| PosPlacCross1 | Madrer & Parsarr Smbrr |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| | |

| Field | Value |
|---------------|-------------------|
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | 14,71 |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | Р |
| ExLength | 21000 |
| InLength | 20000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 16 |
| NSlot | 6 |
| UniquePiece | 9 |
| PieceID | Upright Door 1 RI |
| SpecialCut | Oprignt Door 1 Ki |
| Order | 0121 |
| Customer | Mario Rossi |
| PosPlacCross1 | IVIALIO NOSSI |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A N/A |
| Q4 | N/A |
| Info1 | 14/71 |
| Info2 | |
| Info3 | |
| IIIIOO | |

| Field | Value |
|-------------------|---------------------|
| Info4 | |
| Info5 | _ |
| RecordType | P |
| ExLength | 21000 |
| InLength | 20000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 16 |
| NSlot | 7 |
| UniquePiece | 10 |
| PieceID | Upright Door 1 LE |
| SpecialCut | 0404 |
| Order Customer | 0121 Mario Rossi |
| PosPlacCross1 | Mario Rossi |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | Р |
| ExLength | 11000 |
| InLength | 9000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 16 |

Field Value **NSlot** 9 UniquePiece 11 **Upper Crosspiece Door 1 PieceID** SpecialCut Order 0121 Customer Mario Rossi PosPlacCross1 PosPlacCross2 PosPlacCross3 Reinforce **Fixing** TypeCode HolesH2o1 HolesH2o2 HolesH2o3 Notes N/A Q1 Q2 N/A Q3 N/A Q4 N/A Info1 Info2 Info3 Info4 Info5 RecordType Р ExLength 11000 InLength 9000 **LTAngle** 450 **LPAngle** 900 **RTAngle** 450 **RPAngle** 900 **NPieces** N/A **NCarriage** 1 **NSlot** 16 UniquePiece 10 **PieceID SpecialCut** Low. Crosspiece Door 1 Order Customer 0121 Mario Rossi PosPlacCross1 PosPlacCross2 PosPlacCross3

Reinforce Fixing

| Field TypeCode HolesH2o1 HolesH2o2 HolesH2o3 Notes | Value |
|--|-------------------|
| Q1 Q2 | N/A N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | Р |
| RecordType ExLength | 14000 |
| InLength | 12000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | N/A |
| NCarriage | 1 |
| NSlot | 16 |
| UniquePiece PiecelD | 11 13 |
| SpecialCut | Upright Door 2 RI |
| Order | Oprignt Boor 2 Ki |
| Customer | 0121 |
| PosPlacCross1 | Mario Rossi |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |

| Field | Value |
|---------------------|---------------------|
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | P |
| ExLength | 14000 |
| InLength | 12000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | N/A |
| NCarriage | 1 |
| NSlot | 16 |
| UniquePiece | 12 |
| PieceID | 14 |
| SpecialCut Order | Upright Door 2 LE |
| Customer | 0121 |
| PosPlacCross1 | 0121 Mario Rossi |
| PosPlacCross2 | Mario Rossi |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | ,,, . |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | Р |
| ExLength | 13000 |
| InLength | 11000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | N/A |
| | |

| Field | Value |
|---------------|-------------------------|
| NCarriage | 1 |
| NSlot | 16 |
| UniquePiece | 3 |
| PieceID | 15 |
| SpecialCut | Upper Crosspiece Door 2 |
| Order | Opper Crosspiece Boor 2 |
| Customer | 0121 |
| PosPlacCross1 | Mario Rossi |
| PosPlacCross2 | Ivial IO 1(033) |
| PosPlacCross3 | |
| Reinforce | |
| | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | P |
| ExLength | 13000 |
| InLength | 11000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | N/A |
| NCarriage | 1 |
| NSlot | 16 |
| UniquePiece | 4 |
| PieceID | 16 |
| SpecialCut | Low. Crosspiece Door 2 |
| Order | Low. Crosspicee Door 2 |
| Customer | 0121 |
| PosPlacCross1 | Mario Rossi |
| PosPlacCross2 | 1410110110331 |
| PosPlacCross3 | |
| PosPiacCross3 | |

Reinforce

| Field | Value |
|---------------|----------------------|
| Fixing | value |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| | N/A |
| Q2 | |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | . |
| RecordType | P |
| ExLength | 23000 |
| InLength | 22000 |
| LTAngle | 500 |
| LPAngle | 900 |
| RTAngle | 500 |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 15 |
| NSlot | 15 |
| UniquePiece | 17 |
| PiecelD | Fixed Upright |
| SpecialCut | 9 |
| Order | 3321.1 |
| Customer | Maurer & Tursan GmbH |
| PosPlacCross1 | |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | |
| Q1 | N/A |
| Q2 | N/A |
| Q3 | N/A |
| Q4 | N/A |
| Info1 | 13//1 |
| HHOT | |

| Field Info2 Info3 | Value |
|-------------------------|-----------------------------|
| Info4 | |
| Info5 | |
| RecordType | Р |
| ExLength | 9000 |
| InLength | 7000 |
| LTAngle | 450 |
| LPAngle | 900 |
| RTAngle | 450 |
| RPAngle | 900 |
| NPieces | 1 |
| NCarriage | 15 |
| NSlot | 16 |
| UniquePiece PieceID | 18 Fixed Upright |
| SpecialCut | rixed Oprignt |
| Order | 3321.1 |
| Customer | Maurer & Tursan GmbH |
| PosPlacCross1 | riddior of rarodir official |
| PosPlacCross2 | |
| PosPlacCross3 | |
| Reinforce | |
| Fixing | |
| TypeCode | |
| HolesH2o1 | |
| HolesH2o2 | |
| HolesH2o3 | |
| Notes | NI/A |
| Q1 | N/A N/A |
| Q2 Q3 | N/A N/A |
| Q4 | N/A |
| Info1 | 14/71 |
| Info2 | |
| Info3 | |
| Info4 | |
| Info5 | |
| RecordType | P |
| Left Bar Data | |
| Field | Value |
| ExLength | 21000 |
| InLength | 21000 |
| LAngle | 900 |
| - | |

FieldValueRAngle900ReferenceRIF.003RecordTypeR