

# **Status on CT1 pulsar analysis with Gammapy**

**Marion Spir-Jacob**

# Pulsars in the DC1

Number of observations in the DC1 for the 12 pulsars


	Offset max 1°	Offset max 2°	Offset max 3°	Offset max 4°	Offset max 5°
Crab	0	0	0	0	14
Vela	0	9	18	27	45
Geminga	0	0	0	14	14
PSR J0007+7303	0	0	0	0	0
PSR J0614-3329	0	0	0	0	0
PSR J1028-5819	9	9	27	45	63
PSR J1048-5832	0	18	27	45	54
PSR J1413-6205	19	19	76	95	114
PSR J1836+5925	0	0	0	0	0
PSR J2021+3651	0	30	45	75	105
PSR J2229+6114	0	15	15	45	75
PSR J1809-2332	0	38	38	57	133

# Computing the phases

- ▶ No phase column in the DC1
- ▶ Very simple model for the pulsations
  - ➔ Unrealistic (position of observatory not taken into account)
  - ➔ Very easy to compute the phases

$$\phi(t) = \phi_0 + f(t - t_0) + \frac{1}{2}\dot{f}(t - t_0)^2 + \frac{1}{6}\ddot{f}(t - t_0)^3$$

- ▶ Crosschecked with ctpulse from Ctools



Vela phasogram for all observations  
with an offset < 2 deg and with an  
angular cut of 0.2 deg

# Status on the analysis

- ▶ The parameters for the DC1 pulsars are in model\_galactic\_pulsars.xml
  - ➔ The positions aren't quite correct (for instance the Crab, which is at 83.6332, 22.0144 is modeled at 83.6372, 22.0241 in ra, dec [deg])
  - ➔ The power laws are not the right ones
- ▶ No phasing package was used (PINT in python, Tempo2 in C) for the DC1
- ▶ In order to have a fully pythonic pipeline, PINT will have to be included at some point
- ▶ New « pulsar » folder with a first notebook on how to make phases for the DC1 : <https://github.com/gammasky/cta-analyses/tree/master/pulsar>
- ▶ On-going spectral analysis

**Thank you ! More pulsar analysis at 2 pm**

**[https://github.com/gammapy/gammapy-meetings/tree/master/2018-03-16\\_pulsar](https://github.com/gammapy/gammapy-meetings/tree/master/2018-03-16_pulsar)**  
**<https://github.com/gammasky/cta-analyses/tree/master/pulsar>**