Backspace String Compare (/problems/backspace-string-compare/)


Submission Detail

104 / 104 test cases passed. Status: Accepted


Runtime: 0 ms Memory Usage: 6.2 MB

Submitted: 7 minutes ago

Accepted Solutions Runtime Distribution



Accepted Solutions Memory Distribution



Invite friends to challenge Backspace String Compare

Submitted Code: 7 minutes ago

Language: cpp

Edit Code

```
class Solution {
 1
    public:
 3
        bool backspaceCompare(string S, string T) {
 4
             vector<char> vS, vT;
 5
 6
             // Get compiled string for {\sf S}
             for (char c: S) {
   if (c == '#' and vS.size() > 0)
 7
 8
 9
                      vS.pop_back();
10
                  else if (c != '#')
11
                      vS.push_back(c);
12
             }
13
14
             // Get compiled string for T
             for (char c: T) {
    if (c == '#' and vT.size() > 0)
15
16
17
                      vT.pop_back();
                  else if (c != '#')
18
19
                      vT.push_back(c);
20
             }
21
22
             return vS == vT;
23
         }
24 };
```

Back to problem (/problems/backspace-string-compare/)

Copyright © 2020 LeetCode

Help Center (/support/) | Jobs (/jobs/) | Bug Bounty (/bugbounty/) | Terms (/terms/) | Privacy Policy (/privacy/) = United States (/region/