Rajalakshmi Engineering College

Name: Anu shalini B
Email: 240701043@rajalakshmi.edu.in
Roll no: 240701043
Phone: 9486176983
Branch: REC
Department: CSE - Section 10
Batch: 2028
Degree: B.E - CSE

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 2_Q4

Attempt : 1
Total Mark : 10
Marks Obtained : 0

Section 1 : Coding

1. Problem Statement

Amit wants to evaluate the depreciation of his car over time to understand its current value and categorize it based on that value.

Write a program that helps him determine the current value of his car after a certain number of years of depreciation and classify it into one of three categories:

High: If the current value is greater than 10,000.Medium: If the current value is between 5,000 and 10,000, both inclusive.Low: If the current value is less than 5,000.

The depreciation rate of the car is 15% per year. The program should calculate the current value of the car after applying this depreciation over the given number of years and print the current value along with the category.

Input Format

The first line of input consists of an integer, representing the initial cost of the car.

The second line consists of an integer, representing the number of years the car has been depreciating.

Output Format

The first line of output prints a double value, representing the current value of the car, rounded off to two decimal places "Current Value: <value>".

The second line prints its category "Category: <categories>".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 20000
5
Output: Current Value: 8874.11
Category: Medium

Answer

```java
// You are using Java
import java.util.*;
class Main{
    public static void main(String args[])
    {
        int v;
        int yr;
        Scanner sc = new Scanner(System.in);
        val = sc.nextInt();
        yr = sc.nextInt();

    }
}
```

Status : Wrong   **Marks : 0/10**

Rajalakshmi Engineering College

Name: Anu shalini B
Email: 240701043@rajalakshmi.edu.in
Roll no: 240701043
Phone: 9486176983
Branch: REC
Department: CSE - Section 10
Batch: 2028
Degree: B.E - CSE

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 2_Q5

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Ted, the computer science enthusiast, has accepted the challenge of writing a program that checks if the number of digits in an integer matches the sum of its digits.

Guide Ted in designing and writing the code to solve this problem using a 'do-while' loop.

Input Format

The input consists of an integer N, representing the number to be checked.

Output Format

If the sum is equal to the number of digits, print "The number of digits in N matches the sum of its digits."

Else, print "The number of digits in N does not match the sum of its digits."

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 20
Output: The number of digits in 20 matches the sum of its digits.

Answer

```java
import java.util.*;
class Main{
    public static void main(String args[])
    {
        Scanner sc= new Scanner(System.in);
        int n=sc.nextInt();
        int temp=n;
        int c=0;
        int sum=0;
        while(n!=0){
            int d=n%10;
            sum+=d;
            c++;
            n /= 10;

        }
        if(c == sum)
        {
            System.out.println("The number of digits in "+temp+" matches the sum
of its digits.");
        }
        else
        {
            System.out.println("The number of digits in "+temp+" does not match the
sum of its digits.");
        }
    }
}
```

Rajalakshmi Engineering College

Name: Anu shalini B
Email: 240701043@rajalakshmi.edu.in
Roll no: 240701043
Phone: 9486176983
Branch: REC
Department: CSE - Section 10
Batch: 2028
Degree: B.E - CSE

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 2_Q8

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

A bank generates secure codes using 3-digit numbers where each digit is unique, and the code must be divisible by 3. You are tasked with generating the first N such codes based on user input, ensuring the digits are unique and the number is divisible by 3.

Note: Use nested for loops to solve.

Input Format

The first line contains an integer N representing the number of valid codes to generate.

Output Format

The output prints N line,s each line contains a valid 3-digit code.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5
Output: 102
105
108
120
123

Answer

```java
// You are using Java
import java.util.Scanner;
public class Main{
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int N = sc.nextInt();
        int count = 0;
        for (int i = 1; i <= 9 && count < N; i++) {
            for (int j = 0; j <= 9 && count < N; j++) {
                for (int k = 0; k <= 9 && count < N; k++) {
                    if (i != j && j != k && i != k) {
                        int num = i * 100 + j * 10 + k;
                        if (num % 3 == 0) {
                            System.out.print(num + " \n");
                            count++;
                            if (count == N) break;
                        }
                    }
                }
            }
        }
        sc.close();
    }
}
```

Status : Correct   ***Marks : 10/10***

Rajalakshmi Engineering College

Name: Anu shalini B
Email: 240701043@rajalakshmi.edu.in
Roll no: 240701043
Phone: 9486176983
Branch: REC
Department: CSE - Section 10
Batch: 2028
Degree: B.E - CSE

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 3_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Rosh is intrigued by numerical patterns. Today, she stumbled upon a puzzle while working with arrays. She wants to compute the sum of the third-largest and second-smallest elements from a list of integers. She seeks your help to implement a program that solves this for her efficiently.

Input Format

The first line of input is an integer N, representing the size of the array.

The second line of input consists of N space-separated integers, representing the elements of the array.

Output Format

The output displays a single integer representing the sum of the third-largest and second-smallest elements in the array.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 10
10 20 30 40 50 60 70 80 90 100
Output: 100

Answer

```java
import java.util.*;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);


        int N = sc.nextInt();
        int[] arr = new int[N];

        for (int i = 0; i < N; i++) {
            arr[i] = sc.nextInt();
        }

        Arrays.sort(arr);


        int thirdLargest = arr[N - 3];


        int secondSmallest = arr[1];


        int result = thirdLargest + secondSmallest;


        System.out.println(result);

        sc.close();
```

```
    }
  }
```

Status : Correct   ***Marks : 10/10***

Rajalakshmi Engineering College

Name: Anu shalini B
Email: 240701043@rajalakshmi.edu.in
Roll no: 240701043
Phone: 9486176983
Branch: REC
Department: CSE - Section 10
Batch: 2028
Degree: B.E - CSE

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 3_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Monica is interested in finding a treasure but the key to opening is to get the sum of the main diagonal elements and secondary diagonal elements.

Write a program to help Monica find the diagonal sum of a square 2D array.

Note: The main diagonal of the array consists of the elements traversing from the top-left corner to the bottom-right corner. The secondary diagonal includes elements from the top-right corner to the bottom-left corner.

Input Format

The first line of input consists of an integer N, representing the number of rows and columns.

The following N lines consist of N space-separated integers, representing the 2D array elements.

Output Format

The first line of output prints "Sum of the main diagonal: " followed by an integer, representing the sum of the main diagonal.

The second line prints "Sum of the secondary diagonal: " followed by an integer, representing the sum of the secondary diagonal.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 3
1 2 3
4 5 6
7 8 9

Output: Sum of the main diagonal: 15
Sum of the secondary diagonal: 15

Answer

```java
import java.util.*;
class Main{
    public static void main(String args[])
    {
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int sum1=0;
        int sum2=0;
        int[][] arr=new int[n][n];
        for(int i=0;i<n;i++)
        {
            for(int j=0;j<n;j++)
            {
                arr[i][j]=sc.nextInt();
            }
        }
        for(int i=0;i<n;i++)
        {
```

```java
    for(int j=0;j<n;j++)
    {
        if(i==j)
        {
            sum1+=arr[i][j];
        }
        if((i+j) == (n-1))
        {
            sum2+=arr[i][j];
        }
    }
}
System.out.println("Sum of the main diagonal: "+sum1);
System.out.println("Sum of the secondary diagonal: "+sum2);
}
}
```

Status : Correct   *Marks : 10/10*