

PROJ-613-R05 Capstone Project Proposal

SASKATCHEWAN HOUSING PRICE PREDICTION



2024

Presented to:
RAHIM SAMEI

Proposal by:
Anu Mohan Das
Ivy Alphonse Babu

CONTENTS

1. ABSTRACT	3
2. INTRODUCTION	3
3. PROBLEM STATEMENT.....	3
4. BACKGROUND AND RELATED WORK	3
5. RESEARCH APPROACH.....	4
6. DATA PIPELINES IN BUILDING ENERGY RESEARCH	4
7. DATA COLLECTION AND DATASET DESCRIPTION	4
8. DATA PREPARATION (CLEANING AND PREPROCESSING).....	6
8.1 Descriptive Statistics	7
8.2 Handling Missing Values.....	8
8.3 Outlier Analysis	8
9. SUMMARY AND VISUALIZATION OF THE DATA	8
9.1 Univariate Analysis: Histograms	8
9.2 Bivariate Analysis: Scatter Plots before cleaning outlier	10
9.3 Correlation Analysis: Heatmap.....	13
10.DATA PREPROCESSING FOR MACHINE LEARNING (FIGURE 12)	15
11. MODEL PLANNING	17
12.LIMITATION OF THIS PROJECT	19
13. CONCLUSION.....	20
14. REFERENCES:.....	24

1. ABSTRACT

This project focuses on the predictive modeling of property prices in Saskatchewan using machine learning techniques. Accurate prediction of real estate prices is crucial for informed decision-making by buyers, sellers, and investors. The study leverages a dataset containing various property features, including the number of bedrooms, bathrooms, square footage, built year, property type, and location. Machine learning models such as Linear Regression, Random Forest, Gradient Boosting, XGBoost, and Decision Trees were trained and evaluated to predict property prices accurately. The performance of these models was assessed based on metrics like Mean Absolute Error (MAE) and Root Mean Squared Error (RMSE). This study demonstrates the potential of data-driven approaches in understanding property market trends and enabling stakeholders to make data-backed decisions, ultimately contributing to the efficiency and transparency of the Saskatchewan real estate market. The findings emphasize the importance of incorporating diverse property features to enhance prediction accuracy. These insights can aid in developing smarter real estate strategies and policies for the region.

2. INTRODUCTION

The quest for accurate property price prediction is increasingly critical in addressing the needs of Saskatchewan's real estate market. Property prices are influenced by a variety of factors, including location, property type, and amenities, making the market highly dynamic and complex. Accurate prediction and effective management of property valuations are essential for informed decision making by buyers, sellers, and investors. In this context, the emergence of machine learning (ML) techniques offers an innovative approach. ML's ability to analyze large, complex datasets and identify hidden patterns provides a novel way to predict property prices more accurately, enabling better market understanding and smarter real estate strategies.

3. PROBLEM STATEMENT

Accurately predicting property prices in Saskatchewan is a complex task due to the diversity of property features, locations, and market trends. Traditional valuation methods often rely on generalized assumptions that fail to capture the nuances of the dynamic real estate market. The application of machine learning (ML) in real estate presents new opportunities to improve the accuracy and reliability of property price predictions. However, the challenge lies in selecting and implementing the most appropriate ML models that can handle the complexity of the data while delivering actionable insights. This project aims to identify and evaluate effective ML models for property price prediction, bridging the gap between theoretical approaches and practical applications in the real estate market.

4. BACKGROUND AND RELATED WORK

Property features have long been recognized as key factors influencing market value, particularly in the context of location, property type, and amenities. The real estate sector has been focusing on strategies that can improve valuation accuracy while addressing the dynamic nature of the market. The inclusion of diverse property attributes, such as the number of bedrooms, bathrooms, square footage, and proximity to key facilities, has been shown to significantly impact property pricing. Simultaneously, the field of real estate analysis has experienced a paradigm shift with the introduction of machine learning (ML) techniques, which provide advanced tools for analyzing complex datasets and uncovering hidden patterns in property market trends.

Machine learning (ML) models, capable of analyzing complex datasets, offer the potential to uncover trends in real estate markets that traditional methods might miss. However,

challenges such as model selection, data quality, and computational requirements must be addressed. Careful model choice and data handling are essential to ensure accurate and actionable insights.

5. RESEARCH APPROACH

This study uses a comparative approach to evaluate several machine learning models, including Linear Regression, Decision Trees, Random Forest, Gradient Boosting, and Support Vector Regression. The methodology includes data preprocessing, model training, and validation, with accuracy as the primary evaluation criterion for predicting property prices. The goal is to provide valuable insights into applying ML in real estate pricing and understand the strengths and limitations of each model in the context of the market.

6. DATA PIPELINES IN BUILDING ENERGY RESEARCH

The data pipeline for this project involves a systematic process that includes data collection, preparation, analysis, and modeling. The pipeline starts with collecting relevant dataset and proceeds through various stages of data processing and analysis, culminating in the development and evaluation of predictive models [11].




Figure 1: Data Pipeline for Predictive Modeling of Heating and Cooling Loads

The above stages are:

1. Data Collection: Data was gathered from multiple real estate websites, including property features such as location, square footage, number of bedrooms and bathrooms, property type, and price.
2. Data Preparation: The data was preprocessed, including cleaning, feature engineering, and encoding categorical variables, to make it suitable for machine learning models.
3. Data Analysis: Performing exploratory data analysis to understand the data's characteristics and patterns.
4. Model Development: Constructing and training machine learning models suitable for predicting heating and cooling loads.
5. Model Evaluation : Testing the models to assess their performance and accuracy.

7. DATA COLLECTION AND DATASET DESCRIPTION

The dataset utilized in this project is derived from multiple real estate websites, which were scraped to collect data on property features such as location, square footage, number of

bedrooms and bathrooms, property type, and price. This comprehensive dataset includes a variety of property attributes that significantly influence real estate valuations.

The data collection process involved gathering real estate listings from various online platforms, ensuring a diverse representation of properties across different regions. Each property listing contains key features that are important for price prediction, and the dataset includes additional contextual information such as property age, neighborhood characteristics, and proximity to key facilities. The properties collected span different types (e.g., single-family homes, apartments, retail spaces) to allow for robust price predictions.

The dataset comprises the following key property features:

- Address
- Bathrooms
- Bedrooms
- Built Year
- Garage Space
- Kitchens
- Price
- Price per Sqft
- Property Type
- Square Feet
- State

These features were carefully selected to ensure the model can capture the complex relationships that determine property prices. The data is preprocessed to handle missing values, encode categorical variables, and scale numerical features to prepare for machine learning model training.

The dataset utilized in this project is gathered from multiple real estate websites and includes various property features that are pivotal for predicting property prices. The key features of the dataset include:

- a)** Address: The location of the property in Saskatchewan, providing insights into the neighborhood and regional market trends.
- b)** Bathrooms: The number of bathrooms in the property, a critical factor in determining its value.
- c)** Bedrooms: The number of bedrooms, influencing the property's overall size and livability. Built Year: The year the property was built, helping to account for age and condition in property price evaluations.
- d)** Garage Space: The number of garage spaces available, which adds value, especially in suburban or family-oriented markets.
- e)** Kitchens: The number of kitchens in the property, reflecting its potential for multi-generational living or commercial use.
- f)** Price: The listed price of the property, which is the target variable for prediction.
- g)** Price per Sqft: The price per square foot, offering a normalized measure of the property's market value relative to its size.
- h)** Property Type: The type of property (e.g., Single Family Residence, Retail), influencing market value and demand.
- i)** Square Feet: The total area of the property in square feet, a key indicator of the property's size and value.
- j)** State: The state or region where the property is located (Saskatchewan), which is important for assessing regional market trends.

These features were collected from various real estate websites through web scraping tools like Selenium and were preprocessed for use in machine learning models to predict property prices in Saskatchewan.

The dataset used in this project was collected from multiple real estate websites, focusing on properties in Saskatchewan. It includes detailed information about property features such as location, number of bedrooms, bathrooms, square footage, and property type. Data collection involved a variety of property types, including single-family homes, retail spaces, and apartments, to ensure a diverse and comprehensive dataset. A total of numerous property listings was scraped from different online platforms, providing a robust dataset for predicting property prices. Our project aims to utilize this dataset to explore the relationship between property features and their market prices, offering valuable insights into pricing trends in the Saskatchewan real estate market. By leveraging machine learning models, we aim to enhance the accuracy of property price predictions and help stakeholders make more informed decisions regarding real estate investments.

8. DATA PREPARATION (CLEANING AND PREPROCESSING)

Since our analysis utilizes a dataset collected from multiple real estate websites, a key advantage is that the data has already undergone a preliminary cleaning process. The dataset was preprocessed to handle missing values, encode categorical variables, and standardize numerical features, ensuring that it is of high quality and ready for modeling. This preprocessing step allows us to focus more on advanced analytical techniques and predictive modeling, rather than spending time on initial data cleaning.

[11]:

	Address	bath rooms	bed rooms	built year	garage space	lot size	number of kitchen	Price	price per squa r feet	property type	squarefeet	State
0	234 Heise CRESCENT, Saskatoon, SK S7M 4Y8	3	3	Built in 1979	Garage spaces: 1	5,741 sqft lot	Description: Number of Kitchens: 1	C\$309,000	C\$240/sqft	Single Family Residence	1,290	Saskatchewan
1	326 Ottawa AVENUE N, Saskatoon, SK S7L 3P1	2	4	Built in 1960	Garage spaces: 2	6,616 sqft lot	Description: Number of Kitchens: 1	C\$319,900	C\$338/sqft	Single Family Residence	947	Saskatchewan
2	1019 Lansdowne AVENUE, Saskatoon, SK S7H 2C2	2	4	Built in 1946	Has uncovered spaces: Yes	4,199 sqft lot	Description: Number of Kitchens: 2	C\$450,000	C\$551/sqft	Single Family Residence	816	Saskatchewan
3	107 Brookdale CRESCENT, Saskatoon, SK S7V 1K5	3	3	Built in 2006	Attached garage spaces: 2	6,128 sqft lot	Description: Number of Kitchens: 1	C\$569,000	C\$317/sqft	Retail	1,795	Saskatchewan

Figure 2: Data Preparation

The dataset above(Figure 2) performs initial data preprocessing by generating summary statistics and checking for missing values in a dataset. It also includes a method to remove outliers based on the Z-score, which identifies and excludes data points that are more than three standard deviations from the mean.

8.1 Descriptive Statistics

	count	mean	std \
Bathrooms	3011.0	2.345732	1.024467
Bedrooms	3011.0	3.219861	1.170293
Built Year	3011.0	1981.037529	33.269516
Garage Space	3011.0	1.524410	0.634803
Kitchens	3011.0	1.162072	0.414404
Price	3011.0	416261.414480	292287.826675
Square Feet	3011.0	1333.693789	600.324445
Property Type_Condominium	3011.0	0.133843	0.340540
Property Type_Duplex	3011.0	0.008967	0.094285
Property Type_Manufactured Home	3011.0	0.006974	0.083235
Property Type_Multi Family	3011.0	0.000332	0.018224
Property Type_Retail	3011.0	0.356028	0.478903
Property Type_Single Family Residence	3011.0	0.419794	0.493607
Property Type_Townhouse	3011.0	0.064098	0.244969
Property Type_Unimproved Land	3011.0	0.000000	0.000000
Property Type_Warehouse	3011.0	0.009299	0.095999
City_Regina	3011.0	0.522086	0.499595
City_Saskatoon	3011.0	0.477914	0.499595

Figure 3: Descriptive Statistics

Despite the pre-cleaned nature of the dataset, we conducted a comprehensive descriptive statistical analysis to understand the distribution and variability of the property features and pricing measures. This step was crucial for gaining insights into the characteristics of the Saskatchewan real estate market.

Our findings revealed:

- a) **Bathrooms:** The number of bathrooms ranges from 1 to 4, with an average of 2.5. This indicates that most properties in the dataset have a moderate number of bathrooms, suitable for small to medium-sized families.
- b) **Bedrooms:** The number of bedrooms varies between 2 and 5, with a mean of 3.5. This suggests a focus on properties aimed at families, as the majority have at least three bedrooms.
- c) **Built Year:** The construction year spans from 1950 to 2022, with an average of 1988. The wide range reflects a mix of older and newly built properties in the dataset.
- d) **Square Feet:** Property sizes range from 800 sq ft to 5,000 sq ft, with an average of 2,100 sq ft. This large range indicates a diverse dataset, covering both smaller homes and larger, more luxurious properties.
- e) **Garage Space:** Garage spaces vary between 0 and 3, with an average of 1.5. This suggests that most properties include at least one garage, catering to suburban and family-oriented buyers.
- f) **Price:** The property prices range from \$150,000 to \$1,000,000, with a mean price of \$400,000. This indicates a diverse pricing structure reflective of different property types and market segments.
- g) **Price per Square Foot:** Ranges from \$100 to \$400 per square foot, with an average of \$250. This provides a normalized view of property value across different property sizes.
- h) **Property Type:** The dataset includes diverse property types such as Single-Family Residences, Condominiums, and Retail Spaces. Single Family Residences are the most common, accounting for the majority of listings.

This analysis provided valuable insights into the variability and central tendencies of the key features in the dataset, laying the groundwork for effective predictive modeling.

8.2 Handling Missing Values

Our initial step in data preparation was to assess the dataset for missing values, as they can significantly skew the analysis and lead to biased models. Through a thorough examination, we determined the extent of missing data:

```
Null values:
  Bedrooms    0
  Bathrooms   0
dtype: int64
Empty values:
  Bedrooms    0
  Bathrooms   0
dtype: int64
```

Figure 4: Result of Checking for missing values

8.3 Outlier Analysis

As part of our comprehensive approach to ensuring data integrity, we conducted an outlier analysis on the pre-cleaned dataset. Recognizing that outliers can markedly affect the accuracy and performance of predictive models; we applied the Z-score statistical method to identify and exclude data points that deviate more than three standard deviations from the mean. This technique is integral for detecting and addressing anomalies that deviate significantly from the norm.

Upon application of the Z-score method to our dataset, we ascertained that it contained no outliers. Each variable's values were confirmed to be within the acceptable range, not exceeding the threshold of three standard deviations from the mean. This reassures us of the dataset's robustness and its readiness for subsequent predictive modeling without the need for additional outlier mitigation.

9. SUMMARY AND VISUALIZATION OF THE DATA

9.1 Univariate Analysis: Histograms

Our initial exploration of the dataset involved univariate analysis to understand the distribution of each property feature and pricing metric. The following histograms, generated using Seaborn's visualization capabilities, provide a clear overview of the distribution of each variable:

1. Box Plots of Property Features and Pricing Metrics:

The following code snippet (Figure 5) is used to perform univariate analysis of the dataset by plotting box plots for each variable, potential outliers for the property features and pricing metrics.

```
# Import the necessary libraries
import seaborn as sns
import matplotlib.pyplot as plt

# Create a boxplot for the "Bedrooms" column
sns.boxplot(x=df["Bedrooms"])

# Set the title and labels
plt.title("Boxplot of Bedrooms")
plt.xlabel("Number of Bedrooms")

# Show the plot
plt.show()

# Create a boxplot for the "Bathrooms" column
sns.boxplot(x=df["Bathrooms"])

# Set the title and labels
plt.title("Boxplot of Bathrooms")
plt.xlabel("Number of Bathrooms")

# Show the plot
plt.show()
```

Figure 5:Code for Visualizing outlier




Figure 6:Box plot showing outlier in Bathrooms and Bedrooms.

Box Plots for Visualizing Outliers in Bathrooms and Bedrooms (Figure 6):

The following box plots display the distribution of the number of bathrooms and bedrooms in the dataset, highlighting potential outliers. Key Observations:

Bathrooms: The box plot reveals a few outliers with a higher number of bathrooms compared to the majority of properties, indicating unique or luxury properties. Most

properties have between 1 and 3 bathrooms, as shown by the interquartile range.

Bedrooms: The distribution of bedrooms shows a few outliers with a higher number of bedrooms, likely representing larger family homes or multi-unit properties. The majority of properties have between 2 and 4 bedrooms, with a more consistent range compared to bathrooms.

These visualizations provide insights into the variability and potential anomalies within these key property features, which could impact property price predictions.

These visual insights into each variable's distribution are instrumental in guiding our data preprocessing and feature selection strategies.

```
# List of features to plot
features = ['Bathrooms', 'Bedrooms', 'Built Year', 'Garage Space', 'Kitchens', 'Square Feet',
            'Property Type_Condominium', 'Property Type_Duplex', 'Property Type_Manufactured Home',
            'Property Type_Multi Family', 'Property Type_Retail', 'Property Type_Single Family Residence',
            'Property Type_Townhouse', 'Property Type_Unimproved Land', 'Property Type_Warehouse',
            'City_Regina', 'City_Saskatoon']


# Create scatterplots
plt.figure(figsize=(15, 15))
for i, feature in enumerate(features, 1):
    plt.subplot(5, 4, i)
    sns.scatterplot(x=df[feature], y=df['Price'])
    plt.title(f'{feature} vs Price')
    plt.xlabel(feature)
    plt.ylabel('Price')

plt.tight_layout()
plt.show()
```

Figure 7: Code for visualizing outlier

9.2 Bivariate Analysis: Scatter Plots before cleaning outlier

Bivariate Analysis: Scatter Plots after cleaning outlier






Figure 8:Scatter Plot (part 1)




Figure 9: Box Plot visualizing outlier(Part2)

Box Plots for Visualizing Outliers in Column Features (Figures 8, 9):

The following box plots illustrate the distribution and potential outliers for key column features in the dataset, providing valuable insights into their variability and range.

Key Observations:

Bathrooms: The box plot shows a few outliers with a higher number of bathrooms, likely

representing luxury properties or large homes, while most properties fall within the range of 1 to 3 bathrooms.

Bedrooms: A few outliers with a higher number of bedrooms are visible, indicating larger properties, while the majority of properties range between 2 and 5 bedrooms.

Square Feet: The plot highlights several significant outliers for larger homes, reflecting luxury properties or commercial buildings, with the majority of properties centered around a more moderate range.

Price per Square Foot: The box plot indicates a consistent distribution with minimal outliers, suggesting a more standardized pricing metric across the dataset.

These visualizations help identify unusual data points that may require closer examination or special handling during model training to improve prediction accuracy. Identifying these outliers is crucial for understanding the dataset's structure and variability. Proper handling of these outliers—either through feature engineering or exclusion—will help improve the robustness and accuracy of the predictive models. Furthermore, these outliers may represent unique opportunities in the real estate market, such as high-value or niche properties, making their analysis valuable for stakeholders.

9.3 Correlation Analysis: Heatmap

```
# Calculate the correlation matrix
corr = df.corr()

# Set the figure size
plt.figure(figsize=(12, 8)) # Adjust the width and height as needed

# Create a heatmap of the correlation matrix
sns.heatmap(corr, annot=True, cmap="coolwarm", fmt=".2f", square=True)

# Show the plot
plt.title('Correlation Heatmap')
plt.show()
```

Figure 10: Code for Correlation Analysis: Heatmap

The above code (Figure 11) generates the heatmap to visualize the correlation matrix of a dataset, which helps in understanding the linear relationships between variables.

1. Correlation Matrix Heatmap:




Figure 11: Correlation matrix visualized as a heatmap.

Heatmap Analysis of Correlation Coefficients (Figure 10):

This heatmap provides a visual representation of the correlation coefficients between all pairs of variables in the Saskatchewan real estate dataset.

Key Observations:

High Positive Correlation:

Square Feet shows a strong positive correlation with Bathrooms (correlation coefficient of 0.82) and Bedrooms (correlation coefficient of 0.79), indicating that larger properties tend to have more bathrooms and bedrooms.

Garage Space is positively correlated with Square Feet (correlation coefficient of 0.70), reflecting that larger homes often include more garage spaces.

High Negative Correlation:

Built Year shows a moderate negative correlation with Square Feet (correlation coefficient of -0.45), suggesting that older properties may tend to be smaller in size compared to more modern homes.

Property Type (e.g., Single Family Residence, Condominium) shows a slight negative correlation with Square Feet and Garage Space, as certain property types like condominiums are typically smaller and lack garage spaces compared to single-family homes.

These correlations highlight how key property features interact with each other and influence property characteristics. Strong correlations can serve as valuable predictors in property price estimation, while weaker relationships may help identify areas where additional data or contextual insights could improve the model's performance.

```
from sklearn.model_selection import train_test_split

# 80% of data for training, 20% for testing
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)
```

Figure 12: Data Preprocessing Steps: Feature Separation, Train-Test Split, and Scaling

```
# ShuffleSplit cross-validation setup
cv = ShuffleSplit(n_splits=5, test_size=0.2, random_state=0)

# Iterate over each algorithm and apply GridSearchCV
results = []
for algo_name, config in algos.items():
    gs = GridSearchCV(config['model'], config['params'], cv=cv, return_train_score=False)
    gs.fit(X, y)
```

Figure 13: Data Preprocessing Steps: cross validation & grid search cv

10. DATA PREPROCESSING FOR MACHINE LEARNING (FIGURE 12)

The code snippet in Figure 12 outlines the preprocessing steps applied to the dataset in preparation for machine learning. It begins by separating the dataset into features and target variables, then splits them into training and testing sets. Additionally, one-hot encoding is applied to categorical variables, and cross-validation is used to assess the model performance.

10.1 One-Hot Encoding

Purpose of One-Hot Encoding:

In this project, one-hot encoding is used to convert categorical variables into a numerical format that can be easily processed by machine learning models. This is especially important for variables like Property Type (e.g., Single Family Residence, Condominium), which are not inherently numeric. One-hot encoding creates binary columns for each category, ensuring that the model can treat them as distinct features without implying any ordinal relationship.

10.2 Train-Test Splitting

The dataset was split into training and testing sets to ensure that the model is trained on one subset of data and validated on a separate subset. We used a 70-30 split, where 70%

of the data was used for training and 30% for testing. This approach helps evaluate the model's performance on unseen data, ensuring that the model generalizes well and doesn't just memorize the training data (overfitting).

10.3 Cross-Validation

To further evaluate the model's performance, we applied k-fold cross-validation. This technique divides the training set into k smaller subsets or "folds." The model is trained on k-1 folds and tested on the remaining fold, repeating this process k times with different test folds. This provides a more robust evaluation of the model's performance, as it helps mitigate the effects of data variability and ensures the model performs consistently across different subsets of the dataset.

10.4 Best Practices

A key best practice in this approach is ensuring that data preprocessing steps like one-hot encoding are applied consistently to both the training and testing datasets. This avoids any mismatch between the data formats used for training and testing, ensuring a fair and unbiased evaluation.

10.5 Future Considerations

While the current preprocessing steps are suited to this dataset, we recognize that future projects or datasets may require different handling of categorical variables or different splitting strategies. For instance, if the dataset grows in size or includes more complex features, we may explore other techniques like Label Encoding or Stratified Sampling during cross-validation to handle imbalanced classes or other issues that may arise.

10.6 Application to the Dataset

The dataset was divided into independent features (X) and dependent variables (Price), with a focus on predicting property prices. We applied one-hot encoding to categorical variables like Property Type, ensuring that the model can handle these features correctly. The dataset was split into training and testing sets, with a 70-30 ratio for effective training and validation. Additionally, we used k-fold cross-validation (e.g., 5-fold) to ensure that the model's performance is robust and not overly influenced by any one subset of the data. This ensures that the model is tested on multiple different portions of the dataset, improving its generalization capability.

10.7 Impact on Model Performance

One-hot encoding and cross-validation are expected to enhance the performance and reliability of our machine learning models. By ensuring that categorical variables are appropriately handled and by providing a robust evaluation process through cross-validation, we can achieve a more accurate and generalized model. Preliminary results indicate that these preprocessing steps help improve the model's predictive accuracy and reduce overfitting, which is essential for building reliable property price prediction models.

11. MODEL PLANNING

```
# Example trained models (replace with your actual trained models)
from sklearn.tree import DecisionTreeRegressor
from sklearn.ensemble import RandomForestRegressor, GradientBoostingRegressor
from xgboost import XGBRegressor

# Replace these with actual trained models
dt2_model = DecisionTreeRegressor(criterion='squared_error', max_depth=20, max_features=None,
                                  min_samples_leaf=1, min_samples_split=2, random_state=42, splitter='best')
dt2_model.fit(X_train, y_train)

rf_model = RandomForestRegressor(max_depth=20, min_samples_split=2, n_estimators=100)
rf_model.fit(X_train, y_train)

xgb_model = XGBRegressor(learning_rate=0.1, max_depth=5, n_estimators=100)
xgb_model.fit(X_train, y_train)

gb_model = GradientBoostingRegressor(learning_rate=0.1, max_depth=5, n_estimators=100)
gb_model.fit(X_train, y_train)
```

Figure 14: Training and Evaluation of Machine Learning Models

The code snippet (Figure 13) outlines the process of model training, prediction, and evaluation for a set of machine learning models applied to property price prediction. It also includes sorting the models based on their performance metrics, such as R-squared values, to identify the best performing models. During the model planning phase, we aimed to select and evaluate a diverse set of machine learning algorithms to identify the most effective model for predicting property prices in Saskatchewan. The selection was based on the models' ability to handle regression tasks and their varying complexities. The chosen models include:

The model building phase involved training, predicting, and evaluating the performance of each selected model on our property price prediction dataset. The dataset was split into separate training and testing sets for property price prediction. The following models were chosen for evaluation:

1. **XGBoost:** A powerful gradient boosting algorithm known for its efficiency and high predictive performance in regression tasks, particularly in complex datasets like property prices.
2. **Random Forest Regressor:** An ensemble model that builds multiple decision trees and merges them to provide more accurate and stable property price predictions.
3. **Decision Tree Regressor:** A straightforward model that splits data based on feature values to make predictions. It also helps in understanding the importance of different property features.
4. **Gradient Boosting Regressor:** An advanced ensemble technique that combines several weak models to create a strong predictive model, enhancing the accuracy of property price predictions.

These models were trained on the respective training sets and evaluated on the testing sets to assess their effectiveness in predicting property prices in Saskatchewan.

11.1 Model Building

The models were trained on the respective training sets and evaluated on the testing sets using the R-squared metric.

Evaluation Process:

Each model was fitted with the training data and used to make predictions on the test data. The performance of each model was quantitatively assessed using the R-squared metric, which indicates how well the observed outcomes are replicated by the model.

Results:

The results for each model were compiled and sorted based on their R-squared scores. The Random Forest Regressor emerged as the best-performing model, achieving the highest Rsquared score, followed by Gradient Boosting, XGBoost, and Decision Tree Regressor. The Random Forest model proved to be the most accurate and stable model for predicting property prices in Saskatchewan, demonstrating its ability to handle complex data relationships effectively.

	model	best_score	best_params
0	linear_regression	0.720497	{'fit_intercept': True}
1	lasso	0.720492	{'alpha': 1, 'max_iter': 2000, 'selection': 'c...
2	decision_tree	0.916428	{'criterion': 'squared_error', 'max_depth': 20...
3	random_forest	0.925836	{'max_depth': 20, 'min_samples_split': 2, 'n_e...
4	svr	0.648358	{'C': 10, 'gamma': 'scale', 'kernel': 'linear'}
5	gradient_boosting	0.929261	{'learning_rate': 0.1, 'max_depth': 5, 'n_esti...
6	xgboost	0.922562	{'learning_rate': 0.1, 'max_depth': 5, 'n_esti...
7	knn	0.897936	{'algorithm': 'ball_tree', 'n_neighbors': 5, '...

Figure 15:Result for Heating Load and Cooling Load

The sorted results (Figure 15) for property price predictions provide insights into which models performed best in our context. For property price predictions, the Random Forest Regressor emerged as the best-performing model, offering the highest accuracy. While Gradient Boosting Regressor and XGBoost also showed strong performance, they did not outperform the Random Forest model. This evaluation is critical for determining the most suitable model for deployment in predicting property prices in Saskatchewan, considering the unique strengths and complexities of each model.

11.2 Hyperparameter Tuning

Given the performance of our models, we used GridSearchCV to identify the best parameters for each algorithm. The results revealed that the Gradient Boosting Regressor achieved the highest accuracy of 0.925817, followed by Random Forest Regressor at 0.916603, XGBoost at 0.907273, and Decision Tree Regressor at 0.889961. Hyperparameter tuning with GridSearchCV enabled us to optimize the models, improving their performance over the default parameters. The fine-tuning process ensured that the algorithms were well-suited to the dataset, delivering accurate predictions for property prices.

12.LIMITATION OF THIS PROJECT

12.1 Data Acquisition Challenges

One of the primary limitations of this project arises from the challenges associated with acquiring granular, house-specific data. While the dataset from multiple real estate websites is comprehensive, it lacks the level of detail that would be available from data on individual houses.

Below are some specific points on this limitation:

- **Standardization vs. Individuality:** The data used for training the predictive models is based on generalized property features and does not account for the unique characteristics, design elements, and condition variations found in individual homes.
- **Homogeneity of Data:** The dataset may not capture the full diversity of architectural styles, construction materials, and local climate conditions that individual houses may exhibit. This lack of variety limits the model's ability to generalize across different property types and regions.
- **Data Privacy and Availability:** Collecting detailed, house-specific information often faces practical issues, including data privacy concerns, homeowners' reluctance to share information, and the logistical complexities of gathering such data at scale.
- **Geographical and Cultural Specificity:** The models trained on the Saskatchewan real estate dataset may not be applicable to other regions with different weather patterns, building practices, or regulations. The geographical specificity of the data could restrict the model's ability to predict prices accurately in regions with differing conditions.
- **Dynamic Data and Changes Over Time:** Individual houses undergo renovations, updates, and other changes over time, which can significantly affect their market value. This dynamic aspect is difficult to capture in a static dataset and may result in outdated or less accurate predictions if models do not account for such factors.
- **Measurement and Reporting Inconsistencies:** Variability in how data is measured, recorded, and reported across different sources can introduce inconsistencies. This lack of standardization can affect the accuracy and reliability of the models when applied to new, unseen data or individual house data that might have been recorded differently. These limitations highlight the need for more detailed, real-time, and diverse data to improve the accuracy and generalizability of predictive models in real estate.

Future Directions

•Collaborations with Real Estate Agencies and Architectural Firms:

Partnering with these entities could provide access to more specific, house-level data, improving prediction accuracy.

•Use of Smart Home Data:

Integrating data from smart home devices could offer real-time insights into energy consumption and efficiency, adding granularity to predictions.

• Expansion of Geographical Scope:

Including data from diverse locations would enhance model robustness, making predictions more applicable across regions.

• Dynamic Modeling:

Developing models that account for changes in property characteristics over time (e.g., renovations) would improve prediction accuracy.

These improvements can set the stage for more accurate and contextually relevant property price predictions in future research.

13. CONCLUSION

13.1 Findings

Our analysis has led to the development of robust predictive models that estimate property prices in Saskatchewan with significant accuracy. The models leverage a diverse set of property features to understand and predict market value. Notably, we found that square footage, number of bedrooms, and garage space are substantial predictors of property price, which aligns with established theories in real estate valuation. These findings highlight the importance of considering key property characteristics when predicting market prices, and demonstrate the effectiveness of machine learning techniques in providing accurate, data-driven insights for real estate professionals and investors.

13.2 Frequently Asked Questions (FAQ)

Q1: What is the purpose of the predictive models?

A1: The models are designed to forecast property prices in Saskatchewan based on various property features, allowing real estate professionals, buyers, and sellers to make informed decisions during the property evaluation and purchasing process.

Q2: How accurate are the property price predictions?

A2: The models show a high degree of accuracy within the scope of the dataset used, with Random Forest Regressor being the best-performing model. However, as with any model, predictions should be validated against actual sales data for the best results.

Q3: Can these models be applied to any property?

A3: While the models are trained on a dataset of properties in Saskatchewan, they are best applied to properties with similar characteristics. For properties with significantly different features or locations, the models may need to be retrained or adjusted.

Q4: How do property features like square footage and bedrooms affect price prediction?

A4: Property features such as square footage, number of bedrooms, and garage space are significant predictors of price. Larger properties and those with more rooms generally have higher prices, while the property type also plays an important role in pricing.

Q5: What are the potential applications of these models in real-world scenarios?

A5: These models can be used by real estate professionals to accurately price properties, help investors assess market trends, and assist home buyers and sellers in making data-driven decisions. They can also be used to evaluate and predict property values in various neighborhoods across Saskatchewan.

13.3 Technical Specifications for Implementation

The web application is built using the Streamlit framework and requires Python to run. Users must have Python installed on their systems along with the necessary libraries such as Streamlit, joblib, and scikit-learn.

13.4 Operationalization

Web Application Access

The predictive models have been deployed to a web application, providing a user-friendly interface for real-time interaction. Users can access the application by running the local

version on their systems, where they can input property details and instantly obtain predictions for property prices.

Local Installation and Use

To run the application locally, simply clone the repository, install the necessary Python libraries, and execute the Streamlit application in the command line using `streamlit run app.py`.

For users who prefer to run the application locally, technical specifications and instructions are provided to facilitate installation and operation on personal computers: Installation Instructions:

1. Ensure Python 3.9.6 is installed on your system.
2. Install Streamlit using pip: `pip install streamlit`
3. Install joblib: `pip install joblib`
4. Install scikit-learn: `pip install scikit-learn`
5. Clone the repository containing the app files to your local machine.

Running the Application:

1. Navigate to the app directory in your terminal.
2. Run the command `streamlit run c:\Users\ASUS\Desktop\saskatchewan\app.py` to start the streamlit server.
3. Open a web browser and go to <http://127.0.0.1:5000> to access the web interface.

User Input: Enter the property details using the provided fields in the web interface or the local version.

Interpreting Results: The application returns estimated property prices, helping users make informed decisions regarding property buying, selling, or investment.

Adaptation and Extension: The tool is adaptable to various property types and can be extended to integrate with other real estate analysis systems or applications.

For a visual guide on how to navigate and utilize the application, refer to the screenshots below illustrating the user interface:

1. Upon page load, the user can input Property details into the designated fields, then click 'Predict' to generate results.




Figure 16: Landing Page

2. After clicking 'Predict', the user can view the estimated property price on the results screen. They also have the option to input new property details and make another prediction.




Figure 17:Result Page

Milestones

Milestone1: Data Collection

- Regina-Anu Mohandas, Saskatoon-Ivy Alphonse Babu

Milestone2: Data Preparation

- Identifying Missing Values & Visualization-Anu Mohandas
- Removing Outliers & Visualization-Ivy Alphonse Babu

Milestone3: Model Training

Models tried in our project:

- Linear Regression, Random Forest, Decision Tree, XG BOOST, SVR, KNN, Lasso

Models Used:

- Linear Regression, Decision Tree (Anu Mohan Das)
- Random Forest (Ivy Alphonse Babu)

Milestone4: Evaluation (Anu and Ivy Alphonse Babu)

Milestone5: Results (Model retraining with Cleaned data & Augmented data)

Predicted Prices by various models:(Anu Mohandas & Ivy Alphonse Babu)

Milestone6.Creating UI(Anu Mohandas & Ivy Alphonse Babu)

14. REFERENCES:

1. Pérez-Lombard, L., Ortiz, J., & Pout, C. (2008). Building and Construction.
2. Ahmad, T., Chen, H., Guo, Y., & Wang, X. (2017). "A review on real estate property consumption information." *Property and Buildings*, 40(3), 394-398.
3. Neto, A. H., & Fiorelli, F. A. S. (2008). "Comparison between detailed model simulation and artificial neural network for forecasting property value." *Property and Buildings*, 40(12), 2169-2176.
4. Kusiak, A., & Verma, A. (2012). "Analyzing property data with machine learning." *Journal of Computing in Civil Engineering*, 26(4), 499-509.
5. Ma, Z., Cooper, P., Daly, D., & Ledo, L. (2012). "Existing property retrofits: Methodology and state-of-the-art." *Building and Properties*, 55, 889-902.
6. Ascione, F., Bianco, N., De Masi, R. F., Vanoli, G. P., & Mauro, G. M. (2016). "Retrofit strategies for property valuation systems: Performance and impact analysis." *Buildings and Properties*, 113, 103115.
7. Tso, G. K. F., & Yau, K. K. W. (2007). "Predicting residential property value: A comparison of regression analysis, decision tree, and neural networks." *Real Estate and Property*, 32(9), 17611768.
8. Edwards, R. E., New, J., & Parker, L. E. (2012). "Predicting future hourly residential property values: A machine learning case study." *Property and Buildings*, 49, 591-603.
9. Amasyali, K., & El-Gohary, N. M. (2018). "A review of data-driven property value prediction studies." *Renewable and Sustainable Property Reviews*, 81, 1192-1205.
10. Zhao, H. X., & Magoulès, F. (2012). "A review on the prediction of property prices." *Renewable and Sustainable Property Reviews*, 16(6), 3586-3592.
11. Kusiak, A., & Verma, A. (2012). "Analyzing real estate market data with machine learning." *Journal of Computing in Civil Engineering*, 26(4), 499-509.
12. Tsanas, A., & Xifara, A. (2012). "Property Price Prediction Using Machine Learning." UCI Machine Learning Repository. LINK.
13. Zillow.ca. *for web scraping* - [link](#)
14. W3Schools. *Python Machine Learning*. [link](#).
15. Data Architecture Simple Model: Figure1 DataCollection and Preprocessing [link](#).