


REST API Testing using Postman and JSONPlaceholder

GET Request



GET Request Documentation

Method: GET

URL: <https://jsonplaceholder.typicode.com/posts/1>

Status Code: 200 OK

Response:

```
{
  "userId": 1,
  "id": 1,
  "title": "sunt aut facere repellat provident occaecati excepturi optio reprehenderit",
  "body": "quia et suscipit..."
}
```

Description:

This GET request was used to fetch post data from JSONPlaceholder API.

The server returned the requested data successfully in JSON format with status code 200 OK.

POST Request

The screenshot displays a REST client interface with the following components:

- Top Bar:** Includes a "Save" button and a "Share" link.
- Request Configuration:** The method is set to "POST" and the URL is "https://jsonplaceholder.typicode.com/posts". A "Send" button is located to the right.
- Navigation Tabs:** Tabs for "Docs", "Params", "Authorization", "Headers", "Body", "Scripts", "Tests", and "Settings" are visible. The "Params" tab is currently selected.
- Query Params Table:**

Key	Value	Description	Bulk Edit	...
Key	Value	Description		
- Response Section:**
 - Status Bar:** Shows "201 Created" in green, with a response time of "2.48 s" and a size of "1.21 KB". It also includes a "Save Response" button.
 - Body Tab:** The response body is displayed in JSON format:

```
{  "id": 101}
```

POST Request Documentation

Method: POST

URL: <https://jsonplaceholder.typicode.com/posts>

Status Code: 201 Created

Response:

```
{
  "id": 101
}
```

Description:

This POST request was used to create new data in JSONPlaceholder API. The server successfully created a new resource and returned a new ID with status code 201 Created.

PUT Request

The screenshot shows a REST client interface with the following details:

- Method:** PUT
- URL:** https://jsonplaceholder.typicode.com/posts/1
- Response Status:** 200 OK
- Response Time:** 760 ms
- Response Size:** 1.08 KB
- Response Body (JSON):**

```
{
  "id": 1
}
```

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

PUT Request Documentation

Method: PUT

URL: <https://jsonplaceholder.typicode.com/posts/1>

Status Code: 200 OK

Response:

```
{
  "id": 1
}
```

Description:

This PUT request was used to update existing data in JSONPlaceholder API.
The server successfully updated the resource and returned status code 200 OK.

DELETE Request

My Collection > Get data

DELETE <https://jsonplaceholder.typicode.com/posts/1> Send

Docs Params Authorization Headers 6 Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers 23 Test Results 1/1 200 OK • 1.06 s • 1.06 KB Save Response

{ } JSON Preview Visualize

1

DELETE Request Documentation

Method: DELETE

URL: <https://jsonplaceholder.typicode.com/posts/1>

Status Code: 200 OK

Response:

```
{}
```

Description:

This DELETE request was used to remove data from JSONPlaceholder API.

The server successfully deleted the resource and returned status code 200 OK with an empty response body.

REST API Testing using Postman – JSONPlaceholder

1. GET Request

- Used to fetch data from API
- Status Code: 200 OK

2. POST Request

- Used to create new data
- Status Code: 201 Created

3. PUT Request

- Used to update existing data
- Status Code: 200 OK

4. DELETE Request

- Used to delete data
- Status Code: 200 OK
- Conclusion:
Successfully tested REST API methods (GET, POST, PUT, DELETE) using Postman and documented all API responses.