

API Testing Report using Postman

Objective

To perform REST API testing using Postman by sending GET, POST, PUT, and DELETE requests to the JSONPlaceholder API and documenting all responses.

Tools Used

- [Postman](#)

APIs Used

1. [Simple Books API](#)
2. [JSONPlaceholder API](#)


1. GET Request

Endpoint

`https://simple-books-api.click/status`

Method

GET



Response

```
{
  "status": "OK"
}
```

Status Code

200 OK

Purpose

Used to check API status and retrieve data from server.

2. POST Request

Endpoint

<https://simple-books-api.click/orders>

Method

POST

The screenshot displays a REST client interface for a request to the `simple book > Order book` endpoint. The request is a **POST** to `{{baseUri}}/orders`. The request body is raw JSON:

```
{
  "bookId": 1,
  "customerName": "John"
}
```

. The response is a **201 Created** status with a response time of 810 ms and a body size of 784 B. The response body is JSON:

```
{
  "created": true,
  "orderId": "IHUjky5feimcdkgxNX3d"
}
```

. The interface includes tabs for Docs, Params, Authorization, Headers, Body, Scripts, Tests, and Settings. The Body tab is active, showing the request and response bodies. The response status is highlighted in green, and the response body is also highlighted in green.

Request Body

```
{  
  "bookId": 1,  
  "customerName": "John"  
}
```

Response

```
{  
  "created": true,  
  "orderId": "IHUjkgY5feimcdkgxNX3d"  
}
```

Status Code

201 Created

Purpose


Used to create a new order/resource on server.


3.Put Request

<https://simple-books-api.click/orders/REkklxvc1xxQ9jDEUGp6d>

Method

PUT





Response

204 No Content

Purpose

Used to update or replace existing resource data.

Observation

Simple Books API does not officially support PUT method, but the server returned 204 No Content.

Used to fully update or replace an existing resource.

4.DELETE Request

Endpoint

<https://simple-books-api.click/orders/IHUJkpY5feimcdkgxNX3d>

Method

DELETE

simple book

Delete order

Save

Share

DELETE

{{baseUri}}/orders/:orderId

Send

Docs

Params

Authorization

Headers

Body

Scripts

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Path Variables

Key	Value	Description	Bulk Edit	...
orderId	IHujkpY5feimcdkpxbX3d	Description		

Body

Cookies

Headers

Test Results

204 No Content

761 ms

685 B


Save Response

Raw

Preview

Visualize

1



simple book

get orderId

Save

Share

GET

{{baseUri}}/orders/:orderId

Send

Docs

Params

Authorization

Headers

Body

Scripts

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Path Variables

Key	Value	Description	Bulk Edit	...
orderId	IHujkpY5feimcdkpxbX3d	Description		

Body

Cookies

Headers

Test Results

404 Not Found

328 ms

788 B

Save Response

JSON

Preview

Debug with AI

1 {

2 | "error": "No order with id IHujkpY5feimcdkpxbX3d."

3 }

Response

{}

Status Code

204 No Content

Purpose

Used to delete an existing resource.