
Χ





reviewer4@nptel.iitm.ac.in ~

NPTEL (https://swayam.gov.in/explorer?ncCode=NPTEL) » Data Science for Engineers (course)

Announcements (announcements) About the Course (https://swayam.gov.in/nd1_noc20_cs28/preview)

Ask a Question (forum) Progress (student/home) Mentor (student/mentor)

Unit 5 - Week 3

Course outline	Assignment 3
How does an NPTEL online course work?	The due date for submitting this assignment has passed. Due on 2020-02-19, 23:59 IST. As per our records you have not submitted this assignment.
Week 0	1) A single letter is selected at random from the word 'MACHINE LEARNING'. The probability that it is a consonant is
Week 1	○ 8/15 ○ 5/15
Week 2	○ 7/15 ○ 9/15
Week 3 Statistical Modelling (unit? unit=24&lesson=25)	No, the answer is incorrect. Score: 0 Accepted Answers: 9/15
 Random Variables and Probability Mass/Density Functions (unit? unit=24&lesson=26) 	2) The probability of rolling 2 dice to get a sum of 4 or 7 is: 1/6 1/4 1/12 1/8
Sample Statistics (unit? unit=24&lesson=27)	No, the answer is incorrect. Score: 0 Accepted Answers:
O Hypotheses Testing (unit? unit=24&lesson=28)	1/43) A car manufacturer purchases car batteries from two different suppliers. Supplier X provides 1 point
FAQ (unit? unit=24&lesson=29)	55% of the batteries and supplier Y provides the rest. If 5% of all batteries from supplier X are defective and 4% of the batteries from supplier Y are defective. Determine the probability that a randomly selected battery is defective

Quiz : Practice	0.95	
Assignment 3 (assessment?	0.045	
name=92)	0.5	
O Quiz :	0.85	
Assignment 3 (assessment? name=111)	No, the answer is incorrect. Score: 0 Accepted Answers:	
Week 3 Feedback (unit? unit=24&lesson=112)	0.045 4) For normal density function, the area under the probability density curve within 3σ limit is	1 point
	O 1	
Solution - Assignment 3	O -1	
(unit?	99.7	
unit=24&lesson=120)	68.26	
Week 4	No, the answer is incorrect. Score: 0	
Week 5	Accepted Answers: 99.7	
Week 6	5) A and B are mutually exclusive events, given P(A)=0.3 and P(B)=0.4 find P(A∩B)?	1 point
Week 7	0.12 0	
Week 8	0.7 0 1	
Text Transcripts	No, the answer is incorrect. Score: 0	
Download Videos	Accepted Answers:	
	X and Y are independent random variables with $E(X)=6$, $\sigma_X^2=3$, $E(Y)=3$ and $\sigma_Y^2=5$ based on this information answer question 6 and 7 6) $E(10X+5Y)=?$	5. Now 1 point
	20306575	
	No, the answer is incorrect. Score: 0 Accepted Answers:	
	75 7) $Var(3X + 5Y)$ is	1 point
	260 152 145 100 No, the answer is incorrect.	
	Score: 0	

Accepted Answers:

152

Based on the below information answer questions from 8 to 11.

Read the dataset Salaries.csv (https://drive.google.com/open?

 $id = 1 v 6 FbQfPCADkRIXCdZGmf5 ujAxVm4 aHV0). \label{eq:controller} The description of the dataset is given below:$

The 2008-09 nine-month academic salary for Assistant Professors, Associate Professors and Professors in a college in the U.S, the

data were collected as part of the on-going effort of the college's administration to monitor salary differences between male and female


faculty members.

A data frame consisting of 397 observations with 6 variables is described below.

Variable	Description
rank	factor with levels "AssocProf", "AsstProf",
	"Prof"
discipline	factor with levels A ("theoretical"
	departments) or B ("applied" departments)
yrs.since.phd	years since PhD
yrs.service	years of service
Sex	factor with levels Female, Male
salary	salary, in dollars

8) Average Salary of the professors is	1 point
113706	
125688	
O 107300	
O 245131	
No, the answer is incorrect. Score: 0	
Accepted Answers: 113706	
9) The highest experience of professor since Ph.D	is: 1 point
O 54	
O 32	
O 21	
O 56	
No, the answer is incorrect. Score: 0	
Accepted Answers:	
56	
10) The Median of years of service of professors is:	1 point
O 7	
⁰ 16	
○ 23	

O 35	
No, the answer is incorrect. Score: 0	
Accepted Answers:	
16	
11)Variance of Salary is	1 point
345658545	
912562245	
917425865	
65872354	
No, the answer is incorrect. Score: 0	
Accepted Answers: 917425865	
12)Which one of the following is best measure of central tendency for categorical data?	1 point
Mean	
Median	
Mode	
None of the above	
No, the answer is incorrect. Score: 0	
Accepted Answers:	
Mode	
13) The sum of the deviations from the mean is always	1 point
Positive	
Negative	
Standard deviation	
Zero	
No, the answer is incorrect. Score: 0	
Accepted Answers: Zero	
14)A standard normal density function is shown below. The area of the shaded region is	1 point



0.046

0.977

0.954

0.023

No, the answer is incorrect.

Score: 0

Accepted Answers:

0.954

15)Consider the experiment of tossing a coin three times. What is the probability of getting three *1 point* tails?

1/8

3/8

0 1/4

None of the above

No, the answer is incorrect.

Score: 0

Accepted Answers:

1/8

16^A sample of N observations are independently drawn from a normal distribution. The sample 1 point variance follows

Normal distribution

Chi-square with N degrees of freedom

Chi-square with N-1 degrees of freedom

t-distribution with N-1 degrees of freedom

No, the answer is incorrect.

Score: 0

Accepted Answers:

Chi-square with N-1 degrees of freedom

Based on the below information answer questions from 17 to 20.

The bigcity.csv (https://drive.google.com/open?id=1N42-T1kSKtMEBWIEEoiNqTUkEsxnmmqj) file contains a data frame having 49 rows and 2 columns. The population (in 1000's) of 49 U.S. cities

for the year

1920 and 1930 are recorded.

Variable	Description
X_1920	1920 population
Y_1930	1930 population

In order to assess whether the population of the cities changed significantly, a hypotheses test is conducted to test whether the differences of

conducted to test whether the differences of the mean is equal to zero or not.	
17) The difference in the mean between the population 1930 and 1920 is	1 point
20.464 -23.652 24.653 10.555 No, the answer is incorrect. Score: 0 Accepted Answers: 24.653	
18)The value of the t-statistic for the hypotheses test is 1.069 0.404	0 points
-0.856 -1.069	
No, the answer is incorrect. Score: 0 Accepted Answers: 1.069	
19)The degrees of freedom of the t-statistic is 56 20 35 96	1 point
No, the answer is incorrect. Score: 0 Accepted Answers: 96 20)The critical value of the test criterion for a level of significance of 5% is:	1 point
② 2.22 ② 2.02	

1.983.56	
No, the answer is incorrect. Score: 0	
Accepted Answers:	
1.98	