

SECURITY ASSESSMENT REPORT

Automated Incident Response & Vulnerability Scan Analysis

Target IP Address: 192.168.0.5

Scan Timestamp: 2026-08-24T18:55:40Z

Report Generated: 2026-08-24 18:55:46 UTC

OVERALL THREAT RISK LEVEL

HIGH

1. Executive Summary & AI Analysis

[AI Analysis Unavailable]

Groq API returned an error (status 404): Error code: 404 - {'error': {'message': 'The model llama-3.1-8b-instant does not exist or you do not have access to it.', 'type': 'invalid_request_error', 'code': 'model_not_found'}}

2. Open Ports & Detected Services

Port	Service	Version	Risk
135/tcp	msrpc	N/A	LOW
139/tcp	netbios-ssn	N/A	LOW
445/tcp	microsoft-ds	N/A	HIGH

3. Discovered Vulnerabilities (CVEs)

CVE-2002-1873 — CVSS Score: 5.0 | Published: N/A

MEDIUM SEVERITY

Microsoft Exchange 2000, when used with Microsoft Remote Procedure Call (MSRPC), allows remote attackers to cause a denial of service (crash or memory consumption) via malformed MSRPC calls.

CVE-2013-4688 — CVSS Score: 7.8 | Published: N/A

HIGH SEVERITY

flowd in Juniper Junos 10.4 before 10.4R11 on SRX devices, when the MSRPC Application Layer Gateway (ALG) is enabled, allows remote attackers to cause a denial of service (daemon crash) via crafted MSRPC requests, aka PR 772834.

CVE-2002-0597 — CVSS Score: 5.0 | Published: N/A

MEDIUM SEVERITY

LANMAN service on Microsoft Windows 2000 allows remote attackers to cause a denial of service (CPU/memory exhaustion) via a stream of malformed data to microsoft-ds port 445.

4. MITRE ATT&CK; Mappings

Port	Technique ID	Technique Name	Tactic
135	T1046	Network Service Discovery	Discovery
139	T1046	Network Service Discovery	Discovery
445	T1021.002	Remote Services: SMB/Windows Admin Shares	Lateral Movement

5. Immediate Remediation & Hardening

- **Patch & Update Software:** Immediately apply vendor security updates for all identified outdated services and libraries.
- **Enforce Strict Firewall Policies:** Restrict inbound network access to essential ports only; block unused open ports.
- **Implement Strong Authentication:** Enforce multi-factor authentication (MFA) and disable password-based SSH authentication in favor of key pairs.
- **Continuous Monitoring & Auditing:** Enable continuous log monitoring, intrusion detection systems (IDS), and regular automated vulnerability assessment.